

# Rigshospitalet

## Videnskabelige publikationer

09



# INDHOLDSFORTEGNELSE

<b>ABDOMINALCENTRET .....</b>	<b>3</b>
Anæstesi- og Operationsklinikken .....	3
Hepatologisk Klinik A .....	5
Intensiv Terapiklinik ITA.....	6
Karkirurgisk Klinik RK .....	7
Kirurgisk Gastroenterologisk Klinik C.....	9
Medicinsk Gastroenterologisk Klinik CA .....	10
Nefro-endokrinologisk Afd. P/PE .....	10
Urologisk Klinik D .....	14
<b>DIAGNOSTISK CENTER.....</b>	<b>15</b>
Infektionshygiejisk Enhed .....	15
Klinik for Klinisk Fysiologi, Nuklearmedicin & PET .....	15
Klinik Biokemisk Afdeling .....	20
Klinik Immunologisk Afdeling .....	26
Klinik Mikrobiologisk Afdeling.....	29
Patologiafdelingen .....	33
Radiologisk Klinik .....	37
<b>FINSENCENTRET .....</b>	<b>40</b>
Center for Inflammation og Metabolisme .....	40
Center for Muskelforskning .....	42
Epidemiklinikken .....	49
Finsenlaboratoriet .....	55
Hæmatologisk Klinik .....	57
Institut for Inflammationsforskning (IIR) .....	60
Onkologisk Klinik og Radioterapiklinikken .....	61
Reumatologisk Klinik.....	67
Strålebiologisk Laboratorium .....	70
<b>HJERTECENTRET .....</b>	<b>71</b>
Hjertemedicinsk Klinik B .....	71
Thoraxanæstesiologisk Klinik ANT .....	83
Thoraxkirurgisk Klinik RT .....	84
Thoraxkirurgisk Klinik RT, udefunktion (Gentofte) .....	86
<b>HOVEDORTOCENTRET .....</b>	<b>87</b>
Anæstesi- og Operationsklinikken .....	87
Anæstesi og akutmedicin.....	87
Enhed for akut smertebehandling og palliation.....	89
Trykkammerenhed .....	90
Brystkirurgisk Klinik.....	90
Klinik for Ergo- og Fysioterapi .....	91
Klinik for Plastikkirurgi og Brandsårsbehandling .....	91
Læbe-Ganespalte Centret .....	92
Ortopædkirurgisk Klinik.....	92
Tand-mund-kæbekirurgisk Klinik .....	93
Øjenklinikken.....	94
Øre-næse-halskirurgisk Klinik .....	95
<b>JULIANE MARIE CENTRET .....</b>	<b>97</b>
Anæstesi- og Operationsklinikken .....	97
Enhed for Kirurgisk Patofysiologi.....	97
Fertilitetsklinikken.....	100
Gynækologisk Klinik.....	101
Klinik for Føtal Medicin og Ultralydskanning .....	105
Klinik for Psykologi, Pædagogik og Socialrådgivning .....	106
Klinik for Vækst og Reproduktion.....	106
Klinik Genetisk Afdeling .....	109
Neonatalklinikken .....	111
Obstetrisk Klinik .....	112
Pædiatrisk Klinik I og II .....	114
Reproduktionsbiologisk Laboratorium.....	117
<b>NEUROCENTRET .....</b>	<b>119</b>
Klinisk for Rygmarvsskader .....	119
Klinisk Neurofysiologisk Klinik .....	120
Neuroanæstesiologisk Klinik .....	120
Neurokirurgisk Klinik .....	121
Neurologisk Klinik .....	122

Dansk Multipel Scleroze Center.....	122
Hukommelsesklinikken og Nationalt Videnscenter for Demens.....	124
Neurobiologisk Forskningsenhed.....	126
Neuromuskulær Klinik .....	129
Vaskulær og almen neurologi .....	130
Tværfagligt Smertecenter .....	130
<b>CENTER FOR KLINISK UDDANNELSE (CEKU) .....</b>	<b>131</b>
Center for Klinisk Uddannelse (CEKU).....	131
<b>DET NORDISKE COCHRANE CENTER.....</b>	<b>132</b>
Copenhagen Trial Unit (CTU) og Cochrane Hepato-Biliary Group (CHBG) .....	132
Det Nordiske Cochrane Center.....	134
<b>UNIVERSITETHOSPITALERNES CENTER FOR SYGEPLEJE- OG OMSORGSFORSKNING (UCSF) 137</b>	
Universitetshospitalernes Center for Sygepleje- og omsorgsforskning (UCSF) .....	137

# Abdominalcentret

---

## Anæstesi- og Operationsklinikken

### Publikationer

---

#### Videnskabelige artikler

Brassard P, Seifert T, Secher NH. Is cerebral oxygenation negatively affected by infusion of norepinephrine in healthy subjects? *Br J Anaesth* 2009;102(6):800-5.

Brondum E, Hasenkam JM, Secher NH, Bertelsen MF, Grondahl C, Petersen KK, et al. Jugular venous pooling during lowering of the head affects blood pressure of the anesthetized giraffe. *Am J Physiol Regul Integr Comp Physiol* 2009;297(4):R1058-R1065.

Bundgaard-Nielsen M, Sorensen H, Dalsgaard M, Rasmussen P, Secher NH. Relationship between stroke volume, cardiac output and filling of the heart during tilt. *Acta Anaesthesiol Scand* 2009;53(10):1324-8.

Bundgaard-Nielsen M, Jorgensen CC, Jorgensen TB, Ruhnau B, Secher NH, Kehlet H. Orthostatic intolerance and the cardiovascular response to early postoperative mobilization. *Br J Anaesth* 2009;102(6):756-62.

Bundgaard-Nielsen M, Secher NH, Kehlet H. 'Liberal' vs. 'restrictive' perioperative fluid therapy--a critical assessment of the evidence. *Acta Anaesthesiol Scand* 2009;53(7):843-51.

Eiberg JP, Bundgaard Nielsen M, Hansen MA, Secher NH. Endovascular repair of iatrogenic superior mesenteric arteriovenous fistula. *Eur J Vas and Endovas Surg* 2009;17:21-3.

Fisher JP, Kim A, Young CN, Ogoh S, Raven PB, Secher NH, et al. Influence of ageing on carotid baroreflex peak response latency in humans. *J Physiol* 2009;587(Pt 22):5427-39.

Gam CM, Rasmussen P, Secher NH, Seifert T, Larsen FS, Nielsen HB. Maintained cerebral metabolic ratio during exercise in patients with beta-adrenergic blockade. *Clin Physiol Funct Imaging* 2009;29(6):420-6.

Hellsten Y, Krstrup P, Iaia FM, Secher NH, Bangsbo J. Partial neuromuscular blockade in humans enhances muscle blood flow during exercise independently of muscle oxygen uptake and acetylcholine receptor blockade. *Am J Physiol Regul Integr Comp Physiol* 2009;296(4):R1106-R1112.

Immink RV, Truijen J, Secher NH, van Lieshout JJ. Transient influence of end-tidal carbon dioxide tension on the postural restraint in cerebral perfusion. *J Appl Physiol* 2009;107(3):816-23.

Jensen MK, Nielsen M, Koefoed P, Nielsen HB, Ullum H, Haastrup E, et al. Haplotype structure of the beta2-adrenergic receptor gene in 814 Danish Caucasian subjects and association with body mass index. *Scand J Clin Lab Invest* 2009;69(7):801-8.

Jeppesen PB, Lund P, Gottschalck IB, Nielsen HB, Holst JJ, Mortensen J, et al. Short bowel patients treated for two years with glucagon-like peptide 2 (GLP-2): compliance, safety, and effects on quality of life. *Gastroenterol Res Pract* 2009;2009:425759.

Jeppesen PB, Lund P, Gottschalck IB, Nielsen HB, Holst JJ, Mortensen J, et al. Short bowel patients treated for two years with glucagon-like Peptide 2: effects on intestinal morphology and absorption, renal function, bone and body composition, and muscle function. *Gastroenterol Res Pract* 2009;2009:616054.

Johansson PI, Ullum H, Jensen K, Secher NH. A retrospective cohort study of blood hemoglobin levels in blood donors and competitive rowers. *Scand J Med Sci Sports* 2009;19(1):92-5.

Jorgensen CC, Bundgaard-Nielsen M, Skovgaard LT, Secher NH, Kehlet H. Stroke volume averaging for individualized goal-directed fluid therapy with oesophageal Doppler. *Acta Anaesthesiol Scand* 2009;53(1):34-8.

Kjeld T, Pott FC, Secher NH. Facial immersion in cold water enhances cerebral blood velocity during breath-hold exercise in humans. *J Appl Physiol* 2009;106(4):1243-8.

Mitchell DA, Lambert G, Secher NH, Raven PB, van Lieshout J, Esler MD. Jugular venous overflow of noradrenaline from the brain: a neurochemical indicator of cerebrovascular sympathetic nerve activity in humans. *J Physiol* 2009;587(Pt 11):2589-97.

Nielsen HB. Thrombelastography guides transfusion strategy. *Int J Biomed Sci* 2009;5(2):187-8.

Nissen P, van Lieshout JJ, Novovic S, Bundgaard-Nielsen M, Secher NH. Techniques of cardiac output measurement during liver transplantation: arterial pulse wave versus thermodilution. *Liver Transpl* 2009;15(3):287-91.

Nissen P, van Lieshout JJ, Nielsen HB, Secher NH. Frontal lobe oxygenation is maintained during hypotension following propofol-fentanyl anesthesia. *AANA J* 2009;77(4):271-6.

Nissen P, Pacino H, Frederiksen HJ, Novovic S, Secher NH. Near-infrared spectroscopy for evaluation of cerebral autoregulation during orthotopic liver transplantation. *Neurocrit Care* 2009;11(2):235-41.

Rasmussen P, Madsen CA, Nielsen HB, Zaar M, Gjedde A, Secher NH, et al. Coupling between the blood lactate-to-pyruvate ratio and MCA Vmean at the onset of exercise in humans. *J Appl Physiol* 2009;107(6):1799-805.

Rasmussen P, Brassard P, Adser H, Pedersen MV, Leick L, Hart E, et al. Evidence for a release of brain-derived neurotrophic factor from the brain during exercise. *Exp Physiol* 2009;94(10):1062-9.

Secher NH, Seifert T, Nielsen HB, Quistorff B. Blood glucose and brain metabolism in exercise. In: McMorris T, ed. *Exercise and Cognitive Function*. West Sussex: John Wiley & Sons; 2009:195-212.

Secher NH. Cardiorespiratory limitations to performance. In: Maughan RJ, ed. *The Olympic Textbook of Science in Sports*. West Sussex: Wiley-Blackwell; 2009:307-23.

Secher NH. Planning the long run. *J Physiol* 2009;587(Pt 1):7.

Secher NH. [Should cerebral autoregulation be reassessed?]. *Ugeskr Laeger* 2009;171(33):2291-3.

Secher NH. Central command and cerebral blood flow during exercise. *Exp Physiol* 2009;94(11):1101-2.

Secher NH, Richardson RS. A large slice of cardiac output or humble pie for the respiratory muscles? *J Physiol* 2009;587(Pt 14):3411.

Seifert T, Rasmussen P, Secher NH, Nielsen HB. Cerebral oxygenation decreases during exercise in humans with beta-adrenergic blockade. *Acta Physiol (Oxf)* 2009;196(3):295-302.

Seifert T, Rasmussen P, Brassard P, Homann PH, Wissenberg M, Nordby P, et al. Cerebral oxygenation and metabolism during exercise following three months of endurance training in healthy overweight males. *Am J Physiol Regul Integr Comp Physiol* 2009;297(3):R867-R876.

Seifert TS, Brassard P, Jorgensen TB, Hamada AJ, Rasmussen P, Quistorff B, et al. Cerebral non-oxidative carbohydrate consumption in humans driven by adrenaline. *J Physiol* 2009;587(Pt 1):285-93.

Shibasaki M, Rasmussen P, Secher NH, Crandall CG. Neural and non-neural control of skin blood flow during isometric handgrip exercise in the heat stressed human. *J Physiol* 2009;587(Pt 9):2101-7.

van Hall G, Stromstad M, Rasmussen P, Jans O, Zaar M, Gam C, et al. Blood lactate is an important energy source for the human brain. *J Cereb Blood Flow Metab* 2009;29(6):1121-9.

Volianitis S, Secher NH. Human Exercise Physiology. In: Glass ML, Wood SC, eds. *Cardio-Respiratory Control in Vertebrates: Comparative and Evolutionary Aspects*. Berlin: Springer; 2009:501-38.

Volianitis S, Secher NH. Rowing, the ultimate challenge to the human body - implications for physiological variables. *Clin Physiol Funct Imaging* 2009;29(4):241-4.

Wilson TE, Brothers RM, Tollund C, Dawson EA, Nissen P, Yoshiga CC, et al. Effect of thermal stress on Frank-Starling relations in humans. *J Physiol* 2009;587(Pt 13):3383-92.

Zaar M, Johansson PI, Nielsen LB, Crandall CG, Shibasaki M, Hilsted L, et al. Early activation of the coagulation system during lower body negative pressure. *Clin Physiol Funct Imaging* 2009;29(6):427-30.

Zaar M, Secher NH, Johansson PI, Vainer B, Ezban M, Agerso H, et al. Effects of a recombinant FVIIa analogue, NN1731, on blood loss and survival after liver trauma in the pig. *Br J Anaesth* 2009;103(6):840-7.

Zaar M, Lauritzen B, Secher NH, Krantz T, Nielsen HB, Madsen PL, et al. Initial administration of hydroxyethyl starch vs lactated Ringer after liver trauma in the pig. *Br J Anaesth* 2009;102(2):221-6.

## Hepatologisk Klinik A

### Publikationer

#### Videnskabelige artikler

Bjerring PN, Eefsen M, Hansen BA, Larsen FS. The brain in acute liver failure. A tortuous path from hyperammonemia to cerebral edema. *Metab Brain Dis* 2009;24(1):5-14.

Hansen N, Obel N, Christensen PB, Krarup H, Laursen AL, Clausen MR, et al. Predictors of antiviral treatment initiation in hepatitis C virus-infected patients: a Danish cohort study. *J Viral Hepat* 2009;16(9):659-65.

Hassanein T, Blei AT, Perry W, Hilsabeck R, Stange J, Larsen FS, et al. Performance of the hepatic encephalopathy scoring algorithm in a clinical trial of patients with cirrhosis and severe hepatic encephalopathy. *Am J Gastroenterol* 2009;104(6):1392-400.

Jepsen P, Vilstrup H, Ott P, Keiding S, Andersen PK, Tygstrup N. The galactose elimination capacity and mortality in 781 Danish patients with newly-diagnosed liver cirrhosis: a cohort study. *BMC Gastroenterol* 2009;9:50.

Larsen FS, Wendon J. Alternative pathway therapy for hyperammonemia in liver failure. *Hepatology* 2009;50(1):3-5.

Ott P, Gronbaek H, Havelund T, Wettergren A, Clemmesen O, Clausen MR, et al. [Screening for hepatocellular carcinoma?]. *Ugeskr Laeger* 2009;171(13):1083.

Stravitz RT, Larsen FS. Therapeutic hypothermia for acute liver failure. *Crit Care Med* 2009;37(7 Suppl):S258-S264.

## Intensiv Terapiklinik ITA

### Publikationer

---

#### Disputatser og ph.d.-afhandlinger forsvaret i året

Ibsen M. Rectal lactate concentrations in patients with septic shock (ph.d.-afhandling). København: Eget Forlag; 2009:1-79. Forsvaret den 20/11 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

#### Videnskabelige artikler

Andersen TH, Jensen TH, Andersen LW. Adjunctive therapy of severe sepsis and septic shock in adults. *Curr Anaesth Crit Care* 2009;20(5-6):254-8.

Bailey DM, Taudorf S, Berg RM, Lundby C, McEneny J, Young IS, et al. Increased cerebral output of free radicals during hypoxia: implications for acute mountain sickness? *Am J Physiol Regul Integr Comp Physiol* 2009;297(5):R1283-R1292.

Bailey DM, Evans KA, James PE, McEneny J, Young IS, Fall L, et al. Altered free radical metabolism in acute mountain sickness: implications for dynamic cerebral autoregulation and blood-brain barrier function. *J Physiol* 2009;587(Pt 1):73-85.

Bailey DM, Taudorf S, Berg RM, Jensen LT, Lundby C, Evans KA, et al. Transcerebral exchange kinetics of nitrite and calcitonin gene-related peptide in acute mountain sickness: evidence against trigeminovascular activation? *Stroke* 2009;40(6):2205-8.

Berg RM, Pedersen M, Moller K. Static cerebral blood flow autoregulation in humans. *Curr Hypertens Rev* 2009;5(2):140-57.

Berg RM, Strauss GI, Tofteng F, Qvist T, Edvinsson L, Fahrenkrug J, et al. Circulating levels of vasoactive peptides in patients with acute bacterial meningitis. *Intensive Care Med* 2009;35(9):1604-8.

Fuhrmann L, Perner A, Klausen TW, Ostergaard D, Lippert A. The effect of multi-professional education on the recognition and outcome of patients at risk on general wards. *Resuscitation* 2009;80(12):1357-60.

Fuhrmann L, Ostergaard D, Lippert A, Perner A. A multi-professional full-scale simulation course in the recognition and management of deteriorating hospital patients. *Resuscitation* 2009;80(6):669-73.

Fuhrmann L, Hesselfeldt R, Lippert A, Perner A, Ostergaard D. [Observation of critically ill patients]. *Ugeskr Laeger* 2009;171(7):502-6.

Haase N, White JO, Perner A. Circulatory failure in severe sepsis. *Curr Anaesth Crit Care* 2009;20:128-31.

Perner A. Diagnosing hypovolemia in the critically ill. *Crit Care Med* 2009;37(9):2674-5.

Poulsen JB, Moller K, Perner A. [Convalescence and decline in physical function level following intensive therapy]. *Ugeskr Laeger* 2009;171(40):2916-9.

Poulsen JB, Moller K, Kehlet H, Perner A. Long-term physical outcome in patients with septic shock. *Acta Anaesthesiol Scand* 2009;53(6):724-30.

Runitz K, Thornberg K, Wanscher M. [Resuscitation of severely hypothermic and multitraumatised female following long-term cardiac arrest]. *Ugeskr Laeger* 2009;171(5):328-9.

Runitz K, Jensen TH. [Heat stroke and burns resulting from use of sauna]. Ugeskr Laeger 2009;171(5):305-6.

Stensballe J, Christiansen M, Tonnesen E, Espersen K, Lippert FK, Rasmussen LS. The early IL-6 and IL-10 response in trauma is correlated with injury severity and mortality. Acta Anaesthesiol Scand 2009;53(4):515-21.

Taudorf S, Berg RM, Bailey DM, Moller K. Cerebral blood flow and oxygen metabolism measured with the Kety-Schmidt method using nitrous oxide. Acta Anaesthesiol Scand 2009;53(2):159-67.

## Karkirurgisk Klinik RK

### Publikationer

#### Videnskabelige artikler

Amarenco P, Goldstein LB, Messig M, O'Neill BJ, Callahan A3rd, Sillesen H, et al. Relative and cumulative effects of lipid and blood pressure control in the Stroke Prevention by Aggressive Reduction in Cholesterol Levels trial. Stroke 2009;40(7):2486-92.

Amarenco P, Benavente O, Goldstein LB, Callahan A3rd, Sillesen H, Hennerici MG, et al. Results of the Stroke Prevention by Aggressive Reduction in Cholesterol Levels (SPARCL) trial by stroke subtypes. Stroke 2009;40(4):1405-9.

Amarenco P, Goldstein LB, Callahan A3rd, Sillesen H, Hennerici MG, O'Neill BJ, et al. Baseline blood pressure, low- and high-density lipoproteins, and triglycerides and the risk of vascular events in the Stroke Prevention by Aggressive Reduction in Cholesterol Levels (SPARCL) trial. Atherosclerosis 2009;204(2):515-20.

Baekgaard N, Broholm R. What are the longterm results with thrombolysis (CDT) of the iliofemoral veins. In: Becqemin j, Alimi YS, Gérard J, eds. Controversies and updates in Vascular Surgery. Torino: Edizioni Minerva Medica; 2009:383-7.

Baekgaard N, Broholm R, Jensen LP. Endovenous treatment of deep venous thrombosis in the lower extremity. In: Wittens C, ed. Innovative Treatment of Venous Disorders. Turin: Edizioni Minerva Medica; 2009:245-52.

Chaturvedi S, Zivin J, Breazna A, Amarenco P, Callahan A, Goldstein LB, et al. Effect of atorvastatin in elderly patients with a recent stroke or transient ischemic attack. Neurology 2009;72(8):688-94.

de la Motte L, Baekgaard N, Jensen LP, Just S, Olesen A, Skott P. [A hybrid approach to surgery for thoracic aortic aneurysm]. Ugeskr Laeger 2009;171(3):147.

Eggebrecht H, Thompson M, Rousseau H, Czerny M, Lonn L, Mehta RH, et al. Retrograde ascending aortic dissection during or after thoracic aortic stent graft placement: insight from the European registry on endovascular aortic repair complications. Circulation 2009;120(11 Suppl):S276-S281.

Franco C, Koranyi J, Brandberg J, Lonn L, Bengtsson BK, Svensson J, et al. The reduction in visceral fat mass in response to growth hormone is more marked in men than in oestrogen-deficient women. Growth Horm IGF Res 2009;19(2):112-20.

Goldstein LB, Amarenco P, Zivin J, Messig M, Altafullah I, Callahan A, et al. Statin treatment and stroke outcome in the Stroke Prevention by Aggressive Reduction in Cholesterol Levels (SPARCL) trial. Stroke 2009;40(11):3526-31.

Graebe M, Pedersen SF, Borgwardt L, Hojgaard L, Sillesen H, Kjaer A. Molecular pathology in vulnerable carotid plaques: correlation with [18]-fluorodeoxyglucose positron emission tomography (FDG-PET). *Eur J Vasc Endovasc Surg* 2009;37(6):714-21.

Jensen LP, Vogt K, Larsen KE, Laustsen J. [Changing vascular surgery]. *Ugeskr Laeger* 2009;171(13):1084.

Johannsen TH, Kamstrup PR, Andersen RV, Jensen GB, Sillesen H, Tybjaerg-Hansen A, et al. Hepatic lipase, genetically elevated high-density lipoprotein, and risk of ischemic cardiovascular disease. *J Clin Endocrinol Metab* 2009;94(4):1264-73.

Kindblom JM, Lorentzon M, Hellqvist A, Lonn L, Brandberg J, Nilsson S, et al. BMI changes during childhood and adolescence as predictors of amount of adult subcutaneous and visceral adipose tissue in men: the GOOD Study. *Diabetes* 2009;58(4):867-74.

Korno M, Eldrup N, Sillesen H. Comparison of ankle-brachial index measured by an automated oscillometric apparatus with that by standard Doppler technique in vascular patients. *Eur J Vasc Endovasc Surg* 2009;38(5):610-5.

Kullberg J, Brandberg J, Angelhed JE, Frimmel H, Bergelin E, Strid L, et al. Whole-body adipose tissue analysis: comparison of MRI, CT and dual energy X-ray absorptiometry. *Br J Radiol* 2009;82(974):123-30.

Larsen CR, Soerensen JL, Grantcharov TP, Dalsgaard T, Schouenborg L, Ottosen C, et al. Effect of virtual reality training on laparoscopic surgery: randomised controlled trial. *BMJ* 2009;338:b1802.

Liapis CD, Avgerinos ED, Sillesen H, Beneddetti-Valentini F, Cairoli M, Van Bockel JH, et al. Vascular training and endovascular practice in Europe. *Eur J Vasc Endovasc Surg* 2009;37(1):109-15.

Liapis CD, Bell PR, Mikhailidis D, Sivenius J, Nicolaides A, Fernandes e Fernandes, et al. ESVS guidelines. Invasive treatment for carotid stenosis: indications, techniques. *Eur J Vasc Endovasc Surg* 2009;37(4 Suppl):1-19.

Lonn L, Schroeder TV. Endograft differences: do they matter clinically? *J Cardiovasc Surg (Torino)* 2009;50(2):129-30.

McLucas B, Coats R, Lonn L, Berry M. Acquisition of endovascular skills for uterine artery embolization using a simulator. *Minim Invasive Ther Allied Technol* 2009;1-9.

Nielsen YW, Eiberg JP, Logager VB, Hansen MA, Schroeder TV, Thomsen HS. Whole-body MR angiography with body coil acquisition at 3 T in patients with peripheral arterial disease using the contrast agent gadofosveset trisodium. *Acad Radiol* 2009;16(6):654-61.

Nielsen YW, Eiberg JP, Logager VB, Schroeder TV, Just S, Thomsen HS. Whole-body magnetic resonance angiography at 3 tesla using a hybrid protocol in patients with peripheral arterial disease. *Cardiovasc Intervent Radiol* 2009;32(5):877-86.

Saeed A, Bergstrom G, Zachrisson K, Guron G, Nowakowska-Fortuna E, Fredriksen E, et al. Accuracy of colour duplex sonography for the diagnosis of renal artery stenosis. *J Hypertens* 2009;27(8):1690-6.

Schroeder TV, Eldrup N, Just S, Hansen M, Nyhuus B, Sillesen H. Dilatation of aortic grafts over time: what to expect and when to be concerned. *Semin Vasc Surg* 2009;22(2):119-24.

Schroeder TV. A look into the endovascular crystal ball. *J Cardiovasc Surg (Torino)* 2009;50(2):219-27.

Shahidi S, Schroeder TV, Carstensen M, Sillesen H. Outcome and survival of patients aged 75 years and older compared to younger patients after ruptured abdominal aortic aneurysm repair: do the results justify the effort? *Ann Vasc Surg* 2009;23(4):469-77.

Sillesen H. Statins and their use in preventing carotid disease. *Curr Atheroscler Rep* 2009;11(4):309-14.

Simonyte K, Rask E, Naslund I, Angelhed JE, Lonn L, Olsson T, et al. Obesity Is Accompanied by Disturbances in Peripheral Glucocorticoid Metabolism and Changes in FA Recycling. *Obesity (Silver Spring)* 2009;17(11):1982-7.

Snygg J, Bech-Hanssen O, Lonn L, Andersson B, Aneman A. Fluid therapy in acute myocardial infarction: evaluation of predictors of volume responsiveness. *Acta Anaesthesiol Scand* 2009;53(1):26-33.

Truijers M, Resch T, Van Den Berg JC, Blankenstein JD, Lonn L. Endovascular aneurysm repair: state-of-art imaging techniques for preoperative planning and surveillance. *J Cardiovasc Surg (Torino)* 2009;50(4):423-38.

Zacho J, Tybjaerg-Hansen A, Jensen JS, Grande P, Sillesen H, Nordestgaard BG. [C-reactive protein and risk of ischaemic vascular and cerebrovascular disease--secondary publication]. *Ugeskr Laeger* 2009;171(21):1751-5.

## Kirurgisk Gastroenterologisk Klinik C

### Publikationer

#### Videnskabelige artikler

Ainsworth AP, Svendsen LB. [Routinely performed endoscopic retrograde cholangiopancreatography should not be recommended for gallstone-induced acute pancreatitis]. *Ugeskr Laeger* 2009;171(36):2566-8.

Harboe KM, Anthonsen K, Bardram L. Validation of data and indicators in the Danish Cholecystectomy Database. *Int J Qual Health Care* 2009;21(3):160-8.

Hillingso JG, Wille-Jorgensen P. Staged or simultaneous resection of synchronous liver metastases from colorectal cancer--a systematic review. *Colorectal Dis* 2009;11(1):3-10.

Hillingso JG, Svendsen LB. [Endoluminal surgery--a new aspect of minimally invasive surgery]. *Ugeskr Laeger* 2009;171(13):1075.

Hillingso JG, Svendsen LB. [Prehospital emergency ultrasonography--a new modality with great potential]. *Ugeskr Laeger* 2009;171(36):2540.

Makin E, Quaglia A, Kvist N, Petersen BL, Portmann B, Davenport M. Congenital biliary atresia: liver injury begins at birth. *J Pediatr Surg* 2009;44(3):630-3.

Mirza Q, Kvist N, Petersen BL. Histologic features of the portal plate in extrahepatic biliary atresia and their impact on prognosis--a Danish study. *J Pediatr Surg* 2009;44(7):1344-8.

Oberg K, Ferone D, Kaltsas G, Knigge UP, Taal B, Plockinger U. ENETS Consensus Guidelines for the Standards of Care in Neuroendocrine Tumors: biotherapy. *Neuroendocrinology* 2009;90(2):209-13.

Ott P, Gronbaek H, Havelund T, Wettergren A, Clemmesen O, Clausen MR, et al. [Screening for hepatocellular carcinoma?]. *Ugeskr Laeger* 2009;171(13):1083.

Oxboel J, Binderup T, Knigge U, Kjaer A. Quantitative gene-expression of the tumor angiogenesis markers vascular endothelial growth factor, integrin alphaV and integrin beta3 in human neuroendocrine tumors. *Oncol Rep* 2009;21(3):769-75.

Thorup J, Cortes D. Surgical treatment and follow up on undescended testis. *Pediatr Endocrinol Rev* 2009;7(1):38-43.

## Medicinsk Gastroenterologisk Klinik CA

### Publikationer

#### Videnskabelige artikler

Holtug K, Laverty G, Arnason SS, Skadhauge E. NH<sub>4</sub><sup>+</sup> secretion in the avian colon. An actively regulated barrier to ammonium permeation of the colon mucosa. *Comp Biochem Physiol A Mol Integr Physiol* 2009;153(3):258-65.

Jeppesen PB, Lund P, Gottschalck IB, Nielsen HB, Holst JJ, Mortensen J, et al. Short bowel patients treated for two years with glucagon-like Peptide 2: effects on intestinal morphology and absorption, renal function, bone and body composition, and muscle function. *Gastroenterol Res Pract* 2009;2009:616054.

Jeppesen PB, Lund P, Gottschalck IB, Nielsen HB, Holst JJ, Mortensen J, et al. Short bowel patients treated for two years with glucagon-like peptide 2 (GLP-2): compliance, safety, and effects on quality of life. *Gastroenterol Res Pract* 2009;2009:425759.

Johansson U, Rasmussen HH, Mowe M, Staun M. Clinical nutrition in medical gastroenterology: room for improvement. *Clin Nutr* 2009;28(2):129-33.

Madsen LG, Gimsing P, Schiodt FV. Primary (AL) amyloidosis with gastrointestinal involvement. *Scand J Gastroenterol* 2009;44(6):708-11.

Staun M, Pironi L, Bozzetti F, Baxter J, Forbes A, Joly F, et al. ESPEN Guidelines on Parenteral Nutrition: home parenteral nutrition (HPN) in adult patients. *Clin Nutr* 2009;28(4):467-79.

Van Gossum A, Cabre E, Hebuterne X, Jeppesen P, Krznaric Z, Messing B, et al. ESPEN Guidelines on Parenteral Nutrition: gastroenterology. *Clin Nutr* 2009;28(4):415-27.

## Nefro-endokrinologisk Afd. P/PE

### Publikationer

#### Disputatser og ph.d.-afhandlinger forsvarer i året

Watt T. Development of a Danish thyroid-specific quality of life questionnaire (ph.d.-afhandling). København: Eget Forlag; 2009:1-107. Forsvaret den 19/5 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

#### Videnskabelige artikler

Advani A, Gilbert RE, Thai K, Gow RM, Langham RG, Cox AJ, et al. Expression, localization, and function of the thioredoxin system in diabetic nephropathy. *J Am Soc Nephrol* 2009;20(4):730-41.

Bak J, Ladefoged SD, Tvede M, Begovic T, Gregersen A. Dose requirements for UVC disinfection of catheter biofilms. *Biofouling* 2009;25(4):289-96.

Bergrem H, Goransson LG, Asmundsson P, Feldt-Rasmussen B, Gronhagen-Riska C, Westberg G. The Nephrocure project: referral, patient case-mix, follow-up and quality of renal care in Nordic renal centres. *Scand J Urol Nephrol* 2009;43(4):319-24.

Bilous R, Chaturvedi N, Sjolie AK, Fuller J, Klein R, Orchard T, et al. Effect of candesartan on microalbuminuria and albumin excretion rate in diabetes: three randomized trials. *Ann Intern Med* 2009;151(1):11-4.

Boas M, Forman JL, Juul A, Feldt-Rasmussen U, Skakkebaek NE, Hilsted L, et al. Narrow intra-individual variation of maternal thyroid function in pregnancy based on a longitudinal study on 132 women. *Eur J Endocrinol* 2009;161(6):903-10.

Boas M, Main KM, Feldt-Rasmussen U. Environmental chemicals and thyroid function: an update. *Curr Opin Endocrinol Diabetes Obes* 2009;16(5):385-91.

Boas M, Hegedus L, Feldt-Rasmussen U, Skakkebaek NE, Hilsted L, Main KM. Association of thyroid gland volume, serum insulin-like growth factor-I, and anthropometric variables in euthyroid prepubertal children. *J Clin Endocrinol Metab* 2009;94(10):4031-5.

Bremholm L, Hornum M, Henriksen BM, Larsen S, Holst JJ. Glucagon-like peptide-2 increases mesenteric blood flow in humans. *Scand J Gastroenterol* 2009;44(3):314-9.

Bro S. Cardiovascular effects of uremia in apolipoprotein E-deficient mice. *Dan Med Bull* 2009;56(4):177-92.

Christiansen MS, Iversen K, Larsen CT, Goetze JP, Hommel E, Molvig J, et al. Increased urinary orosomucoid excretion: a proposed marker for inflammation and endothelial dysfunction in patients with type 2 diabetes. *Scand J Clin Lab Invest* 2009;69(2):272-81.

Clausen P, Mersebach H, Nielsen B, Feldt-Rasmussen B, Feldt-Rasmussen U. Hypothyroidism is associated with signs of endothelial dysfunction despite 1-year replacement therapy with levothyroxine. *Clin Endocrinol (Oxf)* 2009;70(6):932-7.

Clausen TD, Mathiesen ER, Hansen T, Pedersen O, Jensen DM, Lauenborg J, et al. Overweight and the metabolic syndrome in adult offspring of women with diet-treated gestational diabetes mellitus or type 1 diabetes. *J Clin Endocrinol Metab* 2009;94(7):2464-70.

Delea TE, Sofrygin O, Palmer JL, Lau H, Munk VC, Sung J, et al. Cost-effectiveness of aliskiren in type 2 diabetes, hypertension, and albuminuria. *J Am Soc Nephrol* 2009;20(10):2205-13.

Feldt-Rasmussen B, El Nahas M. Potential role of growth factors with particular focus on growth hormone and insulin-like growth factor-1 in the management of chronic kidney disease. *Semin Nephrol* 2009;29(1):50-8.

Feldt-Rasmussen U. Is the treatment of subclinical hypothyroidism beneficial? *Nat Clin Pract Endocrinol Metab* 2009;5(2):86-7.

Fellstrom BC, Jardine AG, Schmieder RE, Holdaas H, Bannister K, Beutler J, et al. Rosuvastatin and cardiovascular events in patients undergoing hemodialysis. *N Engl J Med* 2009;360(14):1395-407.

Fisman S, Hedberg A, Fenton KA, Jacobsen S, Krarup E, Kamper AL, et al. Circulating chromatin-anti-chromatin antibody complexes bind with high affinity to dermo-epidermal structures in murine and human lupus nephritis. *Lupus* 2009;18(7):597-607.

Grunnet N, Bodvarsson M, Jakobsen A, Kyllonen L, Olausson M, Pfeffer P, et al. Aspects of present and future data presentation in Scandiatransplant. *Transplant Proc* 2009;41(2):732-5.

Hansen MA, Gibsholm-Madsen K, Christensen T, Ladefoged SD. [Endovascular treatment of dysfunctional haemodialysis fistulas]. *Ugeskr Laeger* 2009;171(1-2):41-5.

Hansen MV, Pedersen-Bjergaard U, Heller SR, Wallace TM, Rasmussen AK, Jorgensen HV, et al. Frequency and motives of blood glucose self-monitoring in type 1 diabetes. *Diabetes Res Clin Pract* 2009;85(2):183-8.

Hartoft-Nielsen ML, Rasmussen AK, Bock T, Feldt-Rasmussen U, Kaas A, Buschard K. Iodine and tri-iodothyronine reduce the incidence of type 1 diabetes mellitus in the autoimmune prone BB rats. *Autoimmunity* 2009;42(2):131-8.

Hornum M, Iversen M, Steffensen I, Hovind P, Carlsen J, Andersen LW, et al. Rapid decline in 51Cr-EDTA measured renal function during the first weeks following lung transplantation. *Am J Transplant* 2009;9(6):1420-6.

Hovind P, Rossing P, Tarnow L, Johnson RJ, Parving HH. Serum uric acid as a predictor for development of diabetic nephropathy in type 1 diabetes: an inception cohort study. *Diabetes* 2009;58(7):1668-71.

Hu Y, Kaisaki PJ, Argoud K, Wilder SP, Wallace KJ, Woon PY, et al. Functional annotations of diabetes nephropathy susceptibility loci through analysis of genome-wide renal gene expression in rat models of diabetes mellitus. *BMC Med Genomics* 2009;2:41-53.

Kamper AL, Pedersen EB, Strandgaard S. [Hypertension and renal disease]. *Ugeskr Laeger* 2009;171(25):2109-13.

Kamper AL, Strandgaard S. Nyresygdomme. In: Schaffalitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:1944-2064.

Kjaer A, Kristoffersen US, Tarnow L, Parving HH, Hesse B. Short-term oral treatment with the angiotensin II receptor antagonist losartan does not improve coronary vasomotor function in asymptomatic type 2 diabetes patients. *Diabetes Res Clin Pract* 2009;84(1):34-8.

Klausen KP, Parving HH, Scharling H, Jensen JS. Microalbuminuria and obesity: impact on cardiovascular disease and mortality. *Clin Endocrinol (Oxf)* 2009;71(1):40-5.

Klefter O, Feldt-Rasmussen U. Is increase in bone mineral content caused by increase in skeletal muscle mass/strength in adult patients with GH-treated GH deficiency? A systematic literature analysis. *Eur J Endocrinol* 2009;161(2):213-21.

Klose M, Jonsson B, Abs R, Popovic V, Koltowska-Haggstrom M, Saller B, et al. From isolated GH deficiency to multiple pituitary hormone deficiency: an evolving continuum - a KIMS analysis. *Eur J Endocrinol* 2009;161 Suppl 1:S75-S83.

Knorr U, Vinberg M, Klose M, Feldt-Rasmussen U, Hilsted L, Gade A, et al. Rationale and design of the participant, investigator, observer, and data-analyst-blinded randomized AGENDA trial on associations between gene-polymorphisms, endophenotypes for depression and antidepressive intervention: the effect of escitalopram versus placebo on the combined dexamethasone-corticotrophine releasing hormone test and other potential endophenotypes in healthy first-degree relatives of persons with depression. *Trials* 2009;10:66.

Lambers Heerspink HJ, Agarwal R, Coyne DW, Parving HH, Ritz E, Remuzzi G, et al. The selective vitamin D receptor activator for albuminuria lowering (VITAL) study: study design and baseline characteristics. *Am J Nephrol* 2009;30(3):280-6.

Larsen J, Sorensen SS, Feldt-Rasmussen B. Can value for money be improved by changing the sequence of our donor work-up in the living kidney donor programme? *Transpl Int* 2009;22(8):814-20.

Lendorf ME, Rasmussen AK, Fledelius HC, Feldt-Rasmussen U. Cardiovascular and cerebrovascular events in temporal relationship to intravenous glucocorticoid pulse therapy in patients with severe endocrine ophthalmopathy. *Thyroid* 2009;19(12):1431-2.

Lewin E, Olgaard K. When is Vitamin D contraindicated in dialysis patients? *Semin Dial* 2009;22(3):240-2.

Lund SS, Tarnow L, Astrup AS, Hovind P, Jacobsen PK, Alibegovic AC, et al. Effect of adjunct metformin treatment on levels of plasma lipids in patients with type 1 diabetes. *Diabetes Obes Metab* 2009;11(10):966-77.

Lund SS, Tarnow L, Frandsen M, Nielsen BB, Hansen BV, Pedersen O, et al. Combining insulin with metformin or an insulin secretagogue in non-obese patients with type 2 diabetes: 12 month, randomised, double blind trial. *BMJ* 2009;339:1-11.

Mathiesen ER, Johansen M, Kamper AL, Damm P. [Hypertension during pregnancy]. *Ugeskr Laeger* 2009;171(25):2094-7.

Moller AT, Bach FW, Feldt-Rasmussen U, Rasmussen AK, Hasholt L, Sommer C, et al. Autonomic skin responses in females with Fabry disease. *J Peripher Nerv Syst* 2009;14(3):159-64.

Nielsen LR, Rehfeld JF, Pedersen-Bjergaard U, Damm P, Mathiesen ER. Pregnancy-induced rise in serum C-peptide concentrations in women with type 1 diabetes. *Diabetes Care* 2009;32(6):1052-7.

Nielsen LR, Pedersen-Bjergaard U, Thorsteinsson B, Boomsma F, Damm P, Mathiesen ER. Severe hypoglycaemia during pregnancy in women with type 1 diabetes: possible role of renin-angiotensin system activity? *Diabetes Res Clin Pract* 2009;84(1):61-7.

Nielsen LR, Damm P, Mathiesen ER. Improved pregnancy outcome in type 1 diabetic women with microalbuminuria or diabetic nephropathy: effect of intensified antihypertensive therapy? *Diabetes Care* 2009;32(1):38-44.

Nielsen SE, Sugaya T, Tarnow L, Lajer M, Schjoedt KJ, Astrup AS, et al. Tubular and glomerular injury in diabetes and the impact of ACE inhibition. *Diabetes Care* 2009;32(9):1684-8.

Nojgaard C, Hornum M, Elkjaer M, Hjalmarsson C, Heyries L, Hauge T, et al. Does glyceryl nitrate prevent post-ERCP pancreatitis? A prospective, randomized, double-blind, placebo-controlled multicenter trial. *Gastrointest Endosc* 2009;69(6):e31-e37.

Parving HH, Persson F, Lewis JB, Lewis EJ, Hollenberg NK. [Aliskiren combined with losartan in type 2-diabetes and nephropathy - secondary publication]. *Ugeskr Laeger* 2009;171(11):881-4.

Parving HH, Brenner BM, McMurray JJ, de Zeeuw D, Haffner SM, Solomon SD, et al. Aliskiren trial in type 2 diabetes using cardio-renal endpoints (ALTITUDE): rationale and study design. *Nephrol Dial Transplant* 2009;24(5):1663-71.

Pedersen TX, Bro S, Andersen MH, Etzerodt M, Jauhainen M, Moestrup S, et al. Effect of treatment with human apolipoprotein A-I on atherosclerosis in uremic apolipoprotein-E deficient mice. *Atherosclerosis* 2009;202(2):372-81.

Persson F, Rossing P, Reinhard H, Juhl T, Stehouwer CD, Schalkwijk C, et al. Renal effects of aliskiren compared with and in combination with irbesartan in patients with type 2 diabetes, hypertension, and albuminuria. *Diabetes Care* 2009;32(10):1873-9.

Pfeffer MA, Burdmann EA, Chen CY, Cooper ME, de Zeeuw D, Eckardt KU, et al. A trial of darbepoetin alfa in type 2 diabetes and chronic kidney disease. *N Engl J Med* 2009;361(21):2019-32.

Pfeffer MA, Burdmann EA, Chen CY, Cooper ME, de Zeeuw D, Eckardt KU, et al. Baseline characteristics in the Trial to Reduce Cardiovascular Events With Aranesp Therapy (TREAT). *Am J Kidney Dis* 2009;54(1):59-69.

Robinson JG, Ballantyne CM, Grundy SM, Hsueh WA, Parving HH, Rosen JB, et al. Lipid-altering efficacy and safety of ezetimibe/simvastatin versus atorvastatin in patients with hypercholesterolemia and the metabolic syndrome (from the VYMET study). *Am J Cardiol* 2009;103(12):1694-702.

Schjoedt KJ, Christensen PK, Jorsal A, Boomsma F, Rossing P, Parving HH. Autoregulation of glomerular filtration rate during spironolactone treatment in hypertensive patients with type 1 diabetes: a randomized crossover trial. *Nephrol Dial Transplant* 2009;24(11):3343-9.

Schjoedt KJ, Astrup AS, Persson F, Frandsen E, Boomsma F, Rossing K, et al. Optimal dose of lisinopril for renoprotection in type 1 diabetic patients with diabetic nephropathy: a randomised crossover trial. *Diabetologia* 2009;52(1):46-9.

Simolin MA, Pedersen TX, Bro S, Mayranpaa MI, Helske S, Nielsen LB, et al. ACE inhibition attenuates uremia-induced aortic valve thickening in a novel mouse model. *BMC Cardiovasc Disord* 2009;9:10-20.

Strandgaard S, Kamper AL, Haunsø S. Hypertensio arterialis. In: Schaffalitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:1267-99.

Tarnow I, Michelson AD, Barnard MR, Frelinger AL3rd, Aasted B, Jensen BR, et al. Nephropathy in type 1 diabetes is associated with increased circulating activated platelets and platelet hyperreactivity. *Platelets* 2009;20(7):513-9.

Torvin MA, Winther BF, Feldt-Rasmussen U, Rasmussen A, Hasholt L, Lan H, et al. Functional and structural nerve fiber findings in heterozygote patients with Fabry disease. *Pain* 2009;145(1-2):237-45.

Urena P, Jacobson SH, Zitt E, Vervloet M, Malberti F, Ashman N, et al. Cinacalcet and achievement of the NKF/K-DOQI recommended target values for bone and mineral metabolism in real-world clinical practice--the ECHO observational study. *Nephrol Dial Transplant* 2009;24(9):2852-9.

Watt T, Bjorner JB, Groenvold M, Rasmussen AK, Bonnema SJ, Hegedus L, et al. Establishing construct validity for the thyroid-specific patient reported outcome measure (ThyPRO): an initial examination. *Qual Life Res* 2009;18(4):483-96.

## Urologisk Klinik D

### Publikationer

#### Videnskabelige artikler

Boccon-Gibod L, Iversen P, Persson BE. Degarelix 240/80 mg: a new treatment option for patients with advanced prostate cancer. *Expert Rev Anticancer Ther* 2009;9(12):1737-43.

Fode M, Sonksen J, Mikines KJ, Holm M, Sommer P, Kristensen JK. [Microsurgical varicocele operation: a retrospective statement of Danish results]. *Ugeskr Laeger* 2009;171(47):3421-4.

Nielsen SJ, Iversen P, Rehfeld JF, Jensen HL, Goetze JP. C-type natriuretic peptide in prostate cancer. *APMIS* 2009;117(1):60-7.

Roder MA, Gruschy L, Brasso K, Iversen P. [Early complications following open radical prostatectomy]. *Ugeskr Laeger* 2009;171(18):1492-6.

# Diagnostisk Center

---

## Infektionshygiejnis Enhed

### Publikationer

---

#### Videnskabelige artikler

Andersen LP, Rasmussen L. Helicobacter pylori-coccoid forms and biofilm formation. FEMS Immunol Med Microbiol 2009;56(2):112-5.

Bergen LK, Meyer M, Hog M, Rubenhagen B, Andersen LP. Spread of bacteria on surfaces when cleaning with microfibre cloths. J Hosp Infect 2009;71(2):132-7.

D'Ellos MM, Andersen LP. Inflammation, immunity, and vaccines for Helicobacter pylori. Helicobacter 2009;14 Suppl 1:21-8.

Olsen AL, Reinholdt J, Jensen AM, Andersen LP, Jensen ET. Nosocomial infection in a Danish Neonatal Intensive Care Unit: a prospective study. Acta Paediatr 2009;98(8):1294-9.

## Klinik for Klinisk Fysiologi, Nuklearmedicin & PET

### Publikationer

---

#### Disputatser og ph.d.-afhandlinger forsvaret i året

Bie-Olsen LG. Influence of hypoglycaemia and basal renin-angiotensin system activity on regional cerebral blood flow different cognitive loads, a H<sub>2</sub>15O PET study (ph.d.-afhandling). København: Eget Forlag; 2009:1-63. Forsvaret den 4/9 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Chakera AH. Technical challenges and clinical implications of preoperative sentinel node identification in breast cancer and cutaneous melanoma (ph.d.-afhandling). København: Eget Forlag; 2009:1-62. Forsvaret den 19/5 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Erritzoe D. In vivo serotonergic markers in overweight and schizophrenic human subjects (ph.d.-afhandling). København: Eget Forlag; 2009:1-74. Forsvaret den 29/10 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Kalbitzer J. The serotonin transporter and behavior: gene\*environment interactions (ph.d.-afhandling). København: Eget Forlag; 2009:1-120. Forsvaret den 16/11 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Kornum BR. A pig model for studies of serotonergic mechanisms in memory disorders (ph.d.-afhandling). København: Eget Forlag; 2009:1-70. Forsvaret den 29/10 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Marner L. Molecular brain imaging of the serotonin system: reproducibility and evaluation of PET radiotracers (ph.d.-afhandling). København: Eget Forlag; 2009:1-62. Forsvaret den 13/3 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Pinborg L. Molecular imaging of receptors and transporters in humans using PET and SPECT: from models to methods and potentially to pitfalls (disputats). København: Eget Forlag; 2009:1-63. Forsvaret den 4/6 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Skovgaard D. Positron Emission Tomography in the study of skeletal muscle and tendon: metabolic cellular and matrix response to exercise (ph.d.-afhandling). København: Eget Forlag; 2009:1-95. Forsvaret den 3/12 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

#### Videnskabelige artikler

Agger A, von Buchwald C, Madsen AR, Yde J, Lesnikova I, Christensen CB, et al. Squamous cell carcinoma of the nasal vestibule 1993-2002: a nationwide retrospective study from DAHANCA. Head Neck 2009;31(12):1593-9.

Alkureishi LW, Burak Z, Alvarez JA, Ballinger J, Bilde A, Britten AJ, et al. Joint practice guidelines for radionuclide lymphoscintigraphy for sentinel node localization in oral/oropharyngeal squamous cell carcinoma. Ann Surg Oncol 2009;16(11):3190-210.

Andersson H, Cederkrantz E, Back T, Divgi C, Elggvist J, Himmelman J, et al. Intraperitoneal alpha-particle radioimmunotherapy of ovarian cancer patients: pharmacokinetics and dosimetry of (211)At-MX35 F(ab')2 - a phase I study. J Nucl Med 2009;50(7):1153-60.

Arveschoug AK, Hjorthaug K, Rehling M, Hojgaard L, Mortensen J, Oturai PS. [Peptide receptor radionuclide therapy of neuroendocrine tumors]. Ugeskr Laeger 2009;171(13):1073.

Back T, Haraldsson B, Hultborn R, Jensen H, Johansson ME, Lindegren S, et al. Glomerular filtration rate after alpha-radioimmunotherapy with 211At-MX35-F(ab')2: a long-term study of renal function in nude mice. Cancer Biother Radiopharm 2009;24(6):649-58.

Berthelsen AK. Blodsygdomme. In: Schaffalitzky de Muckadell OB, Haunso S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:1771-3.

Bie-Olsen LG, Pedersen-Bjergaard U, Kjaer TW, Lonsdale MN, Law I, Thorsteinsson B. Association between regional cerebral blood flow during hypoglycemia and genetic and phenotypic traits of the renin-angiotensin system. J Cereb Blood Flow Metab 2009;29(11):1790-5.

Bie-Olsen LG, Kjaer TW, Pedersen-Bjergaard U, Lonsdale MN, Holst JJ, Law I, et al. Changes of cognition and regional cerebral activity during acute hypoglycemia in normal subjects: a H<sub>2</sub> 15O positron emission tomographic study. J Neurosci Res 2009;87(8):1922-8.

Bouchelouche K, Capala J, Oehr P. Positron emission tomography/computed tomography and radioimmunotherapy of prostate cancer. Curr Opin Oncol 2009;21(5):469-74.

Brauner EV, Mortensen J, Moller P, Bernard A, Vinzents P, Wahlin P, et al. Effects of ambient air particulate exposure on blood-gas barrier permeability and lung function. Inhal Toxicol 2009;21(1):38-47.

Burton CM, Iversen M, Carlsen J, Mortensen J, Andersen CB, Steinbruchel D, et al. Acute cellular rejection is a risk factor for bronchiolitis obliterans syndrome independent of post-transplant baseline FEV1. J Heart Lung Transplant 2009;28(9):888-93.

Chakera AH, Hesse B, Burak Z, Ballinger JR, Britten A, Caraco C, et al. EANM-EORTC general recommendations for sentinel node diagnostics in melanoma. Eur J Nucl Med Mol Imaging 2009;36(10):1713-42.

Chakera AH, Lock-Andersen J, Hesse U, Nurnberg BM, Juhl BR, Stokholm KH, et al. One-day or two-day procedure for sentinel node biopsy in melanoma? Eur J Nucl Med Mol Imaging 2009;36(6):928-37.

de Nijs R, Miranda MJ, Hansen LK, Hanson LG. Motion correction of single-voxel spectroscopy by independent component analysis applied to spectra from nonanesthetized pediatric subjects. *Magn Reson Med* 2009;62(5):1147-54.

Denholt CL, Hansen PR, Pedersen N, Poulsen HS, Gillings N, Kjaer A. Identification of novel peptide ligands for the cancer-specific receptor mutation EGFRvIII using a mixture-based synthetic combinatorial library. *Biopolymers* 2009;91(3):201-6.

Elgqvist J, Andersson H, Haglund E, Jensen H, Kahu H, Lindegren S, et al. Intraperitoneal alpha-radioimmunotherapy in mice using different specific activities. *Cancer Biother Radiopharm* 2009;24(4):509-13.

Erritzoe D, Frokjaer VG, Haugbol S, Marner L, Svarer C, Holst K, et al. Brain serotonin 2A receptor binding: relations to body mass index, tobacco and alcohol use. *Neuroimage* 2009;46(1):23-30.

Ewertsen C, Nielsen KR, Henriksen BM, Torp-Pedersen S, Nielsen MB. [Image fusion with ultrasound]. *Ugeskr Laeger* 2009;171(13):1069.

Fischer B, Lassen U, Mortensen J, Larsen S, Loft A, Bertelsen A, et al. Preoperative staging of lung cancer with combined PET-CT. *N Engl J Med* 2009;361(1):32-9.

Frisoni GB, Lorenzi M, Caroli A, Kemppainen N, Nagren K, Rinne JO. In vivo mapping of amyloid toxicity in Alzheimer disease. *Neurology* 2009;72(17):1504-11.

Frokjaer VG, Erritzoe D, Madsen J, Paulson OB, Knudsen GM. Gender and the use of hormonal contraception in women are not associated with cerebral cortical 5-HT 2A receptor binding. *Neuroscience* 2009;163(2):640-5.

Frokjaer VG, Vinberg M, Erritzoe D, Svarer C, Baare W, Budtz-Joergensen E, et al. High familial risk for mood disorder is associated with low dorsolateral prefrontal cortex serotonin transporter binding. *Neuroimage* 2009;46(2):360-6.

Gaster RS, Hall DA, Nielsen CH, Osterfeld SJ, Yu H, Mach KE, et al. Matrix-insensitive protein assays push the limits of biosensors in medicine. *Nat Med* 2009;15(11):1327-32.

Gerke O, Poulsen MH, Bouchelouche K, Hoilund-Carlsen PF, Vach W. PET/CT in cancer: moderate sample sizes may suffice to justify replacement of a regional gold standard. *Mol Imaging Biol* 2009;11(6):381-5.

Gillings N. A restricted access material for rapid analysis of [(11)C]-labeled radiopharmaceuticals and their metabolites in plasma. *Nucl Med Biol* 2009;36(8):961-5.

Graebe M, Pedersen SF, Borgwardt L, Hojgaard L, Sillesen H, Kjaer A. Molecular pathology in vulnerable carotid plaques: correlation with [18]-fluorodeoxyglucose positron emission tomography (FDG-PET). *Eur J Vasc Endovasc Surg* 2009;37(6):714-21.

Gutte H, Mortensen J, Jensen CV, Johnbeck CB, von der Recke P, Petersen CL, et al. Detection of pulmonary embolism with combined ventilation-perfusion SPECT and low-dose CT: head-to-head comparison with multidetector CT angiography. *J Nucl Med* 2009;50(12):1987-92.

Hag AM, Kristoffersen US, Pedersen SF, Gutte H, Lebech AM, Kjaer A. Regional gene expression of LOX-1, VCAM-1, and ICAM-1 in aorta of HIV-1 transgenic rats. *PLoS One* 2009;4(12):e8170.

Hansen CL, Kuhnast B, Hinnen F, Dolle F, Gillings N, Hansen PR, et al. Comparison of [18F]FBA and [18F]FPyMe as peptide radiolabeling agents of PEPHC1 for PET imaging of EGFRvIII. *Adv Exp Med Biol* 2009;611:405-6.

Hesse B, Gimsing P. [Can amyloidosis scintigraphy be useful?]. *Ugeskr Laeger* 2009;171(22):1835.

Jeppesen PB, Lund P, Gottschalck IB, Nielsen HB, Holst JJ, Mortensen J, et al. Short bowel patients treated for two years with glucagon-like peptide 2 (GLP-2): compliance, safety, and effects on quality of life. *Gastroenterol Res Pract* 2009;2009:425759.

Jeppesen PB, Lund P, Gottschalck IB, Nielsen HB, Holst JJ, Mortensen J, et al. Short bowel patients treated for two years with glucagon-like Peptide 2: effects on intestinal morphology and absorption, renal function, bone and body composition, and muscle function. *Gastroenterol Res Pract* 2009;2009:616054.

Kalbitzer J, Svarer C, Frokjaer VG, Erritzoe D, Baare WF, Madsen J, et al. A probabilistic approach to delineating functional brain regions. *J Nucl Med Technol* 2009;37(2):91-5.

Kalbitzer J, Frokjaer VG, Erritzoe D, Svarer C, Cumming P, Nielsen FA, et al. The personality trait openness is related to cerebral 5-HTT levels. *Neuroimage* 2009;45(2):280-5.

Kapucu OL, Nobili F, Varrone A, Booij J, Vander Borght T, Nagren K, et al. EANM procedure guideline for brain perfusion SPECT using (99m)Tc-labelled radiopharmaceuticals, version 2. *Eur J Nucl Med Mol Imaging* 2009;36(12):2093-102.

Kjaer A, Kristoffersen US, Tarnow L, Parving HH, Hesse B. Short-term oral treatment with the angiotensin II receptor antagonist losartan does not improve coronary vasomotor function in asymptomatic type 2 diabetes patients. *Diabetes Res Clin Pract* 2009;84(1):34-8.

Kornum BR, Lind NM, Gillings N, Marner L, Andersen F, Knudsen GM. Evaluation of the novel 5-HT4 receptor PET ligand [11C]SB207145 in the Gottingen minipig. *J Cereb Blood Flow Metab* 2009;29(1):186-96.

Krakauer M, Law I. FDG PET brain imaging in neuropsychiatric systemic lupus erythematosis with choreic symptoms. *Clin Nucl Med* 2009;34(2):122-3.

Kristensen CA, Nottrup TJ, Berthelsen AK, Kjaer-Kristoffersen F, Ravn J, Sorensen JB, et al. Pulmonary toxicity following IMRT after extrapleural pneumonectomy for malignant pleural mesothelioma. *Radiother Oncol* 2009;92(1):96-9.

Kristoffersen US, Straalman K, Schmidt G, Klyver H, Mortensen J, Andersen PA, et al. Radiation exposure to surgical staff during hyperthermic isolated limb perfusion with 99m Technetium labeled red blood cells. *Int J Hyperthermia* 2009;25(1):86-9.

Kristoffersen US, Kofoed K, Kronborg G, Benfield T, Kjaer A, Lebech AM. Changes in biomarkers of cardiovascular risk after a switch to abacavir in HIV-1-infected individuals receiving combination antiretroviral therapy. *HIV Med* 2009;10(10):627-33.

Kristoffersen US, Kofoed K, Kronborg G, Giger AK, Kjaer A, Lebech AM. Reduction in circulating markers of endothelial dysfunction in HIV-infected patients during antiretroviral therapy. *HIV Med* 2009;10(2):79-87.

Kupers R, Danielsen ER, Kehlet H, Christensen R, Thomsen C. Painful tonic heat stimulation induces GABA accumulation in the prefrontal cortex in man. *Pain* 2009;142(1-2):89-93.

Kupers R, Schneider FC, Christensen R, Naert A, Husted H, Paulson OB, et al. No evidence for generalized increased postoperative responsiveness to pain: a combined behavioral and serial functional magnetic resonance imaging study. *Anesth Analg* 2009;109(2):600-6.

Kupers R, Frokjaer VG, Naert A, Christensen R, Budtz-Joergensen E, Kehlet H, et al. A PET [18F]altanserin study of 5-HT2A receptor binding in the human brain and responses to painful heat stimulation. *Neuroimage* 2009;44(3):1001-7.

Kupers R, Gybels J. What has brain imaging taught us about cerebral mechanisms involved in analgesic stimulation. In: Lozano AM, Gildenberg PL, Tasker RR, eds. *Textbook of Stereotactic and Functional Neurosurgery*. 2nd ed. Basel: Springer; 2009:2031-47.

Lehel S, Madsen J, Gillings N. HPLC methods for the purification of <sup>11</sup>C-labeled radiopharmaceuticals: reversal of the retention of products and precursors. *J Label Compd Radiopharm* 2009;52:177-81.

Loft A. PET og PET/CT. In: Schaffalitzky de Muckadell OB, Haunso S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:1773-4.

Marner L, Gillings N, Comley RA, Baare WF, Rabiner EA, Wilson AA, et al. Kinetic modeling of <sup>11</sup>C-SB207145 binding to 5-HT<sub>4</sub> receptors in the human brain in vivo. *J Nucl Med* 2009;50(6):900-8.

Marner L, Knudsen GM, Haugbol S, Holm S, Baare W, Hasselbalch SG. Longitudinal assessment of cerebral 5-HT<sub>2A</sub> receptors in healthy elderly volunteers: an [<sup>18</sup>F]-altanserin PET study. *Eur J Nucl Med Mol Imaging* 2009;36(2):287-93.

Mortensen J. Billeddiagnostik af lunger. In: Schaffalitzky de Muckadell OB, Haunso S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:1326-30.

Mortensen J. Lungefunktionsundersøgelse. In: Schaffalitzky de Muckadell OB, Haunso S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:1318-26.

Oxboel J, Binderup T, Knigge U, Kjaer A. Quantitative gene-expression of the tumor angiogenesis markers vascular endothelial growth factor, integrin alphaV and integrin beta3 in human neuroendocrine tumors. *Oncol Rep* 2009;21(3):769-75.

Pedersen JH, Ashraf H, Dirksen A, Bach K, Hansen H, Toennesen P, et al. The Danish randomized lung cancer CT screening trial - overall design and results of the prevalence round. *J Thorac Oncol* 2009;4(5):608-14.

Ptito M, Matteau I, Gjedde A, Kupers R. Recruitment of the middle temporal area by tactile motion in congenital blindness. *Neuroreport* 2009;20(6):543-7.

Risum S, Hogdall C, Markova E, Berthelsen AK, Loft A, Jensen F, et al. Influence of 2-(<sup>18</sup>F) fluoro-2-deoxy-D-glucose positron emission tomography/computed tomography on recurrent ovarian cancer diagnosis and on selection of patients for secondary cytoreductive surgery. *Int J Gynecol Cancer* 2009;19(4):600-4.

Rue Nielsen K, Klyver H, Hougaard Chakera A, Nedergaard L, Hesse B, Bachmann Nielsen M. Sentinel node detection in melanomas using contrast-enhanced ultrasound. *Acta Radiol* 2009;50(4):412-7.

Sardanelli F, Fausto A, Di Leo G, de Nijs R, Vorbuchner M, Podo F. In vivo proton MR spectroscopy of the breast using the total choline peak integral as a marker of malignancy. *AJR Am J Roentgenol* 2009;192(6):1608-17.

Scheinin NM, Aalto S, Koikkalainen J, Lotjonen J, Karrasch M, Kemppainen N, et al. Follow-up of [<sup>11</sup>C]PIB uptake and brain volume in patients with Alzheimer disease and controls. *Neurology* 2009;73(15):1186-92.

Skovgaard D, Kjaer M, El-Ali H, Kjaer A. <sup>18</sup>F-fluorodeoxyglucose and PET/CT for noninvasive study of exercise-induced glucose uptake in rat skeletal muscle and tendon. *Eur J Nucl Med Mol Imaging* 2009;36(5):859-68.

Skovgaard D, Kjaer M, Madsen J, Kjaer A. Noninvasive <sup>64</sup>Cu-ATSM and PET/CT assessment of hypoxia in rat skeletal muscles and tendons during muscle contractions. *J Nucl Med* 2009;50(6):950-8.

Syvanen S, Lindhe O, Palner M, Kornum BR, Rahman O, Langstrom B, et al. Species differences in blood-brain barrier transport of three positron emission tomography radioligands with emphasis on P-glycoprotein transport. *Drug Metab Dispos* 2009;37(3):635-43.

Van Calenbergh F, Gybels J, Van Laere K, Dupont P, Plaghki L, Depreitere B, et al. Long term clinical outcome of peripheral nerve stimulation in patients with chronic peripheral neuropathic pain. *Surg Neurol* 2009;72(4):330-5.

Varrone A, Asenbaum S, Vander Borght T, Booij J, Nobili F, Nagren K, et al. EANM procedure guidelines for PET brain imaging using [(18)F]FDG, version 2. *Eur J Nucl Med Mol Imaging* 2009;36(12):2103-10.

## Klinisk Biokemisk Afdeling

### Publikationer

#### Videnskabelige artikler

Adolph SK, DeLotto R, Nielsen FC, Christiansen J. Embryonic expression of Drosophila IMP in the developing CNS and PNS. *Gene Expression Patterns* 2009;9(3):138-43.

Albrechtsen A, Sand Korneliussen T, Moltke I, van Overeem Hansen T, Nielsen FC, Nielsen R. Relatedness mapping and tracts of relatedness for genome-wide data in the presence of linkage disequilibrium. *Genetic Epidemiology* 2009;33(3):266-74.

Andersen KM, Madsen L, Prag S, Johnsen AH, Semple CA, Hendil KB, et al. Thioredoxin Txnl1/TRP32 is a redox-active cofactor of the 26 S proteasome. *J Biol Chem* 2009;284(22):15246-54.

Antoniou AC, Sinilnikova OM, McGuffog L, Healey S, Nevanlinna H, Heikkinen T, et al. Common variants in LSP1, 2q35 and 8q24 and breast cancer risk for BRCA1 and BRCA2 mutation carriers. *Human Molecular Genetics* 2009;18(22):4442-56.

Badawi N, Ronhede S, Olsson S, Kragelund BB, Johnsen AH, Jacobsen OS, et al. Metabolites of the phenylurea herbicides chlorotoluron, diuron, isoproturon and linuron produced by the soil fungus Mortierella sp. *Environmental Pollution* 2009;157(10):2806-12.

Bartels ED, Nielsen JM, Hellgren LI, Ploug T, Nielsen LB. Cardiac expression of microsomal triglyceride transfer protein is increased in obesity and serves to attenuate cardiac triglyceride accumulation. *PLoS ONE* 2009;4(4):e5300-e5310.

Bartels ED, Bang CA, Nielsen LB. Early atherosclerosis and vascular inflammation in mice with diet-induced type 2 diabetes. *Eur J Clin Invest* 2009;39(3):190-9.

Bernini F, Freeman D, Groen A, Heeren J, Kalopassis A, Kronenberg F, et al. European Lipoprotein Club: report of the 31st ELC Annual Conference, Tutzing, 8-11 September 2008. *Atherosclerosis* 2009;205(1):41-7.

Boas M, Hegedus L, Feldt-Rasmussen U, Skakkebaek NE, Hilsted L, Main KM. Association of thyroid gland volume, serum insulin-like growth factor-I, and anthropometric variables in euthyroid prepubertal children. *J Clin Endocrinol Metab* 2009;94(10):4031-5.

Boas M, Forman JL, Juul A, Feldt-Rasmussen U, Skakkebaek NE, Hilsted L, et al. Narrow intra-individual variation of maternal thyroid function in pregnancy based on a longitudinal study on 132 women. *Eur J Endocrinol* 2009;161(6):903-10.

Borg J, Melander O, Johansson L, Uvnäs-Moberg K, Rehfeld JF, Ohlsson B. Gastroparesis is associated with oxytocin deficiency, oesophageal dysmotility with hyperCCKemia, and autonomic neuropathy with hypergastrinemia. *BMC Gastroenterology* 2009;9:17.

Bugge A, Grontved L, Aagaard MM, Borup R, Mandrup S. The PPARgamma2 A/B-domain plays a gene-specific role in transactivation and cofactor recruitment. *Molecular Endocrinology* 2009;23(6):794-808.

Christensen AH, Benn M, Tybjaerg-Hansen A, Haunso S, Svendsen JH. Missense variants in plakophilin-2 in arrhythmogenic right ventricular cardiomyopathy patients - disease - causing or innocent bystanders? *Cardiology* 2009;115(2):148-54.

Christensen LL, Kariola R, Korhonen MK, Wikman FP, Sunde L, Gerdes AM, et al. Functional characterization of rare missense mutations in MLH1 and MSH2 identified in Danish colorectal cancer patients. *Familial Cancer* 2009;8(4):489-500.

Christiansen J, Kolte AM, Hansen TO, Nielsen FC. IGF2 mRNA-binding protein 2: biological function and putative role in type 2 diabetes. *Journal of Molecular Endocrinology* 2009;43(5):187-95.

Christiansen MS, Iversen K, Larsen CT, Goetze JP, Hommel E, Molvig J, et al. Increased urinary orosomucoid excretion: a proposed marker for inflammation and endothelial dysfunction in patients with type 2 diabetes. *Scand J Clin Lab Invest* 2009;69(2):272-81.

Dahlback B, Nielsen LB. Apolipoprotein M affecting lipid metabolism or just catching a ride with lipoproteins in the circulation? *Cellular and Molecular Life Sciences* 2009;66(4):559-64.

Dombernowsky SL, Weischer M, Freiberg JJ, Bojesen SE, Tybjaerg-Hansen A, Nordestgaard BG. Missense polymorphisms in BRCA1 and BRCA2 and risk of breast and ovarian cancer. *Cancer Epidemiol Biomarkers Prev* 2009;18(8):2339-42.

Dullaart RP, Plomgaard P, de Vries R, Dahlback B, Nielsen LB. Plasma apolipoprotein M is reduced in metabolic syndrome but does not predict intima media thickness. *Clin Chim Acta* 2009;406(1-2):129-33.

Dyson G, Frikke-Schmidt R, Nordestgaard BG, Tybjaerg-Hansen A, Sing CF. Modifications to the Patient Rule-Induction Method that utilize non-additive combinations of genetic and environmental effects to define partitions that predict ischemic heart disease. *Genet Epidemiol* 2009;33(4):317-24.

Enc FY, Ones T, Akin HL, Dede F, Turoglu HT, Ulfer G, et al. Orlistat accelerates gastric emptying and attenuates GIP release in healthy subjects. *Am J Physiol Gastrointest Liver Physiol* 2009;296(3):G482-9.

Freiberg JJ, Tybjaerg-Hansen A, Jensen JS, Nordestgaard BG. [Nonfasting triglycerides and risk of ischemic stroke--secondary publication]. *Ugeskr Laeger* 2009;171(26):2188-91.

Freiberg JJ, Dahl M, Tybjaerg-Hansen A, Grande P, Nordestgaard BG. Leukotriene C4 synthase and ischemic cardiovascular disease and obstructive pulmonary disease in 13,000 individuals. *J Mol Cell Cardiol* 2009;46(4):579-86.

Freiberg JJ, Tybjaerg-Hansen A, Nordestgaard BG. Triglycerides, depression, and risk of ischemic stroke. *JAMA* 2009;301:1338-9.

Fujihara M, Bartels E, Nielsen LB, Handa JT. A human apoB100 transgenic mouse expresses human apoB100 in the RPE and develops features of early AMD. *Exp Eye Res* 2009;88(6):1115-23.

Glud M, Klausen M, Gniadecki R, Rossing M, Hastrup N, Nielsen FC, et al. MicroRNA expression in melanocytic nevi: the usefulness of formalin-fixed, paraffin-embedded material for miRNA microarray profiling. *J Invest Dermatol* 2009;129(5):1219-24.

Glud M, Gniadecki R, Drzewiecki KT. Spectrophotometric intracutaneous analysis versus dermoscopy for the diagnosis of pigmented skin lesions: prospective, double-blind study in a secondary reference centre. *Melanoma Res* 2009;19(3):176-9.

Goetze JP, Rehfeld JF. Peptide hormones and their prohormones as biomarkers. *Biomark Med* 2009;3(4):335-8.

Grondahl ML, Borup R, Lee YB, Myrhol V, Meinertz H, Sorensen S. Differences in gene expression of granulosa cells from women undergoing controlled ovarian hyperstimulation with either recombinant follicle-stimulating hormone or highly purified human menopausal gonadotropin. *Fertil Steril* 2009;91(5):1820-30.

Hansen TO, Jonson L, Albrechtsen A, Andersen MK, Ejlertsen B, Nielsen FC. Large BRCA1 and BRCA2 genomic rearrangements in Danish high risk breast-ovarian cancer families. *Breast Cancer Res Treat* 2009;115(2):315-23.

Hansen TvO, Ejlertsen B, Albrechtsen A, Bergsten E, Bjerregaard P, Hansen T, et al. A common Greenlandic Inuit BRCA1 RING domain founder mutation. *Breast Cancer Res Treat* 2009;115(1):69-76.

Hendil KB, Kriegenburg F, Tanaka K, Murata S, Lauridsen AM, Johnsen AH, et al. The 20S proteasome as an assembly platform for the 19S regulatory complex. *J Mol Biol* 2009;394(2):320-8.

Jackson D, White I, Kostis JB, Wilson AC, Folsom AR, Wu K, et al. Systematically missing confounders in individual participant data meta-analysis of observational cohort studies. *Stat Med* 2009;28(8):1218-37.

Jakobsen LP, Borup R, Vestergaard J, Larsen LA, Lage K, Maroun LL, et al. Expression analyses of human cleft palate tissue suggest a role for osteopontin and immune related factors in palatal development. *Exp Mol Med* 2009;41(2):77-85.

Johannsen TH, Kamstrup PR, Andersen RV, Jensen GB, Sillesen H, Tybjaerg-Hansen A, et al. Hepatic lipase, genetically elevated high-density lipoprotein, and risk of ischemic cardiovascular disease. *J Clin Endocrinol Metabol* 2009;94(4):1264-73.

Johansen JS, Bojesen SE, Mylin AK, Frikke-Schmidt R, Price PA, Nordestgaard BG. Elevated plasma YKL-40 predicts increased risk of gastrointestinal cancer and decreased survival after any cancer diagnosis in the general population. *J Clin Oncol* 2009;27(4):572-8.

Kamstrup PR, Tybjaerg-Hansen A, Steffensen R, Nordestgaard BG. Genetically elevated lipoprotein(a) and increased risk of myocardial infarction. *JAMA* 2009;301(22):2331-9.

Kaur-Knudsen D, Nordestgaard BG, Tybjaerg-Hansen A, Bojesen SE. CYP1B1 genotype and risk of cardiovascular disease, pulmonary disease, and cancer in 50,000 individuals. *Pharmacogenet Genomics* 2009;19(9):685-94.

Klovaite J, Gustafsson F, Mortensen SA, Sander K, Nielsen LB. Severely impaired von Willebrand factor-dependent platelet aggregation in patients with a continuous-flow left ventricular assist device (HeartMate II). *J Am Coll Cardiol* 2009;53(23):2162-7.

Knorr U, Vinberg M, Klose M, Feldt-Rasmussen U, Hilsted L, Gade A, et al. Rationale and design of the participant, investigator, observer, and data-analyst-blinded randomized AGENDA trial on associations between gene-polymorphisms, endophenotypes for depression and antidepressive intervention: the effect of escitalopram versus placebo on the combined dexamethasone-corticotrophine releasing hormone test and other potential endophenotypes in healthy first-degree relatives of persons with depression. *Trials* 2009;10:66.

Knudsen NO, Andersen SD, Lutzen A, Nielsen FC, Rasmussen LJ. Nuclear translocation contributes to regulation of DNA excision repair activities. *DNA Repair (Amst)* 2009;8(6):682-9.

Koefoed P, Hansen TvO, Woldbye DP, Werge T, Mors O, Hansen T, et al. An intron 1 polymorphism in the cholecystokinin-A receptor gene associated with schizophrenia in males. *Acta Psychiatr Scand* 2009;120(4):281-7.

Kohnke R, Lindbo A, Larsson T, Lindqvist A, Rayner M, Emek SC, et al. Thylakoids promote release of the satiety hormone cholecystokinin while reducing insulin in healthy humans. *Scand J Gastroenterol* 2009;44(6):712-9.

Kohnke R, Lindqvist A, Goransson N, Emek SC, Albertsson PA, Rehfeld JF, et al. Thylakoids suppress appetite by increasing cholecystokinin resulting in lower food intake and body weight in high-fat fed mice. *Phytotherapy Research* 2009;23(12):1778-83.

Machado AM, Figueiredo C, Touati E, Maximo V, Sousa S, Michel V, et al. Helicobacter pylori infection induces genetic instability of nuclear and mitochondrial DNA in gastric cells. *Clin Cancer Res* 2009;15(9):2995-3002.

Menko FH, van Steensel MA, Giraud S, Friis-Hansen L, Richard S, Ungari S, et al. Birt-Hogg-Dube syndrome: diagnosis and management. *Lancet Oncol* 2009;10(12):1199-206.

Milman N, Ursin K, Rodevand E, Nielsen FC, Hansen TvO. A novel mutation in the NOD2 gene associated with Blau syndrome: a Norwegian family with four affected members. *Scand J Rheumatol* 2009;38(3):190-7.

Mogelvang R, Sogaard P, Pedersen SA, Olsen NT, Marott JL, Schnohr P, et al. Cardiac dysfunction assessed by echocardiographic tissue Doppler imaging is an independent predictor of mortality in the general population. *Circulation* 2009;119(20):2679-85.

Mogelvang R, Goetze JP, Pedersen SA, Olsen NT, Marott JL, Schnohr P, et al. Preclinical systolic and diastolic dysfunction assessed by tissue doppler imaging is associated with elevated plasma pro-B-type natriuretic peptide concentrations. *J Card Fail* 2009;15(6):489-95.

Nielsen FC, Borregaard N. [Pharmacogenetics and tailored drug therapy]. *Ugeskr Laeger* 2009;171(10):790-4.

Nielsen LB, Christoffersen C, Ahnstrom J, Dahlback B. ApoM: gene regulation and effects on HDL metabolism. *Trends Endocrinol Metab* 2009;20(2):66-71.

Nielsen LB, Lund E. Scientific misconduct and participation rates in population-based epidemiological research: the NOWAC study. *Eur J Epidemiol* 2009;24(2):69-72.

Nielsen LR, Rehfeld JF, Pedersen-Bjergaard U, Damm P, Mathiesen ER. Pregnancy-induced rise in serum C-peptide concentrations in women with type 1 diabetes. *Diabetes Care* 2009;32(6):1052-7.

Nielsen OH, Bjerrum JT, Csillag C, Nielsen FC, Olsen J. Influence of smoking on colonic gene expression profile in Crohn's disease. *PLoS ONE* 2009;4(7):e6210-e6216.

Nielsen OJ, Friis-Hansen L. [Thrombotic microangiopathies]. *Ugeskr Laeger* 2009;171(49):3614-20.

Nielsen SJ, Iversen P, Rehfeld JF, Jensen HL, Goetze JP. C-type natriuretic peptide in prostate cancer. *APMIS* 2009;117(1):60-7.

Niemann CU, Jurlander J, Daugaard G, Friis-Hansen L. [Multi-facetted clinical presentation of thrombotic thrombocytopenic purpura]. *Ugeskr Laeger* 2009;171(5):340-2.

Nilbert M, Wikman FP, Hansen TvO, Krarup HB, Orntoft TF, Nielsen FC, et al. Major contribution from recurrent alterations and MSH6 mutations in the Danish Lynch syndrome population. *Fam Cancer* 2009;8(1):75-83.

Nilsson B, Goetze JP, Chen X, Pehrson S, Svendsen JH. Increased NT-pro-B-type natriuretic peptide independently predicts outcome following catheter ablation of atrial fibrillation. *Scand J Clin Lab Invest* 2009;69(8):843-50.

Nordestgaard BG, Hilsted L, Stender S. [Plasma lipids in non-fasting patients and signal values of laboratory results]. Ugeskr Laeger 2009;171(13):1093.

Norskov MS, Frikke-Schmidt R, Loft S, Tybjaerg-Hansen A. High-throughput genotyping of copy number variation in glutathione S-transferases M1 and T1 using real-time PCR in 20,687 individuals. Clin Biochem 2009;42(3):201-9.

Noske A, Faggad A, Wirtz R, Darb-Esfahani S, Sehouli J, Sinn B, et al. IMP3 expression in human ovarian cancer is associated with improved survival. Int J Gynecol Pathol 2009;28(3):203-10.

Olsen L, Klausen M, Helboe L, Nielsen FC, Werge T. MicroRNAs show mutually exclusive expression patterns in the brain of adult male rats. PLoS ONE 2009;4(10):e7225-e7231.

Osorio A, Milne RL, Pita G, Peterlongo P, Heikkinen T, Simard J, et al. Evaluation of a candidate breast cancer associated SNP in ERCC4 as a risk modifier in BRCA1 and BRCA2 mutation carriers. Results from the Consortium of Investigators of Modifiers of BRCA1/BRCA2 (CIMBA). Br J Cancer 2009;101(12):2048-54.

Ou J, Rasmussen M, Westers H, Andersen SD, Jager PO, Kooi KA, et al. Biochemical characterization of MLH3 missense mutations does not reveal an apparent role of MLH3 in Lynch syndrome. Genes Chromosomes Cancer 2009;48(4):340-50.

Palsgaard J, Brons C, Friedrichsen M, Dominguez H, Jensen M, Storgaard H, et al. Gene expression in skeletal muscle biopsies from people with type 2 diabetes and relatives: differential regulation of insulin signaling pathways. PLoS ONE 2009;4(8):e6575-e6586.

Palsgaard J, Brown AE, Jensen M, Borup R, Walker M, De Meyts P. Insulin-like growth factor I (IGF-I) is a more potent regulator of gene expression than insulin in primary human myoblasts and myotubes. Growth Horm IGF Res 2009;19(2):168-78.

Pedersen SH, Nielsen LB, Pedersen NG, Nilas L, Ottesen B. Hormone therapy modulates ET(A) mRNA expression in the aorta of ovariectomised New Zealand White rabbits. Gynecol Endocrinol 2009;25(3):175-82.

Pedersen TX, Bro S, Andersen MH, Etzerodt M, Jauhainen M, Moestrup S, et al. Effect of treatment with human apolipoprotein A-I on atherosclerosis in uremic apolipoprotein-E deficient mice. Atherosclerosis 2009;202(2):372-81.

Petersson F, Borch K, Rehfeld JF, Franzen LE. A morphometric study of antral G-cell density in a sample of adult general population: comparison of three different methods and correlation with patient demography, helicobacter pylori infection, histomorphology and circulating gastrin levels. Int J Clin Exp Pathol 2009;2(3):239-48.

Philips MA, Vikesa J, Luuk H, Jonson L, Lillevaali K, Rehfeld JF, et al. Characterization of MYG1 gene and protein: subcellular distribution and function. Biology of the Cell 2009;101(6):361-73.

Plomgaard P, Dullaart RP, de Vries R, Groen AK, Dahlback B, Nielsen LB. Apolipoprotein M predicts pre-beta-HDL formation: studies in type 2 diabetic and nondiabetic subjects. J Intern Med 2009;266(3):258-67.

Poulsen TD, Andersen LW, Steinbruchel D, Gotze JP, Jorgensen OS, Olsen NV. Two large preoperative doses of erythropoietin do not reduce the systemic inflammatory response to cardiac surgery. J Cardiothorac Vas Anesth 2009;23(3):316-23.

Reimer C, Sondergaard B, Hilsted L, Bytzer P. Proton-pump inhibitor therapy induces acid-related symptoms in healthy volunteers after withdrawal of therapy. Gastroenterology 2009;137(1):80-7, e1.

Ripa RS, Jorgensen E, Baldazzi F, Frikke-Schmidt R, Wang Y, Tybjaerg-Hansen A, et al. The influence of genotype on vascular endothelial growth factor and regulation of myocardial collateral blood flow in patients with acute and chronic coronary heart disease. *Scand J Clin Lab Invest* 2009;69(6):722-8.

Schou M, Alehagen U, Goetze JP, Gustafsson F, Dahlstrom U. Effect of estimated glomerular filtration rate on plasma concentrations of B-type natriuretic peptides measured with multiple immunoassays in elderly individuals. *Heart* 2009;95(18):1514-9.

Simolin MA, Pedersen TX, Bro S, Mayranpaa MI, Helske S, Nielsen LB, et al. ACE inhibition attenuates uremia-induced aortic valve thickening in a novel mouse model. *BMC Cardiovasc Disord* 2009;9:10-9.

Sorensen G, Wegener G, Hasselstrom J, Hansen TvO, Wortwein G, Fink-Jensen A, et al. Neuropeptide Y infusion into the shell region of the rat nucleus accumbens increases extracellular levels of dopamine. *Neuroreport* 2009;20(11):1023-6.

Sorensen K, Aksglaede L, Munch-Andersen T, Aachmann-Andersen NJ, Petersen JH, Hilsted L, et al. Sex hormone-binding globulin levels predict insulin sensitivity, disposition index, and cardiovascular risk during puberty. *Diabetes Care* 2009;32(5):909-14.

Sorensen K, Aksglaede L, Munch-Andersen T, Aachmann-Andersen NJ, Leffers H, Helge JW, et al. Impact of the growth hormone receptor exon 3 deletion gene polymorphism on glucose metabolism, lipids, and insulin-like growth factor-I levels during puberty. *J Clin Endocrinol Metab* 2009;94(8):2966-9.

The Emerging Risk Factors Collaboration. The Copenhagen City Heart Study (Tybjaerg-Hansen A). Major lipids, apolipoproteins and risk of vascular disease. *JAMA* 2009;302:1993-2000.

The Fibrinogen Studies Collaboration. The Copenhagen City Heart Study (Tybjaerg-Hansen A). Measures to assess the prognostic ability of the stratified Cox proportional hazards model. *Stat Med* 2009;28(3):389-411.

The Fibrinogen Studies Collaboration. The Copenhagen City Heart Study (Tybjaerg-Hansen A). Correcting for multivariate measurement error by regression calibration in meta-analyses of epidemiological studies. *Stat Med* 2009;28(7):1067-92.

The Fibrinogen Studies Collaboration. The Copenhagen City Heart Study (Tybjaerg-Hansen A). Lipoprotein(a) concentration and the risk of coronary heart disease, stroke, and nonvascular mortality. *JAMA* 2009;302(4):412-23.

Timpson NJ, Harbord R, Davey Smith G, Zacho J, Tybjaerg-Hansen A, Nordestgaard BG. Does greater adiposity increase blood pressure and hypertension risk?: Mendelian randomization using the FTO/MC4R genotype. *Hypertension* 2009;54(1):84-90.

Tolstrup JS, Gronbaek M, Tybjaerg-Hansen A, Nordestgaard BG. Alcohol intake, alcohol dehydrogenase genotypes, and liver damage and disease in the Danish general population. *Am J Gastroenterol* 2009;104(9):2182-8.

Wang L, Smyth A, Johnsen AH, Zhou M, Chen T, Walker B, et al. FMRFamide-related peptides (FaRPs): a new family of peptides from amphibian defensive skin secretions. *Biochem Biophys Res Commun* 2009;383(3):314-9.

Willenbrock H, Salomon J, Sokilde R, Barken KB, Hansen TN, Nielsen FC, et al. Quantitative miRNA expression analysis: comparing microarrays with next-generation sequencing. *RNA* 2009;15(11):2028-34.

Witte AB, Gryback P, Holst JJ, Hilsted L, Hellstrom PM, Jacobsson H, et al. Differential effect of PYY1-36 and PYY3-36 on gastric emptying in man. *Regul Pept* 2009;158(1-3):57-62.

Zaar M, Johansson PI, Nielsen LB, Crandall CG, Shibasaki M, Hilsted L, et al. Early activation of the coagulation system during lower body negative pressure. *Clin Physiol Funct Imaging* 2009;29(6):427-30.

Zacho J, Tybjaerg-Hansen A, Nordestgaard BG. C-reactive protein, genetically elevated levels and risk of ischemic heart and cerebrovascular disease. *Scand J Clin Lab Invest* 2009;69(4):442-6.

Zacho J, Tybjaerg-Hansen A, Jensen JS, Grande P, Sillesen H, Nordestgaard BG. [C-reactive protein and risk of ischaemic vascular and cerebrovascular disease--secondary publication]. *Ugeskr Laeger* 2009;171(21):1751-5.

## Klinisk Immunologisk Afdeling

### Publikationer

#### Videnskabelige artikler

Andersen T, Munthe-Fog L, Garred P, Jacobsen S. Serum levels of ficolin-3 (Hakata antigen) in patients with systemic lupus erythematosus. *J Rheumatol* 2009;36(4):757-9.

Bay JT, Garred P. Rapid bead-based immunoassay for measurement of mannose-binding lectin. *Scand J Immunol* 2009;69(6):570-5.

Berg KK, Madsen HO, Garred P, Wiseth R, Gunnes S, Videm V. The additive contribution from inflammatory genetic markers on the severity of cardiovascular disease. *Scand J Immunol* 2009;69(1):36-42.

Best LG, Ferrell RE, Decroo S, North KE, Maccluer JW, Zhang Y, et al. Genetic and other factors determining mannose-binding lectin levels in American Indians: the Strong Heart Study. *BMC Med Genet* 2009;10:5.

Bjorklund E, Matinlauri I, Tierens A, Axelsson S, Forestier E, Jacobsson S, et al. Quality control of flow cytometry data analysis for evaluation of minimal residual disease in bone marrow from acute leukemia patients during treatment. *J Pediatr Hematol Oncol* 2009;31(6):406-15.

Bochsen L, Rosengaard LB, Nielsen AB, Steinbruchel DA, Johansson PI. Platelet hyperreactivity in response to on- and off-pump coronary artery bypass grafting. *J Extra Corpor Technol* 2009;41(1):15-9.

de Lemos Rieper C, Galle P, Svenson M, Pedersen BK, Hansen MB. Preparation and validation of radio iodinated recombinant human IL-10 for the measurement of natural human antibodies against IL-10. *J Immunol Methods* 2009;350(1-2):46-53.

de Lemos Rieper C, Galle P, Hansen MB. Characterization and potential clinical applications of autoantibodies against cytokines. *Cytokine Growth Factor Rev* 2009;20(1):61-75.

Enevold C, Oturai AB, Sorensen PS, Ryder LP, Koch-Henriksen N, Bendtzen K. Multiple sclerosis and polymorphisms of innate pattern recognition receptors TLR1-10, NOD1-2, DDX58, and IFIH1. *J Neuroimmunol* 2009;212(1-2):125-31.

Erikstrup C, Mortensen OH, Nielsen AR, Fischer CP, Plomgaard P, Petersen AM, et al. RBP-to-retinol ratio, but not total RBP, is elevated in patients with type 2 diabetes. *Diabetes Obes Metab* 2009;11(3):204-12.

Garred P, Honore C, Ma YJ, Munthe-Fog L, Hummelshoj T. MBL2, FCN1, FCN2 and FCN3-The genes behind the initiation of the lectin pathway of complement. *Mol Immunol* 2009;46(14):2737-44.

Haissman JM, Vestergaard LS, Sembuche S, Erikstrup C, Mmbando B, Mtullu S, et al. Plasma cytokine levels in Tanzanian HIV-1-infected adults and the effect of antiretroviral treatment. *J Acquir Immune Defic Syndr* 2009;52(4):493-7.

Hansen BR, Kolte L, Haugaard SB, Dirksen C, Jensen FK, Ryder LP, et al. Improved thymic index, density and output in HIV-infected patients following low-dose growth hormone therapy: a placebo controlled study. *AIDS* 2009;23(16):2123-31.

Harboe M, Garred P, Karlstrom E, Lindstad JK, Stahl GL, Mollnes TE. The down-stream effects of mannose-induced lectin complement pathway activation depend quantitatively on alternative pathway amplification. *Mol Immunol* 2009;47(2-3):373-80.

Henningsen KM, Therkelsen SK, Johansen JS, Bruunsgaard H, Svendsen JH. Plasma YKL-40, a new biomarker for atrial fibrillation? *Europace* 2009;11(8):1032-6.

Henningsen KM, Therkelsen SK, Bruunsgaard H, Krabbe KS, Pedersen BK, Svendsen JH. Prognostic impact of hs-CRP and IL-6 in patients with persistent atrial fibrillation treated with electrical cardioversion. *Scand J Clin Lab Invest* 2009;69(3):425-32.

Henriksen K, Gram J, Neutzsky-Wulff AV, Jensen VK, Dziegel MH, Bollerslev J, et al. Characterization of acid flux in osteoclasts from patients harboring a G215R mutation in CIC-7. *Biochem Biophys Res Commun* 2009;378(4):804-9.

Jacobsen S, Garred P, Madsen HO, Heegaard NH, Hetland ML, Stengaard-Pedersen K, et al. Mannose-binding lectin gene polymorphisms are associated with disease activity and physical disability in untreated, anti-cyclic citrullinated peptide-positive patients with early rheumatoid arthritis. *J Rheumatol* 2009;36(4):731-5.

Jensen MK, Nielsen M, Koefoed P, Nielsen HB, Ullum H, Haastrup E, et al. Haplotype structure of the beta2-adrenergic receptor gene in 814 Danish Caucasian subjects and association with body mass index. *Scand J Clin Lab Invest* 2009;69(7):801-8.

Johansson PI, Titlestad K, Moller BK, Ullum H. [Overtransfusion - a bad Danish habit with serious consequences]. *Ugeskr Laeger* 2009;171(13):1072.

Johansson PI, Ullum H, Jensen K, Secher NH. A retrospective cohort study of blood hemoglobin levels in blood donors and competitive rowers. *Scand J Med Sci Sports* 2009;19(1):92-5.

Johansson PI, Stissing T, Bochsen L, Ostrowski SR. Thrombelastography and tromboelastometry in assessing coagulopathy in trauma. *Scand J Trauma Resusc Emerg Med* 2009;17(1):45.

Johansson PI. Hemostatic strategies for minimizing mortality in surgery with major blood loss. *Curr Opin Hematol* 2009;16(6):509-14.

Johansson PI, Stensballe J. Effect of Haemostatic Control Resuscitation on mortality in massively bleeding patients: a before and after study. *Vox Sang* 2009;96(2):111-8.

Kallberg H, Jacobsen S, Bengtsson C, Pedersen M, Padyukov L, Garred P, et al. Alcohol consumption is associated with decreased risk of rheumatoid arthritis: results from two Scandinavian case-control studies. *Ann Rheum Dis* 2009;68(2):222-7.

Kamstrup MR, Madsen HO, Skovgaard GL, Gniadecki R. Analysis of extracutaneous spread in mycosis fungoides. *J Invest Dermatol* 2009;129(12):2905-7.

Kjalke M, Runge M, Rojkjaer R, Steinbruchel D, Johansson PI. Influence of cardiopulmonary bypass on the interaction of recombinant factor VIIa with activated platelets. *J Extra Corpor Technol* 2009;41(2):97-104.

Knorr U, Vinberg M, Klose M, Feldt-Rasmussen U, Hilsted L, Gade A, et al. Rationale and design of the participant, investigator, observer, and data-analyst-blinded randomized AGENDA trial on associations between gene-polymorphisms, endophenotypes for depression and antidepressive intervention: the effect of escitalopram versus placebo on the combined dexamethasone-corticotrophine releasing hormone test and other potential endophenotypes in healthy first-degree relatives of persons with depression. *Trials* 2009;10:66.

Kolte L, Ryder LP, brecht-Beste E, Jensen FK, Nielsen SD. HIV-infected patients with a large thymus maintain higher CD4 counts in a 5-year follow-up study of patients treated with highly active antiretroviral therapy. *Scand J Immunol* 2009;70(6):608-13.

Kolte L, Gaardbo JC, Skogstrand K, Ryder LP, Ersboll AK, Nielsen SD. Increased levels of regulatory T cells (Tregs) in human immunodeficiency virus-infected patients after 5 years of highly active anti-retroviral therapy may be due to increased thymic production of naive Tregs. *Clin Exp Immunol* 2009;155(1):44-52.

Krabbe KS, Mortensen EL, Avlund K, Pedersen AN, Pedersen BK, Jorgensen T, et al. Brain-derived neurotrophic factor predicts mortality risk in older women. *J Am Geriatr Soc* 2009;57(8):1447-52.

Krabbe KS, Mortensen EL, Avlund K, Pilegaard H, Christiansen L, Pedersen AN, et al. Genetic priming of a proinflammatory profile predicts low IQ in octogenarians. *Neurobiol Aging* 2009;30(5):769-81.

Lappégaard KT, Christiansen D, Pharo A, Thøgersen EB, Hellerud BC, Lindstad J, et al. Human genetic deficiencies reveal the roles of complement in the inflammatory network: lessons from nature. *Proc Natl Acad Sci U S A* 2009;106(37):15861-6.

Ma YJ, Doni A, Hummelshøj T, Honore C, Bastone A, Mantovani A, et al. Synergy between ficolin-2 and pentraxin 3 boosts innate immune recognition and complement deposition. *J Biol Chem* 2009;284(41):28263-75.

Matthews VB, Astrom MB, Chan MH, Bruce CR, Krabbe KS, Prelovsek O, et al. Brain-derived neurotrophic factor is produced by skeletal muscle cells in response to contraction and enhances fat oxidation via activation of AMP-activated protein kinase. *Diabetologia* 2009;52(7):1409-18.

Mørkeberg J, Belhage B, Ashenden M, Bornø A, Sharpe K, Dziegieł MH, et al. Screening for autologous blood transfusions. *Int J Sports Med* 2009;30(4):285-92.

Munthe-Fog L, Hummelshøj T, Honore C, Madsen HO, Permin H, Garred P. Immunodeficiency associated with FCN3 mutation and ficolin-3 deficiency. *N Engl J Med* 2009;360(25):2637-44.

Nielsen HS, Steffensen R, Varming K, Van Halteren AG, Spierings E, Ryder LP, et al. Association of HY-restricting HLA class II alleles with pregnancy outcome in patients with recurrent miscarriage subsequent to a firstborn boy. *Hum Mol Genet* 2009;18(9):1684-91.

Nilsson SC, Trouw LA, Renault N, Miteva MA, Genel F, Zelazko M, et al. Genetic, molecular and functional analyses of complement factor I deficiency. *Eur J Immunol* 2009;39(1):310-23.

Nordvall M, Dziegieł M, Hegaard HK, Bidstrup M, Jónsbo F, Christensen B, et al. Red blood cell antibodies in pregnancy and their clinical consequences: synergistic effects of multiple specificities. *Transfusion* 2009;49(10):2070-5.

Pedersen BK, Pedersen M, Krabbe KS, Bruunsgaard H, Matthews VB, Febbraio MA. Role of exercise-induced brain-derived neurotrophic factor production in the regulation of energy homeostasis in mammals. *Exp Physiol* 2009;94(12):1153-60.

Pedersen OB, Junker P. On the recurrence risk of arthritis among psoriatic patients. *Scand J Rheumatol* 2009;38(4):321-2.

Reesink HW, Panzer S, Dettke M, Gabriel C, Lambermont M, Deneys V, et al. New cellular therapies: is there a role for transfusion services? *Vox Sang* 2009;97(1):77-90.

Rorvig S, Honore C, Larsson LI, Ohlsson S, Pedersen CC, Jacobsen LC, et al. Ficolin-1 is present in a highly mobilizable subset of human neutrophil granules and associates with the cell surface after stimulation with fMLP. *J Leukoc Biol* 2009;86(6):1439-49.

Schejbel L, Rosenfeldt V, Marquart H, Valerius NH, Garred P. Properdin deficiency associated with recurrent otitis media and pneumonia, and identification of male carrier with Klinefelter syndrome. *Clin Immunol* 2009;131(3):456-62.

Sellebjerg F, Krakauer M, Hesse D, Ryder LP, Alsing I, Jensen PE, et al. Identification of new sensitive biomarkers for the in vivo response to interferon-beta treatment in multiple sclerosis using DNA-array evaluation. *Eur J Neurol* 2009;16(12):1291-8.

Svendsen MS, Kristensen AT, Bochsen L, Salado-Jimena JA, Johansson PI. The in vitro effect of recombinant factor VIIa on coated platelet formation and clot dynamics of stored platelet concentrates. *Transfusion* 2009;49(10):2186-94.

Vedel SJ, Tholstrup D, Kolte L, Gaardbo J, Ryder LP, Ersboll A, et al. Limited impact of the thymus on immunological recovery during and after chemotherapy in patients with diffuse large B-cell lymphoma. *Scand J Immunol* 2009;69(6):547-54.

Wang M, Tang ST, Lund O, Dziegiej MH, Buus S, Claesson MH. High-affinity human leucocyte antigen class I binding variola-derived peptides induce CD4+ T cell responses more than 30 years post-vaccinia virus vaccination. *Clin Exp Immunol* 2009;155(3):441-6.

Zaar M, Secher NH, Johansson PI, Vainer B, Ezban M, Agerso H, et al. Effects of a recombinant FVIIa analogue, NN1731, on blood loss and survival after liver trauma in the pig. *Br J Anaesth* 2009;103(6):840-7.

Zaar M, Johansson PI, Nielsen LB, Crandall CG, Shibusaki M, Hilsted L, et al. Early activation of the coagulation system during lower body negative pressure. *Clin Physiol Funct Imaging* 2009;29(6):427-30.

Zaar M, Lauritzen B, Secher NH, Krantz T, Nielsen HB, Madsen PL, et al. Initial administration of hydroxyethyl starch vs lactated Ringer after liver trauma in the pig. *Br J Anaesth* 2009;102(2):221-6.

## Klinisk Mikrobiologisk Afdeling

### Publikationer

#### Disputatser og ph.d.-afhandlinger forsvarer i året

Hoffmann N. The role of quorum sensing and alginate in the pathogenesis of chronic *Pseudomonas aeruginosa* biofilm lung infection in cystic fibrosis and the development of antibacterial therapy based on quorum sensing inhibitors (ph.d.-afhandling). København: Eget Forlag; 2009:1-60. Forsvaret den 29/6 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

#### Videnskabelige artikler

Abrams D, Levy Y, Losso MH, Babiker A, Collins G, Cooper DA, et al. Interleukin-2 therapy in patients with HIV infection. *N Engl J Med* 2009;361(16):1548-59.

Adjei GO, Goka BQ, Binka F, Kurtzhals JA. Artemether-lumefantrine: an oral antimalarial for uncomplicated malaria in children. *Expert Rev Anti Infect Ther* 2009;7(6):669-81.

Adjei GO, Goka BQ, Rodrigues OP, Hoegberg LC, Alifrangis M, Kurtzhals J. Amodiaquine-associated adverse effects after inadvertent overdose and after a standard therapeutic dose. *Ghana Med J* 2009;43(3):135-8.

Adjei GO, Darkwah AK, Goka BQ, Bart-Plange C, Alifrangis ML, Kurtzhals JA, et al. Parents' perceptions, attitudes and acceptability of treatment of childhood malaria with artemisinin combination therapies in ghana. *Ghana Med J* 2009;43(3):99-106.

Alhede M, Bjarnsholt T, Jensen PO, Phipps RK, Moser C, Christphersen L, et al. *Pseudomonas aeruginosa* recognizes and responds aggressively to the presence of polymorphonuclear leukocytes. *Microbiology* 2009;155(Pt 11):3500-8.

Bak J, Ladefoged SD, Tvede M, Begovic T, Gregersen A. Dose requirements for UVC disinfection of catheter biofilms. *Biofouling* 2009;25(4):289-96.

Bjarnsholt T, Jensen PO, Fiandaca MJ, Pedersen J, Hansen CR, Andersen CB, et al. *Pseudomonas aeruginosa* biofilms in the respiratory tract of cystic fibrosis patients. *Pediatr Pulmonol* 2009;44(6):547-58.

Bjarnsholt T, Tolker-Nielsen T, Givskov M, Janssen M, Christensen LH. Detection of bacteria by fluorescence in situ hybridization in culture-negative soft tissue filler lesions. *Dermatol Surg* 2009;35 Suppl 2:1620-4.

Bohlius J, Schmidlin K, Costagliola D, Fatkenheuer G, May M, Caro Murillo AM, et al. Prognosis of HIV-associated non-Hodgkin lymphoma in patients starting combination antiretroviral therapy. *AIDS* 2009;23(15):2029-37.

Bohn YS, Brandes G, Rakhimova E, Horatzek S, Salunkhe P, Munder A, et al. Multiple roles of *Pseudomonas aeruginosa* TBCF10839 PilY1 in motility, transport and infection. *Mol Microbiol* 2009;71(3):730-47.

Brinch KS, Frimodt-Moller N, Hoiby N, Kristensen HH. Influence of antidrug antibodies on plectasin efficacy and pharmacokinetics. *Antimicrob Agents Chemother* 2009;53(11):4794-800.

Brinch KS, Sandberg A, Baudoux P, Van Bambeke F, Tulkens PM, Frimodt-Moller N, et al. Plectasin shows intracellular activity against *Staphylococcus aureus* in human THP-1 monocytes and in a mouse peritonitis model. *Antimicrob Agents Chemother* 2009;53(11):4801-8.

Calum H, Moser C, Jensen PO, Christphersen L, Maling DS, van Gennip M, et al. Thermal injury induces impaired function in polymorphonuclear neutrophil granulocytes and reduced control of burn wound infection. *Clin Exp Immunol* 2009;156(1):102-10.

Cozzi-Lepri A, Phillips AN, Martinez-Picado J, Monforte A, Katlama C, Eg Hansen AB, et al. Rate of accumulation of thymidine analogue mutations in patients continuing to receive virologically failing regimens containing zidovudine or stavudine: implications for antiretroviral therapy programs in resource-limited settings. *J Infect Dis* 2009;200(5):687-97.

de Vrankrijker AM, Wolfs TF, Ciofu O, Hoiby N, van der Ent CK, Poulsen SS, et al. Respiratory syncytial virus infection facilitates acute colonization of *Pseudomonas aeruginosa* in mice. *J Med Virol* 2009;81(12):2096-103.

Fagius J, Lundgren J, Oberg G. Early highly aggressive MS successfully treated by hematopoietic stem cell transplantation. *Mult Scler* 2009;15(2):229-37.

Fazli M, Bjarnsholt T, Kirketerp-Moller K, Jorgensen B, Andersen AS, Kroghfelt KA, et al. Nonrandom distribution of *Pseudomonas aeruginosa* and *Staphylococcus aureus* in chronic wounds. *J Clin Microbiol* 2009;47(12):4084-9.

Fenger RV, Linneberg A, Tvede M, Ostergaard C. Increasing seroprevalence of *Clostridium difficile* in an adult Danish general population. *Epidemiol Infect* 2009;137(2):278-83.

Fomsgaard A, Christiansen C, Bodker R. First identification of tick-borne encephalitis in Denmark outside of Bornholm, August 2009. *Euro Surveill* 2009;14(36):2-3.

Gerstoft J, Mathiesen L, Lundgren JD, Nielsen HI, Pedersen C, Obel N, et al. [Risk of virus transmission from well-treated patients with HIV?]. *Ugeskr Laeger* 2009;171(13):1085.

Hansen CR, Pressler T, Hoiby N, Johansen HK. Long-term, low-dose azithromycin treatment reduces the incidence but increases macrolide resistance in *Staphylococcus aureus* in Danish CF patients. *J Cyst Fibros* 2009;8(1):58-62.

Heijerman H, Westerman E, Conway S, Touw D, Doring G. Inhaled medication and inhalation devices for lung disease in patients with cystic fibrosis: a European consensus. *J Cyst Fibros* 2009;8(5):295-315.

Hein-Kristensen L, Wiese L, Kurtzhals JA, Staalsoe T. In-depth validation of acridine orange staining for flow cytometric parasite and reticulocyte enumeration in an experimental model using *Plasmodium berghei*. *Exp Parasitol* 2009;123(2):152-7.

Hoiby N, Skinhøj P. *Klinisk mikrobiologi og infektionsmedicin - almen del*. København: FADL's Forlag; 2009.

Homoe P, Bjarnsholt T, Wessman M, Sorensen HC, Johansen HK. Morphological evidence of biofilm formation in Greenlanders with chronic suppurative otitis media. *Eur Arch Otorhinolaryngol* 2009;266(10):1533-8.

Islam S, Oh H, Jalal S, Karpati F, Ciofu O, Hoiby N, et al. Chromosomal mechanisms of aminoglycoside resistance in *Pseudomonas aeruginosa* isolates from cystic fibrosis patients. *Clin Microbiol Infect* 2009;15(1):60-6.

Jensen JU, Lundgren J. Procalcitonin monitoring in trauma intensive care patients: how helpful is it? *Crit Care Med* 2009;37(6):2093-4.

Jensen PO, Larsen J, Larsen JK. Analysis of RNA synthesis by cytometry. In: Darzynkiewicz Z, Robinson JP, Roederer M, eds. *Essential Cytometry Methods - Reliable Lab Solutions*. Philadelphia: Academic Press; 2009:757-67.

Kesselring AM, Wit FW, Sabin CA, Lundgren JD, Gill MJ, Gatell JM, et al. Risk factors for treatment-limiting toxicities in patients starting nevirapine-containing antiretroviral therapy. *AIDS* 2009;23(13):1689-99.

Kirk O, Gerstoft J, Lundgren JD, Obel N. [Major breakthroughs in the medical treatment]. *Ugeskr Laeger* 2009;171(10):787-9.

Kjeldsen K, Hoiby N, Egeblad H. Infektiøs endokardit. In: Schaffalitzky de Muckadell OB, Haunsoe S, Vilstrup H, eds. *Medicinsk Kompendium*. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:1047-57.

Knudsen PK, Olesen HV, Hoiby N, Johannesson M, Karpati F, Laerum BN, et al. Differences in prevalence and treatment of *Pseudomonas aeruginosa* in cystic fibrosis centres in Denmark, Norway and Sweden. *J Cyst Fibros* 2009;8(2):135-42.

Kurtzhals JAL, Gomme G. *Malaria diagnostik*. In: Rosenberg J, ed. *Kliniske Procedurer - En opslagsbog*. København: FADL's Forlag; 2009:59-65.

- Liu XL, Song ZJ, Wu H, Wang LH, Chen YQ, Kong JL, et al. Effects of Meropenem on young biofilms of *Pseudomonas aeruginosa* las/rhl mutations in vitro. Chinese Pharmaceutical Journal 2009;44(23):1833-6.
- Mandsberg LF, Ciofu O, Kirkby N, Christiansen LE, Poulsen HE, Hoiby N. Antibiotic resistance in *Pseudomonas aeruginosa* strains with increased mutation frequency due to inactivation of the DNA oxidative repair system. Antimicrob Agents Chemother 2009;53(6):2483-91.
- Megnekou R, Hviid L, Staalsoe T. Variant-specific immunity to *Plasmodium berghei* in pregnant mice. Infect Immun 2009;77(5):1827-34.
- Meymandi S, Dabiri S, Shamsi-Meymandi M, Nikpour H, Kharazmi A. Immunophenotypic pattern and cytokine profiles of dry type cutaneous leishmaniasis. Arch Iran Med 2009;12(4):371-6.
- Mocroft A, Lundgren JD. Use of risk equations for predicting disease progression in HIV infection. Clin Infect Dis 2009;48(7):951-3.
- Mocroft A, Sterne JA, Egger M, May M, Grabar S, Furrer H, et al. Variable impact on mortality of AIDS-defining events diagnosed during combination antiretroviral therapy: not all AIDS-defining conditions are created equal. Clin Infect Dis 2009;48(8):1138-51.
- Mocroft A, Wyatt C, Szczech L, Neuhaus J, El-Sadr W, Tracy R, et al. Interruption of antiretroviral therapy is associated with increased plasma cystatin C. AIDS 2009;23(1):71-82.
- Moser C, van Gennip M, Bjarnsholt T, Jensen PO, Lee B, Hougen HP, et al. Novel experimental *Pseudomonas aeruginosa* lung infection model mimicking long-term host-pathogen interactions in cystic fibrosis. APMIS 2009;117(2):95-107.
- Nguyen MH, Kurtzhals J, Do TT, Rasch V. Reproductive tract infections in women seeking abortion in Vietnam. BMC Womens Health 2009;9:1.
- Nielsen XC, Justesen US, Dargis R, Kemp M, Christensen JJ. Identification of clinically relevant nonhemolytic Streptococci on the basis of sequence analysis of 16S-23S intergenic spacer region and partial gdh gene. J Clin Microbiol 2009;47(4):932-9.
- Nielsen XC, Nielsen E, Kurtzhals JAL, Moser C, Boye K, Christensen JJ, et al. Management of recurrent pacemaker-related bacteraemia with small colony variant *Staphylococcus aureus* in a haemodialysis patient. BMJ Case reports 2009. doi:10.1136/bcr.05.2009.1910.
- Peters L, Mocroft A, Soriano V, Rockstroh JK, Losso M, Valerio L, et al. Hepatitis C virus coinfection does not influence the CD4 cell recovery in HIV-1-infected patients with maximum virologic suppression. J Acquir Immune Defic Syndr 2009;50(5):457-63.
- Podlekareva DN, Mocroft A, Post FA, Riekstina V, Miro JM, Furrer H, et al. Mortality from HIV and TB coinfections is higher in Eastern Europe than in Western Europe and Argentina. AIDS 2009;23(18):2485-95.
- Pressler T, Karpati F, Granstrom M, Knudsen PK, Lindblad A, Hjelte L, et al. Diagnostic significance of measurements of specific IgG antibodies to *Pseudomonas aeruginosa* by three different serological methods. J Cyst Fibros 2009;8(1):37-42.
- Rodger AJ, Fox Z, Lundgren JD, Kuller LH, Boesecke C, Gey D, et al. Activation and coagulation biomarkers are independent predictors of the development of opportunistic disease in patients with HIV infection. J Infect Dis 2009;200(6):973-83.
- Soe NH, Jensen NV, Dahlin L, Johansen HK. [Acute infections of the hand]. Ugeskr Laeger 2009;171(14):1189-93.

Tolker-Nielsen T, Hoiby N. Extracellular DNA and F-actin as targets in antibiofilm cystic fibrosis therapy. Future Microbiol 2009;4:645-7.

van Gennip M, Moser C, Christensen LD, Bjarnsholt T, Calum H, Jensen PO, et al. Augmented effect of early antibiotic treatment in mice with experimental lung infections due to sequentially adapted mucoid strains of *Pseudomonas aeruginosa*. J Antimicrob Chemother 2009;64(6):1241-50.

van Gennip M, Christensen LD, Alhede M, Phipps R, Jensen PO, Christophersen L, et al. Inactivation of the rhlA gene in *Pseudomonas aeruginosa* prevents rhamnolipid production, disabling the protection against polymorphonuclear leukocytes. APMIS 2009;117(7):537-46.

van Luijn M, Bannister WP, Mocroft A, Reiss P, Di Perri G, Peytavin G, et al. Absence of a relation between efavirenz plasma concentrations and toxicity-driven efavirenz discontinuations in the EuroSIDA study. Antivir Ther 2009;14(1):75-83.

Worm SW, De Wit S, Weber R, Sabin CA, Reiss P, El-Sadr W, et al. Diabetes mellitus, preexisting coronary heart disease, and the risk of subsequent coronary heart disease events in patients infected with human immunodeficiency virus: the Data Collection on Adverse Events of Anti-HIV Drugs (D:A:D Study). Circulation 2009;119(6):805-11.

Worm SW, Sabin CA, Reiss P, El-Sadr W, Monforte A, Pradier C, et al. Presence of the metabolic syndrome is not a better predictor of cardiovascular disease than the sum of its components in HIV-infected individuals: data collection on adverse events of anti-HIV drugs (D:A:D) study. Diabetes Care 2009;32(3):474-80.

Yang L, Rybtke MT, Jakobsen TH, Hentzer M, Bjarnsholt T, Givskov M, et al. Computer-aided identification of recognized drugs as *Pseudomonas aeruginosa* quorum-sensing inhibitors. Antimicrob Agents Chemother 2009;53(6):2432-43.

## Patologiafdelingen

### Publikationer

#### Disputatser og ph.d.-afhandlinger forsvarer i året

Engkilde K. Allergic contact dermatitis and autoimmune diseases - epidemiological and experimental studies (ph.d.-afhandling). København: Eget Forlag; 2009:1-67. Forsvaret den 28/5 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Lyng MB. Molecular profiles predictive of long-term treatment effect of Tamoxifen in ER+ breast cancer patients. (ph.d.-afhandling). Odense: Eget Forlag; 2009:1-155. Forsvaret den 17/6 2009 ved Syddansk Universitet, Det Sundhedsvidenskabelige Fakultet.

Sjø LD. Ophthalmic lymphoma; epidemiology and pathogenesis (ph.d.-afhandling). København: Acta Ophthalmologica.Wiley-Blackwell; 2009:1-20. Forsvaret den 3/4 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

#### Videnskabelige artikler

Afzal S, Jensen SA, Vainer B, Vogel U, Matsen JP, Sorensen JB, et al. MTHFR polymorphisms and 5-FU-based adjuvant chemotherapy in colorectal cancer. Ann Oncol 2009;20(10):1660-6.

Aladdin AM, Josefson K, Pedersen ME, Jäger AK. Hypoglycemic activity of Iraqi rheum ribes root extract. *Pharm Biol* 2009;47(5):380-3.

Andersson U, Osterman P, Sjostrom S, Johansen C, Henriksson R, Brannstrom T, et al. MNS16A minisatellite genotypes in relation to risk of glioma and meningioma and to glioblastoma outcome. *Int J Cancer* 2009;125(4):968-72.

Andrianov V, Gailite V, Lola D, Loza E, Semenikhina V, Kalvinsh I, et al. Novel amide derivatives as inhibitors of histone deacetylase: design, synthesis and SAR. *Eur J Med Chem* 2009;44(3):1067-85.

Asmussen L, Bernstein I, Matzen P, Holck S. [Does the mounting of gastrointestinal biopsies on millipore filter contribute to an improved section quality?]. *Ugeskr Laeger* 2009;171(37):2646-50.

Bahl JM, Heegaard NH, Falkenhorst G, Laursen H, Hogenhaven H, Molbak K, et al. The diagnostic efficiency of biomarkers in sporadic Creutzfeldt-Jakob disease compared to Alzheimer's disease. *Neurobiol Aging* 2009;30(11):1834-41.

Bergstrom AL, Heegaard PM, Dyrbye H, Lind P, Laursen H. Localization of disease-related PrP in Danish patients with different subtypes of prion disease. *Clin Neuropathol* 2009;28(5):321-32.

Bilde A, von Buchwald C, Dabelsteen E, Therkildsen MH, Dabelsteen S. Molecular markers in the surgical margin of oral carcinomas. *J Oral Pathol Med* 2009;38(1):72-8.

Bjarnsholt T, Jensen PO, Fiandaca MJ, Pedersen J, Hansen CR, Andersen CB, et al. *Pseudomonas aeruginosa* biofilms in the respiratory tract of cystic fibrosis patients. *Pediatr Pulmonol* 2009;44(6):547-58.

Blomqvist M, Rhost S, Teneberg S, Lofbom L, Osterbye T, Brigl M, et al. Multiple tissue-specific isoforms of sulfatide activate CD1d-restricted type II NKT cells. *Eur J Immunol* 2009;39(7):1726-35.

Boesgaard TW, Nielsen TT, Josefson K, Hansen T, Jorgensen T, Pedersen O, et al. Huntington's disease does not appear to increase the risk of diabetes mellitus. *J Neuroendocrinol* 2009;21(9):770-6.

Boysen T, Mohammadi M, Melbye M, Hamilton-Dutoit S, Vainer B, Hansen AV, et al. EBV-associated gastric carcinoma in high- and low-incidence areas for nasopharyngeal carcinoma. *Br J Cancer* 2009;101(3):530-3.

Burton CM, Iversen M, Carlsen J, Mortensen J, Andersen CB, Steinbruchel D, et al. Acute cellular rejection is a risk factor for bronchiolitis obliterans syndrome independent of post-transplant baseline FEV1. *J Heart Lung Transplant* 2009;28(9):888-93.

Calum H, Moser C, Jensen PO, Christophersen L, Maling DS, van Gennip M, et al. Thermal injury induces impaired function in polymorphonuclear neutrophil granulocytes and reduced control of burn wound infection. *Clin Exp Immunol* 2009;156(1):102-10.

Celis JE, Cabezon T, Moreira JM, Gromov P, Gromova I, Timmermans-Wielenga V, et al. Molecular characterization of apocrine carcinoma of the breast: validation of an apocrine protein signature in a well-defined cohort. *Mol Oncol* 2009;3(3):220-37.

Chakera AH, Lock-Andersen J, Hesse U, Nurnberg BM, Juhl BR, Stokholm KH, et al. One-day or two-day procedure for sentinel node biopsy in melanoma? *Eur J Nucl Med Mol Imaging* 2009;36(6):928-37.

Daugaard G, Møller AK, Petersen BL. Tumors of unknown origin. In: Cavalli F, Kaye SB, Hansen HH, Armitage JO, Piccart-Gebhart MJ, eds. *Textbook of Medical Oncology*. 4th ed. London: Informa Health Care; 2009:313-22.

Daugaard S, Christensen LH, Hogdall E. Markers aiding the diagnosis of chondroid tumors: an immunohistochemical study including osteonectin, bcl-2, cox-2, actin, calponin, D2-40 (podoplanin), mdm-2, CD117 (c-kit), and YKL-40. *APMIS* 2009;117(7):518-25.

Egevad L, Algaba F, Berney DM, Boccon-Gibod L, Griffiths DF, Lopez-Beltran A, et al. The European Network of Uropathology: a novel mechanism for communication between pathologists. *Anal Quant Cytol Histol* 2009;31(2):90-5.

Ejlertsen B, Jensen MB, Rank F, Rasmussen BB, Christiansen P, Kroman N, et al. Population-based study of peritumoral lymphovascular invasion and outcome among patients with operable breast cancer. *J Natl Cancer Inst* 2009;101(10):729-35.

Engvad B, Laenkholt AV, Schwartz W, Bak M. [Fine needle aspiration cytology of mammography screening]. *Ugeskr Laeger* 2009;171(34):2379-82.

Faurschou M, Penkowa M, Andersen CB, Starklint H, Jacobsen S. Renal cell apoptosis in human lupus nephritis: a histological study. *Lupus* 2009;18(11):994-9.

Fischer B, Lassen U, Mortensen J, Larsen S, Loft A, Bertelsen A, et al. Preoperative staging of lung cancer with combined PET-CT. *N Engl J Med* 2009;361(1):32-9.

Frischer JM, Bramow S, Dal-Bianco A, Lucchinetti CF, Rauschka H, Schmidbauer M, et al. The relation between inflammation and neurodegeneration in multiple sclerosis brains. *Brain* 2009;132(Pt 5):1175-89.

Frogne T, Laenkholt AV, Lyng MB, Henriksen KL, Lykkesfeldt AE. Determination of HER2 phosphorylation at tyrosine 1221/1222 improves prediction of poor survival for breast cancer patients with hormone receptor-positive tumors. *Breast Cancer Res* 2009;11(1):R11.

Frogne T, Benjaminsen RV, Sonne-Hansen K, Sorensen BS, Nexo E, Laenkholt AV, et al. Activation of ErbB3, EGFR and Erk is essential for growth of human breast cancer cell lines with acquired resistance to fulvestrant. *Breast Cancer Res Treat* 2009;114(2):263-75.

Glud M, Klausen M, Gniadecki R, Rossing M, Hastrup N, Nielsen FC, et al. MicroRNA expression in melanocytic nevi: the usefulness of formalin-fixed, paraffin-embedded material for miRNA microarray profiling. *J Invest Dermatol* 2009;129(5):1219-24.

Goriely A, Hansen RM, Taylor IB, Olesen IA, Jacobsen GK, McGowan SJ, et al. Activating mutations in FGFR3 and HRAS reveal a shared genetic origin for congenital disorders and testicular tumors. *Nat Genet* 2009;41(11):1247-52.

Hansen NE, Schaffelitzky de Muckadell OB, Haunsø S, Ralfkiaer E. Blodsygdomme. In: Schaffelitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:1762-880.

Harboe TL, Eiberg H, Kern P, Ejlertsen B, Nedergaard L, Timmermans-Wielenga V, et al. A high frequent BRCA1 founder mutation identified in the Greenlandic population. *Fam Cancer* 2009;8(4):413-9.

Hartoft-Nielsen ML, Rasmussen AK, Bock T, Feldt-Rasmussen U, Kaas A, Buschard K. Iodine and tri-iodothyronine reduce the incidence of type 1 diabetes mellitus in the autoimmune prone BB rats. *Autoimmunity* 2009;42(2):131-8.

Harving SS, Asmussen L, Roosen JU, Hermann G. Granulomatous epididymo-orchitis, a rare complication of intravesical bacillus Calmette-Guerin therapy for urothelial cancer. *Scand J Urol Nephrol* 2009;43(4):331-3.

Jakobsen LP, Borup R, Vestergaard J, Larsen LA, Lage K, Maroun LL, et al. Expression analyses of human cleft palate tissue suggest a role for osteopontin and immune related factors in palatal development. *Exp Mol Med* 2009;41(2):77-85.

Jensen SA, Vainer B, Kruhoffer M, Sorensen JB. Microsatellite instability in colorectal cancer and association with thymidylate synthase and dihydropyrimidine dehydrogenase expression. *BMC Cancer* 2009;9:25.

Klapper W, Hoster E, Determann O, Oschlies I, van der Laak J, Berger F, et al. Ki-67 as a prognostic marker in mantle cell lymphoma-consensus guidelines of the pathology panel of the European MCL Network. *J Hematop* 2009;2:103-11.

Krejsgaard T, Vetter-Kauczok CS, Woetmann A, Kneitz H, Eriksen KW, Lovato P, et al. Ectopic expression of B-lymphoid kinase in cutaneous T-cell lymphoma. *Blood* 2009;113(23):5896-904.

Langer SW, Sehested M, Jensen PB. Anthracycline extravasation: a comprehensive review of experimental and clinical treatments. *Tumori* 2009;95(3):273-82.

Leth-Larsen R, Lund R, Hansen HV, Laenkholt AV, Tarin D, Jensen ON, et al. Metastasis-related plasma membrane proteins of human breast cancer cells identified by comparative quantitative mass spectrometry. *Mol Cell Proteomics* 2009;8(6):1436-49.

Li J, Wang K, Li S, Timmermans-Wielenga V, Rank F, Wiuf C, et al. DNA copy number aberrations in breast cancer by array comparative genomic hybridization. *Genomics Proteomics Bioinformatics* 2009;7(1-2):13-24.

Makin E, Quaglia A, Kvist N, Petersen BL, Portmann B, Davenport M. Congenital biliary atresia: liver injury begins at birth. *J Pediatr Surg* 2009;44(3):630-3.

Marquard L, Poulsen CB, Gjerdrum LM, de Nully Brown P, Christensen IJ, Jensen PB, et al. Histone deacetylase 1, 2, 6 and acetylated histone H4 in B- and T-cell lymphomas. *Histopathology* 2009;54(6):688-98.

Martin E, Thougaard AV, Grauslund M, Jensen PB, Bjorkling F, Hasinoff BB, et al. Evaluation of the topoisomerase II-inactive bisdioxopiperazine ICRF-161 as a protectant against doxorubicin-induced cardiomyopathy. *Toxicology* 2009;255(1-2):72-9.

Mirza Q, Kvist N, Petersen BL. Histologic features of the portal plate in extrahepatic biliary atresia and their impact on prognosis - a Danish study. *J Pediatr Surg* 2009;44(7):1344-8.

Moller DV, Pham TT, Gustafsson F, Hedley P, Ersboll MK, Bundgaard H, et al. The role of Lamin A/C mutations in Danish patients with idiopathic dilated cardiomyopathy. *Eur J Heart Fail* 2009;11(11):1031-5.

Monks A, Hose CD, Pezzoli P, Kondapaka S, Vasant G, Petersen KD, et al. Gene expression-signature of belinostat in cell lines is specific for histone deacetylase inhibitor treatment, with a corresponding signature in xenografts. *Anticancer Drugs* 2009;20(8):682-92.

Niemann CU, Cowland JB, Ralfkiaer E, Abrink M, Pejler G, Borregaard N. Serglycin proteoglycan is not implicated in localizing exocrine pancreas enzymes to zymogen granules. *Eur J Cell Biol* 2009;88(8):473-9.

Pedersen IM, Otero D, Kao E, Miletic AV, Hother C, Ralfkiaer E, et al. Onco-miR-155 targets SHIP1 to promote TNFalpha-dependent growth of B cell lymphomas. *EMBO Mol Med* 2009;1(5):288-95.

Rasmussen P, Sjo LD, Prause JU, Ralfkiaer E, Heegaard S. Mantle cell lymphoma in the orbital and adnexal region. *Br J Ophthalmol* 2009;93(8):1047-51.

Risum S, Hogdall E, Engelholm SA, Fung E, Lomas L, Yip C, et al. A proteomics panel for predicting optimal primary cytoreduction in stage III/IV ovarian cancer. *Int J Gynecol Cancer* 2009;19(9):1535-8.

Roeske-Nielsen A, Buschard K, Manson JE, Rastam L, Lindblad U. A variation in the cerebroside sulfotransferase gene is linked to exercise-modified insulin resistance and to type 2 diabetes. *Exp Diabetes Res* 2009;2009:429593.

Rue Nielsen K, Klyver H, Hougaard Chakera A, Nedergaard L, Hesse B, Bachmann Nielsen M. Sentinel node detection in melanomas using contrast - enhanced ultrasound. *Acta Radiol* 2009;50(4):412-7.

Sarac S, Afzal S, Broholm H, Madsen FF, Ploug T, Laursen H. Excitatory amino acid transporters EAAT-1 and EAAT-2 in temporal lobe and hippocampus in intractable temporal lobe epilepsy. *APMIS* 2009;117(4):291-301.

Schroeder H, Wacher J, Larsson H, Rosthoej S, Rechnitzer C, Petersen BL, et al. Unchanged incidence and increased survival in children with neuroblastoma in Denmark 1981-2000: a population-based study. *Br J Cancer* 2009;100(5):853-7.

Sjø LD, Heegaard S, Prause JU, Petersen BL, Pedersen S, Ralfkiaer E. Extranodal marginal zone lymphoma in the ocular region: clinical, immunophenotypical, and cytogenetical characteristics. *Invest Ophthalmol Vis Sci* 2009;50(2):516-22.

Sonne SB, Almstrup K, Dalgaard M, Juncker AS, Edsgard D, Ruban L, et al. Analysis of gene expression profiles of microdissected cell populations indicates that testicular carcinoma in situ is an arrested gonocyte. *Cancer Res* 2009;69(12):5241-50.

Sonne SB, Dalgaard MD, Nielsen JE, Hoei-Hansen CE, Rajpert-De Meyts E, Gjerdrum LM, et al. Optimizing staining protocols for laser microdissection of specific cell types from the testis including carcinoma in situ. *PLoS One* 2009;4(5):e5536.

West-Norager M, Bro R, Marini F, Hogdall EV, Hogdall CK, Nedergaard L, et al. Feasibility of serodiagnosis of ovarian cancer by mass spectrometry. *Anal Chem* 2009;81:1907-13.

Willemoe GL, Hertel PB, Bartels A, Jensen MB, Balslev E, Rasmussen BB, et al. Lack of TIMP-1 tumour cell immunoreactivity predicts effect of adjuvant anthracycline-based chemotherapy in patients (n=647) with primary breast cancer. A Danish Breast Cancer Cooperative Group Study. *Eur J Cancer* 2009;45(14):2528-36.

Zaar M, Secher NH, Johansson PI, Vainer B, Ezban M, Agerso H, et al. Effects of a recombinant FVIIa analogue, NN1731, on blood loss and survival after liver trauma in the pig. *Br J Anaesth* 2009;103(6):840-7.

## Radiologisk Klinik

### Publikationer

#### Videnskabelige artikler

Bachmann Nielsen M, Seitz K. Ultrasonography of the liver: focal point of interest in radiology and internal medicine. *Ultraschall Med* 2009;30(3):227-9.

Belmaati E, Jensen C, Kofoed KF, Iversen M, Steffensen I, Nielsen MB. Primary graft dysfunction; possible evaluation by high resolution computed tomography, and suggestions for a scoring system. *Interact Cardiovasc Thorac Surg* 2009;9(5):859-67.

Boesen M, Jensen KE, Torp-Pedersen S, Cimmino MA, Danneskiold-Samsoe B, Bliddal H. Intra-articular distribution pattern after ultrasound-guided injections in wrist joints of patients with rheumatoid arthritis. *Eur J Radiol* 2009;69(2):331-8.

Boesen M, Ostergaard M, Cimmino MA, Kubassova O, Jensen KE, Bliddal H. MRI quantification of rheumatoid arthritis: current knowledge and future perspectives. *Eur J Radiol* 2009;71(2):189-96.

Christensen AF, Nyhuus B, Nielsen MB. Interobserver and intraobserver variation of two-dimensional and three-dimensional anal endosonography in the evaluation of recurrent anal cancer. *Dis Colon Rectum* 2009;52(3):484-8.

Eggebrecht H, Thompson M, Rousseau H, Czerny M, Lonn L, Mehta RH, et al. Retrograde ascending aortic dissection during or after thoracic aortic stent graft placement: insight from the European registry on endovascular aortic repair complications. *Circulation* 2009;120(11 Suppl):S276-S281.

Ewertsen C, Nielsen KR, Hesse B, Nielsen MB. Image fusion of diagnostic ultrasound with other modalities. *Current Medical Imaging Reviews* 2009;5(3):150-5.

Ewertsen C, Nielsen KR, Henriksen BM, Torp-Pedersen S, Nielsen MB. Billedfusion med ultralyd. *Ugeskr Laeger* 2009;171(13):1069.

Ewertsen C, Henriksen BM, Hansen CP, Knigge U. Synchronous gastric neuroendocrine carcinoma and hepatocellular carcinoma. *BMJ Case* 2009. <http://casereports.bmjjournals.org/content/2009/bcr.03.2009.1667.full>.

Franco C, Koranyi J, Brandberg J, Lonn L, Bengtsson BK, Svensson J, et al. The reduction in visceral fat mass in response to growth hormone is more marked in men than in oestrogen-deficient women. *Growth Horm IGF Res* 2009;19(2):112-20.

Gutte H, Mortensen J, Jensen CV, Johnbeck CB, von der Recke P, Petersen CL, et al. Detection of pulmonary embolism with combined ventilation-perfusion SPECT and low-dose CT: head-to-head comparison with multidetector CT angiography. *J Nucl Med* 2009;50(12):1987-92.

Hansen KL, Udesen J, Thomsen C, Jensen JA, Nielsen MB. In vivo validation of a blood vector velocity estimator with MR angiography. *IEEE Trans Ultrason Ferroelectr Freq Control* 2009;56(1):91-100.

Hansen KL, Udesen J, Gran F, Jensen JA, Bachmann Nielsen M. In-vivo examples of flow patterns with the fast vector velocity ultrasound method. *Ultraschall Med* 2009;30(5):471-7.

Hansen KL, Udesen J, Oddershede N, Henze L, Thomsen C, Jensen JA, et al. In vivo comparison of three ultrasound vector velocity techniques to MR phase contrast angiography. *Ultrasonics* 2009;49(8):659-67.

Jacobsen C, Bech BH, Lynnerup N. A comparative study of cranial, blunt trauma fractures as seen at medicolegal autopsy and by computed tomography. *BMC Med Imaging* 2009;9:18.

Kindblom JM, Lorentzon M, Hellqvist A, Lonn L, Brandberg J, Nilsson S, et al. BMI changes during childhood and adolescence as predictors of amount of adult subcutaneous and visceral adipose tissue in men: the GOOD Study. *Diabetes* 2009;58(4):867-74.

Kondziella D, Danielsen ER, Hansen K, Thomsen C, Jansen EC, Arlien-Soeborg P. <sup>1</sup>H MR spectroscopy of gray and white matter in carbon monoxide poisoning. *J Neurol* 2009;256(6):970-9.

Kristensen TS, Kofoed KF, Moller DV, Ersboll M, Kuhl T, von der Recke P, et al. Quantitative assessment of left ventricular systolic wall thickening using multidetector computed tomography. *Eur J Radiol* 2009;72(1):92-7.

Kristensen TS, Kofoed KF, von der RP, Bottcher M, Nielsen MB, Kelbaek H. [Computed tomography of the heart]. *Ugeskr Laeger* 2009;171(15):1275-81.

Kubassova O, Boesen M, Peloschek P, Langs G, Cimmino MA, Bliddal H, et al. Quantifying disease activity and damage by imaging in rheumatoid arthritis and osteoarthritis. *Ann N Y Acad Sci* 2009;1154:207-38.

Kullberg J, Brandberg J, Angelhed JE, Frimmel H, Bergelin E, Strid L, et al. Whole-body adipose tissue analysis: comparison of MRI, CT and dual energy X-ray absorptiometry. *Br J Radiol* 2009;82(974):123-30.

Kupers R, Danielsen ER, Kehlet H, Christensen R, Thomsen C. Painful tonic heat stimulation induces GABA accumulation in the prefrontal cortex in man. *Pain* 2009;142(1-2):89-93.

Lonn L, Schroeder TV. Endograft differences: do they matter clinically? *J Cardiovasc Surg (Torino)* 2009;50(2):129-30.

Lundvall L, Jensen F, Roed H, Pappot HP, Ewertsen C, Henriksen BM. Vaginal rupture caused by transvaginal ultrasonography in follow-up for ovarian cancer. *BMJ Case* 2009.  
<http://casereports.bmjjournals.org/content/2009/bcr.05.2009.1860.full>.

Marklund M, Christensen R, Torp-Pedersen S, Thomsen C, Nolsoe CP. Signal intensity of normal breast tissue at MR mammography on midfield: applying a random coefficient model evaluating the effect of doubling the contrast dose. *Eur J Radiol* 2009;69(1):93-101.

McLucas B, Coats R, Lonn L, Berry M. Acquisition of endovascular skills for uterine artery embolization using a simulator. *Minim Invasive Ther Allied Technol* 2009;1-9.

Peloschek P, Boesen M, Donner R, Kubassova O, Birngruber E, Patsch J, et al. Assessement of rheumatic diseases with computational radiology: current status and future potential. *Eur J Radiol* 2009;71(2):211-6.

Risum S, Hogdall C, Markova E, Berthelsen AK, Loft A, Jensen F, et al. Influence of 2-(18F) fluoro-2-deoxy-D-glucose positron emission tomography/computed tomography on recurrent ovarian cancer diagnosis and on selection of patients for secondary cytoreductive surgery. *Int J Gynecol Cancer* 2009;19(4):600-4.

Rue Nielsen K, Klyver H, Hougaard Chakera A, Nedergaard L, Hesse B, Bachmann Nielsen M. Sentinel node detection in melanomas using contrast-enhanced ultrasound. *Acta Radiol* 2009;50(4):412-7.

Saeed A, Bergstrom G, Zachrisson K, Gurun G, Nowakowska-Fortuna E, Fredriksen E, et al. Accuracy of colour duplex sonography for the diagnosis of renal artery stenosis. *J Hypertens* 2009;27(8):1690-6.

Simonyte K, Rask E, Naslund I, Angelhed JE, Lonn L, Olsson T, et al. Obesity is accompanied by disturbances in peripheral glucocorticoid metabolism and changes in FA recycling. *Obesity (Silver Spring)* 2009;17(11):1982-7.

Snygg J, Bech-Hanssen O, Lonn L, Andersson B, Aneman A. Fluid therapy in acute myocardial infarction: evaluation of predictors of volume responsiveness. *Acta Anaesthesiol Scand* 2009;53(1):26-33.

Truijers M, Resch T, Van Den Berg JC, Blankenstein JD, Lonn I. Endovascular aneurysm repair: state-of-art imaging techniques for preoperative planning and surveillance. *J Cardiovasc Surg (Torino)* 2009;50(4):423-38.

# Finsencentret

---

## Center for Inflammation og Metabolisme

### Publikationer

---

#### Disputatser og ph.d.-afhandlinger forsvarer i året

Leick L. Role of peroxisome proliferator activated receptor gamma co-activator alpha in exercise-induced skeletal muscle adaptations (ph.d.-afhandling). København: Eget Forlag; 2009:1-67. Forsvaret den 10/8 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Nielsen AR. Interleukin-15 in human skeletal muscle (ph.d.-afhandling). København: Eget Forlag; 2009:1-40. Forsvaret den 28/9 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Taudorf S. Cytokine response and cerebral blood flow during systemic inflammation and hypoxia in humans (ph.d.-afhandling). København: Eget Forlag; 2009:2-36. Forsvaret den 27/2 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

#### Videnskabelige artikler

Adhihetty PJ, Uggioni G, Leick L, Hidalgo J, Pilegaard H, Hood DA. The role of PGC-1alpha on mitochondrial function and apoptotic susceptibility in muscle. *Am J Physiol Cell Physiol* 2009;297(1):C217-C225.

Akerstrom TC, Krogh-Madsen R, Petersen AM, Pedersen BK. Glucose ingestion during endurance training in men attenuates expression of myokine receptor. *Exp Physiol* 2009;94(11):1124-31.

Akerstrom TC, Fischer CP, Plomgaard P, Thomsen C, van Hall G, Pedersen BK. Glucose ingestion during endurance training does not alter adaptation. *J Appl Physiol* 2009;106(6):1771-9.

Andreasen AS, Pedersen-Skovsgaard T, Mortensen OH, van Hall G, Moseley PL, Pedersen BK. The effect of glutamine infusion on the inflammatory response and HSP70 during human experimental endotoxaemia. *Crit Care* 2009;13(1):R7.

Bailey DM, Taudorf S, Berg RM, Lundby C, McEneny J, Young IS, et al. Increased cerebral output of free radicals during hypoxia: implications for acute mountain sickness? *Am J Physiol Regul Integr Comp Physiol* 2009;297(5):R1283-R1292.

Bailey DM, Taudorf S, Berg RM, Jensen LT, Lundby C, Evans KA, et al. Transcerebral exchange kinetics of nitrite and calcitonin gene-related peptide in acute mountain sickness: evidence against trigeminovascular activation? *Stroke* 2009;40(6):2205-8.

Bailey DM, Evans KA, James PE, McEneny J, Young IS, Fall L, et al. Altered free radical metabolism in acute mountain sickness: implications for dynamic cerebral autoregulation and blood-brain barrier function. *J Physiol* 2009;587(Pt 1):73-85.

Berg RM, Brendorp B, Kristensen T, Helvind M, Helqvist S. Acute myocardial infarction and syncope in an 18-year-old athlete with an abnormal origin of the left coronary artery: a case report. *Cases J* 2009;2:8142.

Berg RM, Strauss GI, Tofteng F, Qvist T, Edvinsson L, Fahrenkrug J, et al. Circulating levels of vasoactive peptides in patients with acute bacterial meningitis. *Intensive Care Med* 2009;35(9):1604-8.

Berg RM, Pedersen BK. Metabolic components of neuroendocrine allostatic responses: implications in lifestyle-related diseases. In: Soreq H, Friedman A, Kaufer D, eds. Stress: from molecules to behaviour. Weinheim: Wiley-VCH Verlag GmbH & Co.; 2009:331-47.

Berg RM, Pedersen M, Moller K. Cerebral blood flow autoregulation in humans. Current Hypertension Reviews 2009;5(2):140-57.

Booth FW, Laye MJ. Lack of adequate appreciation of physical exercise's complexities can pre-empt appropriate design and interpretation in scientific discovery. J Physiol 2009;587(Pt 23):5527-39.

Christiansen MS, Iversen K, Larsen CT, Goetze JP, Hommel E, Molvig J, et al. Increased urinary orosomucoid excretion: a proposed marker for inflammation and endothelial dysfunction in patients with type 2 diabetes. Scand J Clin Lab Invest 2009;69(2):272-81.

de Lemos Rieper C, Galle P, Svenson M, Pedersen BK, Hansen MB. Preparation and validation of radio iodinated recombinant human IL-10 for the measurement of natural human antibodies against IL-10. J Immunol Methods 2009;350(1-2):46-53.

de Lemos Rieper C, Galle P, Hansen MB. Characterization and potential clinical applications of autoantibodies against cytokines. Cytokine Growth Factor Rev 2009;20(1):61-75.

Dullaart RP, Plomgaard P, de Vries R, Dahlback B, Nielsen LB. Plasma apolipoprotein M is reduced in metabolic syndrome but does not predict intima media thickness. Clin Chim Acta 2009;406(1-2):129-33.

Erikstrup C, Mortensen OH, Nielsen AR, Fischer CP, Plomgaard P, Petersen AM, et al. RBP-to-retinol ratio, but not total RBP, is elevated in patients with type 2 diabetes. Diabetes Obes Metab 2009;11(3):204-12.

Henningsen KM, Therkelsen SK, Bruunsgaard H, Krabbe KS, Pedersen BK, Svendsen JH. Prognostic impact of hs-CRP and IL-6 in patients with persistent atrial fibrillation treated with electrical cardioversion. Scand J Clin Lab Invest 2009;69(3):425-32.

Hojman P, Pedersen M, Nielsen AR, Krogh-Madsen R, Yfanti C, Akerstrom T, et al. Fibroblast growth factor-21 is induced in human skeletal muscles by hyperinsulinemia. Diabetes 2009;58(12):2797-801.

Hojman P, Brolin C, Gissel H, Brandt C, Zerahn B, Pedersen BK, et al. Erythropoietin over-expression protects against diet-induced obesity in mice through increased fat oxidation in muscles. PLoS One 2009;4(6):e5894.

Hojman P, Taudorf S, Lundby C, Pedersen BK. Erythropoietin augments the cytokine response to acute endotoxin-induced inflammation in humans. Cytokine 2009;45(3):154-7.

Krabbe KS, Mortensen EL, Avlund K, Pedersen AN, Pedersen BK, Jorgensen T, et al. Brain-derived neurotrophic factor predicts mortality risk in older women. J Am Geriatr Soc 2009;57(8):1447-52.

Krabbe KS, Mortensen EL, Avlund K, Pilegaard H, Christiansen L, Pedersen AN, et al. Genetic priming of a proinflammatory profile predicts low IQ in octogenarians. Neurobiol Aging 2009;30(5):769-81.

Kuhl JT, Berg RM. Utility of lead aVR for identifying the culprit lesion in acute myocardial infarction. Ann Noninvasive Electrocardiol 2009;14(3):219-25.

Leick L, Hellsten Y, Fentz J, Lyngby SS, Wojtaszewski JF, Hidalgo J, et al. PGC-1alpha mediates exercise-induced skeletal muscle VEGF expression in mice. Am J Physiol Endocrinol Metab 2009;297(1):E92-103.

Matthews VB, Astrom MB, Chan MH, Bruce CR, Krabbe KS, Prelovsek O, et al. Brain-derived neurotrophic factor is produced by skeletal muscle cells in response to contraction and enhances fat oxidation via activation of AMP-activated protein kinase. Diabetologia 2009;52(7):1409-18.

Mortensen OH, Nielsen AR, Erikstrup C, Plomgaard P, Fischer CP, Krogh-Madsen R, et al. Calprotectin--a novel marker of obesity. *PLoS One* 2009;4(10):e7419.

Mortensen SP, Gonzalez-Alonso J, Bune LT, Saltin B, Pilegaard H, Hellsten Y. ATP-induced vasodilation and purinergic receptors in the human leg: roles of nitric oxide, prostaglandins, and adenosine. *Am J Physiol Regul Integr Comp Physiol* 2009;296(4):R1140-R1148.

Pedersen BK. Anti-inflammation--just another word for anti-ageing? *J Physiol* 2009;587(Pt 23):5515.

Pedersen BK. The diseasesome of physical inactivity--and the role of myokines in muscle--fat cross talk. *J Physiol* 2009;587(Pt 23):5559-68.

Pedersen BK, Pedersen M, Krabbe KS, Bruunsgaard H, Matthews VB, Febbraio MA. Role of exercise-induced brain-derived neurotrophic factor production in the regulation of energy homeostasis in mammals. *Exp Physiol* 2009;94(12):1153-60.

Pedersen BK. Edward F. Adolph distinguished lecture: muscle as an endocrine organ: IL-6 and other myokines. *J Appl Physiol* 2009;107(4):1006-14.

Petersen AM, Plomgaard P, Fischer CP, Ibfelt T, Pedersen BK, van Hall G. Acute moderate elevation of TNF-alpha does not affect systemic and skeletal muscle protein turnover in healthy humans. *J Clin Endocrinol Metab* 2009;94(1):294-9.

Plomgaard P, Dullaart RP, de Vries R, Groen AK, Dahlback B, Nielsen LB. Apolipoprotein M predicts pre-beta-HDL formation: studies in type 2 diabetic and nondiabetic subjects. *J Intern Med* 2009;266(3):258-67.

Rasmussen P, Brassard P, Adser H, Pedersen MV, Leick L, Hart E, et al. Evidence for a release of brain-derived neurotrophic factor from the brain during exercise. *Exp Physiol* 2009;94(10):1062-9.

Scheele C, Nielsen S, Pedersen BK. ROS and myokines promote muscle adaptation to exercise. *Trends Endocrinol Metab* 2009;20(3):95-9.

Taudorf S, Berg RM, Bailey DM, Moller K. Cerebral blood flow and oxygen metabolism measured with the Kety-Schmidt method using nitrous oxide. *Acta Anaesthesiol Scand* 2009;53(2):159-67.

Timmons JA, Pedersen BK. The importance of brown adipose tissue. *N Engl J Med* 2009;361(4):415-6.

Yfanti C, Nielsen S, Pedersen BK. The role of inflammation and oxidative stress in training adaptation. In: Caporossi D, Pigozzi F, Sabatini S, eds. Free Radicals, Health and Lifestyle. Proceedings from the Europe Meeting of the Society for Free Radical Research. Rome: Medimond; 2009:33-6.

## Center for Muskelforskning

(Copenhagen Muscle Research Centre; CMRC)

CMRC omfatter forskningsgrupper på RH, BBH, Det Sundhedsvidenskabelige Fakultet og Det Naturvidenskabelige Fakultet. På RH indgår fire forskningsgrupper i CMRC. De publikationer, der udgår fra de grupper, der repræsenteres ved Bente Karlund Pedersen, Niels Secher og John Vissing, er også opført under Epidemiklinikken, Finscenteret; Neurologisk klinik, Neurocenteret; og Anæstesi- og operationsklinikken, Abdominalcenteret.

## Publikationer

### Disputatser og ph.d.-afhandlinger forsvarer i året

Leick L. Role of peroxisome proliferator activated receptor gamma co-activator alpha in exercise-induced skeletal muscle adaptations (ph.d.-afhandling). København: Eget Forlag; 2009:1-67. Forsvaret den 10/8 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Nielsen AR. Interleukin-15 in human skeletal muscle (ph.d.-afhandling). København: Eget Forlag; 2009:1-40. Forsvaret den 28/9 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Taudorf S. Cytokine response and cerebral blood flow during systemic inflammation and hypoxia in humans (ph.d.-afhandling). København: Eget Forlag; 2009:2-36. Forsvaret den 27/2 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

#### Videnskabelige artikler

Adhiketty PJ, Uggioni G, Leick L, Hidalgo J, Pilegaard H, Hood DA. The role of PGC-1alpha on mitochondrial function and apoptotic susceptibility in muscle. *Am J Physiol Cell Physiol* 2009;297(1):C217-C225.

Akerstrom TC, Krogh-Madsen R, Petersen AM, Pedersen BK. Glucose ingestion during endurance training in men attenuates expression of myokine receptor. *Exp Physiol* 2009;94(11):1124-31.

Akerstrom TC, Fischer CP, Plomgaard P, Thomsen C, van Hall G, Pedersen BK. Glucose ingestion during endurance training does not alter adaptation. *J Appl Physiol* 2009;106(6):1771-9.

Alibegovic AC, Hojbjerre L, Sonne MP, van Hall G, Stallknecht B, Dela F, et al. Impact of 9 days of bed rest on hepatic and peripheral insulin action, insulin secretion, and whole-body lipolysis in healthy young male offspring of patients with type 2 diabetes. *Diabetes* 2009;58(12):2749-56.

Andersen ST, Jeppesen TD, Taivassalo T, Sveen ML, Heinicke K, Haller RG, et al. Effect of changes in fat availability on exercise capacity in McArdle disease. *Arch Neurol* 2009;66(6):762-6.

Andreasen AS, Pedersen-Skovsgaard T, Mortensen OH, van Hall G, Moseley PL, Pedersen BK. The effect of glutamine infusion on the inflammatory response and HSP70 during human experimental endotoxaemia. *Crit Care* 2009;13(1):R7.

Bailey DM, Taudorf S, Berg RM, Lundby C, McEneny J, Young IS, et al. Increased cerebral output of free radicals during hypoxia: implications for acute mountain sickness? *Am J Physiol Regul Integr Comp Physiol* 2009;297(5):R1283-R1292.

Bailey DM, Taudorf S, Berg RM, Jensen LT, Lundby C, Evans KA, et al. Transcerebral exchange kinetics of nitrite and calcitonin gene-related peptide in acute mountain sickness: evidence against trigeminovascular activation? *Stroke* 2009;40(6):2205-8.

Bailey DM, Evans KA, James PE, McEneny J, Young IS, Fall L, et al. Altered free radical metabolism in acute mountain sickness: implications for dynamic cerebral autoregulation and blood-brain barrier function. *J Physiol* 2009;587(Pt 1):73-85.

Berg RM, Brendorp B, Kristensen T, Helvind M, Helqvist S. Acute myocardial infarction and syncope in an 18-year-old athlete with an abnormal origin of the left coronary artery: a case report. *Cases J* 2009;2:8142.

Berg RM, Strauss GI, Tofteng F, Qvist T, Edvinsson L, Fahrenkrug J, et al. Circulating levels of vasoactive peptides in patients with acute bacterial meningitis. *Intensive Care Med* 2009;35(9):1604-8.

Berg RM, Pedersen BK. Metabolic components of neuroendocrine allostatic responses: implications in lifestyle-related diseases. In: Soreq H, Friedman A, Kaufer D, eds. *Stress: from molecules to behaviour*. Weinheim: Wiley-VCH Verlag GmbH & Co.; 2009:331-47.

Berg RM, Pedersen M, Moller K. Cerebral blood flow autoregulation in humans. *Current Hypertension Reviews* 2009;5(2):140-57.

Booth FW, Laye MJ. Lack of adequate appreciation of physical exercise's complexities can pre-empt appropriate design and interpretation in scientific discovery. *J Physiol* 2009;587(Pt 23):5527-39.

Brassard P, Seifert T, Secher NH. Is cerebral oxygenation negatively affected by infusion of norepinephrine in healthy subjects? *Br J Anaesth* 2009;102(6):800-5.

Bronendum E, Hasenkam JM, Secher NH, Bertelsen MF, Grondahl C, Petersen KK, et al. Jugular venous pooling during lowering of the head affects blood pressure of the anesthetized giraffe. *Am J Physiol Regul Integr Comp Physiol* 2009;297(4):R1058-R1065.

Bundgaard-Nielsen M, Secher NH, Kehlet H. 'Liberal' vs. 'restrictive' perioperative fluid therapy--a critical assessment of the evidence. *Acta Anaesthesiol Scand* 2009;53(7):843-51.

Bundgaard-Nielsen M, Jorgensen CC, Jorgensen TB, Ruhnau B, Secher NH, Kehlet H. Orthostatic intolerance and the cardiovascular response to early postoperative mobilization. *Br J Anaesth* 2009;102(6):756-62.

Bundgaard-Nielsen M, Sorensen H, Dalsgaard M, Rasmussen P, Secher NH. Relationship between stroke volume, cardiac output and filling of the heart during tilt. *Acta Anaesthesiol Scand* 2009;53(10):1324-8.

Calbet JA, Radegran G, Boushel R, Saltin B. On the mechanisms that limit oxygen uptake during exercise in acute and chronic hypoxia: role of muscle mass. *J Physiol* 2009;587(Pt 2):477-90.

Calbet JA, Lundby C. Air to muscle O<sub>2</sub> delivery during exercise at altitude. *High Alt Med Biol* 2009;10(2):123-34.

Christiansen MS, Iversen K, Larsen CT, Goetze JP, Hommel E, Molvig J, et al. Increased urinary orosomucoid excretion: a proposed marker for inflammation and endothelial dysfunction in patients with type 2 diabetes. *Scand J Clin Lab Invest* 2009;69(2):272-81.

de Lemos Rieper C, Galle P, Svenson M, Pedersen BK, Hansen MB. Preparation and validation of radio iodinated recombinant human IL-10 for the measurement of natural human antibodies against IL-10. *J Immunol Methods* 2009;350(1-2):46-53.

de Lemos Rieper C, Galle P, Hansen MB. Characterization and potential clinical applications of autoantibodies against cytokines. *Cytokine Growth Factor Rev* 2009;20(1):61-75.

Drew BG, Duffy SJ, Formosa MF, Natoli AK, Henstridge DC, Penfold SA, et al. High-density lipoprotein modulates glucose metabolism in patients with type 2 diabetes mellitus. *Circulation* 2009;119(15):2103-11.

Dullaart RP, Plomgaard P, de Vries R, Dahlback B, Nielsen LB. Plasma apolipoprotein M is reduced in metabolic syndrome but does not predict intima media thickness. *Clin Chim Acta* 2009;406(1-2):129-33.

Duno M, Quinlivan R, Vissing J, Schwartz M. High-resolution melting facilitates mutation screening of PYGM in patients with McArdle disease. *Ann Hum Genet* 2009;73(Pt 3):292-7.

Erikstrup C, Mortensen OH, Nielsen AR, Fischer CP, Plomgaard P, Petersen AM, et al. RBP-to-retinol ratio, but not total RBP, is elevated in patients with type 2 diabetes. *Diabetes Obes Metab* 2009;11(3):204-12.

Fisher JP, Kim A, Young CN, Ogoh S, Raven PB, Secher NH, et al. Influence of ageing on carotid baroreflex peak response latency in humans. *J Physiol* 2009;587(Pt 22):5427-39.

Frederiksen AL, Jeppesen TD, Vissing J, Schwartz M, Kyvik KO, Schmitz O, et al. High prevalence of impaired glucose homeostasis and myopathy in asymptomatic and oligosymptomatic 3243A>G mitochondrial DNA mutation-positive subjects. *J Clin Endocrinol Metab* 2009;94(8):2872-9.

Gam CM, Rasmussen P, Secher NH, Seifert T, Larsen FS, Nielsen HB. Maintained cerebral metabolic ratio during exercise in patients with beta-adrenergic blockade. *Clin Physiol Funct Imaging* 2009;29(6):420-6.

Haller RG, Vissing J. Drilling for energy in mitochondrial disease. *Arch Neurol* 2009;66(8):931-2.

Haller RG, Vissing J. Muscle fatigue in metabolic myopathies. In: Williams C, Ratel S, eds. *Human Muscle Fatigue: In Sport, Exercise and Health*. London: Routledge, Taylor & Francis Group; 2009:338-59.

Hellsten Y, Krstrup P, Iaia FM, Secher NH, Bangsbo J. Partial neuromuscular blockade in humans enhances muscle blood flow during exercise independently of muscle oxygen uptake and acetylcholine receptor blockade. *Am J Physiol Regul Integr Comp Physiol* 2009;296(4):R1106-R1112.

Henningsen KM, Therkelsen SK, Bruunsgaard H, Krabbe KS, Pedersen BK, Svendsen JH. Prognostic impact of hs-CRP and IL-6 in patients with persistent atrial fibrillation treated with electrical cardioversion. *Scand J Clin Lab Invest* 2009;69(3):425-32.

Hojman P, Pedersen M, Nielsen AR, Krogh-Madsen R, Yfanti C, Akerstrom T, et al. Fibroblast growth factor-21 is induced in human skeletal muscles by hyperinsulinemia. *Diabetes* 2009;58(12):2797-801.

Hojman P, Brolin C, Gissel H, Brandt C, Zerahn B, Pedersen BK, et al. Erythropoietin over-expression protects against diet-induced obesity in mice through increased fat oxidation in muscles. *PLoS One* 2009;4(6):e5894.

Hojman P, Taudorf S, Lundby C, Pedersen BK. Erythropoietin augments the cytokine response to acute endotoxin-induced inflammation in humans. *Cytokine* 2009;45(3):154-7.

Immink RV, Truijen J, Secher NH, van Lieshout JJ. Transient influence of end-tidal carbon dioxide tension on the postural restraint in cerebral perfusion. *J Appl Physiol* 2009;107(3):816-23.

Jeppesen PB, Lund P, Gottschalck IB, Nielsen HB, Holst JJ, Mortensen J, et al. Short bowel patients treated for two years with glucagon-like Peptide 2: effects on intestinal morphology and absorption, renal function, bone and body composition, and muscle function. *Gastroenterol Res Pract* 2009;2009:616054.

Jeppesen PB, Lund P, Gottschalck IB, Nielsen HB, Holst JJ, Mortensen J, et al. Short bowel patients treated for two years with glucagon-like peptide 2 (GLP-2): compliance, safety, and effects on quality of life. *Gastroenterol Res Pract* 2009;2009:425759.

Jeppesen TD, Orngreen MC, van Hall G, Haller RG, Vissing J. Fat metabolism during exercise in patients with mitochondrial disease. *Arch Neurol* 2009;66(3):365-70.

Jeppesen TD, Duno M, Schwartz M, Krag T, Rafiq J, Wibrand F, et al. Short- and long-term effects of endurance training in patients with mitochondrial myopathy. *Eur J Neurol* 2009;16(12):1336-9.

Johansson PI, Ullum H, Jensen K, Secher NH. A retrospective cohort study of blood hemoglobin levels in blood donors and competitive rowers. *Scand J Med Sci Sports* 2009;19(1):92-5.

Jorgensen CC, Bundgaard-Nielsen M, Skovgaard LT, Secher NH, Kehlet H. Stroke volume averaging for individualized goal-directed fluid therapy with oesophageal Doppler. *Acta Anaesthesiol Scand* 2009;53(1):34-8.

Kjeld T, Pott FC, Secher NH. Facial immersion in cold water enhances cerebral blood velocity during breath-hold exercise in humans. *J Appl Physiol* 2009;106(4):1243-8.

Krabbe KS, Mortensen EL, Avlund K, Pedersen AN, Pedersen BK, Jorgensen T, et al. Brain-derived neurotrophic factor predicts mortality risk in older women. *J Am Geriatr Soc* 2009;57(8):1447-52.

Krabbe KS, Mortensen EL, Avlund K, Pilegaard H, Christiansen L, Pedersen AN, et al. Genetic priming of a proinflammatory profile predicts low IQ in octogenarians. *Neurobiol Aging* 2009;30(5):769-81.

Krogh J, Saltin B, Gluud C, Nordentoft M. The DEMO trial: a randomized, parallel-group, observer-blinded clinical trial of strength versus aerobic versus relaxation training for patients with mild to moderate depression. *J Clin Psychiatry* 2009;70(6):790-800.

Kuhl JT, Berg RM. Utility of lead aVR for identifying the culprit lesion in acute myocardial infarction. *Ann Noninvasive Electrocardiol* 2009;14(3):219-25.

Leick L, Hellsten Y, Fentz J, Lyngby SS, Wojtaszewski JF, Hidalgo J, et al. PGC-1alpha mediates exercise-induced skeletal muscle VEGF expression in mice. *Am J Physiol Endocrinol Metab* 2009;297(1):E92-103.

Matthews VB, Astrom MB, Chan MH, Bruce CR, Krabbe KS, Prelovsek O, et al. Brain-derived neurotrophic factor is produced by skeletal muscle cells in response to contraction and enhances fat oxidation via activation of AMP-activated protein kinase. *Diabetologia* 2009;52(7):1409-18.

Mitchell DA, Lambert G, Secher NH, Raven PB, van Lieshout J, Esler MD. Jugular venous overflow of noradrenaline from the brain: a neurochemical indicator of cerebrovascular sympathetic nerve activity in humans. *J Physiol* 2009;587(Pt 11):2589-97.

Mørkeberg J, Saltin B, Belhage B, Damsgaard R. Blood profiles in elite cross-country skiers: a 6-year follow-up. *Scand J Med Sci Sports* 2009;19(2):198-205.

Mortensen OH, Nielsen AR, Erikstrup C, Plomgaard P, Fischer CP, Krogh-Madsen R, et al. Calprotectin--a novel marker of obesity. *PLoS One* 2009;4(10):e7419.

Mortensen SP, Gonzalez-Alonso J, Bune LT, Saltin B, Pilegaard H, Hellsten Y. ATP-induced vasodilation and purinergic receptors in the human leg: roles of nitric oxide, prostaglandins, and adenosine. *Am J Physiol Regul Integr Comp Physiol* 2009;296(4):R1140-R1148.

Mortensen SP, Gonzalez-Alonso J, Nielsen JJ, Saltin B, Hellsten Y. Muscle interstitial ATP and norepinephrine concentrations in the human leg during exercise and ATP infusion. *J Appl Physiol* 2009;107(6):1757-62.

Mortensen SP, Nyberg M, Thaning P, Saltin B, Hellsten Y. Adenosine contributes to blood flow regulation in the exercising human leg by increasing prostaglandin and nitric oxide formation. *Hypertension* 2009;53(6):993-9.

Naini A, Toscano A, Musumeci O, Vissing J, Akman HO, DiMauro S. Muscle phosphoglycerate mutase deficiency revisited. *Arch Neurol* 2009;66(3):394-8.

Nissen P, van Lieshout JJ, Nielsen HB, Secher NH. Frontal lobe oxygenation is maintained during hypotension following propofol-fentanyl anesthesia. *AANA J* 2009;77(4):271-6.

Nissen P, Pacino H, Frederiksen HJ, Novovic S, Secher NH. Near-infrared spectroscopy for evaluation of cerebral autoregulation during orthotopic liver transplantation. *Neurocrit Care* 2009;11(2):235-41.

Nissen P, van Lieshout JJ, Novovic S, Bundgaard-Nielsen M, Secher NH. Techniques of cardiac output measurement during liver transplantation: arterial pulse wave versus thermodilution. *Liver Transpl* 2009;15(3):287-91.

Orngreen MC, Jeppesen TD, Andersen ST, Taivassalo T, Hauerslev S, Preisler N, et al. Fat metabolism during exercise in patients with McArdle disease. *Neurology* 2009;72(8):718-24.

Pedersen BK. Anti-inflammation--just another word for anti-ageing? *J Physiol* 2009;587(Pt 23):5515.

Pedersen BK. The diseasesome of physical inactivity--and the role of myokines in muscle--fat cross talk. *J Physiol* 2009;587(Pt 23):5559-68.

Pedersen BK, Pedersen M, Krabbe KS, Bruunsgaard H, Matthews VB, Febbraio MA. Role of exercise-induced brain-derived neurotrophic factor production in the regulation of energy homeostasis in mammals. *Exp Physiol* 2009;94(12):1153-60.

Pedersen BK, Edward F. Adolph distinguished lecture: muscle as an endocrine organ: IL-6 and other myokines. *J Appl Physiol* 2009;107(4):1006-14.

Petersen AM, Plomgaard P, Fischer CP, Ibfelt T, Pedersen BK, van Hall G. Acute moderate elevation of TNF-alpha does not affect systemic and skeletal muscle protein turnover in healthy humans. *J Clin Endocrinol Metab* 2009;94(1):294-9.

Plomgaard P, Dullaart RP, de Vries R, Groen AK, Dahlback B, Nielsen LB. Apolipoprotein M predicts pre-beta-HDL formation: studies in type 2 diabetic and nondiabetic subjects. *J Intern Med* 2009;266(3):258-67.

Preisler N, Andersen G, Thogersen F, Crone C, Jeppesen TD, Wibrand F, et al. Effect of aerobic training in patients with spinal and bulbar muscular atrophy (Kennedy disease). *Neurology* 2009;72(4):317-23.

Rasmussen P, Brassard P, Adser H, Pedersen MV, Leick L, Hart E, et al. Evidence for a release of brain-derived neurotrophic factor from the brain during exercise. *Exp Physiol* 2009;94(10):1062-9.

Rasmussen P, Madsen CA, Nielsen HB, Zaar M, Gjedde A, Secher NH, et al. Coupling between the blood lactate-to-pyruvate ratio and MCA Vmean at the onset of exercise in humans. *J Appl Physiol* 2009;107(6):1799-805.

Robach P, Recalcati S, Girelli D, Gelfi C, Aachmann-Andersen NJ, Thomsen JJ, et al. Alterations of systemic and muscle iron metabolism in human subjects treated with low-dose recombinant erythropoietin. *Blood* 2009;113(26):6707-15.

Scheele C, Nielsen S, Pedersen BK. ROS and myokines promote muscle adaptation to exercise. *Trends Endocrinol Metab* 2009;20(3):95-9.

Secher NH, Seifert T, Nielsen HB, Quistorff B. Blood glucose and brain metabolism in exercise. In: McMorris T, ed. *Exercise and Cognitive Function*. Wiley-Blackwell; 2009:195-212.

Secher NH. [Should cerebral autoregulation be reassessed?]. *Ugeskr Laeger* 2009;171(33):2291-3.

Secher NH. Central command and cerebral blood flow during exercise. *Exp Physiol* 2009;94(11):1101-2.

Secher NH, van Lieshout JJ. Hypovolaemic shock and pain. *Exp Physiol* 2009;94(6):626.

Secher NH. Planning the long run. *J Physiol* 2009;587(Pt 1):7.

Secher NH, Richardson RS. A large slice of cardiac output or humble pie for the respiratory muscles? *J Physiol* 2009;587(Pt 14):3411.

Seifert T, Rasmussen P, Brassard P, Homann PH, Wissenberg M, Nordby P, et al. Cerebral oxygenation and metabolism during exercise following three months of endurance training in healthy overweight males. *Am J Physiol Regul Integr Comp Physiol* 2009;297(3):R867-R876.

Seifert T, Rasmussen P, Secher NH, Nielsen HB. Cerebral oxygenation decreases during exercise in humans with beta-adrenergic blockade. *Acta Physiol (Oxf)* 2009;196(3):295-302.

Seifert TS, Brassard P, Jorgensen TB, Hamada AJ, Rasmussen P, Quistorff B, et al. Cerebral non-oxidative carbohydrate consumption in humans driven by adrenaline. *J Physiol* 2009;587(Pt 1):285-93.

Shibasaki M, Rasmussen P, Secher NH, Crandall CG. Neural and non-neural control of skin blood flow during isometric handgrip exercise in the heat stressed human. *J Physiol* 2009;587(Pt 9):2101-7.

Soliz J, Thomsen JJ, Soulage C, Lundby C, Gassmann M. Sex-dependent regulation of hypoxic ventilation in mice and humans is mediated by erythropoietin. *Am J Physiol Regul Integr Comp Physiol* 2009;296(6):R1837-R1846.

- Stojkovic T, Vissing J, Petit F, Piraud M, Orngreen MC, Andersen G, et al. Muscle glycogenosis due to phosphoglucomutase 1 deficiency. *N Engl J Med* 2009;361(4):425-7.
- Svenstrup K, Bross P, Koefoed P, Hjermind LE, Eiberg H, Born AP, et al. Sequence variants in SPAST, SPG3A and HSPD1 in hereditary spastic paraplegia. *J Neurol Sci* 2009;284(1-2):90-5.
- Taudorf S, Berg RM, Bailey DM, Moller K. Cerebral blood flow and oxygen metabolism measured with the Kety-Schmidt method using nitrous oxide. *Acta Anaesthesiol Scand* 2009;53(2):159-67.
- Timmons JA, Pedersen BK. The importance of brown adipose tissue. *N Engl J Med* 2009;361(4):415-6.
- van Hall G, Lundby C, Araoz M, Calbet JA, Sander M, Saltin B. The lactate paradox revisited in lowlanders during acclimatization to 4100 m and in high-altitude natives. *J Physiol* 2009;587(Pt 5):1117-29.
- van Hall G, Stromstad M, Rasmussen P, Jans O, Zaar M, Gam C, et al. Blood lactate is an important energy source for the human brain. *J Cereb Blood Flow Metab* 2009;29(6):1121-9.
- Vissing J. Myoglobinuria. In: Lisak RP, Truong DD, Carroll W, Bhidayasiri R, eds. International Neurology: A Clinical Approach. 1st ed. Oxford, UK: Wiley-Blackwell; 2009:477-9.
- Vissing J, Duno M, Schwartz M, Haller RG. Splice mutations preserve myophosphorylase activity that ameliorates the phenotype in McArdle disease. *Brain* 2009;132(Pt 6):1545-52.
- Vissing J. Glycogen branching enzyme deficiency. In: Lang F, ed. Encyclopedia of Molecular Mechanisms of Disease. Berlin - Heidelberg: Springer Verlag; 2009:727-8.
- Vissing J, Di Donato S, Taroni F. Metabolic myopathies. In: Karpati G, Hilton-Jones D, Bushby K, Griggs RC, eds. Disorders of Voluntary Muscles. 8th ed. Cambridge, UK: Cambridge University Press; 2009:390-407.
- Volianitis S, Secher NH. Human Exercise Physiology. In: Glass ML, Wood SC, eds. Cardio-Respiratory Control in Vertebrates: Comparative and Evolutionary Aspects. Berlin - Heidelberg: Springer Verlag; 2009:501-38.
- Volianitis S, Secher NH. Rowing, the ultimate challenge to the human body - implications for physiological variables. *Clin Physiol Funct Imaging* 2009;29(4):241-4.
- Waldemar G, Boysen GM, Høgenhaven H, Knudsen GM, Krarup C, Olesen J, Paulson OB et al. Neurologi. In: Schaffalitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:2418-623.
- Wilson TE, Brothers RM, Tollund C, Dawson EA, Nissen P, Yoshiga CC, et al. Effect of thermal stress on Frank-Starling relations in humans. *J Physiol* 2009;587(Pt 13):3383-92.
- Yfanti C, Nielsen S, Pedersen BK. The role of inflammation and oxidative stress in training adaptation. In: Caporossi D, Pigozzi F, Sabatini S, eds. Free Radicals, Health and Lifestyle. Proceedings from the Europe Meeting of the Society for Free Radical Research. Rome: Medimond; 2009:33-6.
- Zaar M, Johansson PI, Nielsen LB, Crandall CG, Shibusaki M, Hilsted L, et al. Early activation of the coagulation system during lower body negative pressure. *Clin Physiol Funct Imaging* 2009;29(6):427-30.
- Zaar M, Secher NH, Johansson PI, Vainer B, Ezban M, Agerso H, et al. Effects of a recombinant FVIIa analogue, NN1731, on blood loss and survival after liver trauma in the pig. *Br J Anaesth* 2009;103(6):840-7.
- Zaar M, Lauritzen B, Secher NH, Krantz T, Nielsen HB, Madsen PL, et al. Initial administration of hydroxyethyl starch vs lactated Ringer after liver trauma in the pig. *Br J Anaesth* 2009;102(2):221-6.

## Epidemiklinikken

### Publikationer

#### Disputatser og ph.d.-afhandlinger forsvaret i året

Leick L. Role of peroxisome proliferator activated receptor gamma co-activator alpha in exercise-induced skeletal muscle adaptations (ph.d.-afhandling). København: Eget Forlag; 2009:1-67. Forsvaret den 10/8 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Nielsen AR. Interleukin-15 in human skeletal muscle (ph.d.-afhandling). København: Eget Forlag; 2009:1-40. Forsvaret den 28/9 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Ostrowski SR. Immune activation in chronic HIV infection (disputats). København: Lægeforeningens Forlag; 2009:1-43. Forsvaret den 9/12 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Taudorf S. Cytokine response and cerebral blood flow during systemic inflammation and hypoxia in humans (ph.d.-afhandling). København: Eget Forlag; 2009:2-36. Forsvaret den 27/2 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

#### Videnskabelige artikler

Aabye MG, Ravn P, PrayGod G, Jeremiah K, Mugomela A, Jepsen M, et al. The impact of HIV infection and CD4 cell count on the performance of an interferon gamma release assay in patients with pulmonary tuberculosis. *PLoS One* 2009;4(1):e4220.

Akerstrom TC, Krogh-Madsen R, Petersen AM, Pedersen BK. Glucose ingestion during endurance training in men attenuates expression of myokine receptor. *Exp Physiol* 2009;94(11):1124-31.

Akerstrom TC, Fischer CP, Plomgaard P, Thomsen C, van Hall G, Pedersen BK. Glucose ingestion during endurance training does not alter adaptation. *J Appl Physiol* 2009;106(6):1771-9.

Alifrangis M, Lusingu JP, Mmbando B, Dalgaard MB, Vestergaard LS, Ishengoma D, et al. Five-year surveillance of molecular markers of Plasmodium falciparum antimalarial drug resistance in Korogwe District, Tanzania: accumulation of the 581G mutation in the *P. falciparum* dihydropteroate synthase gene. *Am J Trop Med Hyg* 2009;80(4):523-7.

Amulic B, Salanti A, Lavstsen T, Nielsen MA, Deitsch KW. An upstream open reading frame controls translation of var2csa, a gene implicated in placental malaria. *PLoS Pathog* 2009;5(1):e1000256.

Andersen AaB. Tuberkulose og andre mykobakterioser. In: Schaffalitzky de Muckadell OB, Haunso S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busk; 2009:762-9.

Andreasen AS, Pedersen-Skovsgaard T, Mortensen OH, van Hall G, Moseley PL, Pedersen BK. The effect of glutamine infusion on the inflammatory response and HSP70 during human experimental endotoxaemia. *Crit Care* 2009;13(1):R7.

Audelin AM, Lohse N, Obel N, Gerstoft J, Jorgensen LB. The incidence rate of HIV type-1 drug resistance in patients on antiretroviral therapy: a nationwide population-based Danish cohort study 1999-2005. *Antivir Ther* 2009;14(7):995-1000.

Bailey DM, Taudorf S, Berg RM, Lundby C, McEneny J, Young IS, et al. Increased cerebral output of free radicals during hypoxia: implications for acute mountain sickness? *Am J Physiol Regul Integr Comp Physiol* 2009;297(5):R1283-R1292.

Bailey DM, Taudorf S, Berg RM, Jensen LT, Lundby C, Evans KA, et al. Transcerebral exchange kinetics of nitrite and calcitonin gene-related peptide in acute mountain sickness: evidence against trigeminovascular activation? *Stroke* 2009;40(6):2205-8.

Bailey DM, Evans KA, James PE, McEneny J, Young IS, Fall L, et al. Altered free radical metabolism in acute mountain sickness: implications for dynamic cerebral autoregulation and blood-brain barrier function. *J Physiol* 2009;587(Pt 1):73-85.

Banke S, Lillemark MR, Gerstoft J, Obel N, Jorgensen LB. Positive selection pressure introduces secondary mutations at Gag cleavage sites in human immunodeficiency virus type 1 harboring major protease resistance mutations. *J Virol* 2009;83(17):8916-24.

Bannister B, Puro V, Fusco FM, Heptonstall J, Ippolito G. Framework for the design and operation of high-level isolation units: consensus of the European Network of Infectious Diseases. *Lancet Infect Dis* 2009;9(1):45-56.

Barfod TS. Evaluering når behandling er kompleks - om placebo og forskning i alternativ behandling. *Forskning i Sygdom og Samfund* 2009;10:59-77.

Berg RM, Strauss GI, Tofteng F, Qvist T, Edvinsson L, Fahrenkrug J, et al. Circulating levels of vasoactive peptides in patients with acute bacterial meningitis. *Intensive Care Med* 2009;35(9):1604-8.

Berg RM, Pedersen BK. Metabolic components of neuroendocrine allostatic responses: implications in lifestyle-related diseases. In: Soreq H, Friedman A, Kaufer D, eds. *Stress: from molecules to behaviour*. Weinheim: Wiley-VCH Verlag GmbH & Co.; 2009:331-47.

Berg RM, Pedersen M, Moller K. Cerebral blood flow autoregulation in humans. *Current Hypertension Reviews* 2009;5(2):140-57.

Bohlius J, Schmidlin K, Costagliola D, Fätkenheuer G, May M, Obel N. Incidence and risk factors of HIV-related non-Hodgkin's lymphoma in the era of combination antiretroviral therapy: a European multicohort study. *Antiviral Therapy* 2009;14(8):1065-74.

Bohlius J, Schmidlin K, Costagliola D, Fatkenheuer G, May M, Caro Murillo AM, et al. Prognosis of HIV-associated non-Hodgkin lymphoma in patients starting combination antiretroviral therapy. *AIDS* 2009;23(15):2029-37.

Booth FW, Laye MJ. Lack of adequate appreciation of physical exercise's complexities can pre-empt appropriate design and interpretation in scientific discovery. *J Physiol* 2009;587(Pt 23):5527-39.

Brouqui P, Puro V, Fusco FM, Bannister B, Schilling S, Follin P, et al. Infection control in the management of highly pathogenic infectious diseases: consensus of the European Network of Infectious Disease. *Lancet Infect Dis* 2009;9(5):301-11.

Bygbjerg IC, Schioler KL, Konradsen F. [Climate- and vector-borne diseases]. *Ugeskr Laeger* 2009;171(44):3175-8.

Bygbjerg IC. [Fake malaria drugs]. *Ugeskr Laeger* 2009;171(10):815-7.

Bygbjerg IC. Importerede infektionssygdomme. In: Schaffalitzky de Muckadell OB, Haunsoe S, Vilstrup H, eds. *Medicinsk Kompendium*. København: Nyt Nordisk Forlag Arnold Busck; 2009:810-52.

Christiansen MS, Iversen K, Larsen CT, Goetze JP, Hommel E, Molvig J, et al. Increased urinary orosomucoid excretion: a proposed marker for inflammation and endothelial dysfunction in patients with type 2 diabetes. *Scand J Clin Lab Invest* 2009;69(2):272-81.

de Lemos Rieper C, Galle P, Svenson M, Pedersen BK, Hansen MB. Preparation and validation of radio iodinated recombinant human IL-10 for the measurement of natural human antibodies against IL-10. *J Immunol Methods* 2009;350(1-2):46-53.

de Lemos Rieper C, Galle P, Hansen MB. Characterization and potential clinical applications of autoantibodies against cytokines. *Cytokine Growth Factor Rev* 2009;20(1):61-75.

Engsig FN, Hansen AB, Omland LH, Kronborg G, Gerstoft J, Laursen AL, et al. Incidence, clinical presentation, and outcome of progressive multifocal leukoencephalopathy in HIV-infected patients during the highly active antiretroviral therapy era: a nationwide cohort study. *J Infect Dis* 2009;199(1):77-83.

Erikstrup C, Mortensen OH, Nielsen AR, Fischer CP, Plomgaard P, Petersen AM, et al. RBP-to-retinol ratio, but not total RBP, is elevated in patients with type 2 diabetes. *Diabetes Obes Metab* 2009;11(3):204-12.

Fellay J, Ge D, Shianna KV, Colombo S, Lederman B, Cirulli ET, et al. Common genetic variation and the control of HIV-1 in humans. *PLoS Genet* 2009;5(12):e1000791.

Friis H, Range N, Braendgaard KC, Kaestel P, Changalucha J, Malenganisho W, et al. Acute- phase response and iron status markers among pulmonary tuberculosis patients: a cross-sectional study in Mwanza, Tanzania. *Br J Nutr* 2009;102(2):310-7.

Fusco FM, Puro V, Baka A, Bannister B, Brodt HR, Brouqui P, et al. Isolation rooms for highly infectious diseases: an inventory of capabilities in European countries. *J Hosp Infect* 2009;73(1):15-23.

Fusco FM, Schilling S, Puro V, Brodt HR, Follin P, Jarhall B, et al. EuroNHID checklists for the assessment of high-level isolation units and referral centres for highly infectious diseases: results from the pilot phase of a European survey. *Clin Microbiol Infect* 2009;15(8):711-9.

Gerstoft J, Skinhøj P. [Where is the HIV hiding--in the patient and in the population?]. *Ugeskr Laeger* 2009;171(4):207.

Gerstoft J, Mathiesen L, Lundgren JD, Nielsen HI, Pedersen C, Obel N, et al. [Risk of virus transmission from well-treated patients with HIV?]. *Ugeskr Laeger* 2009;171(13):1085.

Gerstoft J, Pedersen C. Infektioner i øvre luftveje. In: Schaffalitzky de Muckadell OB, Haunsoe S, Vilstrup H, eds. Medicinsk Kompendium. København: Nyt Nordisk Forlag Arnold Busck; 2009:688-99.

Gerstoft J, Pedersen C. Bakterielle infektioner i huden. In: Schaffalitzky de Muckadell OB, Haunsoe S, Vilstrup H, eds. Medicinsk Kompendium. København: Nyt Nordisk Forlag Arnold Busck; 2009:746-50.

Gerstoft J, Pedersen C. Virale eksantemsygdomme. In: Schaffalitzky de Muckadell OB, Haunsoe S, Vilstrup H, eds. Medicinsk Kompendium. København: Nyt Nordisk Forlag Arnold Busck; 2009:751-69.

Gerstoft J, Pedersen C. Infektioner fremkaldt af de enkelte bakterier. In: Schaffalitzky de Muckadell OB, Haunsoe S, Vilstrup H, eds. Medicinsk Kompendium. København: Nyt Nordisk Forlag Arnold Busck; 2009:770-85.

Gerstoft J, Pedersen C. Infektioner i særlige grupper. In: Schaffalitzky de Muckadell OB, Haunsoe S, Vilstrup H, eds. Medicinsk Kompendium. København: Nyt Nordisk Forlag Arnold Busck; 2009:852-60.

Gerstoft J, Pedersen C. Problemorienteret diagnostik. In: Schaffalitzky de Muckadell OB, Haunsoe S, Vilstrup H, eds. Medicinsk Kompendium. København: Nyt Nordisk Forlag Arnold Busck; 2009:861-4.

Godballe C, Madsen AR, Pedersen HB, Sorensen CH, Pedersen U, Frisch T, et al. Post-thyroidectomy hemorrhage: a national study of patients treated at the Danish departments of ENT Head and Neck Surgery. *Eur Arch Otorhinolaryngol* 2009;266(12):1945-52.

Haissman JM, Vestergaard LS, Sembuche S, Erikstrup C, Mmbando B, Mtullu S, et al. Plasma cytokine levels in Tanzanian HIV-1-infected adults and the effect of antiretroviral treatment. *J Acquir Immune Defic Syndr* 2009;52(4):493-7.

Hansen BR, Petersen J, Haugaard SB, Madsbad S, Obel N, Suzuki Y, et al. The prevalence of metabolic syndrome in Danish patients with HIV infection: the effect of antiretroviral therapy. *HIV Med* 2009;10(6):378-87.

Hansen BR, Kolte L, Haugaard SB, Dirksen C, Jensen FK, Ryder LP, et al. Improved thymic index, density and output in HIV-infected patients following low-dose growth hormone therapy: a placebo controlled study. *AIDS* 2009;23(16):2123-31.

Hansen N, Obel N, Christensen PB, Krarup H, Laursen AL, Clausen MR, et al. Predictors of antiviral treatment initiation in hepatitis C virus-infected patients: a Danish cohort study. *J Viral Hepat* 2009;16(9):659-65.

Hein-Kristensen L, Wiese L, Kurtzhals JA, Staalsoe T. In-depth validation of acridine orange staining for flow cytometric parasite and reticulocyte enumeration in an experimental model using Plasmodium berghei. *Exp Parasitol* 2009;123(2):152-7.

Helleberg M, Thybo S. [Schistosomiasis in Danish travellers and immigrants]. *Ugeskr Laeger* 2009;171(50):3694-7.

Helweg-Larsen J, Benfield T, Atzori C, Miller RF. Clinical efficacy of first- and second-line treatments for HIV-associated Pneumocystis jirovecii pneumonia: a tri-centre cohort study. *J Antimicrob Chemother* 2009;64(6):1282-90.

Helweg-Larsen J, Benfield T, Kovacs J, Masur H. Drug Resistance in Pneumocystis jirovecii. In: Mayers DL, ed. *Antimicrobial Drug Resistance*. Cambridge: Humana Press, New York; 2009:993-1007.

Henningsen KM, Therkelsen SK, Bruunsgaard H, Krabbe KS, Pedersen BK, Svendsen JH. Prognostic impact of hs-CRP and IL-6 in patients with persistent atrial fibrillation treated with electrical cardioversion. *Scand J Clin Lab Invest* 2009;69(3):425-32.

Hojman P, Pedersen M, Nielsen AR, Krogh-Madsen R, Yfanti C, Akerstrom T, et al. Fibroblast growth factor-21 is induced in human skeletal muscles by hyperinsulinemia. *Diabetes* 2009;58(12):2797-801.

Hojman P, Brolin C, Gissel H, Brandt C, Zerahn B, Pedersen BK, et al. Erythropoietin over-expression protects against diet-induced obesity in mice through increased fat oxidation in muscles. *PLoS One* 2009;4(6):e5894.

Hojman P, Taudorf S, Lundby C, Pedersen BK. Erythropoietin augments the cytokine response to acute endotoxin-induced inflammation in humans. *Cytokine* 2009;45(3):154-7.

Hviid L. Unraveling the impact of malaria exposure before birth. *PLoS Med* 2009;6(7):e1000117.

Ishengoma DR, Rwegoshora RT, Mdira KY, Kamugisha ML, Anga EO, Bygbjerg IC, et al. Health laboratories in the Tanga region of Tanzania: the quality of diagnostic services for malaria and other communicable diseases. *Ann Trop Med Parasitol* 2009;103(5):441-53.

Kamper-Jorgensen Z, Lillebaek T, Andersen AaB. Occupational tuberculosis following extremely short exposure. *Clinical Respiratory Journal* 2009;3(1):55-7.

Kirk O, Gerstoft J, Lundgren JD, Obel N. [Major breakthroughs in the medical treatment]. *Ugeskr Laeger* 2009;171(10):787-9.

Kloverpris H, Karlsson I, Bonde J, Thorn M, Vinner L, Pedersen AE, et al. Induction of novel CD8+ T-cell responses during chronic untreated HIV-1 infection by immunization with subdominant cytotoxic T-lymphocyte epitopes. *AIDS* 2009;23(11):1329-40.

Krabbe KS, Mortensen EL, Avlund K, Pedersen AN, Pedersen BK, Jorgensen T, et al. Brain-derived neurotrophic factor predicts mortality risk in older women. *J Am Geriatr Soc* 2009;57(8):1447-52.

Krabbe KS, Mortensen EL, Avlund K, Pilegaard H, Christiansen L, Pedersen AN, et al. Genetic priming of a proinflammatory profile predicts low IQ in octogenarians. *Neurobiol Aging* 2009;30(5):769-81.

Leick L, Hellsten Y, Fentz J, Lyngby SS, Wojtaszewski JF, Hidalgo J, et al. PGC-1alpha mediates exercise-induced skeletal muscle VEGF expression in mice. *Am J Physiol Endocrinol Metab* 2009;297(1):E92-103.

Lillebaek T, Bergstedt W, Tingskov PN, Thierry-Carstensen B, Aggerbeck H, Hoff ST, et al. Risk of sensitization in healthy adults following repeated administration of rdESAT-6 skin test reagent by the Mantoux injection technique. *Tuberculosis (Edinb)* 2009;89(2):158-62.

Matthews VB, Astrom MB, Chan MH, Bruce CR, Krabbe KS, Prelovsek O, et al. Brain-derived neurotrophic factor is produced by skeletal muscle cells in response to contraction and enhances fat oxidation via activation of AMP-activated protein kinase. *Diabetologia* 2009;52(7):1409-18.

Megnekou R, Hviid L, Staalsoe T. Variant-specific immunity to *Plasmodium berghei* in pregnant mice. *Infect Immun* 2009;77(5):1827-34.

Mortensen OH, Nielsen AR, Erikstrup C, Plomgaard P, Fischer CP, Krogh-Madsen R, et al. Calprotectin--a novel marker of obesity. *PLoS One* 2009;4(10):e7419.

Mortensen SP, Gonzalez-Alonso J, Bune LT, Saltin B, Pilegaard H, Hellsten Y. ATP-induced vasodilation and purinergic receptors in the human leg: roles of nitric oxide, prostaglandins, and adenosine. *Am J Physiol Regul Integr Comp Physiol* 2009;296(4):R1140-R1148.

Mosha D, Poulsen A, Reyburn H, Kituma E, Mtei F, Bygbjerg IC. Quality of paediatric blood transfusions in two district hospitals in Tanzania: a cross-sectional hospital based study. *BMC Pediatr* 2009;9:51.

Nielsen CT, Andersen AB. Hypercalcemia and renal failure in a case of disseminated *Mycobacterium marinum* infection. *Eur J Intern Med* 2009;20(2):e29-e31.

Nielsen MA, Pinto VV, Resende M, Dahlback M, Ditlev SB, Theander TG, et al. Induction of adhesion-inhibitory antibodies against placental *Plasmodium falciparum* parasites by using single domains of VAR2CSA. *Infect Immun* 2009;77(6):2482-7.

Obel N, Engsig FN, Rasmussen LD, Larsen MV, Omland LH, Sorensen HT. Cohort profile: the Danish HIV cohort study. *Int J Epidemiol* 2009;38(5):1202-6.

Ofori M, Ansah E, Agyepong I, Ofori-Adjei D, Hviid L, Akanmori B. Pregnancy-associated malaria in a rural community of ghana. *Ghana Med J* 2009;43(1):13-8.

Olsen A, van Lieshout L, Marti H, Polderman T, Polman K, Steinmann P, et al. Strongyloidiasis--the most neglected of the neglected tropical diseases? *Trans R Soc Trop Med Hyg* 2009;103(10):967-72.

Omland LH, Jepsen P, Skinhoj P, Jorgensen HL, Munster AM, Bangsborg J, et al. The impact of HIV-1 co-infection on long-term mortality in patients with hepatitis C: a population-based cohort study. *HIV Med* 2009;10(2):65-71.

Pedersen BK. Anti-inflammation--just another word for anti-ageing? *J Physiol* 2009;587(Pt 23):5515.

Pedersen BK. The diseasesome of physical inactivity--and the role of myokines in muscle--fat cross talk. *J Physiol* 2009;587(Pt 23):5559-68.

Pedersen BK, Pedersen M, Krabbe KS, Bruunsgaard H, Matthews VB, Febbraio MA. Role of exercise-induced brain-derived neurotrophic factor production in the regulation of energy homeostasis in mammals. *Exp Physiol* 2009;94(12):1153-60.

Pedersen BK. Edward F. Adolph distinguished lecture: muscle as an endocrine organ: IL-6 and other myokines. *J Appl Physiol* 2009;107(4):1006-14.

Pedersen C, Gerstoft J. Generel infektionsmedicin. In: Schaffalitzky de Muckadell OB, Haunsoe S, Vilstrup H, eds. Medicinsk Kompendium. København: Nyt Nordisk Forlag Arnold Busck; 2009:626-43.

Pedersen C, Gerstoft J. Antimikrobiel behandling. In: Schaffalitzky de Muckadell OB, Haunsoe S, Vilstrup H, eds. Medicinsk Kompendium. København: Nyt Nordisk Forlag Arnold Busck; 2009:643-58.

Pedersen C, Gerstoft J. Bakteriæmi og sepsis. In: Schaffalitzky de Muckadell OB, Haunsoe S, Vilstrup H, eds. Medicinsk Kompendium. København: Nyt Nordisk Forlag Arnold Busck; 2009:659-68.

Pedersen C, Gerstoft J. Infektioner i centralnervesystemet. In: Schaffalitzky de Muckadell OB, Haunsoe S, Vilstrup H, eds. Medicinsk Kompendium. København: Nyt Nordisk Forlag Arnold Busck; 2009:668-87.

Pedersen C, Gerstoft J. Infektiøs gastroenteritis. In: Schaffalitzky de Muckadell OB, Haunsoe S, Vilstrup H, eds. Medicinsk Kompendium. København: Nyt Nordisk Forlag Arnold Busck; 2009:712-33.

Pedersen C, Gerstoft J. Virushepatitis. In: Schaffalitzky de Muckadell OB, Haunsoe S, Vilstrup H, eds. Medicinsk Kompendium. København: Nyt Nordisk Forlag Arnold Busck; 2009:733-43.

Pedersen C, Gerstoft J. Osteomyelitis. In: Schaffalitzky de Muckadell OB, Haunsoe S, Vilstrup H, eds. Medicinsk Kompendium. København: Nyt Nordisk Forlag Arnold Busck; 2009:744-6.

Pedersen C, Gerstoft J. Profunde og systemiske mykoser. In: Schaffalitzky de Muckadell OB, Haunsoe S, Vilstrup H, eds. Medicinsk Kompendium. København: Nyt Nordisk Forlag Arnold Busck; 2009:785-92.

Pedersen C, Gerstoft J. HIV og AIDS. In: Schaffalitzky de Muckadell OB, Haunsoe S, Vilstrup H, eds. Medicinsk Kompendium. København: Nyt Nordisk Forlag Arnold Busck; 2009:792-9.

Pedersen C, Gerstoft J. Andre virusinfektioner. In: Schaffalitzky de Muckadell OB, Haunsoe S, Vilstrup H, eds. Medicinsk Kompendium. København: Nyt Nordisk Forlag Arnold Busck; 2009:799-804.

Pedersen C, Gerstoft J. Parasitære sygdomme. In: Schaffalitzky de Muckadell OB, Haunsoe S, Vilstrup H, eds. Medicinsk Kompendium. København: Nyt Nordisk Forlag Arnold Busck; 2009:805-10.

Petersen AM, Plomgaard P, Fischer CP, Ibfelt T, Pedersen BK, van Hall G. Acute moderate elevation of TNF-alpha does not affect systemic and skeletal muscle protein turnover in healthy humans. *J Clin Endocrinol Metab* 2009;94(1):294-9.

Podlekareva DN, Mocroft A, Post FA, Riekstina V, Miro JM, Furrer H, et al. Mortality from HIV and TB coinfections is higher in Eastern Europe than in Western Europe and Argentina. *AIDS* 2009;23(18):2485-95.

Rasmussen P, Brassard P, Adser H, Pedersen MV, Leick L, Hart E, et al. Evidence for a release of brain-derived neurotrophic factor from the brain during exercise. *Exp Physiol* 2009;94(10):1062-9.

Ravn P, Rose MV, Soborg B, Andersen AB. [New diagnostic test for tuberculosis]. *Ugeskr Laeger* 2009;171(37):2635-9.

Roed C, Skinhøj P. [Kawasaki syndrome in adults]. *Ugeskr Laeger* 2009;171(6):430-3.

Roed C, Bayer L, Lebech AM, Poulsen JB, Katzenstein T. [Compartment syndrome following adder bites]. Ugeskr Laeger 2009;171(5):327-8.

Scheele C, Nielsen S, Pedersen BK. ROS and myokines promote muscle adaptation to exercise. Trends Endocrinol Metab 2009;20(3):95-9.

Soeborg B, Ruhwald M, Hetland ML, Jacobsen S, Andersen AB, Milman N, et al. Comparison of screening procedures for Mycobacterium tuberculosis infection among patients with inflammatory diseases. J Rheumatol 2009;36(9):1876-84.

Soegaard OS, Lohse N, Gerstoft J, Kronborg G, Ostergaard L, Pedersen C, et al. Mortality after hospitalization for pneumonia among individuals with HIV, 1995-2008: a Danish cohort study. PLoS One 2009;4(9):e7022.

Soerli J, Barfod L, Lavstsen T, Bernasconi NL, Lanzavecchia A, Hviid L. Human monoclonal IgG selection of Plasmodium falciparum for the expression of placental malaria-specific variant surface antigens. Parasite Immunol 2009;31(6):341-6.

St-Martin G, Fischer TK, Skinhøj P. [Listerial meningitis at the Department of Infectious Diseases, Copenhagen University Hospital 1983-2006]. Ugeskr Laeger 2009;171(33):2287-90.

Taudorf S, Berg RM, Bailey DM, Moller K. Cerebral blood flow and oxygen metabolism measured with the Kety-Schmidt method using nitrous oxide. Acta Anaesthesiol Scand 2009;53(2):159-67.

Tenzer S, Wee E, Burgevin A, Stewart-Jones G, Friis L, Lamberth K, et al. Antigen processing influences HIV-specific cytotoxic T lymphocyte immunodominance. Nat Immunol 2009;10(6):636-46.

The INSIGHT-ESPRIT Study Group, (Andersen AaB). Interleukin-2 therapy in patients with HIV infection. N Engl J Med 2009;361(16):1548-59.

Timmons JA, Pedersen BK. The importance of brown adipose tissue. N Engl J Med 2009;361(4):415-6.

Walter BL, Armitage AE, Graham SC, de Oliveira T, Skinhøj P, Jones EY, et al. Functional characteristics of HIV-1 subtype C compatible with increased heterosexual transmissibility. AIDS 2009;23(9):1047-57.

Yeni P, Lamarca A, Berger D, Cimoch P, Lazzarin A, Salvato P, et al. Antiviral activity and safety of aplaviroc, a CCR5 antagonist, in combination with lopinavir/ritonavir in HIV-infected, therapy-naïve patients: results of the EPIC study (CCR100136). HIV Med 2009;10(2):116-24.

Yfanti C, Nielsen S, Pedersen BK. The role of inflammation and oxidative stress in training adaptation. In: Caporossi D, Pigozzi F, Sabatini S, eds. Free Radicals, Health and Lifestyle. Proceedings from the Europe Meeting of the Society for Free Radical Research. Rome: Medimond; 2009:33-6.

## Finsenlaboratoriet

### Publikationer

#### Disputatser og ph.d.-afhandlinger forsvarer i året

Almasi CE. Clinical relevance of levels of the urokinase plasminogen activator receptor (uPAR) and its cleaved forms in lung and prostate cancer (ph.d.-afhandling). København: Eget Forlag; 2009:1-104. Forsvaret den 4/12 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

#### Videnskabelige artikler

Almasi CE, Hoyer-Hansen G, Christensen IJ, Pappot H. Prognostic significance of urokinase plasminogen activator receptor and its cleaved forms in blood from patients with non-small cell lung cancer. *APMIS* 2009;117(10):755-61.

Alpizar-Alpizar W, Laerum OD, Illemann M, Ramirez JA, Arias A, Malespin-Bendana W, et al. Neutrophil gelatinase-associated lipocalin (NGAL/Lcn2) is upregulated in gastric mucosa infected with Helicobacter pylori. *Virchows Arch* 2009;455(3):225-33.

Axelsen TV, Holm A, Birkelund S, Christiansen G, Ploug M, Holm IE. Specific recognition of the C-terminal end of A beta 42 by a high affinity monoclonal antibody. *Mol Immunol* 2009;46(11-12):2267-73.

Begum FD, Hogdall E, Kjaer SK, Blaakaer J, Christensen IJ, Christensen L, et al. Preoperative serum ttranectin, CA125 and menopausal status used as single markers in screening and in a risk assessment index (RAI) in discriminating between benign and malignant ovarian tumors. *Gynecol Oncol* 2009;113(2):221-7.

Doehn U, Hauge C, Frank SR, Jensen CJ, Duda K, Nielsen JV, et al. RSK is a principal effector of the RAS-ERK pathway for eliciting a coordinate promotile/invasive gene program and phenotype in epithelial cells. *Mol Cell* 2009;35(4):511-22.

Engelholm LH, Ingvarsen S, Jurgensen HJ, Hillig T, Madsen DH, Nielsen BS, et al. The collagen receptor uPARAP/Endo180. *Front Biosci* 2009;14:2103-14.

Frederiksen C, Lomholt AF, Davis GJ, Dowell BL, Blankenstein MA, Christensen IJ, et al. Changes in plasma TIMP-1 levels after resection for primary colorectal cancer. *Anticancer Res* 2009;29(1):75-81.

Henic E, Noskova V, Hoyer-Hansen G, Hansson S, Casslen B. Estradiol attenuates EGF-induced rapid uPAR mobilization and cell migration via the G-protein-coupled receptor 30 in ovarian cancer cells. *Int J Gynecol Cancer* 2009;19(2):214-22.

Hogdall EV, Ringsholt M, Hogdall CK, Christensen IJ, Johansen JS, Kjaer SK, et al. YKL-40 tissue expression and plasma levels in patients with ovarian cancer. *BMC Cancer* 2009;9:8.

Illemann M, Bird N, Majeed A, Laerum OD, Lund LR, Dano K, et al. Two distinct expression patterns of urokinase, urokinase receptor and plasminogen activator inhibitor-1 in colon cancer liver metastases. *Int J Cancer* 2009;124(8):1860-70.

Jensen TO, Schmidt H, Moller HJ, Hoyer M, Maniecki MB, Sjoegren P, et al. Macrophage markers in serum and tumor have prognostic impact in American Joint Committee on Cancer stage I/II melanoma. *J Clin Oncol* 2009;27(20):3330-7.

Juncker-Jensen A, Romer J, Pennington CJ, Lund LR, Almholt K. Spontaneous metastasis in matrix metalloproteinase 3-deficient mice. *Mol Carcinog* 2009;48(7):618-25.

Larsen JM, Christensen IJ, Nielsen HJ, Hansen U, Bjerregaard B, Talts JF, et al. Syncytin immunoreactivity in colorectal cancer: potential prognostic impact. *Cancer Lett* 2009;280(1):44-9.

Lomholt AF, Hoyer-Hansen G, Nielsen HJ, Christensen IJ. Intact and cleaved forms of the urokinase receptor enhance discrimination of cancer from non-malignant conditions in patients presenting with symptoms related to colorectal cancer. *Br J Cancer* 2009;101(6):992-7.

Marquard L, Poulsen CB, Gjerdum LM, de Nully Brown P, Christensen IJ, Jensen PB, et al. Histone deacetylase 1, 2, 6 and acetylated histone H4 in B- and T-cell lymphomas. *Histopathology* 2009;54(6):688-98.

Petri AL, Kjaer SK, Christensen IJ, Blaakaer J, Hogdall E, Jeppesen U, et al. Validation of epithelial ovarian cancer and fallopian tube cancer and ovarian borderline tumor data in the Danish Gynecological Cancer Database. *Acta Obstet Gynecol Scand* 2009;88(5):536-42.

Prager GW, Mihaly J, Brunner PM, Koshelnick Y, Hoyer-Hansen G, Binder BR. Urokinase mediates endothelial cell survival via induction of the X-linked inhibitor of apoptosis protein. *Blood* 2009;113(6):1383-90.

Rowe RG, Li XY, Hu Y, Saunders TL, Virtanen I, Garcia de Herreros A, et al. Mesenchymal cells reactivate Snail1 expression to drive three-dimensional invasion programs. *J Cell Biol* 2009;184(3):399-408.

Szabova L, Yamada SS, Wimer H, Chrysovergis K, Ingvarsen S, Behrendt N, et al. MT1-MMP and type II collagen specify skeletal stem cells and their bone and cartilage progeny. *J Bone Miner Res* 2009;24(11):1905-16.

## Hæmatologisk Klinik

### Publikationer

#### Disputatser og ph.d.-afhandlinger forsvarer i året

Jacobsen LC. Identification of secretory leukocyte protease inhibitor and arginase 1 as genuine neutrophil granule proteins using a gene expression profiling approach (ph.d.-afhandling). København: Eget Forlag; 2009:1-29. Forsvaret den 13/5 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Kornblit B. HMGB1: Genetic variation and clinical implications (ph.d.-afhandling). København: Eget Forlag; 2009:1-133. Forsvaret den 30/10 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Masmas TN. Chimerism analysis and graft rejection after allogeneic hematopoietic cell transplantation with nonmyeloablative conditioning (ph.d.-afhandling). København: Eget Forlag; 2009:1-65. Forsvaret den 20/2 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

#### Videnskabelige artikler

Adams JS, Ren S, Liu PT, Chun RF, Lagishefty V, Gombart AF, et al. Vitamin d-directed rheostatic regulation of monocyte antibacterial responses. *J Immunol* 2009;182(7):4289-95.

Alpizar-Alpizar W, Laerum OD, Illemann M, Ramirez JA, Arias A, Malespin-Bendana W, et al. Neutrophil gelatinase-associated lipocalin (NGAL/Lcn2) is upregulated in gastric mucosa infected with Helicobacter pylori. *Virchows Arch* 2009;455(3):225-33.

Andersen CL, Vestergaard H, Norgaard P, Felding P, Pallisgaard N, Rasmussen IH, et al. [Eosinophilia--pathogenesis, classification and therapy]. *Ugeskr Laeger* 2009;171(45):3256-62.

Andresen L, Hansen KA, Jensen H, Pedersen SF, Stougaard P, Hansen HR, et al. Propionic acid secreted from propionibacteria induces NKG2D ligand expression on human-activated T lymphocytes and cancer cells. *J Immunol* 2009;183(2):897-906.

Artang R, Frandsen NJ, Nielsen JD. Application of basic and composite thrombelastography parameters in monitoring of the antithrombotic effect of the low molecular weight heparin dalteparin: an in vivo study. *Thromb J* 2009;7:14.

Baccarani M, Rosti G, Castagnetti F, Haznedaroglu I, Porkka K, Abruzzese E, et al. A comparison of imatinib 400 mg and 800 mg in the front-line treatment of patients with high risk, Philadelphia-positive, chronic myeloid leukemia. A European Leukemia Net Study. *Blood* 2009;113:4497-504.

Borregaard N, Andersen MK, Berthelsen AK, Bjerrum OW, de Nully Brown P, Geisler C, Gimsing P et al. Blodsygdomme. In: Schaffalitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. København: Nyt Nordisk Forlag Arnold Busck; 2009:1762-887.

Buhl AM, Novotny GW, Josefsson P, Nielsen JE, Pedersen LB, Geisler C, et al. The CLLU1 expression level is a stable and inherent feature of the chronic lymphocytic leukemia clone. *Leukemia* 2009;23(6):1182-6.

d'Amore F, de Nully Brown P, Weisenburger D. Epidemiology of extranodal lymphomas. In: Cavalli F, Stein H, Zucca E, eds. *Extranodal Lymphomas*. Oxford: Informa Healthcare; 2009:14-23.

Geisler C, Jurlander J, Bullinger L, Sander S, Brown P, Benner A, et al. Danish CLL2-Study revisited: FISH on a cohort with a 20-yr follow-up confirms the validity of the hierarchical model of genomic aberrations in chronic lymphocytic leukaemia. *Eur J Haematol* 2009;83(2):156-8.

Ghasriani H, Fernlund P, Udby L, Drakenberg T. A model of the complex between human beta-microseminoprotein and CRISP-3 based on NMR data. *Biochem Biophys Res Commun* 2009;378(2):235-9.

Glerup M, Thelle T, Gronbaek K, Hasle H. Splenectomy in two children with autoimmune lymphoproliferative syndrome and massive splenomegaly. *Pediatr Blood Cancer* 2009;53(6):1124-6.

Gombart AF, Bhan I, Borregaard N, Tamez H, Camargo CAJr, Koeffler HP, et al. Low plasma level of cathelicidin antimicrobial peptide (hCAP18) predicts increased infectious disease mortality in patients undergoing hemodialysis. *Clin Infect Dis* 2009;48(4):418-24.

Gronbaek K, Jaattela M. Engaging the lysosomal compartment to combat B cell malignancies. *J Clin Invest* 2009;119(8):2133-6.

Hallas J, Friis S, Bjerrum L, Stovring H, Narverud SF, Heyerdahl T, et al. Cancer risk in long-term users of valproate: a population-based case-control study. *Cancer Epidemiol Biomarkers Prev* 2009;18(6):1714-9.

Horne AW, Duncan WC, King AE, Burgess S, Lourenco PC, Cornes P, et al. Endometrial cysteine-rich secretory protein 3 is inhibited by human chorionic gonadotrophin, and is increased in the decidua of tubal ectopic pregnancy. *Mol Hum Reprod* 2009;15(5):287-94.

Jaras M, Johnels P, Agerstam H, Lassen C, Rissler M, Eden P, et al. Expression of P190 and P210 BCR/ABL1 in normal human CD34(+) cells induces similar gene expression profiles and results in a STAT5-dependent expansion of the erythroid lineage. *Exp Hematol* 2009;37(3):367-75.

Laetgaard CA, Schou S, Jensen SS, Nielsen JD. Mindre dentoalveolær kirurgi på patienter i antitrombotisk behandling. *Tandlaegebladet* 2009;113(6):444-52.

Larsen TS, Moller MB, de Stricker K, Norgaard P, Samuelsson J, Marcher C, et al. Minimal residual disease and normalization of the bone marrow after long-term treatment with alpha-interferon2b in polycythemia vera. A report on molecular response patterns in seven patients in sustained complete hematological remission. *Hematology* 2009;14(6):331-4.

Levi M, Hobbs FD, Jacobson AK, Pisters R, Prisco D, Bernardo A, et al. Improving antithrombotic management in patients with atrial fibrillation: current status and perspectives. *Semin Thromb Hemost* 2009;35(6):527-42.

Marquard L, Poulsen CB, Gjerdum LM, de Nully BP, Christensen IJ, Jensen PB, et al. Histone deacetylase 1, 2, 6 and acetylated histone H4 in B- and T-cell lymphomas. *Histopathology* 2009;54(6):688-98.

Nielsen FC, Borregaard N. [Pharmacogenetics and tailored drug therapy]. Ugeskr Laeger 2009;171(10):790-4.

Nielsen JD, Laetgaard CA, Schou S, Jensen SS. [Minor dentoalveolar surgery in patients undergoing antithrombotic therapy]. Ugeskr Laeger 2009;171(17):1407-9.

Nielsen JD, Lind JW, Bruun B. [Two cases of invasive Haemophilus influenzae type f infection]. Ugeskr Laeger 2009;171(4):247.

Nielsen JD, Sorensen H. Blodsygdomme. In: Hansen JG, Lund K, eds. Praktisk Medicin. København: Dagens Medicin; 2009:129-56.

Nielsen OJ, Friis-Hansen L. [Thrombotic microangiopathies]. Ugeskr Laeger 2009;171(49):3614-20.

Niemann CU, Cowland JB, Ralfkiaer E, Abrink M, Pejler G, Borregaard N. Serglycin proteoglycan is not implicated in localizing exocrine pancreas enzymes to zymogen granules. Eur J Cell Biol 2009;88(8):473-9.

Niemann CU, Jurlander J, Daugaard G, Friis-Hansen L. [Multi-facetted clinical presentation of thrombotic thrombocytopenic purpura]. Ugeskr Laeger 2009;171(5):340-2.

Pedersen IM, Otero D, Kao E, Miletic AV, Hother C, Ralfkiaer E, et al. Onco-miR-155 targets SHIP1 to promote TNFalpha-dependent growth of B cell lymphomas. EMBO Mol Med 2009;1(5):288-95.

Rorvig S, Honore C, Larsson LI, Ohlsson S, Pedersen CC, Jacobsen LC, et al. Ficolin-1 is present in a highly mobilizable subset of human neutrophil granules and associates with the cell surface after stimulation with fMLP. J Leukoc Biol 2009;86(6):1439-49.

Specht L. The history of radiation therapy of lymphomas and description of early trials. In: Armitage JO, Coiffier B, Dalla-Favera R, Harris NL, Mauch PM, eds. Non-Hodgkin Lymphomas. Baltimore: Lippincott Williams & Wilkins; 2009:12-24.

Thygesen LC, Nielsen OJ, Johansen C. Trends in adult leukemia incidence and survival in Denmark, 1943-2003. Cancer Causes Control 2009;20(9):1671-80.

Treppendahl MB, Andersen N, Jurlander J, Geisler C. A case of chronic lymphocytic leukemia with deletion 17p and bilateral retinal leukemic infiltrates. Eur J Haematol 2009;82(1):79-80.

Vedel SJ, Tholstrup D, Kolte L, Gaardbo J, Ryder LP, Ersboll A, et al. Limited impact of the thymus on immunological recovery during and after chemotherapy in patients with diffuse large B-cell lymphoma. Scand J Immunol 2009;69(6):547-54.

Wagener G, Gubitosa G, Wang S, Borregaard N, Kim M, Lee HT. A comparison of urinary neutrophil gelatinase-associated lipocalin in patients undergoing on- versus off-pump coronary artery bypass graft surgery. J Cardiothorac Vasc Anesth 2009;23(2):195-9.

Wenandy L, Kollgaard T, Letsch A, Andersen RS, Stather D, Seremet T, et al. The 1170 A-P single-nucleotide polymorphism (SNP) in the Her-2/neu protein (HER2) as a minor histocompatibility antigen (mHag). Leukemia 2009;23(10):1926-9.

## Institut for Inflammationsforskning (IIR)

\* Tilknyttet andre afdelinger/centre på Rigshospitalet, men lægger væsentlig forskningsvirksomhed i Institut for Inflammationsforskning.

### Publikationer

---

#### Disputatser og ph.d.-afhandlinger forsvarer i året

Enevold C. The innate immune system in multiple sclerosis: genetic and functional analyses of pattern recognition receptors (ph.d.-afhandling). København: Eget Forlag; 2009:1-124. Forsvaret den 21/9 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Hedegaard CJ. Characterisation of immune responses to myelin basic protein in health and multiple sclerosis (ph.d.-afhandling). København: Eget Forlag; 1-45. Forsvaret den 19/1 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Sørensen LK. Periodontitis and rheumatoid arthritis - two diseases with similarities and dissimilarities (ph.d.-afhandling). København: Eget Forlag; 2009:1-74. Forsvaret den 23/3 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

#### Videnskabelige artikler

Andreassen BU, Paerregaard A, Michaelsen KF, Andersen J, Heilmann CJ, Muller K. Nutrition, anthropometry, gastrointestinal dysfunction, and circulating levels of tumour necrosis factor alpha receptor I and interleukin-1 receptor antagonist in children during stem cell transplantation. *Pediatr Transplant* 2009;13(2):182-7.

Bendtzen K, Ainsworth M, Steenholdt C, Thomsen OO, Brynskov J. Individual medicine in inflammatory bowel disease: monitoring bioavailability, pharmacokinetics and immunogenicity of anti-tumour necrosis factor-alpha antibodies. *Scand J Gastroenterol* 2009;44(7):774-81.

Bjornhart B, Juul A, Nielsen S, Zak M, Svenssingsen P, Muller K. Cartilage oligomeric matrix protein in patients with juvenile idiopathic arthritis: relation to growth and disease activity. *J Rheumatol* 2009;36(8):1749-54.

Borch TS, Lobner M, Bendtzen K, Holmstrup P, Nielsen CH. Decreased interleukin-2 responses to Fusobacterium nucleatum and Porphyromonas gingivalis in generalized aggressive periodontitis. *J Periodontol* 2009;80(5):800-7.

de Lemos Rieper C, Galle P, Svenson M, Pedersen BK, Hansen MB. Preparation and validation of radio iodinated recombinant human IL-10 for the measurement of natural human antibodies against IL-10. *J Immunol Methods* 2009;350(1-2):46-53.

El Fassi D, Banga JP, Gilbert JA, Padoa C, Hegedus L, Nielsen CH. Treatment of Graves' disease with rituximab specifically reduces the production of thyroid stimulating autoantibodies. *Clin Immunol* 2009;130(3):252-8.

Enevold C, Oturai AB, Sorensen PS, Ryder LP, Koch-Henriksen N, Bendtzen K. Multiple sclerosis and polymorphisms of innate pattern recognition receptors TLR1-10, NOD1-2, DDX58, and IFIH1. *J Neuroimmunol* 2009;212(1-2):125-31.

Hedegaard CJ, Chen N, Sellebjerg F, Sorensen PS, Leslie RG, Bendtzen K, et al. Autoantibodies to myelin basic protein (MBP) in healthy individuals and in patients with multiple sclerosis: a role in regulating cytokine responses to MBP. *Immunology* 2009;128(1 Suppl):e451-e461.

Hesse D, Frederiksen JL, Koch-Henriksen N, Schreiber K, Stenager E, Heltberg A, et al. Methylprednisolone does not restore biological response in multiple sclerosis patients with neutralizing antibodies against interferon-beta. *Eur J Neurol* 2009;16(1):43-7.

Koch-Henriksen N, Sorensen PS, Bendtzen K, Flachs EM. The clinical effect of neutralizing antibodies against interferon-beta is independent of the type of interferon-beta used for patients with relapsing-remitting multiple sclerosis. *Mult Scler* 2009;15(5):601-5.

Larsen S, Bendtzen K, Nielsen OH. [Extraintestinal manifestations in inflammatory bowel disease]. *Ugeskr Laeger* 2009;171(43):3078-83.

Lobner M, Leslie RG, Prodinger WM, Nielsen CH. Spontaneous complement activation on human B cells results in localized membrane depolarization and the clustering of complement receptor type 2 and C3 fragments. *Immunology* 2009;128(1 Suppl):e661-e669.

Nielsen CH, Brix TH, Leslie RG, Hegedus L. A role for autoantibodies in enhancement of pro-inflammatory cytokine responses to a self-antigen, thyroid peroxidase. *Clin Immunol* 2009;133(2):218-27.

Nielsen JF, El Fassi D, Nielsen CH, Hegedus L, Lauer SA, Silkiss RZ, et al. Evidence of orbital B and T cell depletion after rituximab therapy in Graves' ophthalmopathy. *Acta Ophthalmol* 2009;87(8):927-9.

Radstake TR, Svenson M, Eijsbouts AM, van den Hoogen FH, Enevold C, van Riel PL, et al. Formation of antibodies against infliximab and adalimumab strongly correlates with functional drug levels and clinical responses in rheumatoid arthritis. *Ann Rheum Dis* 2009;68(11):1739-45.

Ravnborg M, Bendtzen K, Christensen O, Jensen PE, Hesse D, Tovey MG, et al. Treatment with azathioprine and cyclic methylprednisolone has little or no effect on bioactivity in anti-interferon beta antibody-positive patients with multiple sclerosis. *Mult Scler* 2009;15(3):323-8.

Sorensen LK, Havemose-Poulsen A, Bendtzen K, Holmstrup P. Aggressive periodontitis and chronic arthritis: blood mononuclear cell gene expression and plasma protein levels of cytokines and cytokine inhibitors. *J Periodontol* 2009;80(2):282-9.

## Onkologisk Klinik og Radioterapiklinikken

### Publikationer

#### Disputatser og ph.d.-afhandlinger forsvarer i året

Almasi CE. Clinical relevance of levels of the urokinase plasminogen activator receptor (uPAR) and its cleaved forms in lung and prostate cancer (ph.d.-afhandling). København: Eget Forlag; 2009:1-105. Forsvaret den 10/12 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Nielsen KV. Copy number changes of the topoisomerase II-alpha gene, TOP2A: assay development, biological background and clinical testing (ph.d.-afhandling). København: Eget Forlag;1-204. Forsvaret den 27/11 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Risum S. Diagnostics in ovarian cancer - the value of PET/CT and proteomics (ph.d.-afhandling). København: Eget Forlag;1-68. Forsvaret den 15/1 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

## Videnskabelige artikler

- Aarup LR, Nahum AE, Zacharatou C, Juhler-Notrup T, Knoos T, Nystrom H, et al. The effect of different lung densities on the accuracy of various radiotherapy dose calculation methods: implications for tumour coverage. *Radiother Oncol* 2009;91(3):405-14.
- Adamsen L, Andersen C, Midtgård J, Møller T, Quist M, Rorth M. Struggling with cancer and treatment: young athletes recapture body control and identity through exercise: qualitative findings from a supervised group exercise program in cancer patients of mixed gender undergoing chemotherapy. *Scand J Med Sci Sports* 2009;19(1):55-66.
- Adamsen L, Quist M, Andersen C, Møller T, Herrstedt J, Kronborg D, et al. Effect of a multimodal high intensity exercise intervention in cancer patients undergoing chemotherapy: randomised controlled trial. *BMJ* 2009;339:b3410.
- Afzal S, Jensen SA, Vainer B, Vogel U, Matsen JP, Sorensen JB, et al. MTHFR polymorphisms and 5-FU-based adjuvant chemotherapy in colorectal cancer. *Ann Oncol* 2009;20(10):1660-6.
- Andersen P, Villingshoj M, Poulsen HS, Stockhausen MT. Improved response by co-targeting EGFR/EGFR<sup>VIII</sup> and Src family kinases in human cancer cells. *Cancer Invest* 2009;27(2):178-83.
- Bang AK, Petersen JH, Petersen PM, Andersson AM, Daugaard G, Jorgensen N. Testosterone production is better preserved after 16 than 20 Gray irradiation treatment against testicular carcinoma in situ cells. *Int J Radiat Oncol Biol Phys* 2009;75(3):672-6.
- Bellmunt J, Theodore C, Demkov T, Komyakov B, Sengelov L, Daugaard G, et al. Phase III trial of vinflunine plus best supportive care compared with best supportive care alone after a platinum-containing regimen in patients with advanced transitional cell carcinoma of the urothelial tract. *J Clin Oncol* 2009;27(27):4454-61.
- Borghaei H, Alpaugh K, Hedlund G, Forsberg G, Langer C, Rogatko A, et al. Phase I dose escalation, pharmacokinetic and pharmacodynamic study of naptumomab estafenatox alone in patients with advanced cancer and with docetaxel in patients with advanced non-small-cell lung cancer. *J Clin Oncol* 2009;27(25):4116-23.
- Borregaard N, Andersen MK, Berthelsen AK, Bjerrum OW, Brown PN, Geisler C, Gimsing P et al. Blodsygdomme. In: Schaffalitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:1762-887.
- Boysen T, Mohammadi M, Melbye M, Hamilton-Dutoit S, Vainer B, Hansen AV, et al. EBV-associated gastric carcinoma in high- and low-incidence areas for nasopharyngeal carcinoma. *Br J Cancer* 2009;101(3):530-3.
- Brauer C, Baandrup U, Jacobsen P, Krasnik M, Olsen JH, Pedersen JH, et al. [Screening for asbestos-related conditions]. *Ugeskr Laeger* 2009;171(6):433-6.
- Chaturvedi AK, Kleinerman RA, Hildesheim A, Gilbert ES, Storm H, Lynch CF, et al. Second cancers after squamous cell carcinoma and adenocarcinoma of the cervix. *J Clin Oncol* 2009;27(6):967-73.
- Christensen CL, Zandi R, Gjetting T, Cramer F, Poulsen HS. Specifically targeted gene therapy for small-cell lung cancer. *Expert Rev Anticancer Ther* 2009;9(4):437-52.
- Christensen S, Zachariae R, Jensen AB, Vaeth M, Møller S, Ravnsbaek J, et al. Prevalence and risk of depressive symptoms 3-4 months post-surgery in a nationwide cohort study of Danish women treated for early stage breast-cancer. *Breast Cancer Res Treat* 2009;113(2):339-55.
- Daugaard G. Management of poor-prognosis or relapsed germ-cell cancer. *BJU Int* 2009;104(9 Pt B):1392-7.

Daugaard G, Moller AK, Petersen BL. Tumours of unknown origin. In: Cavalli F, Hansen HH, Kaye SB, Armitage JO, Piccart-Gebhart MJ, eds. *Textbook of Medical Oncology*. 4th ed. London: Informa Healthcare; 2009:313-22.

Denholt CL, Hansen PR, Pedersen N, Poulsen HS, Gillings N, Kjaer A. Identification of novel peptide ligands for the cancer-specific receptor mutation EGFRvIII using a mixture-based synthetic combinatorial library. *Biopolymers* 2009;91(3):201-6.

Ejlertsen B, Jensen MB, Rank F, Rasmussen BB, Christiansen P, Kroman N, et al. Population-based study of peritumoral lymphovascular invasion and outcome among patients with operable breast cancer. *J Natl Cancer Inst* 2009;101(10):729-35.

Fischer B, Lassen U, Mortensen J, Larsen S, Loft A, Bertelsen A, et al. Preoperative staging of lung cancer with combined PET-CT. *N Engl J Med* 2009;361(1):32-9.

Gaffney DK, Du Bois A, Narayan K, Reed N, Toita T, Pignata S, et al. Patterns of care for radiotherapy in vulvar cancer: a Gynecologic Cancer Intergroup study. *Int J Gynecol Cancer* 2009;19(1):163-7.

Hansen HH, Pappot H. Primary malignant tumors of the lung and pleura. In: Cavalli F, Kaye SB, Hansen HH, Armitage JO, Piccart-Gebhart MJ, eds. *Textbook of Medical Oncology*. London: Informa Healthcare; 2009:141-57.

Hansen HH. History of the International Association for the Study of Lung Cancer 1972-2007. Editorial Rx Press 2009;1-108.

Hansen TO, Jonson L, Albrechtsen A, Andersen MK, Ejlertsen B, Nielsen FC. Large BRCA1 and BRCA2 genomic rearrangements in Danish high risk breast-ovarian cancer families. *Breast Cancer Res Treat* 2009;115(2):315-23.

Hansen TV, Ejlertsen B, Albrechtsen A, Bergsten E, Bjerregaard P, Hansen T, et al. A common Greenlandic Inuit BRCA1 RING domain founder mutation. *Breast Cancer Res Treat* 2009;115(1):69-76.

Harboe TL, Eiberg H, Kern P, Ejlertsen B, Nedergaard L, Timmermans-Wielenga V, et al. A high frequent BRCA1 founder mutation identified in the Greenlandic population. *Fam Cancer* 2009;8(4):413-9.

Hedman M, Bjork-Eriksson T, Mercke C, West C, Hesselius P, Brodin O. Comparison of predicted and clinical response to radiotherapy: a radiobiology modelling study. *Acta Oncol* 2009;48(4):584-90.

Hellstrom NA, Bjork-Eriksson T, Blomgren K, Kuhn HG. Differential recovery of neural stem cells in the subventricular zone and dentate gyrus after ionizing radiation. *Stem Cells* 2009;27(3):634-41.

Henriksen KL, Rasmussen BB, Lykkesfeldt AE, Moller S, Ejlertsen B, Mouridsen HT. An ER activity profile including ER, PR, Bcl-2 and IGF-IR may have potential as selection criterion for letrozole or tamoxifen treatment of patients with advanced breast cancer. *Acta Oncol* 2009;48(4):522-31.

Hutchings M, Barrington SF. PET/CT for therapy response assessment in lymphoma. *J Nucl Med* 2009;50 Suppl 1:21S-30S.

Hunerlitürkoglu AN, Tapprich C, Langer SW, Sehested M, Jensen PB, Heintges T. Successful use of dexamethasone in two cases of anthracycline containing polychemotherapy. *Eur J Clin Med Oncol* 2009;1(1):13-5.

Jakobsen E, Palshof T, Osterlind K, Pilegaard H. Data from a national lung cancer registry contributes to improve outcome and quality of surgery: Danish results. *Eur J Cardiothorac Surg* 2009;35(2):348-52.

Jensen HK, Donskov F, Marcussen N, Nordmark M, Lundbeck F, von der Maase H. Presence of intratumoral neutrophils is an independent prognostic factor in localized renal cell carcinoma. *J Clin Oncol* 2009;27(28):4709-17.

Jensen HK, Donskov F, Nordmark M, Marcussen N, von der Maase H. Increased intratumoral FOXP3-positive regulatory immune cells during interleukin-2 treatment in metastatic renal cell carcinoma. *Clin Cancer Res* 2009;15(3):1052-8.

Jensen SA, Vainer B, Kruhoffer M, Sorensen JB. Microsatellite instability in colorectal cancer and association with thymidylate synthase and dihydropyrimidine dehydrogenase expression. *BMC Cancer* 2009;9:25.

Jessen C, Agerbaek M, von der Maase H. Predictive factors for response and prognostic factors for long-term survival in consecutive, single institution patients with locally advanced and/or metastatic transitional cell carcinoma following cisplatin-based chemotherapy. *Acta Oncol* 2009;48(3):411-7.

Josipovic M, Nystrom H, Kjaer-Kristoffersen F. IMRT in a pregnant patient: how to reduce the fetal dose? *Med Dosim* 2009;34(4):301-10.

Kalm M, Fukuda A, Fukuda H, Ohrfelt A, Lannering B, Bjork-Eriksson T, et al. Transient inflammation in neurogenic regions after irradiation of the developing brain. *Radiat Res* 2009;171(1):66-76.

Kalm M, Lannering B, Bjork-Eriksson T, Blomgren K. Irradiation-induced loss of microglia in the young brain. *J Neuroimmunol* 2009;206(1-2):70-5.

Kjaer-Kristoffersen F, Ohlhues L, Medin J, Korreman S. RapidArc volumetric modulated therapy planning for prostate cancer patients. *Acta Oncol* 2009;48(2):227-32.

Knight JA, Bernstein L, Largent J, Capanu M, Begg CB, Mellemkjaer L, et al. Alcohol intake and cigarette smoking and risk of a contralateral breast cancer: The Women's Environmental Cancer and Radiation Epidemiology Study. *Am J Epidemiol* 2009;169(8):962-8.

Korreman S, Medin J, Kjaer-Kristoffersen F. Dosimetric verification of RapidArc treatment delivery. *Acta Oncol* 2009;48(2):185-91.

Kristensen CA, Notrup TJ, Berthelsen AK, Kjaer-Kristoffersen F, Ravn J, Sorensen JB, et al. Pulmonary toxicity following IMRT after extrapleural pneumonectomy for malignant pleural mesothelioma. *Radiother Oncol* 2009;92(1):96-9.

Kristensen CA. Paranasal sinus and nasal cavity. In: Harari PM, Connor NP, Grau C, eds. *Functional preservation and quality of life in head and neck radiotherapy*. Berlin: Springer Verlag; 2009:75-87.

Kristensen I, Lindh J, Nilsson P, Agrup M, Bergstrom P, Bjork-Eriksson T, et al. Telemedicine as a tool for sharing competence in paediatric radiotherapy: implementation and initial experiences from a Swedish project. *Acta Oncol* 2009;48(1):146-52.

Lajer C, Buchwald C, Nauntofte B, Specht L, Bardow A, Jensdottir T. Erosive potential of saliva stimulating tablets with and without fluoride in irradiated head and neck cancer patients. *Radiother Oncol* 2009;93(3):534-8.

Langer SW, Sehested M, Jensen PB. Anthracycline extravasation: a comprehensive review of experimental and clinical treatments. *Tumori* 2009;95(3):273-82.

Langer SW, Sorensen M. Treatment of small cell lung cancer. In: Hansen H, ed. *Lung Cancer Therapy Annual*. 6th ed. New York: Informa; 2009:91-113.

Lykkesfeldt AE, Henriksen KL, Rasmussen BB, Sasano H, Evans DB, Moller S, et al. In situ aromatase expression in primary tumor is associated with estrogen receptor expression but is not predictive of response to endocrine therapy in advanced breast cancer. *BMC Cancer* 2009;9:185.

Marinis FD, Eberhardt W, Harper PG, Sureda BM, Nackaerts K, Soerensen JB, et al. Bisphosphonate Use in Patients with Lung Cancer and Bone Metastases: Recommendations of a European Expert Panel. *J Thorac Oncol* 2009;4:1280-8.

Midtgård J, Baadsgaard MT, Møller T, Rasmussen B, Quist M, Andersen C, et al. Self-reported physical activity behaviour; exercise motivation and information among Danish adult cancer patients undergoing chemotherapy. *Eur J Oncol Nurs* 2009;13(2):116-21.

Mouridsen H, Giobbie-Hurder A, Goldhirsch A, Thurlimann B, Paridaens R, Smith I, et al. Letrozole therapy alone or in sequence with tamoxifen in women with breast cancer. *N Engl J Med* 2009;361(8):766-76.

Nielsen DL, Andersson M, Kamby C. HER2-targeted therapy in breast cancer. Monoclonal antibodies and tyrosine kinase inhibitors. *Cancer Treat Rev* 2009;35(2):121-36.

Niemann CU, Jurlander J, Daugaard G, Friis-Hansen L. [Multi-facetted clinical presentation of thrombotic thrombocytopenic purpura]. *Ugeskr Laeger* 2009;171(5):340-2.

Pavlidis N, Hansen H, Stahel R. ESMO clinical recommendations: using the easier and faster approach to oncology guidelines. *Ann Oncol* 2009;20 Suppl 4:7-9.

Pedersen AD, Rossen P, Mehlsen MY, Pedersen CG, Zachariae R, von der Maase H. Long-term cognitive function following chemotherapy in patients with testicular cancer. *J Int Neuropsychol Soc* 2009;15(2):296-301.

Pedersen AF, Zachariae R, Jensen AB, Bovbjerg DH, Andersen O, von der Maase H. Psychological stress predicts the risk of febrile episodes in cancer patients during chemotherapy. *Psychother Psychosom* 2009;78(4):258-60.

Poulsen HS, Grunnet K, Sorensen M, Olsen P, Hasselbalch B, Nelausen K, et al. Bevacizumab plus irinotecan in the treatment patients with progressive recurrent malignant brain tumours. *Acta Oncol* 2009;48(1):52-8.

Rabaglio M, Sun Z, Price KN, Castiglione-Gertsch M, Hawle H, Thurlimann B, et al. Bone fractures among postmenopausal patients with endocrine-responsive early breast cancer treated with 5 years of letrozole or tamoxifen in the BIG 1-98 trial. *Ann Oncol* 2009;20(9):1489-98.

Risum S, Hogdall E, Engelholm SA, Fung E, Lomas L, Yip C, et al. A proteomics panel for predicting optimal primary cytoreduction in stage III/IV ovarian cancer. *Int J Gynecol Cancer* 2009;19(9):1535-8.

Risum S, Hogdall C, Markova E, Berthelsen AK, Loft A, Jensen F, et al. Influence of 2-(18F) fluoro-2-deoxy-D-glucose positron emission tomography/computed tomography on recurrent ovarian cancer diagnosis and on selection of patients for secondary cytoreductive surgery. *Int J Gynecol Cancer* 2009;19(4):600-4.

Rosendahl M, Ahlgren J, Andersen J, Bergh J, Blomquist C, Lidbrink E, et al. The risk of amenorrhoea after adjuvant chemotherapy for early stage breast cancer is related to inter-individual variations in chemotherapy-induced leukocyte nadir in young patients: data from the randomised SBG 2000-1 study. *Eur J Cancer* 2009;45(18):3198-204.

Rossen PB, Pedersen AF, Zachariae R, von der Maase H. Health-related quality of life in long-term survivors of testicular cancer. *J Clin Oncol* 2009;27(35):5993-9.

Rørth M, Hansen HH. Medicinsk onkologi. In: Schaffalitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:1925-43.

Rørth M. Neoplaesi. In: Schaffalitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:104-15.

Small W Jr, Du Bois A, Bhatnagar S, Reed N, Pignata S, Potter R, et al. Practice patterns of radiotherapy in endometrial cancer among member groups of the gynecologic cancer intergroup. *Int J Gynecol Cancer* 2009;19(3):395-9.

Sorensen M, Bernhardtsen TG, Hasselbalch B, Poulsen HS, Lassen U. Severe skin lesions in patients with glioblastoma multiforme treated with a combination of cetuximab, bevacizumab, and irinotecan. *Eur J Clin Med Oncol* 2009;1(2):1-3.

Specht L. The history of radiation therapy of lymphomas and description of early trials. In: Armitage JO, Coiffier B, Dalla-Favera R, Harris NL, Mauch PM, eds. Non-Hodgkin's Lymphomas. 2th ed. Baltimore: Lippincott Williams & Wilkins; 2009:12-24.

Sternberg CN, Dumez H, Van Poppel H, Skoneczna I, Sella A, Daugaard G, et al. Docetaxel plus oblimersen sodium (Bcl-2 antisense oligonucleotide): an EORTC multicenter, randomized phase II study in patients with castration-resistant prostate cancer. *Ann Oncol* 2009;20(7):1264-9.

Taheri-Kadkhoda Z, Magnusson B, Svensson M, Mercke C, Bjork-Eriksson T. Expression modes and clinical manifestations of latent membrane protein 1, Ki-67, cyclin-B1, and epidermal growth factor receptor in nonendemic nasopharyngeal carcinoma. *Head Neck* 2009;31(4):482-92.

Terasawa T, Lau J, Bardet S, Couturier O, Hotta T, Hutchings M, et al. Fluorine-18-fluorodeoxyglucose positron emission tomography for interim response assessment of advanced-stage Hodgkin's lymphoma and diffuse large B-cell lymphoma: a systematic review. *J Clin Oncol* 2009;27(11):1906-14.

Thorsen S, Teisner A, Jensen SA, Philips M, Dalhoff K, Bendtsen F. Effect of N-acetylcysteine on the accuracy of the prothrombin time assay of plasma coagulation factor II+VII+X activity in subjects infused with the drug. Influence of time and temperature. *Scand J Clin Lab Invest* 2009;69(6):643-50.

Vilmar A, Sorensen JB. Excision repair cross-complementation group 1 (ERCC1) in platinum-based treatment of non-small cell lung cancer with special emphasis on carboplatin: a review of current literature. *Lung Cancer* 2009;64(2):131-9.

von Minckwitz G, Du Bois A, Schmidt M, Maass N, Cufer T, de Jongh FE, et al. Trastuzumab beyond progression in human epidermal growth factor receptor 2-positive advanced breast cancer: a german breast group 26/breast international group 03-05 study. *J Clin Oncol* 2009;27(12):1999-2006.

Willemoe GL, Hertel PB, Bartels A, Jensen MB, Balslev E, Rasmussen BB, et al. Lack of TIMP-1 tumour cell immunoreactivity predicts effect of adjuvant anthracycline-based chemotherapy in patients (n=647) with primary breast cancer. A Danish Breast Cancer Cooperative Group Study. *Eur J Cancer* 2009;45(14):2528-36.

Zhu C, Huang Z, Gao J, Zhang Y, Wang X, Karlsson N, et al. Irradiation to the immature brain attenuates neurogenesis and exacerbates subsequent hypoxic-ischemic brain injury in the adult. *J Neurochem* 2009;111(6):1447-56.

Zimmerman J, Korreman S, Persson G, Cattell H, Svatos M, Sawant A, et al. DMLC motion tracking of moving targets for intensity modulated arc therapy treatment: a feasibility study. *Acta Oncol* 2009;48(2):245-50.

## Reumatologisk Klinik

### Publikationer

---

#### Disputatser og ph.d.-afhandlinger forsvarer i året

Enevold C. The innate immune system in multiple sclerosis: genetic and functional analyses of pattern recognition receptors (ph.d.-afhandling). København: Eget Forlag; 2009:1-124. Forsvaret den 21/9 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Hedegaard CJ. Characterisation of immune responses to myelin basic protein in health and multiple sclerosis (ph.d.-afhandling). København: Eget Forlag; 1-45. Forsvaret den 19/1 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Sørensen LK. Periodontitis and rheumatoid arthritis - two diseases with similarities and dissimilarities (ph.d.-afhandling). København: Eget Forlag; 2009:1-74. Forsvaret den 23/3 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

#### Videnskabelige artikler

Andersen T, Munthe-Fog L, Garred P, Jacobsen S. Serum levels of ficolin-3 (Hakata antigen) in patients with systemic lupus erythematosus. *J Rheumatol* 2009;36(4):757-9.

Andreassen BU, Paerregaard A, Michaelsen KF, Andersen J, Heilmann CJ, Muller K. Nutrition, anthropometry, gastrointestinal dysfunction, and circulating levels of tumour necrosis factor alpha receptor I and interleukin-1 receptor antagonist in children during stem cell transplantation. *Pediatr Transplant* 2009;13(2):182-7.

Baek SR, Faurschou M, Troelsen L, Schrama D, Jacobsen S, Becker JC, et al. Melanoma inhibitor of apoptosis protein (ML-IAP) specific cytotoxic T lymphocytes cross-react with an epitope from the auto-antigen SS56. *J Invest Dermatol* 2009;129(8):1992-9.

Bartels EM, Dreyer L, Jacobsen S, Jespersen A, Bliddal H, Danneskiold-Samsoe B. [Fibromyalgia, diagnosis and prevalence. Are gender differences explainable?]. *Ugeskr Laeger* 2009;171(49):3588-92.

Bendtzen K, Ainsworth M, Steenholdt C, Thomsen OO, Brynskov J. Individual medicine in inflammatory bowel disease: monitoring bioavailability, pharmacokinetics and immunogenicity of anti-tumour necrosis factor-alpha antibodies. *Scand J Gastroenterol* 2009;44(7):774-81.

Bjornhart B, Juul A, Nielsen S, Zak M, Svenningsen P, Muller K. Cartilage oligomeric matrix protein in patients with juvenile idiopathic arthritis: relation to growth and disease activity. *J Rheumatol* 2009;36(8):1749-54.

Bley TA, Geiger J, Jacobsen S, Wieben O, Markl M, Vaith P, et al. High-resolution MRI for assessment of middle meningeal artery involvement in giant cell arteritis. *Ann Rheum Dis* 2009;68(8):1369-70.

Borch TS, Lobner M, Bendtzen K, Holmstrup P, Nielsen CH. Decreased interleukin-2 responses to Fusobacterium nucleatum and Porphyromonas gingivalis in generalized aggressive periodontitis. *J Periodontol* 2009;80(5):800-7.

Cervera R, Khamashta MA, Shoenfeld Y, Camps MT, Jacobsen S, Kiss E, et al. Morbidity and mortality in the antiphospholipid syndrome during a 5-year period: a multicentre prospective study of 1000 patients. *Ann Rheum Dis* 2009;68(9):1428-32.

de Lemos Rieper C, Galle P, Svenson M, Pedersen BK, Hansen MB. Preparation and validation of radio iodinated recombinant human IL-10 for the measurement of natural human antibodies against IL-10. *J Immunol Methods* 2009;350(1-2):46-53.

Denton CP, Engelhart M, Tvede N, Wilson H, Khan K, Shiwen X, et al. An open-label pilot study of infliximab therapy in diffuse cutaneous systemic sclerosis. *Ann Rheum Dis* 2009;68(9):1433-9.

Dreyer L, Mellemkjaer L, Hetland ML. [Cancer in arthritis patients after anti-tumour necrosis factor therapy]. *Ugeskr Laeger* 2009;171(7):506-11.

El Fassi D, Banga JP, Gilbert JA, Padoa C, Hegedus L, Nielsen CH. Treatment of Graves' disease with rituximab specifically reduces the production of thyroid stimulating autoantibodies. *Clin Immunol* 2009;130(3):252-8.

Enevold C, Oturai AB, Sorensen PS, Ryder LP, Koch-Henriksen N, Bendtzen K. Multiple sclerosis and polymorphisms of innate pattern recognition receptors TLR1-10, NOD1-2, DDX58, and IFIH1. *J Neuroimmunol* 2009;212(1-2):125-31.

Fabricius S, Fogh H, Jemec GB, Baslund B, Agner T. Widespread *Mycobacterium marinum* infection. *Acta Derm Venereol* 2009;89(1):91-2.

Faurschou M, Penkowa M, Andersen CB, Starklint H, Jacobsen S. Renal cell apoptosis in human lupus nephritis: a histological study. *Lupus* 2009;18(11):994-9.

Faurschou M, Mellemkjaer L, Sorensen IJ, Svalgaard TB, Dreyer L, Baslund B. Increased morbidity from ischemic heart disease in patients with Wegener's granulomatosis. *Arthritis Rheum* 2009;60(4):1187-92.

Faurschou M, Mellemkjaer L, Sorensen IJ, Thomsen BS, Dreyer L, Baslund B. Cancer preceding Wegener's granulomatosis: a case-control study. *Rheumatology (Oxford)* 2009;48(4):421-4.

Fisman S, Hedberg A, Fenton KA, Jacobsen S, Krarup E, Kamper AL, et al. Circulating chromatin-anti-chromatin antibody complexes bind with high affinity to dermo-epidermal structures in murine and human lupus nephritis. *Lupus* 2009;18(7):597-607.

Flossmann O, Baslund B, Bruchfeld A, Cohen Tervaert JW, Hall C, Heinzel P, et al. Deoxyspergualin in relapsing and refractory Wegener's granulomatosis. *Ann Rheum Dis* 2009;68(7):1125-30.

Fosbol EL, Gislason GH, Jacobsen S, Folke F, Hansen ML, Schramm TK, et al. Risk of myocardial infarction and death associated with the use of nonsteroidal anti-inflammatory drugs (NSAIDs) among healthy individuals: a nationwide cohort study. *Clin Pharmacol Ther* 2009;85(2):190-7.

Hedegaard CJ, Chen N, Sellebjerg F, Sorensen PS, Leslie RG, Bendtzen K, et al. Autoantibodies to myelin basic protein (MBP) in healthy individuals and in patients with multiple sclerosis: a role in regulating cytokine responses to MBP. *Immunology* 2009;128(1 Suppl):e451-e461.

Henriksen M, Lund H, Christensen R, Jespersen A, Dreyer L, Bennett RM, et al. Relationships between the fibromyalgia impact questionnaire, tender point count, and muscle strength in female patients with fibromyalgia: a cohort study. *Arthritis Rheum* 2009;61(6):732-9.

Hesse D, Frederiksen JL, Koch-Henriksen N, Schreiber K, Stenager E, Heltberg A, et al. Methylprednisolone does not restore biological response in multiple sclerosis patients with neutralizing antibodies against interferon-beta. *Eur J Neurol* 2009;16(1):43-7.

Hetland ML, Ejbjerg B, Horslev-Petersen K, Jacobsen S, Vestergaard A, Jurik AG, et al. MRI bone oedema is the strongest predictor of subsequent radiographic progression in early rheumatoid arthritis. Results from a 2-year randomised controlled trial (CIMESTRA). *Ann Rheum Dis* 2009;68(3):384-90.

Hetland ML, Christensen IJ, Tarp U, Dreyer L, Hansen A, Hansen IT, et al. Direct comparison of treatment responses, remission rates, and drug adherence in patients with rheumatoid arthritis treated with adalimumab, etanercept, or infliximab: Results from eight years of surveillance of clinical practice in the nationwide Danish DANBIO registry. *Arthritis Rheum* 2009;62(1):22-32.

Jacobsen S, Garred P, Madsen HO, Heegaard NH, Hetland ML, Stengaard-Pedersen K, et al. Mannose-binding lectin gene polymorphisms are associated with disease activity and physical disability in untreated, anti-cyclic citrullinated peptide-positive patients with early rheumatoid arthritis. *J Rheumatol* 2009;36(4):731-5.

Jurgens G, Hoegberg LC, Graudal NA. The effect of activated charcoal on drug exposure in healthy volunteers: a meta-analysis. *Clin Pharmacol Ther* 2009;85(5):501-5.

Juul-Kristensen B, Kristensen JH, Frausing B, Jensen DV, Rogind H, Remvig L. Motor competence and physical activity in 8-year-old school children with generalized joint hypermobility. *Pediatrics* 2009;124(5):1380-7.

Kallberg H, Jacobsen S, Bengtsson C, Pedersen M, Padyukov L, Garred P, et al. Alcohol consumption is associated with decreased risk of rheumatoid arthritis: results from two Scandinavian case-control studies. *Ann Rheum Dis* 2009;68(2):222-7.

Koch-Henriksen N, Sorensen PS, Bendtzen K, Flachs EM. The clinical effect of neutralizing antibodies against interferon-beta is independent of the type of interferon-beta used for patients with relapsing-remitting multiple sclerosis. *Mult Scler* 2009;15(5):601-5.

Larsen S, Bendtzen K, Nielsen OH. [Extraintestinal manifestations in inflammatory bowel disease]. *Ugeskr Laeger* 2009;171(43):3078-83.

Lobner M, Leslie RG, Prodinger WM, Nielsen CH. Spontaneous complement activation on human B cells results in localized membrane depolarization and the clustering of complement receptor type 2 and C3 fragments. *Immunology* 2009;128(1 Suppl):e661-e669.

Madsen OR, Terslev L, Tarp U, Jacobsen S, Ostergaard M. [Continuous quick development of rheumatology]. *Ugeskr Laeger* 2009;171(13):1092.

Nielsen CH, Brix TH, Leslie RG, Hegedus L. A role for autoantibodies in enhancement of pro-inflammatory cytokine responses to a self-antigen, thyroid peroxidase. *Clin Immunol* 2009;133(2):218-27.

Nielsen JF, El FD, Nielsen CH, Hegedus L, Lauer SA, Silkiss RZ, et al. Evidence of orbital B and T cell depletion after rituximab therapy in Graves' ophthalmopathy. *Acta Ophthalmol* 2009;87(8):927-9.

Radstake TR, Svenson M, Eijsbouts AM, van den Hoogen FH, Enevold C, van Riel PL, et al. Formation of antibodies against infliximab and adalimumab strongly correlates with functional drug levels and clinical responses in rheumatoid arthritis. *Ann Rheum Dis* 2009;68(11):1739-45.

Ravnborg M, Bendtzen K, Christensen O, Jensen PE, Hesse D, Tovey MG, et al. Treatment with azathioprine and cyclic methylprednisolone has little or no effect on bioactivity in anti-interferon beta antibody-positive patients with multiple sclerosis. *Mult Scler* 2009;15(3):323-8.

Remvig L, Duhn PH, Ullman S, Kobayashi T, Hansen B, Juul-Kristensen B, et al. Skin extensibility and consistency in patients with Ehlers-Danlos syndrome and benign joint hypermobility syndrome. *Scand J Rheumatol* 2009;38(3):227-30.

Soborg B, Ruhwald M, Hetland ML, Jacobsen S, Andersen AB, Milman N, et al. Comparison of screening procedures for *Mycobacterium tuberculosis* infection among patients with inflammatory diseases. *J Rheumatol* 2009;36(9):1876-84.

Sorensen LK, Havemose-Poulsen A, Bendtzen K, Holmstrup P. Aggressive periodontitis and chronic arthritis: blood mononuclear cell gene expression and plasma protein levels of cytokines and cytokine inhibitors. *J Periodontol* 2009;80(2):282-9.

## Strålebiologisk Laboratorium

### Publikationer

---

#### Videnskabelige artikler

Andersen P, Villingshoj M, Poulsen HS, Stockhausen MT. Improved response by co-targeting EGFR/EGFRvIII and Src family kinases in human cancer cells. *Cancer Invest* 2009;27(2):178-83.

Denholt CL, Hansen PR, Pedersen N, Poulsen HS, Gillings N, Kjaer A. Identification of novel peptide ligands for the cancer-specific receptor mutation EGFRvIII using a mixture-based synthetic combinatorial library. *Biopolymers* 2009;91(3):201-6.

Poulsen HS, Grunnet K, Sorensen M, Olsen P, Hasselbalch B, Nelausen K, et al. Bevacizumab plus irinotecan in the treatment patients with progressive recurrent malignant brain tumours. *Acta Oncol* 2009;48(1):52-8.

# Hjertecentret

---

## Hjertemedicinsk Klinik B

### Publikationer

---

#### Disputatser og ph.d.-afhandlinger forsvaret i året

Dalsgaard M. Left atrial volume in patients with aortic stenosis (ph.d.-afhandling). København: Eget Forlag; 2009:1-139. Forsvaret den 27/11 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Moller DV. Genetics of idiopathic dilated cardiomyopathy (ph.d.-afhandling). København: Eget Forlag; 2009:1-114. Forsvaret den 13/3 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Smajilovic S. Calcium-sensing receptor and calcimimetics in the cardiovascular system (ph.d.-afhandling). København: Eget Forlag; 2009:1-73. Forsvaret den 26/6 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Thune JJ. Global peak longitudinal systolic strain rate following acute coronary syndrome (ph.d.-afhandling). København: Eget Forlag; 2009:1-85. Forsvaret den 10/10 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

#### Videnskabelige artikler

Abdulla J, Sivertsen J, Kofoed KF, Alkadhi H, LaBounty T, Abildstrom SZ, et al. Quantification of aortic valve stenosis with cardiac multi-slice computed tomography compared with echocardiography. A systematic review and meta-analysis. *J Heart Valve Disease* 2009;18:634-43.

Alexander JH, Becker RC, Bhatt DL, Cools F, Crea F, Dellborg M, et al. Apixaban, an oral, direct, selective factor Xa inhibitor, in combination with antiplatelet therapy after acute coronary syndrome: results of the Apixaban for Prevention of Acute Ischemic and Safety Events (APPRAISE) trial. *Circulation* 2009;119(22):2877-85.

Andersen M, Videbaek R, Boesgaard S, Sander K, Hansen PB, Gustafsson F. Incidence of ventricular arrhythmias in patients on long-term support with a continuous-flow assist device (HeartMate II). *J Heart Lung Transplant* 2009;28(7):733-5.

Andersen PS, Havndrup O, Hougs L, Sorensen KM, Jensen M, Larsen LA, et al. Diagnostic yield, interpretation, and clinical utility of mutation screening of sarcomere encoding genes in Danish hypertrophic cardiomyopathy patients and relatives. *Hum Mutat* 2009;30(3):363-70.

Andersen SE, Kjaergaard J. [Control charts--a useful graphical tool for the analysis of process variation over time]. *Ugeskr Laeger* 2009;171(11):895-8.

Andersen SS, Hansen ML, Gislason GH, Schramm TK, Folke F, Fosbol E, et al. Antiarrhythmic therapy and risk of death in patients with atrial fibrillation: a nationwide study. *Europace* 2009;11(7):886-91.

Andersen SS, Hansen ML, Gislason GH, Folke F, Schramm TK, Fosbol E, et al. Mortality and reinfarction among patients using different beta-blockers for secondary prevention after a myocardial infarction. *Cardiology* 2009;112(2):144-50.

Andersson C, Weeke P, Brendorp B, Kober L, Fosbol EL, Sharma AM, et al. Differential changes in serum uric acid concentrations in sibutramine promoted weight loss in diabetes: results from four weeks of the lead-in period of the SCOUT trial. *Nutr Metab (Lond)* 2009;6:42.

Andersson C, Weeke P, Fosbol EL, Brendorp B, Kober L, Coutinho W, et al. Acute effect of weight loss on levels of total bilirubin in obese, cardiovascular high-risk patients: an analysis from the lead-in period of the Sibutramine Cardiovascular Outcome trial. *Metabolism* 2009;58(8):1109-15.

Andreassen M, Kistorp C, Raymond I, Hildebrandt P, Gustafsson F, Kristensen LO, et al. Plasma insulin-like growth factor I as predictor of progression and all cause mortality in chronic heart failure. *Growth Horm IGF Res* 2009;19(6):486-90.

Aplin M, Bonde MM, Hansen JL. Molecular determinants of angiotensin II type 1 receptor functional selectivity. *J Mol Cell Cardiol* 2009;46(1):15-24.

Atar D, Petzelbauer P, Schwitter J, Huber K, Rensing B, Kasprzak JD, et al. Effect of intravenous FX06 as an adjunct to primary percutaneous coronary intervention for acute ST-segment elevation myocardial infarction results of the F.I.R.E. (Efficacy of FX06 in the Prevention of Myocardial Reperfusion Injury) trial. *J Am Coll Cardiol* 2009;53(8):720-9.

Atar D, Carmena R, Clemmensen P, Laflamme A, Wassmann S, Lansberg P, et al. Clinical review: impact of statin substitution policies on patient outcomes. *Ann Med* 2009;41(4):242-56.

Bang LE, Wiinberg N. [Blood pressure measurement]. *Ugeskr Laeger* 2009;171(24):2001-4.

Belmaati E, Jensen C, Kofoed KF, Iversen M, Steffensen I, Nielsen MB. Primary graft dysfunction; possible evaluation by high resolution computed tomography, and suggestions for a scoring system. *Interact Cardiovasc Thorac Surg* 2009;9(5):859-67.

Berg RM, Brendorp B, Kristensen T, Helvind M, Helqvist S. Acute myocardial infarction and syncope in an 18-year-old athlete with an abnormal origin of the left coronary artery: a case report. *Cases J* 2009;2:8142.

Boesgaard S, Hassager C. Invasiv hæmodynamisk monitorering ved sygesengen. In: Schaffalitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:976-9.

Boesgaard S, Hassager C. Kardiogent lungeødem. In: Schaffalitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:1098-101.

Boesgaard S, Hassager C. Kardiogent shock. In: Schaffalitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:1101-6.

Boesgaard S. Hjertetransplantation. In: Schaffalitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:1198-203.

Boesgaard S, Gustafsson F. Behandlingsstrategier i horisonten. In: Hildebrandt P, Gustafsson F, eds. Hjertesvigt i klinisk praksis. 1st ed. København: Munksgaard Danmark; 2009:253-8.

Boman K, Gerdts E, Wachtell K, Dahlöf B, Nieminen MS, Olofsson M, et al. Exercise and cardiovascular outcomes in hypertensive patients in relation to structure and function of left ventricular hypertrophy: the LIFE study. *Eur J Cardiovasc Prev Rehabil* 2009;16(2):242-8.

Bretler DM, Jorgensen CH, Olesen JB, Gislason GH, Hansen PR. [Peripartum cardiomyopathy]. *Ugeskr Laeger* 2009;171(1-2):53-5.

Bro-Jeppesen J, Kjaergaard J, Horsted TI, Wanscher MC, Nielsen SL, Rasmussen LS, et al. The impact of therapeutic hypothermia on neurological function and quality of life after cardiac arrest. *Resuscitation* 2009;80(2):171-6.

Buchholtz K, Larsen CT, Hassager C, Bruun NE. In infectious endocarditis patients mortality is highly related to kidney function at time of diagnosis: a prospective observational cohort study of 231 cases. *Eur J Intern Med* 2009;20(4):407-10.

Buchholtz K, Larsen CT, Hassager C, Bruun NE. Severity of gentamicin's nephrotoxic effect on patients with infective endocarditis: a prospective observational cohort study of 373 patients. *Clin Infect Dis* 2009;48(1):65-71.

Bundgaard H, Kober L. Myokardiets sygdomme. In: Schaffalitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:1058-72.

Bundgaard H, Haunsø S. Genetisk udredning af familier med arvelig hjertesygdom. In: Schaffalitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:1203-6.

Burton CM, Iversen M, Carlsen J, Mortensen J, Andersen CB, Steinbruchel D, et al. Acute cellular rejection is a risk factor for bronchiolitis obliterans syndrome independent of post-transplant baseline FEV1. *J Heart Lung Transplant* 2009;28(9):888-93.

Busk M, Kristensen SD, Rasmussen K, Kelbaek H, Thayssen P, Madsen JK, et al. Clinical reinfarction according to infarct location and reperfusion modality in patients with ST elevation myocardial infarction. A DANAMI-2 long-term follow-up substudy. *Cardiology* 2009;113(1):72-80.

Busk M, Maeng M, Kristensen SD, Thuesen L, Krusell LR, Mortensen LS, et al. Timing, causes, and predictors of death after three years' follow-up in the Danish Multicenter Randomized Study of Fibrinolysis versus Primary Angioplasty in Acute Myocardial Infarction (DANAMI-2) trial. *Am J Cardiol* 2009;104(2):210-5.

Carlsen J. Pulmonary hypertension, cor pulmonale og lungeemboli. In: Schaffalitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:1180-91.

Chinali M, Aurigemma GP, de Simone G, Mishra RK, Gerdts E, Wachtell K, et al. Mitral E wave deceleration time to peak E velocity ratio and cardiovascular outcome in hypertensive patients during antihypertensive treatment (from the LIFE echo-substudy). *Am J Cardiol* 2009;104(8):1098-104.

Christensen AH, Benn M, Tybjaerg-Hansen A, Haunso S, Svendsen JH. Missense Variants in Plakophilin-2 in Arrhythmogenic Right Ventricular Cardiomyopathy Patients - Disease-Causing or Innocent Bystanders? *Cardiology* 2009;115(2):148-54.

Christophersen IE, Ravn LS, Budtz-Joergensen E, Skytthe A, Haunsoe S, Svendsen JH, et al. Familial aggregation of atrial fibrillation: a study in Danish twins. *Circ Arrhythm Electrophysiol* 2009;2(4):378-83.

Clemmensen P, Haunsø S. Iskæmisk hjertesygdom. In: Schaffalitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:979-83.

Clemmensen P, Grande P. Akut koronart syndrom (AKS). In: Schaffalitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:999-1014.

Cramariuc D, Cioffi G, Rieck AE, Devereux RB, Staal EM, Ray S, et al. Low-flow aortic stenosis in asymptomatic patients: valvular-arterial impedance and systolic function from the SEAS Substudy. *JACC Cardiovasc Imaging* 2009;2(4):390-9.

Dahlerup JF, Boesgaard S, Bonde J, Hansen K, Pedersen C. Den akut svært syge patient. In: Schaffalitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:185-211.

Dalsgaard M, Kjaergaard J, Pecini R, Iversen KK, Kober L, Moller JE, et al. Left ventricular filling pressure estimation at rest and during exercise in patients with severe aortic valve stenosis: comparison of echocardiographic and invasive measurements. *J Am Soc Echocardiogr* 2009;22(4):343-9.

Damgaard S, Wetterslev J, Lund JT, Lilleor NB, Perko MJ, Kelbaek H, et al. One-year results of total arterial revascularization vs. conventional coronary surgery: CARRPO trial. *Eur Heart J* 2009;30(8):1005-11.

Daubert C, Gold MR, Abraham WT, Ghio S, Hassager C, Goode G, et al. Prevention of disease progression by cardiac resynchronization therapy in patients with asymptomatic or mildly symptomatic left ventricular dysfunction: insights from the European cohort of the REVERSE (Resynchronization Reverses Remodeling in Systolic Left Ventricular Dysfunction) trial. *J Am Coll Cardiol* 2009;54(20):1837-46.

de Simone G, Okin PM, Gerdts E, Olsen MH, Wachtell K, Hille DA, et al. Clustered metabolic abnormalities blunt regression of hypertensive left ventricular hypertrophy: the LIFE study. *Nutr Metab Cardiovasc Dis* 2009;19(9):634-40.

Dominguez H, Schramm TK, Norgaard ML, Abildstrom SZ, Kober L, Jorgensen C, et al. Initiation and persistence to statin treatment in patients with diabetes receiving glucose-lowering medications. *Open Cardiovasc Med J* 2009;3:152-9.

Egeblad H, Kober L. Hjerteklapfejl. In: Schaffalitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:1028-47.

Engstrom T. Invasiv kardiologi. In: Schaffalitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:969-75.

Erglis A, Kumsars I, Niemela M, Kervinen K, Maeng M, Lassen JF, et al. Randomized comparison of coronary bifurcation stenting with the crush versus the culotte technique using sirolimus eluting stents: the Nordic stent technique study. *Circ Cardiovasc Interv* 2009;2(1):27-34.

Eskola MJ, Nikus KC, Holmvang L, Sclarovsky S, Tilsted HH, Huhtala H, et al. Value of the 12-lead electrocardiogram to define the level of obstruction in acute anterior wall myocardial infarction: correlation to coronary angiography and clinical outcome in the DANAMI-2 trial. *Int J Cardiol* 2009;131(3):378-83.

Folke F, Lippert FK, Nielsen SL, Gislason GH, Hansen ML, Schramm TK, et al. Location of cardiac arrest in a city center: strategic placement of automated external defibrillators in public locations. *Circulation* 2009;120(6):510-7.

Fosbol EL, Gislason GH, Poulsen HE, Hansen ML, Folke F, Schramm TK, et al. Prognosis in heart failure and the value of  $\beta$ -blockers are altered by the use of antidepressants and depend on the type of antidepressants used. *Circ Heart Fail* 2009;2(6):582-90.

Fosbol EL, Gislason GH, Jacobsen S, Folke F, Hansen ML, Schramm TK, et al. Risk of myocardial infarction and death associated with the use of nonsteroidal anti-inflammatory drugs (NSAIDs) among healthy individuals: a nationwide cohort study. *Clin Pharmacol Ther* 2009;85(2):190-7.

Freiberg JJ, Dahl M, Tybjaerg-Hansen A, Grande P, Nordestgaard BG. Leukotriene C4 synthase and ischemic cardiovascular disease and obstructive pulmonary disease in 13,000 individuals. *J Mol Cell Cardiol* 2009;46(4):579-86.

Gerdts E, Franklin S, Rieck A, Papademetriou V, Wachtell K, Nieminen M, et al. Pulse pressure, left ventricular function and cardiovascular events during antihypertensive treatment (the LIFE study). *Blood Press* 2009;1-7.

Gerds E, Okin PM, Omvik P, Wachtell K, Dahlof B, Hildebrandt P, et al. Impact of diabetes on treatment-induced changes in left ventricular structure and function in hypertensive patients with left ventricular hypertrophy. The LIFE study. *Nutr Metab Cardiovasc Dis* 2009;19(5):306-12.

Gislason GH, Rasmussen JN, Abildstrom SZ, Schramm TK, Hansen ML, Fosbol EL, et al. Increased mortality and cardiovascular morbidity associated with use of nonsteroidal anti-inflammatory drugs in chronic heart failure. *Arch Intern Med* 2009;169(2):141-9.

Gislason GH. NSAIDs and cardiovascular risk. *Am Fam Physician* 2009;80(12):1366.

Gottschalk M, Bach A, Hansen JL, Krogsbaard-Larsen P, Kristensen AS, Stromgaard K. Detecting protein-protein interactions in living cells: development of a bioluminescence resonance energy transfer assay to evaluate the PSD-95/NMDA receptor interaction. *Neurochem Res* 2009;34(10):1729-37.

Graff C, Matz J, Christensen EB, Andersen MP, Kanters JK, Toft E, et al. Quantitative analysis of T-wave morphology increases confidence in drug-induced cardiac repolarization abnormalities: evidence from the investigational IKr inhibitor Lu 35-138. *J Clin Pharmacol* 2009;49(11):1331-42.

Grande P. Stum iskæmi. In: Schaffalitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:994-5.

Gustafsson F, Ross HJ. Renal-sparing strategies in cardiac transplantation. *Curr Opin Organ Transplant* 2009;14(5):566-70.

Gustafsson F, Barth D, Delgado DH, Nsouli M, Sheedy J, Ross HJ. The impact of everolimus versus mycophenolate on blood and lymphocyte cyclosporine exposure in heart-transplant recipients. *Eur J Clin Pharmacol* 2009;65(7):659-65.

Gustafsson F, Schou M, Videbaek L, Dridi N, Ryde H, Handberg J, et al. Incidence and predictors of hospitalization or death in patients managed in multidisciplinary heart failure clinics. *Eur J Heart Fail* 2009;11(4):413-9.

Gustafsson F, Boesgaard S. Interventionel og kirurgisk behandling af hjertesvigt. In: Hildebrandt P, Gustafsson F, eds. *Hjertesvigt i klinisk praksis*. 1st ed. København: Munksgaard Danmark; 2009:183-204.

Gustafsson F, Galatius S. Non-farmakologisk behandling. Kost, motion og generel rådgivning. In: Hildebrandt P, Gustafsson F, eds. *Hjertesvigt i klinisk praksis*. 1st ed. København: Munksgaard Danmark; 2009:205-18.

Gustafsson F, Hildebrandt P. Specielle problemer hos hjertesvigtpatienter. Kommenterede sygehistorier. In: Hildebrandt P, Gustafsson F, eds. *Hjertesvigt i klinisk praksis*. 1st ed. København: Munksgaard Danmark; 2009:219-33.

Gustafsson F, Galatius S, Hildebrandt P. Organisation af behandlingen. Hjertesvigtklinikker. In: Hildebrandt P, Gustafsson F, eds. *Hjertesvigt i klinisk praksis*. 1st ed. København: Munksgaard Danmark; 2009:235-47.

Gutte H, Mortensen J, Jensen CV, Johnbeck CB, von der Recke P, Petersen CL, et al. Detection of pulmonary embolism with combined ventilation-perfusion SPECT and low-dose CT: head-to-head comparison with multidetector CT angiography. *J Nucl Med* 2009;50(12):1987-92.

Habib G, Hoen B, Tornos P, Thuny F, Prendergast B, Vilacosta I, et al. Guidelines on the prevention, diagnosis, and treatment of infective endocarditis (new version 2009): the Task Force on the Prevention, Diagnosis, and Treatment of Infective Endocarditis of the European Society of Cardiology (ESC). *Eur Heart J* 2009;30(19):2369-413.

Hammer-Hansen S, Kofoed KF, Kelbaek H, Kristensen T, Kuhl JT, Thune JJ, et al. Volumetric evaluation of coronary plaque in patients presenting with acute myocardial infarction or stable angina pectoris-a multislice computerized tomography study. *Am Heart J* 2009;157(3):481-7.

Hansen HS, Bøtker HE, Haunsø S. Kronisk stabil angina pectoris. In: Schaffalitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:983-94.

Hansen J, Svendsen JH. Hypotensio arterialis, ortostatisk hypotension og synkope. In: Schaffalitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:1300-6.

Hansen JL, Hansen JT, Speerschneider T, Lyngso C, Erikstrup N, Burstein ES, et al. Lack of evidence for AT1R/B2R heterodimerization in COS-7, HEK293, and NIH3T3 cells: how common is the AT1R/B2R heterodimer? *J Biol Chem* 2009;284(3):1831-9.

Hansen KB, Naur P, Kurtkaya NL, Kristensen AS, Gajhede M, Kastrup JS, et al. Modulation of the dimer interface at ionotropic glutamate-like receptor delta2 by D-serine and extracellular calcium. *J Neurosci* 2009;29(4):907-17.

Hansen ML, Gadsbøll N, Rasmussen S, Gislason GH, Folke F, Andersen SS, et al. Clinical consequences of hospital variation in use of oral anticoagulant therapy after first-time admission for atrial fibrillation. *J Intern Med* 2009;265(3):335-44.

Hassager C. Traumatiske hjertesygdomme. In: Schaffalitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:1191-2.

Hassager C, Kjeldsen K. Almen kirurgi hos patienter med hjertesygdom. In: Schaffalitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:1194-8.

Haunsø S. Generelt om hjertesygdomme. In: Schaffalitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:908-10.

Haunsø S. Undersøgelsesmetoder. In: Schaffalitzky de Muckadell OB, Haunsø SVH, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:911-21.

Haunsø S. Elektrokardiografi. In: Schaffalitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:921-40.

Haunsø S. Kørekort og hjertekarsygdom. In: Schaffalitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:1206-7.

Hawkins NM, Huang Z, Pieper KS, Solomon SD, Kober L, Velazquez EJ, et al. Chronic obstructive pulmonary disease is an independent predictor of death but not atherosclerotic events in patients with myocardial infarction: analysis of the Valsartan in Acute Myocardial Infarction Trial (VALIANT). *Eur J Heart Fail* 2009;11(3):292-8.

Henningsen KM, Therkelsen SK, Johansen JS, Bruunsgaard H, Svendsen JH. Plasma YKL-40, a new biomarker for atrial fibrillation? *Europace* 2009;11(8):1032-6.

Henningsen KM, Therkelsen SK, Bruunsgaard H, Krabbe KS, Pedersen BK, Svendsen JH. Prognostic impact of hs-CRP and IL-6 in patients with persistent atrial fibrillation treated with electrical cardioversion. *Scand J Clin Lab Invest* 2009;69(3):425-32.

Hildebrandt P, Gustafsson F, Egstrup K. Diagnostik ved hjertesvigt. In: Hildebrandt P, Gustafsson F, eds. Hjertesvigt i klinisk praksis. 1st ed. København: Munksgaard Danmark; 2009:95-122.

Hildebrandt P, Gustafsson F. Hjertesvigt og almen praksis. In: Hildebrandt P, Gustafsson F, eds. Hjertesvigt i klinisk Praksis. 1st ed. København: Munksgaard Danmark; 2009:249-52.

Ho CY, Carlsen C, Thune JJ, Havndrup O, Bundgaard H, Farrohi F, et al. Echocardiographic strain imaging to assess early and late consequences of sarcomere mutations in hypertrophic cardiomyopathy. *Circ Cardiovasc Genet* 2009;2(4):314-21.

Hofsten DE, Logstrup BB, Moller JE, Pellikka PA, Egstrup K. Abnormal glucose metabolism in acute myocardial infarction: influence on left ventricular function and prognosis. *JACC Cardiovasc Imaging* 2009;2(5):592-9.

Holst AG, Calloe K, Jespersen T, Cedergreen P, Winkel BG, Jensen HK, et al. A Novel SCN5A Mutation in a Patient with Coexistence of Brugada Syndrome Traits and Ischaemic Heart Disease. *Case Report Med* 2009;2009:963645.

Hornum M, Iversen M, Steffensen I, Hovind P, Carlsen J, Andersen LW, et al. Rapid decline in 51Cr-EDTA measured renal function during the first weeks following lung transplantation. *Am J Transplant* 2009;9(6):1420-6.

Iversen KK, Dalsgaard M, Teisner AS, Schoos M, Teisner B, Nielsen H, et al. Usefulness of pregnancy-associated plasma protein a in patients with acute coronary syndrome. *Am J Cardiol* 2009;104(11):1465-71.

Iversen KK, Teisner AS, Teisner B, Kliem A, Thanning P, Nielsen H, et al. Pregnancy associated plasma protein A, a potential marker for vulnerable plaque in patients with non-ST-segment elevation acute coronary syndrome. *Clin Biochem* 2009;42(9):828-34.

Iversen M, Nilsson F, Sipponen J, Eiskjaer H, Mared L, Bergan S, et al. Cyclosporine C2 levels have impact on incidence of rejection in de novo lung but not heart transplant recipients: the NOCTURNE study. *J Heart Lung Transplant* 2009;28(9):919-26.

Iversen M, Dirksen A. Interstitielle lungesygdomme. In: Schaffalitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:1395-413.

Jayroe JB, Spodick DH, Nikus K, Madias J, Fiol M, de Luna AB, et al. Differentiating ST elevation myocardial infarction and nonischemic causes of ST elevation by analyzing the presenting electrocardiogram. *Am J Cardiol* 2009;103(3):301-6.

Jensen AS, Iversen K, Vejlstrup NG, Hansen PB, Sondergaard L. [Eisenmenger syndrome]. *Ugeskr Laeger* 2009;171(15):1270-5.

Jensen HH, Sogaard K, Grande P, Langhoff-Roos J. [Thrombolytic therapy in pregnant woman with pulmonary embolism]. *Ugeskr Laeger* 2009;171(21):1776-8.

Jensen LO, Maeng M, Mintz GS, Christiansen EH, Hansen KN, Galloe A, et al. Serial intravascular ultrasound analysis of peri-stent remodeling and proximal and distal edge effects after sirolimus-eluting or paclitaxel-eluting stent implantation in patients with diabetes mellitus. *Am J Cardiol* 2009;103(8):1083-8.

Jons C, Hansen PS, Johannessen A, Hindricks G, Raatikainen P, Kongstad O, et al. The Medical ANtiarrhythmic Treatment or Radiofrequency Ablation in Paroxysmal Atrial Fibrillation (MANTRA-PAF) trial: clinical rationale, study design, and implementation. *Europace* 2009;11(7):917-23.

Jorgensen E, Helqvist S, Klovgaard L, Kastrup J, Clemmensen P, Holmvang L, et al. Restenosis in coronary bare metal stents. Importance of time to follow-up: a comparison of coronary angiograms 6 months and 4 years after implantation. *Scand Cardiovasc J* 2009;43(2):87-93.

Kaltoft A, Nielsen SS, Terkelsen CJ, Bottcher M, Lassen JF, Krusell LR, et al. Scintigraphic evaluation of routine filterwire distal protection in percutaneous coronary intervention for acute ST-segment elevation myocardial infarction: a randomized controlled trial. *J Nucl Cardiol* 2009;16(5):784-91.

Kastrup J, Johansen JS, Winkel P, Hansen JF, Hildebrandt P, Jensen GB, et al. High serum YKL-40 concentration is associated with cardiovascular and all-cause mortality in patients with stable coronary artery disease. *Eur Heart J* 2009;30(9):1066-72.

Kjaergaard J, Iversen KK, Akkan D, Moller JE, Kober LV, Torp-Pedersen C, et al. Predictors of right ventricular function as measured by tricuspid annular plane systolic excursion in heart failure. *Cardiovasc Ultrasound* 2009;7:51.

Kjaergaard J, Bro-Jeppesen J, Rasmussen LS, Nielsen SL, Folke F, Lippert F, et al. [Differences between hospitals in prognosis after resuscitated out-of-hospital cardiac arrest patients]. *Ugeskr Laeger* 2009;171(26):2169-73.

Kjaergaard J, Schaadt BK, Lund JO, Hassager C. Prognostic importance of quantitative echocardiographic evaluation in patients suspected of first non-massive pulmonary embolism. *Eur J Echocardiogr* 2009;10(1):89-95.

Kjaergaard M, Andersen S, Holten M, Mulvad G, Kjaergaard JJ. Low occurrence of ischemic heart disease among Inuit around 1963 suggested from ECG among 1851 East Greenland Inuit. *Atherosclerosis* 2009;203(2):599-603.

Kjekshus JK, Torp-Pedersen C, Gullestad L, Kober L, Edvardsen T, Olsen IC, et al. Effect of piboserod, a 5-HT4 serotonin receptor antagonist, on left ventricular function in patients with symptomatic heart failure. *Eur J Heart Fail* 2009;11(8):771-8.

Kjeld T, Hassager C, Hjortdal VE. [Rupture of free left ventricle wall, septum and papillary muscle in acute myocardial infarction]. *Ugeskr Laeger* 2009;171(23):1925-9.

Kjeldsen K, Høiby N, Egeblad H. Infektiøs endokardit. In: Schaffalitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. 71th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:1047-57.

Kjeldsen K, Haunsø S. Problemorienteret diagnostik. In: Schaffalitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:1208-14.

Klco JM, Sen S, Hansen JL, Lyngso C, Nikiforovich GV, Sheikh SP, et al. Complement factor 5a receptor chimeras reveal the importance of lipid-facing residues in transport competence. *FEBS J* 2009;276(10):2786-800.

Klovaite J, Gustafsson F, Mortensen SA, Sander K, Nielsen LB. Severely impaired von Willebrand factor-dependent platelet aggregation in patients with a continuous-flow left ventricular assist device (HeartMate II). *J Am Coll Cardiol* 2009;53(23):2162-7.

Kober L, Hassager C. Perikardiets sygdomme. In: Schaffalitzky de Muckadell OB, Haunsø S, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:1073-81.

Kober L, Boesgaard S. Kronisk Hjerteinsufficiens. In: Schaffalitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:1081-97.

Kofoed KF, Madsen PL. [Picture of the month: ALCAPA]. *Ugeskr Laeger* 2009;171(19):1610.

Kristensen TS, Kofoed KF, Moller DV, Ersboll M, Kuhl T, von der Recke P, et al. Quantitative assessment of left ventricular systolic wall thickening using multidetector computed tomography. *Eur J Radiol* 2009;72(1):92-7.

Kristensen TS, Kofoed KF, von der Recke P, Bottcher M, Nielsen MB, Kelbaek H. [Computed tomography of the heart]. Ugeskr Laeger 2009;171(15):1275-81.

Logstrup BB, Hofsten DE, Christoffersen TB, Moller JE, Botker HE, Pellikka PA, et al. Influence of abnormal glucose metabolism on coronary microvascular function after a recent myocardial infarction. JACC Cardiovasc Imaging 2009;2(10):1159-66.

Luk A, Metawee M, Ahn E, Gustafsson F, Ross H, Butany J. Do clinical diagnoses correlate with pathological diagnoses in cardiac transplant patients? The importance of endomyocardial biopsy. Can J Cardiol 2009;25(2):e48-e54.

Lund SS, Tarnow L, Astrup AS, Hovind P, Jacobsen PK, Alibegovic AC, et al. Effect of adjunct metformin treatment on levels of plasma lipids in patients with type 1 diabetes. Diabetes Obes Metab 2009;11(10):966-77.

Lyngso C, Erikstrup N, Hansen JL. Functional interactions between 7TM receptors in the renin-angiotensin system--dimerization or crosstalk? Mol Cell Endocrinol 2009;302(2):203-12.

Madsen LH, Lund T, Grieg Z, Nygaard S, Holmvang L, Jurlander B, et al. Cardiac troponin I degradation in serum of patients with hypertrophic obstructive cardiomyopathy undergoing percutaneous septal ablation. Cardiology 2009;114(3):167-73.

Madsen RG, Ladefoged K, Kjaergaard JJ, Andersen PS, Clemmesen C. Endocarditis in Greenland with special reference to endocarditis caused by *Streptococcus pneumoniae*. Int J Circumpolar Health 2009;68(4):347-53.

Maeng M, Jensen LO, Galloe AM, Thayssen P, Christiansen EH, Hansen KN, et al. Comparison of the sirolimus-eluting versus paclitaxel-eluting coronary stent in patients with diabetes mellitus: the diabetes and drug-eluting stent (DiabeDES) randomized angiography trial. Am J Cardiol 2009;103(3):345-9.

Mathiasen AB, Haack-Sorensen M, Kastrup J. Mesenchymal stromal cells for cardiovascular repair: current status and future challenges. Future Cardiol 2009;5(6):605-17.

McMurray JJ, Kjekshus J, Gullestad L, Dunselman P, Hjalmarson A, Wedel H, et al. Effects of statin therapy according to plasma high-sensitivity C-reactive protein concentration in the Controlled Rosuvastatin Multinational Trial in Heart Failure (CORONA): a retrospective analysis. Circulation 2009;120(22):2188-96.

Meris A, Amigoni M, Uno H, Thune JJ, Verma A, Kober L, et al. Left atrial remodelling in patients with myocardial infarction complicated by heart failure, left ventricular dysfunction, or both: the VALIANT Echo study. Eur Heart J 2009;30(1):56-65.

Milman N, Svendsen CB, Iversen M, Videbaek R, Carlsen J. Sarcoidosis-associated pulmonary hypertension: acute responsiveness to inhaled nitric oxide and the relation to long-term effect of sildenafil. Clin Resp J 2009;3(4):207-13.

Milman N, Iversen M. Sarcoidose. In: Schaffalitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:1413-20.

Moller DV, Pham TT, Gustafsson F, Hedley P, Ersboll MK, Bundgaard H, et al. The role of Lamin A/C mutations in Danish patients with idiopathic dilated cardiomyopathy. Eur J Heart Fail 2009;11(11):1031-5.

Moller DV, Andersen PS, Hedley P, Ersboll MK, Bundgaard H, Moolman-Smook J, et al. The role of sarcomere gene mutations in patients with idiopathic dilated cardiomyopathy. Eur J Hum Genet 2009;17(10):1241-9.

Moya A, Sutton R, Ammirati F, Blanc JJ, Brignole M, Dahm JB, et al. Guidelines for the diagnosis and management of syncope (version 2009): the Task Force for the Diagnosis and Management of Syncope of the European Society of Cardiology (ESC). *Eur Heart J* 2009;30(21):2631-71.

Nilsson B, Goetze JP, Chen X, Pehrson S, Svendsen JH. Increased NT-pro-B-type natriuretic peptide independently predicts outcome following catheter ablation of atrial fibrillation. *Scand J Clin Lab Invest* 2009;69(8):843-50.

Olsen LK, Engstrom T, Wachtell K, Kristensen T, Hassager C, Ihlemann N, et al. [Transcatheter replacement of the aortic valve--a novel treatment modality for high-risk patients]. *Ugeskr Laeger* 2009;171(15):1293-7.

Olsen LK, Engstrom T, Wachtell K, Kristensen T, Hassager C, Ihlemann N, et al. [Percutaneous aortic valve replacement - initial experience and results]. *Ugeskr Laeger* 2009;171(15):1289-93.

Olsen LK, Engstrom T, Sondergaard L. Transcatheter valve-in-valve implantation due to severe aortic regurgitation in a degenerated aortic homograft. *J Invasive Cardiol* 2009;21(10):E197-E200.

Olsen LK, Arendrup H, Engstrom T, Sondergaard L. When operable patients become inoperable: conversion of a surgical aortic valve replacement into transcatheter aortic valve implantation. *Interact Cardiovasc Thorac Surg* 2009;9(5):837-9.

Olsen MH, Hansen TW, Christensen MK, Gustafsson F, Rasmussen S, Wachtell K, et al. New risk markers may change the HeartScore risk classification significantly in one-fifth of the population. *J Hum Hypertens* 2009;23(2):105-12.

Olsen MH, Wachtell K, Beevers G, Dahlöf B, de Simone G, Devereux RB, et al. Effects of losartan compared with atenolol on lipids in patients with hypertension and left ventricular hypertrophy: the Losartan Intervention For Endpoint reduction in hypertension study. *J Hypertens* 2009;27(3):567-74.

Olsen MH, Wachtell K, Beevers G, Dahlöf B, Devereux RB, de Faire U, et al. Prognostic importance of hemoglobin in hypertensive patients with electrocardiographic left ventricular hypertrophy: the Losartan Intervention For End point reduction in hypertension (LIFE) study. *Am Heart J* 2009;157(1):177-84.

Ossum A, van Deurs U, Engstrom T, Jensen JS, Treiman M. The cardioprotective and inotropic components of the postconditioning effects of GLP-1 and GLP-1(9-36)a in an isolated rat heart. *Pharmacol Res* 2009;60(5):411-7.

Pedersen OL, Christensen KL, Bang LE, Ibsen H, Schultz-Larsen P. [Pharmacological hypertension therapy]. *Ugeskr Laeger* 2009;171(24):2022-5.

Pedersen S, Galatius S, Mogelvang R, Davidsen U, Gallo A, Abildstrom SZ, et al. Long-term prognosis in an ST-segment elevation myocardial infarction population treated with routine primary percutaneous coronary intervention: from clinical trial to real-life experience. *Circ Cardiovasc Interv* 2009;2(5):392-400.

Pelle AJ, Denollet J, Zwisler AD, Pedersen SS. Overlap and distinctiveness of psychological risk factors in patients with ischemic heart disease and chronic heart failure: are we there yet? *J Affect Disord* 2009;113(1-2):150-6.

Poldermans D, Bax JJ, Boersma E, De Hert S, Eeckhout E, Fowkes G, et al. Guidelines for pre-operative cardiac risk assessment and perioperative cardiac management in non-cardiac surgery: the Task Force for Preoperative Cardiac Risk Assessment and Perioperative Cardiac Management in Non-cardiac Surgery of the European Society of Cardiology (ESC) and endorsed by the European Society of Anaesthesiology (ESA). *Eur Heart J* 2009;30(22):2769-812.

Poulsen HE, Andersen JT, Keiding N, Schramm TK, Sorensen R, Gislason G, et al. Why epidemiological and clinical intervention studies often give different or diverging results? *IUBMB Life* 2009;61(4):391-3.

Poulsen MK, Henriksen JE, Dahl J, Johansen A, Moller JE, Gerke O, et al. Myocardial ischemia, carotid, and peripheral arterial disease and their interrelationship in type 2 diabetes patients. *J Nucl Cardiol* 2009;16(6):878-87.

Rader SB, Zeijlemaker V, Pehrson S, Svendsen JH. Making post-mortem implantable cardioverter defibrillator explantation safe. *Europace* 2009;11(10):1317-22.

Radu MD, Jorgensen E, Saunamaki K. [Optical coherence tomography for coronary visualisation]. *Ugeskr Laeger* 2009;171(35):2466-7.

Rasmussen RV, Snygg-Martin U, Olaison L, Buchholtz K, Larsen CT, Hassager C, et al. Major cerebral events in *Staphylococcus aureus* infective endocarditis: is anticoagulant therapy safe? *Cardiology* 2009;114(4):284-91.

Rasmussen RV, Snygg-Martin U, Olaison L, Andersson R, Buchholtz K, Larsen CT, et al. One-year mortality in coagulase-negative *Staphylococcus* and *Staphylococcus aureus* infective endocarditis. *Scand J Infect Dis* 2009;41(6-7):456-61.

Raunso J, Moller JE, Kjaergaard J, Akkan D, Hassager C, Torp-Pedersen C, et al. Prognostic importance of a restrictive transmitral filling pattern in patients with symptomatic congestive heart failure and atrial fibrillation. *Am Heart J* 2009;158(6):983-8.

Refsgaard J, Kober L, Hildebrandt P. Medicinsk behandling. In: Hildebrandt P, Gustafsson F, eds. *Hjertesvigt i klinisk praksis*. 1st ed. København: Munksgaard Danmark; 2009:123-82.

Ripa RS, Kastrup J. Stem cells: REGENT trial-the end of cell therapy for MI? *Nat Rev Cardiol* 2009;6(9):567-8.

Ripa RS, Jorgensen E, Baldazzi F, Frikke-Schmidt R, Wang Y, Tybjaerg-Hansen A, et al. The influence of genotype on vascular endothelial growth factor and regulation of myocardial collateral blood flow in patients with acute and chronic coronary heart disease. *Scand J Clin Lab Invest* 2009;69(6):722-8.

Rosenberg J, Schou M, Gustafsson F, Badskjaer J, Hildebrandt P. Prognostic threshold levels of NT-proBNP testing in primary care. *Eur Heart J* 2009;30(1):66-73.

Schoos M, Iversen K, Teisner A, Teisner B, Thaning P, Kliem A, et al. Release patterns of pregnancy-associated plasma protein A in patients with acute coronary syndromes assessed by an optimized monoclonal antibody assay. *Scand J Clin Lab Invest* 2009;69(1):121-7.

Schou M, Alehagen U, Goetze JP, Gustafsson F, Dahlstrom U. Effect of estimated glomerular filtration rate on plasma concentrations of B-type natriuretic peptides measured with multiple immunoassays in elderly individuals. *Heart* 2009;95(18):1514-9.

Sehestedt T, Jeppesen J, Hansen TW, Rasmussen S, Wachtell K, Ibsen H, et al. Risk stratification with the risk chart from the European Society of Hypertension compared with SCORE in the general population. *J Hypertens* 2009;27(12):2351-7.

Sehestedt T, Jeppesen J, Hansen TW, Rasmussen S, Wachtell K, Ibsen H, et al. Which markers of subclinical organ damage to measure in individuals with high normal blood pressure? *J Hypertens* 2009;27(6):1165-71.

Sejersten M, Valeur N, Grande P, Nielsen TT, Clemmensen P. Long-term prognostic value of ST-segment resolution in patients treated with fibrinolysis or primary percutaneous coronary intervention results from the DANAMI-2 (DANish trial in acute myocardial infarction-2). *J Am Coll Cardiol* 2009;54(19):1763-9.

Sejersten M, Nielsen SL, Engstrom T, Jorgensen E, Clemmensen P. Feasibility and safety of prehospital administration of bivalirudin in patients with ST-elevation myocardial infarction. Am J Cardiol 2009;103(12):1635-40.

Sheshgiri R, Gustafsson F, Sheedy J, Rao V, Ross HJ, Delgado DH. Everolimus but not mycophenolate mofetil therapy is associated with soluble HLA-G expression in heart transplant patients. J Heart Lung Transplant 2009;28(11):1193-7.

Sjauw KD, Konorza T, Erbel R, Danna PL, Viecca M, Minden HH, et al. Supported high-risk percutaneous coronary intervention with the Impella 2.5 device the Europella registry. J Am Coll Cardiol 2009;54(25):2430-4.

Sorensen R, Hansen ML, Abildstrom SZ, Hvelplund A, Andersson C, Jorgensen C, et al. Risk of bleeding in patients with acute myocardial infarction treated with different combinations of aspirin, clopidogrel, and vitamin K antagonists in Denmark: a retrospective analysis of nationwide registry data. Lancet 2009;374(9706):1967-74.

Spindler H, Kruse C, Zwisler AD, Pedersen SS. Increased anxiety and depression in Danish cardiac patients with a type D personality: cross-validation of the Type D Scale (DS14). Int J Behav Med 2009;16(2):98-107.

St John Sutton M, Ghio S, Plappert T, Tavazzi L, Scelsi L, Daubert C, et al. Cardiac resynchronization induces major structural and functional reverse remodeling in patients with New York Heart Association class I/II heart failure. Circulation 2009;120(19):1858-65.

Strandgaard S, Kamper A-L, Haunsø S. Hypertensio arterialis. In: Schaffalitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:1267-99.

Svendsen JH, Hassager C. Hjertestop. In: Schaffalitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:1020-7.

Svendsen JH, Pedersen AK, Haunsø S. Hjertearytm. In: Schaffalitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:1107-61.

Sørensen K, Søndergaard L. Medfødt hjertesygdom. In: Schaffalitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:1161-79.

Tfelt-Hansen J, Jespersen T, Hofman-Bang J, Rasmussen HB, Cedergreen P, Skovby F, et al. Ventricular tachycardia in a Brugada syndrome patient caused by a novel deletion in SCN5A. Can J Cardiol 2009;25(3):156-60.

Tfelt-Hansen J, Olesen SP, Svendsen JH, Jespersen T. [Inherited cardiac diseases caused by Nav1.5 sodium channel mutations]. Ugeskr Laeger 2009;171(15):1261-5.

Tfelt-Hansen P, Tfelt-Hansen J. Verapamil for cluster headache. Clinical pharmacology and possible mode of action. Headache 2009;49(1):117-25.

Tfelt-Hansen PC, Tfelt-Hansen J. Nitroglycerin headache and nitroglycerin-induced primary headaches from 1846 and onwards: a historical overview and an update. Headache 2009;49(3):445-56.

Tonino PA, De Bruyne B, Pijls NH, Siebert U, Ikeno F, Veer M, et al. Fractional flow reserve versus angiography for guiding percutaneous coronary intervention. N Engl J Med 2009;360(3):213-24.

TRA\*CER Executive and Steering Committees (Grande P). The Thrombin Receptor Antagonist for Clinical Event Reduction in Acute Coronary Syndrome (TRA\*CER) trial: study design and rationale. Am Heart J 2009;158(3):327-34.

Tran CT, Schmidt TA, Christensen JB, Kjeldsen K. Atrial Na,K-ATPase increase and potassium dysregulation accentuate the risk of postoperative atrial fibrillation. *Cardiology* 2009;114(1):1-7.

Ulriksen LS, Malmqvist BB, Hansen A, Friberg J, Jensen GB. Flow-mediated dilatation has no independent prognostic effect in patients with chest pain with or without ischaemic heart disease. *Scand J Clin Lab Invest* 2009;69(4):475-80.

Vilstrup H, Haunsø S, Schaffalitzky de Muckadell OB. Lægens kontakt med patienten - den kliniske beslutning. In: Schaffalitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:153-63.

Wachtell K, Andersen NH, Svendsen TL. [Hypertension and the heart]. *Ugeskr Laeger* 2009;171(25):2113-6.

Wachtell K. Prevention of congestive heart failure in high risk patients. *Eur Heart J* 2009;30(6):638-9.

Wachtell K. Atrial fibrillation, maybe it is not so lone? *J Am Coll Cardiol* 2009;53(1):30-1.

Wahlgren M, Christensen KL, Jorgensen EV, Svensson A, Ulvenlund S. Oral-based controlled release formulations using poly(acrylic acid) microgels. *Drug Dev Ind Pharm* 2009;35(8):922-9.

Zacho J, Tybjaerg-Hansen A, Jensen JS, Grande P, Sillesen H, Nordestgaard BG. [C-reactive protein and risk of ischaemic vascular and cerebrovascular disease--secondary publication]. *Ugeskr Laeger* 2009;171(21):1751-5.

## Thoraxanæstesiologisk Klinik ANT

### Publikationer

#### Videnskabelige artikler

Berg H, Sloth E, Jensen MB. Echo in the ICU. *Acta Anaesthesiol Scand* 2009;53(s119):37-9.

Bro-Jeppesen J, Kjaergaard J, Horsted TI, Wanscher MC, Nielsen SL, Rasmussen LS, et al. The impact of therapeutic hypothermia on neurological function and quality of life after cardiac arrest. *Resuscitation* 2009;80(2):171-6.

Castren M, Silfvast T, Rubertsson S, Niskanen M, Valsson F, Wanscher M, et al. Scandinavian clinical practice guidelines for therapeutic hypothermia and post-resuscitation care after cardiac arrest. *Acta Anaesthesiol Scand* 2009;53(3):280-8.

Hornum M, Iversen M, Steffensen I, Hovind P, Carlsen J, Andersen LW, et al. Rapid decline in 51Cr-EDTA measured renal function during the first weeks following lung transplantation. *Am J Transplant* 2009;9(6):1420-6.

Kjaergaard J, Bro-Jeppesen J, Rasmussen LS, Nielsen SL, Folke F, Lippert F, et al. [Differences between hospitals in prognosis after resuscitated out-of-hospital cardiac arrest patients]. *Ugeskr Laeger* 2009;171(26):2169-73.

Nielsen N, Hovdenes J, Nilsson F, Rubertsson S, Stammet P, Sunde K, et al. Outcome, timing and adverse events in therapeutic hypothermia after out-of-hospital cardiac arrest. *Acta Anaesthesiol Scand* 2009;53(7):926-34.

Olsen LK, Engstrom T, Wachtell K, Kristensen T, Hassager C, Ihlemann N, et al. [Transcatheter replacement of the aortic valve--a novel treatment modality for high-risk patients]. *Ugeskr Laeger* 2009;171(15):1293-7.

Olsen LK, Engstrom T, Wachtell K, Kristensen T, Hassager C, Ihlemann N, et al. [Percutaneous aortic valve replacement - initial experience and results]. Ugeskr Laeger 2009;171(15):1289-93.

Poulsen TD, Andersen LW, Steinbruchel D, Gotze JP, Jorgensen OS, Olsen NV. Two large preoperative doses of erythropoietin do not reduce the systemic inflammatory response to cardiac surgery. J Cardiothorac Vasc Anesth 2009;23(3):316-23.

Runitz K, Thornberg K, Wanscher M. [Resuscitation of severely hypothermic and multitraumatised female following long-term cardiac arrest]. Ugeskr Laeger 2009;171(5):328-9.

## Thoraxkirurgisk Klinik RT

### Publikationer

#### Videnskabelige artikler

Andersen M, Videbaek R, Boesgaard S, Sander K, Hansen PB, Gustafsson F. Incidence of ventricular arrhythmias in patients on long-term support with a continuous-flow assist device (HeartMate II). J Heart Lung Transplant 2009;28(7):733-5.

Ashraf H, Tonnesen P, Holst PJ, Dirksen A, Thorsen H, Dossing M. Effect of CT screening on smoking habits at 1-year follow-up in the Danish Lung Cancer Screening Trial (DLCST). Thorax 2009;64(5):388-92.

Berg RM, Brendorp B, Kristensen T, Helvind M, Helqvist S. Acute myocardial infarction and syncope in an 18-year-old athlete with an abnormal origin of the left coronary artery: a case report. Cases J 2009;2:8142.

Bochsen L, Rosengaard LB, Nielsen AB, Steinbruchel DA, Johansson PI. Platelet hyperreactivity in response to on- and off-pump coronary artery bypass grafting. J Extra Corpor Technol 2009;41(1):15-9.

Bodtger U, Pedersen JH, Skov BG, Clementsen P. Giant solitary fibrous tumour of the pleura? a rare but usually benign intrathoracic neoplasm. Clin Resp J 2009;3:109-11.

Brauer C, Baandrup U, Jacobsen P, Krasnik M, Olsen JH, Pedersen JH, et al. [Screening for asbestos-related conditions]. Ugeskr Laeger 2009;171(6):433-6.

Burton CM, Iversen M, Carlsen J, Mortensen J, Andersen CB, Steinbruchel D, et al. Acute cellular rejection is a risk factor for bronchiolitis obliterans syndrome independent of post-transplant baseline FEV1. J Heart Lung Transplant 2009;28(9):888-93.

Damgaard S, Wetterslev J, Lund JT, Lilleor NB, Perko MJ, Kelbaek H, et al. One-year results of total arterial revascularization vs. conventional coronary surgery: CARRPO trial. Eur Heart J 2009;30(8):1005-11.

Fischer B, Lassen U, Mortensen J, Larsen S, Loft A, Bertelsen A, et al. Preoperative staging of lung cancer with combined PET-CT. N Engl J Med 2009;361(1):32-9.

Gill R, Herbertson M, Vuylsteke A, Olsen PS, von Heymann C, Mythen M, et al. Safety and efficacy of recombinant activated factor VII: a randomized placebo-controlled trial in the setting of bleeding after cardiac surgery. Circulation 2009;120(1):21-7.

Hornum M, Iversen M, Steffensen I, Hovind P, Carlsen J, Andersen LW, et al. Rapid decline in  $^{51}\text{Cr}$ -EDTA measured renal function during the first weeks following lung transplantation. Am J Transplant 2009;9(6):1420-6.

Kjaergaard J, Schaadt BK, Lund JO, Hassager C. Prognostic importance of quantitative echocardiographic evaluation in patients suspected of first non-massive pulmonary embolism. *Eur J Echocardiogr* 2009;10(1):89-95.

Kjalke M, Runge M, Rojkjaer R, Steinbruchel D, Johansson PI. Influence of cardiopulmonary bypass on the interaction of recombinant factor VIIa with activated platelets. *J Extra Corpor Technol* 2009;41(2):97-104.

Klovaite J, Gustafsson F, Mortensen SA, Sander K, Nielsen LB. Severely impaired von Willebrand factor-dependent platelet aggregation in patients with a continuous-flow left ventricular assist device (HeartMate II). *J Am Coll Cardiol* 2009;53(23):2162-7.

Kristensen CA, Nottrup TJ, Berthelsen AK, Kjaer-Kristoffersen F, Ravn J, Sorensen JB, et al. Pulmonary toxicity following IMRT after extrapleural pneumonectomy for malignant pleural mesothelioma. *Radiother Oncol* 2009;92(1):96-9.

Levy JH, Gill R, Nussmeier NA, Olsen PS, Andersen HF, Booth FV, et al. Repletion of factor XIII following cardiopulmonary bypass using a recombinant A-subunit homodimer. A preliminary report. *Thromb Haemost* 2009;102(4):765-71.

Olsen LK, Engstrom T, Wachtell K, Kristensen T, Hassager C, Ihlemann N, et al. [Transcatheter replacement of the aortic valve--a novel treatment modality for high-risk patients]. *Ugeskr Laeger* 2009;171(15):1293-7.

Olsen LK, Engstrom T, Wachtell K, Kristensen T, Hassager C, Ihlemann N, et al. [Percutaneous aortic valve replacement - initial experience and results]. *Ugeskr Laeger* 2009;171(15):1289-93.

Olsen LK, Arendrup H, Engstrom T, Sondergaard L. When operable patients become inoperable: conversion of a surgical aortic valve replacement into transcatheter aortic valve implantation. *Interact Cardiovasc Thorac Surg* 2009;9(5):837-9.

Pedersen JH, Ashraf H, Dirksen A, Bach K, Hansen H, Toennesen P, et al. The Danish randomized lung cancer CT screening trial--overall design and results of the prevalence round. *J Thorac Oncol* 2009;4(5):608-14.

Poulsen TD, Andersen LW, Steinbruchel D, Gotze JP, Jorgensen OS, Olsen NV. Two large preoperative doses of erythropoietin do not reduce the systemic inflammatory response to cardiac surgery. *J Cardiothorac Vasc Anesth* 2009;23(3):316-23.

Rocco G, Rendina EA, Venuta F, Mueller MR, Halezeroglu S, Dienemann H, et al. The use of sealants in modern thoracic surgery: a survey. *Interact Cardiovasc Thorac Surg* 2009;9(1):1-3.

Runge M, Moller CH, Steinbruchel DA. Increased accuracy in heparin and protamine administration decreases bleeding: a pilot study. *J Extra Corpor Technol* 2009;41(1):10-4.

Scherer S, Abd-Elrahmane DG, Petersen RH, Bjarnason NH. [Intrathoracic goiter with differential diagnostic difficulties]. *Ugeskr Laeger* 2009;171(3):147.

Steinbruchel DA. [New perspectives from cardiology and thoracic surgery]. *Ugeskr Laeger* 2009;171(15):1258.

Wildgaard K, Ravn J, Kehlet H. Chronic post-thoracotomy pain: a critical review of pathogenic mechanisms and strategies for prevention. *Eur J Cardiothorac Surg* 2009;36(1):170-80.

## **Thoraxkirurgisk Klinik RT, udefunktion (Gentofte)**

### **Publikationer**

---

#### **Videnskabelige artikler**

Houliind K, Kjeldsen BJ, Madsen SN, Rasmussen BS, Holme SJ, Schmidt TA, et al. The impact of avoiding cardiopulmonary by-pass during coronary artery bypass surgery in elderly patients: the Danish On-pump Off-pump Randomisation Study (DOORS). *Trials* 2009;10:47.

# HovedOrtoCentret

---

## Anæstesi- og Operationsklinikken

Anæstesi- og Operationsklinikken omfatter følgende forskningsenheder:

Anæstesi og akutmedicin

Enhed for akut smertebehandling og palliation

Trykkammerenhed

## Anæstesi og akutmedicin

### Publikationer

---

#### Disputatser og ph.d.-afhandlinger forsvaret i året

Jorgensen R. Outcome after major trauma - is it possible to optimise logistics and transfer? (ph.d.-afhandling). København: Eget Forlag; 2009:1-108. Forsvaret den 2/10 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Meyhoff C. Anaesthesia for the obese patient with special emphasis on propofol, rocuronium and inspiratory oxygen fraction (ph.d.-afhandling). København: Eget Forlag; 2009:1-80. Forsvaret den 29/5 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Steinmetz J. Aetiology, identification and consequences of cognitive dysfunction after non-cardiac surgery (ph.d.-afhandling). København: Eget Forlag; 2009:1-102. Forsvaret den 4/9 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

#### Videnskabelige artikler

Bro-Jeppesen J, Kjaergaard J, Horsted TI, Wanscher MC, Nielsen SL, Rasmussen LS, et al. The impact of therapeutic hypothermia on neurological function and quality of life after cardiac arrest. *Resuscitation* 2009;80(2):171-6.

Christensen PH, Barnung S, Steinmetz J. [Mechanical cardiac massage]. *Ugeskr Laeger* 2009;171(35):2463-5.

Claudius C, Skovgaard LT, Viby-Mogensen J. Is the performance of acceleromyography improved with preload and normalization? A comparison with mechanomyography. *Anesthesiology* 2009;110(6):1261-70.

Claudius C, Skovgaard LT, Viby-Mogensen J. Acceleromyography and mechanomyography for establishing potency of neuromuscular blocking agents: a randomized-controlled trial. *Acta Anaesthesiol Scand* 2009;53(4):449-54.

Claudius C, Garvey LH, Viby-Mogensen J. The undesirable effects of neuromuscular blocking drugs. *Anesthesia* 2009;64 Suppl 1:10-21.

Eikermann M, Rasmussen LS. Improving the prediction of a neuromuscular block. *Acta Anaesthesiol Scand* 2009;53(4):423-4.

Funder KS, Steinmetz J, Rasmussen LS. Anaesthesia for the patient with dementia undergoing outpatient surgery. *Curr Opin Anaesthesiol* 2009;22(6):712-7.

Funder KS, Steinmetz J, Rasmussen LS. Cognitive dysfunction after cardiovascular surgery. *Minerva Anestesiol* 2009;75(5):329-32.

Holm-Knudsen RJ, Rasmussen LS. Paediatric airway management: basic aspects. *Acta Anaesthesiol Scand* 2009;53(1):1-9.

Isbye DL, Rasmussen LS. Chest compressions during resuscitation. *Acta Anaesthesiol Scand* 2009;53(9):1105-6.

Jensen TS, Dahl JB, Bach F, Nielsen LA. Smertefysiologi. In: Jensen TS, Dahl JB, Nielsen LA, eds. Smerter. 2nd ed. København: FADL's Forlag; 2009:19-33.

Kjaergaard J, Bro-Jeppesen J, Rasmussen LS, Nielsen SL, Folke F, Lippert F, et al. [Differences between hospitals in prognosis after resuscitated out-of-hospital cardiac arrest patients]. *Ugeskr Laeger* 2009;171(26):2169-73.

Koscielniak-Nielsen ZJ, Frederiksen BS, Rasmussen H, Hesselbjerg L. A comparison of ultrasound-guided supraclavicular and infraclavicular blocks for upper extremity surgery. *Acta Anaesthesiol Scand* 2009;53(5):620-6.

Marret E, Elia N, Dahl JB, McQuay HJ, Moiniche S, Moore RA, et al. Susceptibility to fraud in systematic reviews: lessons from the Reuben case. *Anesthesiology* 2009;111(6):1279-89.

Meyhoff CS, Wetterslev J, Jorgensen LN, Henneberg SW, Hogdall C, Lundvall L, et al. Effect of high perioperative oxygen fraction on surgical site infection and pulmonary complications after abdominal surgery: the PROXI randomized clinical trial. *JAMA* 2009;302(14):1543-50.

Meyhoff CS, Lund J, Jenstrup MT, Claudius C, Sorensen AM, Viby-Mogensen J, et al. Should dosing of rocuronium in obese patients be based on ideal or corrected body weight? *Anesth Analg* 2009;109(3):787-92.

Meyhoff CS, Haarmark C, Kanters JK, Rasmussen LS. Is it possible to predict hypotension during onset of spinal anesthesia in elderly patients? *J Clin Anesth* 2009;21(1):23-9.

Meyhoff CS, Henneberg SW, Jorgensen BG, Gatke MR, Rasmussen LS. Depth of anaesthesia monitoring in obese patients: a randomized study of propofol-remifentanil. *Acta Anaesthesiol Scand* 2009;53(3):369-75.

Moiniche S, Dahl JB. Postoperative smerter. In: Jensen TS, Dahl JB, Nielsen LA, eds. Smerter. 2nd ed. København: FADL's Forlag; 2009:189-207.

Petersen JA, Christensen K, Steinmetz J. [Penetrating trauma treated by the Medical Emergency Care Unit in Copenhagen]. *Ugeskr Laeger* 2009;171(41):2982-5.

Ramberg E, Skak C, Nielsen SL, Rasmussen LS. [Life-saving prehospital interventions]. *Ugeskr Laeger* 2009;171(3):134-7.

Rasmussen LS, Stygall J, Newman S. Cognitive dysfunction and other long-term complications of surgery and anaesthesia. In: Miller R, Eriksson L, Fleisher L, eds. *Millers Anesthesia*. 7 ed. Philadelphia: Elsevier; 2009:2805-9.

Sites BD, Chan VW, Neal JM, Weller R, Grau T, Koscielniak-Nielsen ZJ, et al. The American Society of Regional Anesthesia and Pain Medicine and the European Society Of Regional Anaesthesia and Pain Therapy Joint Committee recommendations for education and training in ultrasound-guided regional anesthesia. *Reg Anesth Pain Med* 2009;34(1):40-6.

Steinmetz J, Christensen KB, Lund T, Lohse N, Rasmussen LS. Long-term consequences of postoperative cognitive dysfunction. *Anesthesiology* 2009;110(3):548-55.

Steinmetz J, Barnung S, Nielsen SL, Risom M, Rasmussen LS. [Improved survival after out-of-hospital cardiac arrest in Copenhagen--secondary publication]. Ugeskr Laeger 2009;171(4):212-4.

Stensballe J, Christiansen M, Tonnesen E, Espersen K, Lippert FK, Rasmussen LS. The early IL-6 and IL-10 response in trauma is correlated with injury severity and mortality. Acta Anaesthesiol Scand 2009;53(4):515-21.

## Enhed for akut smertebehandling og palliation

### Publikationer

#### Disputatser og ph.d.-afhandlinger forsvaret i året

Jabobsen R. Patient-related barriers to cancer pain management with opioid analgesics and healthcare professionals' rationale to choose fentanyl for cancer pain (ph.d.-afhandling). København: Eget Forlag; 2009:1-80. Forsvaret den 17/12 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Peuckmann V. Long-term breast cancer survivors: Health-related quality of life, health care utilization, and sequelae with focus on chronic pain (ph.d.-afhandling). København: Eget Forlag; 2009:1-80. Forsvaret den 30/1 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

#### Videnskabelige artikler

Ekholm O, Gronbaek M, Peuckmann V, Sjogren P. Alcohol and smoking behavior in chronic pain patients: the role of opioids. Eur J Pain 2009;13(6):606-12.

Fanoe S, Jensen GB, Sjogren P, Korsgaard MP, Grunnet M. Oxycodone is associated with dose-dependent QTc prolongation in patients and low-affinity inhibiting of hERG activity in vitro. Br J Clin Pharmacol 2009;67(2):172-9.

Jacobsen R, Moldrup C, Christrup L, Sjogren P, Hansen OB. The Danish Barriers Questionnaire-II: preliminary validation in cancer pain patients. Pain Pract 2009;9(4):266-74.

Jacobsen R, Moldrup C, Christrup L, Sjogren P, Hansen OB. The Danish version of the questionnaire on pain communication: preliminary validation in cancer patients. Acta Anaesthesiol Scand 2009;53(6):807-15.

Jacobsen R, Moldrup C, Christrup L, Sjogren P, Hansen OB. The Danish version of the Medication Adherence Report Scale: preliminary validation in cancer pain patients. Pain Pract 2009;9(1):1-7.

Jacobsen R, Moldrup C, Christrup L, Sjogren P. Patient-related barriers to cancer pain management: a systematic exploratory review. Scand J Caring Sci 2009;23(1):190-208.

Jensen NH, Sjogren P. Praktisk klinisk smertebehandling. Smerten ved cancer og langvarige kroniske non-maligne tilstande. 5th ed. København: Munksgaard Danmark; 2009.

Kurita GP, Lundorff L, Pimenta CA, Sjogren P. The cognitive effects of opioids in cancer: a systematic review. Support Care Cancer 2009;17(1):11-21.

Lundorff LE, Jonsson BH, Sjogren P. Modafinil for attentional and psychomotor dysfunction in advanced cancer: a double-blind, randomised, cross-over trial. Palliat Med 2009;23(8):731-8.

Olesen A, Sjogren P. Organisation af smerteområdet. In: Jensen TS, Dahl JB, Arnt L, eds. Smertes. 2th ed. København: FADL's Forlag; 2009:371-80.

Peuckmann V, Ekholm O, Sjogren P, Rasmussen NK, Christiansen P, Moller S, et al. Health care utilisation and characteristics of long-term breast cancer survivors: nationwide survey in Denmark. Eur J Cancer 2009;45(4):625-33.

Peuckmann V, Ekholm O, Rasmussen NK, Groenvold M, Christiansen P, Moller S, et al. Chronic pain and other sequelae in long-term breast cancer survivors: nationwide survey in Denmark. Eur J Pain 2009;13(5):478-85.

Sjogren P, Ekholm O, Peuckmann V, Gronbaek M. Epidemiology of chronic pain in Denmark: an update. Eur J Pain 2009;13(3):287-92.

Sjogren P, Pedersen L. Cancersmertetilstande - epidemiologi, ætiologi og behandling. In: Jensen TS, Dahl JB, Arnt L, eds. Smertes. 2th ed. København: FADLs Forlag; 2009:299-312.

Sjogren P, Elsner F, Kaasa S. Non-opioid analgetics. In: Hanks G, Cherny N, Christakis N, Fallon M, Kaasa S, eds. Oxford Textbook of Palliative Medicine. 4th ed. Oxford: Oxford University Press; 2009:698-706.

## Trykkammerenhed

### Publikationer

#### Videnskabelige artikler

Jansen EC. Dykkersyge. In: Schaffalitzky de Muckadell O, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:2698-700.

Kondziella D, Danielsen ER, Hansen K, Thomsen C, Jansen EC, Arlien-Soeborg P. <sup>1</sup>H MR spectroscopy of gray and white matter in carbon monoxide poisoning. J Neurol 2009;256(6):970-9.

Randsøe T, Hyldegaard O. Effect of oxygen breathing and perfluorocarbon emulsion treatment on air bubbles in adipose tissue during decompression sickness. J Appl Physiol 2009;107(6):1857-63.

## Brystkirurgisk Klinik

### Publikationer

#### Videnskabelige artikler

Bollerslev J, Rosen T, Mollerup CL, Nordenstrom J, Baranowski M, Franco C, et al. Effect of surgery on cardiovascular risk factors in mild primary hyperparathyroidism. J Clin Endocrinol Metab 2009;94(7):2255-61.

Ejlertsen B, Jensen MB, Rank F, Rasmussen BB, Christiansen P, Kroman N, et al. Population-based study of peritumoral lymphovascular invasion and outcome among patients with operable breast cancer. J Natl Cancer Inst 2009;101(10):729-35.

Gartner R, Jensen MB, Nielsen J, Ewertz M, Kroman N, Kehlet H. Prevalence of and factors associated with persistent pain following breast cancer surgery. JAMA 2009;302(18):1985-92.

Mertz BG, Nielsen J, Williams H. Opereret for brystkræft og hjem efter halvanden dag. Sygeplejersken 2009;109(9):44-8.

Offersen BV, Overgaard M, Kroman N, Overgaard J. Accelerated partial breast irradiation as part of breast conserving therapy of early breast carcinoma: a systematic review. Radiother Oncol 2009;90(1):1-13.

## Klinik for Ergo- og Fysioterapi

### Publikationer

---

#### Videnskabelige artikler

Andersen GR, Bjerggaard K, Groenbaek A, Jensen S. Ortoser og bandager. In: Krosgaard MR, Rheinlaender P, Larsen AE, eds. Ortopædkirurgi for ergoterapeuter og fysioterapeuter. 1st ed. København: Munksgaard Danmark; 2009:177-89.

Krosgaard MR, Enoch F, Andersen HB. Skulder og skulderblad. In: Krosgaard MR, Rheinlaender P, Larsen AE, eds. Ortopædkirurgi for ergoterapeuter og fysioterapeuter. 1st ed. København: Munksgaard Danmark; 2009:259-302.

Rasmussen E, Groenbaek A, Jensen S, Harbo M, Leicht P. Proteser. In: Krosgaard MR, Enoch F, Andersen HB, eds. Ortopædkirurgi for ergoterapeuter og fysioterapeuter. 1st ed. København: Munksgaard Danmark; 2009:191-204.

Rasmussen SW, Dam M, Grobry L, Warren M, Crone B. Ortopædkirurgiske skadesmekanismer. In: Krosgaard MR, Rheinlaender P, Larsen AE, eds. Ortopædkirurgi for ergoterapeuter og fysioterapeuter. 1st ed. København: Munksgaard Danmark; 2009:141-66.

Sørensen LV, Broholm K, Guldager E, Joergensen T, Kronborg T, Moeller Pedersen K, Rolighed A, Toft U, Tvaermose P, Aadahl M. Sundhedsfremme og forebyggelse. 1st ed. København: GADs Forlag; 2009.

Sørensen LV. Ergoterapeutisk intervention ved demenstilstande. In: Nyboe L, Hvalsoe B, eds. Lærebog i Psykiatri for ergoterapeuter og fysioterapeuter. 1st ed. København: Munksgaard Danmark; 2009:329-32.

Sorensen LV. Hverdagsliv og sociale relationer hos patienter med Alzheimers sygdom. Gerontologi 2009;25(2):4-7.

## Klinik for Plastikkirurgi og Brandsårsbehandling

### Publikationer

---

#### Videnskabelige artikler

Bonde CT, Holstein-Rathlou NH, Elberg JJ. Blood flow autoregulation in pedicled flaps. J Plast Reconstr Aesthet Surg 2009;62(12):1671-6.

Chakera AH, Hesse B, Burak Z, Ballinger JR, Britten A, Caraco C, et al. EANM-EORTC general recommendations for sentinel node diagnostics in melanoma. Eur J Nucl Med Mol Imaging 2009;36(10):1713-42.

Glud M, Gniadecki R, Drzewiecki KT. Spectrophotometric intracutaneous analysis versus dermoscopy for the diagnosis of pigmented skin lesions: prospective, double-blind study in a secondary reference centre. *Melanoma Res* 2009;19(3):176-9.

Glud M, Klausen M, Gniadecki R, Rossing M, Hastrup N, Nielsen FC, et al. MicroRNA expression in melanocytic nevi: the usefulness of formalin-fixed, paraffin-embedded material for miRNA microarray profiling. *J Invest Dermatol* 2009;129(5):1219-24.

Heden P, Bronz G, Elberg JJ, Deraemaeker R, Murphy DK, Slichton A, et al. Long-term safety and effectiveness of style 410 highly cohesive silicone breast implants. *Aesthetic Plast Surg* 2009;33(3):430-6.

Jakobsen LP, Borup R, Vestergaard J, Larsen LA, Lage K, Maroun LL, et al. Expression analyses of human cleft palate tissue suggest a role for osteopontin and immune related factors in palatal development. *Exp Mol Med* 2009;41(2):77-85.

Kalialis LV, Drzewiecki KT, Klyver H. Spontaneous regression of metastases from melanoma: review of the literature. *Melanoma Res* 2009;19(5):275-82.

Kristoffersen US, Straalman K, Schmidt G, Klyver H, Mortensen J, Andersen PA, et al. Radiation exposure to surgical staff during hyperthermic isolated limb perfusion with 99m Technetium labeled red blood cells. *Int J Hyperthermia* 2009;25(1):86-9.

Rue NK, Klyver H, Hougaard CA, Nedergaard L, Hesse B, Bachmann NM. Sentinel node detection in melanomas using contrast-enhanced ultrasound. *Acta Radiol* 2009;50(4):412-7.

## Læbe-Ganespalte Centret

### Publikationer

#### Videnskabelige artikler

Glassau EN, Smedegaard LH, Marxen DR, Moes JH. Børn med læbe-gane-spalte trives. *Sygeplejersken* 2009;(8):48-53.

## Ortopædkirurgisk Klinik

### Publikationer

#### Videnskabelige artikler

Dahl B. [Spinal surgery is here to stay]. *Ugeskr Laeger* 2009;171(39):2803.

Jensen P, Thyssen JP, Retpen JB, Menne T. Cobalt allergy and suspected aseptic lymphocyte-dominated vascular-associated lesion following total hip arthroplasty. *Contact Dermatitis* 2009;61(4):238-9.

Kehlet H, Hindso K, Iversen MG. [Organisation and reimbursement of surgical practice in Denmark 2004-2008]. *Ugeskr Laeger* 2009;171(19):1590-3.

Maagaard M, Hindso K, Wislander SB, Holm K. [Bacterial pyomyositis in a 12-year-old girl without fever]. *Ugeskr Laeger* 2009;171(10):818.

Therbo M, Lund B. [Roentgenographic stereogrammetric analysis after total knee arthroplasty]. Ugeskr Laeger 2009;171(11):888-90.

## Tand-mund-kæbekirurgisk Klinik

HovedOrtoCentret - Rigshospitalet (RH), Tandlægeskolen - Københavns Universitet (TS), og Informatik og Matematisk Modellering - Danmarks Tekniske Universitet (IMM)

### Publikationer

#### Videnskabelige artikler

Andreasen JO, Lauridsen E, Daugaard-Jensen J. Dental traumatology: an orphan in pediatric dentistry? Pediatr Dent 2009;31(2):153-6.

Andreasen JO, Lauridsen E, Christensen SS. Development of an interactive dental trauma guide. Pediatr Dent 2009;31(2):133-6.

Andreasen JO, Schwartz O, Kofoed T, Daugaard-Jensen J. Transplantation of premolars as an approach for replacing avulsed teeth. Pediatr Dent 2009;31(2):129-32.

Chen ST, Beagle J, Jensen SS, Chiapasco M, Darby I. Consensus statements and recommended clinical procedures regarding surgical techniques. Int J Oral Maxillofac Implants 2009;24 Suppl:272-8.

Daniels TE, Criswell LA, Shibuski C, Shibuski S, Lanfranchi H, Dong Y, et al. An early view of the international Sjogren's syndrome registry. Arthritis Rheum 2009;61(5):711-4.

Darvann TA, Hermann N, Larsen P, Govier D, Kane AA, Lo LJ, et al. Detailed quantification of 3D soft tissue nose asymmetry before and after primary lip repair in UCCLP infants. Proceedings 11th International Congress on Cleft Lip and Palate and Related Craniofacial anomalies, Fortaleza, Brazil, Sept 10 - 13, 2009 2009;157-9.

Donatsky O, Bjorn-Jorgensen J, Hermund NU, Nielsen H, Holmqvist-Larsen M, Nerder PH. Accuracy of combined maxillary and mandibular repositioning and of soft tissue prediction in relation to maxillary antero-superior repositioning combined with mandibular set back A computerized cephalometric evaluation of the immediate postsurgical outcome using the TIOPS planning system. J Craniomaxillofac Surg 2009;37(5):279-84.

Hermann N, Darvann TA, Sundberg K, Kreiborg S, Joergensen C. Prenatal mandibular dimensions and growth studies by 3D ultrasound. Proceedings 11th International Congress on Cleft Lip and Palate and Related Craniofacial anomalies, Fortaleza, Brazil, Sept 2009;113-6.

Hermann NV, Hove HD, Jorgensen C, Larsen P, Darvann TA, Kreiborg S, et al. Prenatal 3D ultrasound diagnostics in cleidocranial dysplasia. Fetal Diagn Ther 2009;25(1):36-9.

Hillerup S, Jensen RH. Injektionsrelaterede nerveskader på orale grene af n. trigeminus. En litteraturgennemgang. In: Holmstrup P, ed. Odontologi 2010. København: Munksgaard Danmark; 2009:37-52.

Hillerup S, Thorn JJ. Reconstruction and Implant-supported Prosthodontic Rehabilitation in Patients with Loss of Mandibular Continuity. Forum Implantologicum 2009;5:58-60.

Jensen SS, Bornstein MM, Dard M, Bosshardt D, Buser D. Comparative study of biphasic calcium phosphates with different HS/TCP ratios in mandibular bone defects. A long-term histomorphometric study in minipigs. J Biomed Mater Res 2009;90B:171-81.

Jensen SS, Bosshardt D, Buser D. Bone grafts and bone substitute materials for GBR procedures. In: Buser D, ed. Guided Bone Regeneration in Implant Dentistry. 2nd ed. IL. USA: Quintessence Publ Co Inc; 2009:71-96.

Jensen SS, Terheyden H. Bone augmentation procedures in localized defects in the alveolar ridge: clinical results with different bone grafts and bone-substitute materials. *Int J Oral Maxillofac Implants* 2009;24 Suppl:218-36.

Juul A, Kreiborg S, Main KM. Growth and pubertal development. In: Koch G, Poulsen S, eds. Pediatric Dentistry. A Clinical Approach. Oxford: Wiley-Blackwell, 2009; 2009:5-16.

Kreiborg S. Anvendelse af røntgencefalometri inden for odontologien. *Tandlaegebladet* 2009;113(1):28-37.

Kreiborg S, Hermann N, Darvann TA. Facial growth and development in cleft children. In: Losee JE, Kirshner RE, eds. Comprehensive Cleft Care. New York: McGrawHill; 2009:749-61.

Marcussen M, Andersen M, Hillerup S. Rekonstruktion med frit mikrovaskulært fibulatransplantat efter hemimandibulektomi. *Tandlaegebladet* 2009;113:832-6.

Nielsen JD, Laetgaard CA, Schou S, Jensen SS. [Minor dentoalveolar surgery in patients undergoing antithrombotic therapy]. *Ugeskr Laeger* 2009;171(17):1407-9.

Schiodt M. Mundhulens sygdomme. In: Schaffalitsky de Muckadell OB, Haunsø S, Vilstrup H, eds. Medicinsk Kompendium. København: Nyt Nordisk Forlag Arnold Busck; 2009:1500-017.

Thodberg HH, Kreiborg S, Juul A, Pedersen KD. The BoneXpert method for automated determination of skeletal maturity. *IEEE Trans Med Imaging* 2009;28(1):52-66.

Vladimirov BS, Schiodt M. The effect of quitting smoking on the risk of unfavorable events after surgical treatment of oral potentially malignant lesions. *Int J Oral Maxillofac Surg* 2009;38(11):1188-93.

von Arx T, Salvi GE, Janner S, Jensen SS. Gingival recession following apical surgery in the esthetic zone: a clinical study with 70 cases. *Eur J Esthet Dent* 2009;4(1):28-45.

Worsaae N, Holmqvist-Larsen M, Holm B. Behandling af multipel tandagenesi. *Tandlaegebladet* 2009;113:1188-96.

## Øjenklinikken

### Publikationer

#### Videnskabelige artikler

Faber C, Wang M, Scherfig E, Sorensen KE, Prause JU, Ehlers N, et al. Orthotopic porcine corneal xenotransplantation using a human graft. *Acta Ophthalmol* 2009;87(8):917-9.

Kolko M, Kiilgaard JF, Wang J, Poulsen KA, Andreasen JR, Ia Cour M, et al. Calcium-independent phospholipase A2 regulates retinal pigment epithelium proliferation and may be important in the pathogenesis of retinal diseases. *Exp Eye Res* 2009;89(3):383-91.

Kyhn MV, Warfvinge K, Scherfig E, Kiilgaard JF, Prause JU, Klassen H, et al. Acute retinal ischemia caused by controlled low ocular perfusion pressure in a porcine model. Electrophysiological and histological characterisation. *Exp Eye Res* 2009;88(6):1100-6.

Kyhn MV, Klassen H, Johansson UE, Warfvinge K, Lavik E, Kiilgaard JF, et al. Delayed administration of glial cell line-derived neurotrophic factor (GDNF) protects retinal ganglion cells in a pig model of acute retinal ischemia. *Exp Eye Res* 2009;89(6):1012-20.

Thygesen J. Late Hypotony. In: Shaarawy T, Sherwood MB, Hitchings RA, Crowston JG, eds. *Glaucoma: Surgical Management (Volume 2)*. London: Elsevier Ltd; 2009:257-75.

von Holstein SL, Ostergaard J, Daugaard S, Toft PB, Heegaard S. Granular cell tumour of the lacrimal gland. *Acta Ophthalmol* 2009;87(8):926-7.

## Øre-næse-halskirurgisk Klinik

### Publikationer

#### Videnskabelige artikler

Agger A, von Buchwald C, Madsen AR, Yde J, Lesnikova I, Christensen CB, et al. Squamous cell carcinoma of the nasal vestibule 1993-2002: a nationwide retrospective study from DAHANCA. *Head Neck* 2009;31(12):1593-9.

Alkureishi LW, Burak Z, Alvarez JA, Ballinger J, Bilde A, Britten AJ, et al. Joint practice guidelines for radionuclide lymphoscintigraphy for sentinel node localization in oral/oropharyngeal squamous cell carcinoma. *Ann Surg Oncol* 2009;16(11):3190-210.

Alkureishi LW, Burak Z, Alvarez JA, Ballinger J, Bilde A, Britten AJ, et al. Joint practice guidelines for radionuclide lymphoscintigraphy for sentinel node localization in oral/oropharyngeal squamous cell carcinoma. *Eur J Nucl Med Mol Imaging* 2009;36(11):1915-36.

Bilde A, von Buchwald C, Dabelsteen E, Therkildsen MH, Dabelsteen S. Molecular markers in the surgical margin of oral carcinomas. *J Oral Pathol Med* 2009;38(1):72-8.

Bollerslev J, Rosen T, Mollerup CL, Nordenstrom J, Baranowski M, Franco C, et al. Effect of surgery on cardiovascular risk factors in mild primary hyperparathyroidism. *J Clin Endocrinol Metab* 2009;94(7):2255-61.

De Groot K, Harper L, Jayne DR, Flores Suarez LF, Gregorini G, Gross WL, et al. Pulse versus daily oral cyclophosphamide for induction of remission in antineutrophil cytoplasmic antibody-associated vasculitis: a randomized trial. *Ann Intern Med* 2009;150(10):670-80.

Eriksen V, Nielsen LH, Klokke M, Greisen G. Follow-up of 5- to 11-year-old children treated for persistent pulmonary hypertension of the newborn. *Acta Paediatr* 2009;98(2):304-9.

Friis M, Qvortrup K. Functional blood flow patterns of the endolymphatic sac in the rat. *Acta Otolaryngol* 2009;129(3):228-32.

Godballe C, Madsen AR, Pedersen HB, Sorensen CH, Pedersen U, Frisch T, et al. Post-thyroidectomy hemorrhage: a national study of patients treated at the Danish departments of ENT Head and Neck Surgery. *Eur Arch Otorhinolaryngol* 2009;266(12):1945-52.

Hantzakos A, Remacle M, Dikkers FG, Degols JC, Delos M, Friedrich G, et al. Exudative lesions of Reinke's space: a terminology proposal. *Eur Arch Otorhinolaryngol* 2009;266(6):869-78.

Homoe P, Sorensen HC, Tos M. Mobile, one stage, bilateral ear surgery for chronic otitis media patients in remote areas. *J Laryngol Otol* 2009;123(10):1108-13.

Homoe P, Bjarnsholt T, Wessman M, Sorensen HC, Johansen HK. Morphological evidence of biofilm formation in Greenlanders with chronic suppurative otitis media. *Eur Arch Otorhinolaryngol* 2009;266(10):1533-8.

Klokker M, Jansen EC. [Problems and challenges in future aviation and diving medicine]. *Ugeskr Laeger* 2009;171(13):1068.

Lajer C, Buchwald C, Nauntofte B, Specht L, Bardow A, Jensdottir T. Erosive potential of saliva stimulating tablets with and without fluoride in irradiated head and neck cancer patients. *Radiother Oncol* 2009;93(3):534-8.

Marchal F, Chossegros C, Faure F, Delas B, Bizeau A, Mortensen B, et al. [Salivary stones and stenosis. A comprehensive classification]. *Rev Stomatol Chir Maxillofac* 2009;110(1):e1-e4.

Melchior J, Rasmussen N. [Surgery for unilateral recurrent nerve paralysis]. *Ugeskr Laeger* 2009;171(3):122-5.

Nowack R, Wachtler P, Kunz J, Rasmussen N. Cranial nerve palsy in Wegener's granulomatosis--lessons from clinical cases. *J Neurol* 2009;256(3):299-304.

Rasmussen N, Hjuler T, Bohr VA, Caye-Thomasen P. [Is the concept "otogenic meningitis" a misunderstanding?]. *Ugeskr Laeger* 2009;171(18):1480.

Rasmussen N, Grontved AM. [Focus on vocal cord paresis]. *Ugeskr Laeger* 2009;171(3):107.

Sorensen MS, Mosegaard J, Trier P. The visible ear simulator: a public PC application for GPU-accelerated haptic 3D simulation of ear surgery based on the visible ear data. *Otol Neurotol* 2009;30(4):484-7.

# **Juliane Marie Centret**

---

## **Anæstesi- og Operationsklinikken**

### **Publikationer**

---

#### **Videnskabelige artikler**

Azadmehr A, Afshari A, Baradaran B, Hajiaghaei R, Rezazadeh S, Monsef-Esfahani H. Suppression of nitric oxide production in activated murine peritoneal macrophages in vitro and ex vivo by Scrophularia striata ethanolic extract. *J Ethnopharmacol* 2009;124(1):166-9.

Johansen M, Afshari A, Kristensen BB. [Optical and video-assisted laryngoscopy for problematic airways]. *Ugeskr Laeger* 2009;171(48):3528-30.

Meyhoff CS, Henneberg SW, Jorgensen BG, Gatke MR, Rasmussen LS. Depth of anaesthesia monitoring in obese patients: a randomized study of propofol-remifentanil. *Acta Anaesthesiol Scand* 2009;53(3):369-75.

Meyhoff CS, Wetterslev J, Jorgensen LN, Henneberg SW, Hogdall C, Lundvall L, et al. Effect of high perioperative oxygen fraction on surgical site infection and pulmonary complications after abdominal surgery: the PROXI randomized clinical trial. *JAMA* 2009;302(14):1543-50.

## **Enhed for Kirurgisk Patofysiologi**

### **Publikationer**

---

#### **Disputatser og ph.d.-afhandlinger forsvarer i året**

Holte K. Pathophysiology and clinical implications of perioperative fluid management in elective surgery (disputats). København: Eget Forlag; 2009:1-20. Forsvaret den 9/10 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

#### **Videnskabelige artikler**

Aasvang EK, Kehlet H. The effect of mesh removal and selective neurectomy on persistent postherniotomy pain. *Ann Surg* 2009;249(2):327-34.

Aasvang EK, Hansen JB, Kehlet H. Pre-operative pain and sensory function in groin hernia. *Eur J Pain* 2009;13(10):1018-22.

Aasvang EK, Jensen KE, Fiirgaard B, Kehlet H. MRI and pathology in persistent postherniotomy pain. *J Am Coll Surg* 2009;208(6):1023-8.

Andersen LO, Gaarn-Larsen L, Kristensen BB, Husted H, Otte KS, Kehlet H. Subacute pain and function after fast-track hip and knee arthroplasty. *Anaesthesia* 2009;64(5):508-13.

Andersen SH, Husted H, Kehlet H. [Economic consequences of accelerated care pathways in total knee-arthroplasty]. *Ugeskr Laeger* 2009;171(45):3276-80.

Bisgaard T, Kehlet H, Bay-Nielsen MB, Iversen MG, Wara P, Rosenberg J, et al. Nationwide study of early outcomes after incisional hernia repair. *Br J Surg* 2009;96(12):1452-7.

Borup T, Hahn RG, Holte K, Ravn L, Kehlet H. Intra-operative colloid administration increases the clearance of a post-operative fluid load. *Acta Anaesthesiol Scand* 2009;53(3):311-7.

Brandsborg B, Dueholm M, Nikolajsen L, Kehlet H, Jensen TS. A prospective study of risk factors for pain persisting 4 months after hysterectomy. *Clin J Pain* 2009;25(4):263-8.

Bundgaard-Nielsen M, Jorgensen CC, Jorgensen TB, Ruhnau B, Secher NH, Kehlet H. Orthostatic intolerance and the cardiovascular response to early postoperative mobilization. *Br J Anaesth* 2009;102(6):756-62.

Bundgaard-Nielsen M, Secher NH, Kehlet H. 'Liberal' vs. 'restrictive' perioperative fluid therapy - a critical assessment of the evidence. *Acta Anaesthesiol Scand* 2009;53(7):843-51.

Bundgaard-Nielsen M, Sorensen H, Dalsgaard M, Rasmussen P, Secher NH. Relationship between stroke volume, cardiac output and filling of the heart during tilt. *Acta Anaesthesiol Scand* 2009;53(10):1324-8.

Foss NB, Kristensen MT, Palm H, Kehlet H. Postoperative pain after hip fracture is procedure specific. *Br J Anaesth* 2009;102(1):111-6.

Foss NB, Kristensen MT, Jensen PS, Palm H, Krasheninnikoff M, Kehlet H. The effects of liberal versus restrictive transfusion thresholds on ambulation after hip fracture surgery. *Transfusion* 2009;49(2):227-34.

Gartner R, Jensen MB, Nielsen J, Ewertz M, Kroman N, Kehlet H. Prevalence of and factors associated with persistent pain following breast cancer surgery. *JAMA* 2009;302(18):1985-92.

Holm B, Kehlet H. [Rehabilitation after total knee arthroplasty]. *Ugeskr Laeger* 2009;171(9):691-4.

Holte K, Andersen J, Jakobsen DH, Kehlet H. Cyclo-oxygenase 2 inhibitors and the risk of anastomotic leakage after fast-track colonic surgery. *Br J Surg* 2009;96(6):650-4.

Husted H, Holm G, Kristensen MT, Tingskov L, Kehlet H. Ergoterapi ved accelererede forløb - alloplastik og hoftefraktur. In: Krogsaard MR, Rheinlaender P, Larsen AE, eds. *Ortopædkirurgi for Ergoterapeuter og Fysioterapeuter*. København: Munksgaard Danmark; 2009:72-5.

Jakobsen DH, Andersen J. [Convalescence and sick leave after colonic surgery]. *Ugeskr Laeger* 2009;171(40):2907-10.

Jensen K, Kehlet H, Lund CM. Postoperative recovery profile after elective abdominal hysterectomy: a prospective, observational study of a multimodal anaesthetic regime. *Eur J Anaesthesiol* 2009;26(5):382-8.

Jensen LS, Mortensen FV, Iversen MG, Jorgensen A, Kirkegaard P, Kehlet H. [Liver surgery in Denmark 2002-2007]. *Ugeskr Laeger* 2009;171(17):1365-8.

Jorgensen CC, Bundgaard-Nielsen M, Skovgaard LT, Secher NH, Kehlet H. Stroke volume averaging for individualized goal-directed fluid therapy with oesophageal Doppler. *Acta Anaesthesiol Scand* 2009;53(1):34-8.

Kehlet H. Perioperative fluid management - what are the issues? *Anaesthesia und Intensivmedizin* 2009;50:346-7.

Kehlet H, Bundgaard-Nielsen M. Goal-directed perioperative fluid management: why, when, and how? *Anesthesiology* 2009;110(3):453-5.

Kehlet H, Hindso K, Iversen MG. [Organisation and reimbursement of surgical practice in Denmark 2004-2008]. Ugeskr Laeger 2009;171(19):1590-3.

Kehlet H. Surgery: a midline or transverse abdominal incision? Nat Rev Gastroenterol Hepatol 2009;6(10):571-2.

Kehlet H. [Convalescence and sick leave - evidence versus tradition]. Ugeskr Laeger 2009;171(40):2887.

Kehlet H, Kristensen BB. Local anesthetics in the surgical wound - is the pendulum swinging toward increased use? Reg Anesth Pain Med 2009;34(5):389-90.

Kehlet H. Principles of fast track surgery. Multimodal perioperative therapy programme. Chirurg 2009;80(8):687-9.

Kehlet H. Multimodal approach to postoperative recovery. Curr Opin Crit Care 2009;15(4):355-8.

Kristensen MT, Bandholm T, Bencke J, Ekdahl C, Kehlet H. Knee-extension strength, postural control and function are related to fracture type and thigh edema in patients with hip fracture. Clin Biomech (Bristol, Avon) 2009;24(2):218-24.

Kristensen MT, Foss NB, Kehlet H. Factors with independent influence on the 'timed up and go' test in patients with hip fracture. Physiother Res Int 2009;14(1):30-41.

Kristensen MT, Andersen L, Bech-Jensen R, Moos M, Hovmand B, Ekdahl C, et al. High intertester reliability of the cumulated ambulation score for the evaluation of basic mobility in patients with hip fracture. Clin Rehabil 2009;23(12):1116-23.

Kristensen MT, Bandholm T, Holm B, Ekdahl C, Kehlet H. Timed up & go test score in patients with hip fracture is related to the type of walking aid. Arch Phys Med Rehabil 2009;90(10):1760-5.

Kupers R, Frokjaer VG, Naert A, Christensen R, Budtz-Joergensen E, Kehlet H, et al. A PET [18F]altanserin study of 5-HT2A receptor binding in the human brain and responses to painful heat stimulation. Neuroimage 2009;44(3):1001-7.

Kupers R, Danielsen ER, Kehlet H, Christensen R, Thomsen C. Painful tonic heat stimulation induces GABA accumulation in the prefrontal cortex in man. Pain 2009;142(1-2):89-93.

Kupers R, Schneider FC, Christensen R, Naert A, Husted H, Paulson OB, et al. No evidence for generalized increased postoperative responsiveness to pain: a combined behavioral and serial functional magnetic resonance imaging study. Anesth Analg 2009;109(2):600-6.

Liu S, Kehlet H. Postoperative pain. In: Ashley SW, Barie PS, Chance WG, Jurkovich GJ, Kaiser LR, Pearce WH, et al, eds. American College of Surgeons "Surgery: Principles and Practice". NY, USA: BC Decker Inc; 2009:1-16.

Nikolajsen L, Kristensen AD, Thillemann TM, Jurik AG, Rasmussen T, Kehlet H, et al. Pain and somatosensory findings in patients 3 years after total hip arthroplasty. Eur J Pain 2009;13(6):576-81.

Nissen P, van Lieshout JJ, Novovic S, Bundgaard-Nielsen M, Secher NH. Techniques of cardiac output measurement during liver transplantation: arterial pulse wave versus thermodilution. Liver Transpl 2009;15(3):287-91.

Ottesen B, Iversen MG, Kehlet H. [Surgical treatment for ovarian cancer in Denmark 2004-2007]. Ugeskr Laeger 2009;171(4):217-20.

Petersen LJ, Pedersen JL, Skov PS, Nielsen HJ, Kehlet H. Histamine is not released in acute thermal injury in human skin in vivo: a microdialysis study. Inflamm Res 2009;58:395-99.

Poulsen JB, Moller K, Kehlet H, Perner A. Long-term physical outcome in patients with septic shock. *Acta Anaesthesiol Scand* 2009;53(6):724-30.

Rasmussen S, Jensen CM, Iversen MG, Kehlet H. [Lumbar fusion surgery for degenerative conditions in Denmark 2005-2006]. *Ugeskr Laeger* 2009;171(39):2804-7.

van Calenbergh F, Gybels J, van Laere K, Dupont P, Plaghki L, Depreitere B, et al. Long term clinical outcome of peripheral nerve stimulation in patients with chronic peripheral neuropathic pain. *Surg Neurol* 2009;72(4):330-5.

White PF, Kehlet H, Liu S. Perioperative analgesia: what do we still know? *Anesth Analg* 2009;108(5):1364-7.

Wildgaard K, Ravn J, Kehlet H. Chronic post-thoracotomy pain: a critical review of pathogenic mechanisms and strategies for prevention. *Eur J Cardiothorac Surg* 2009;36(1):170-80.

## Fertiliterklinikken

### Publikationer

#### Disputatser og ph.d.-afhandlinger forsvarer i året

Rosendahl M. Preservation of fertility in girls and women before gonadotoxic treatment (disputats). København: Eget Forlag; 2009:1-118. Forsvaret den 19/6 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

#### Videnskabelige artikler

Christiansen OB, Nielsen HS, Lund M, Steffensen R, Varming K. Mannose-binding lectin-2 genotypes and recurrent late pregnancy losses. *Hum Reprod* 2009;24(2):291-9.

Christiansen OB. Evidence-based investigation and management of recurrent miscarriage. In: Macklon NS, Greer IA, Steegers E, eds. *Textbook of Periconceptional Medicine*. London: Informa Healthcare; 2009:367-77.

Gjerris AC, Loft A, Pinborg A, Christiansen M, Tabor A. First-trimester screening markers are altered in pregnancies conceived after IVF/ICSI. *Ultrasound Obstet Gynecol* 2009;33(1):8-17.

Gjerris AC, Loft A, Pinborg A, Christiansen M, Tabor A. The effect of a 'vanishing twin' on biochemical and ultrasound first trimester screening markers for Down's syndrome in pregnancies conceived by assisted reproductive technology. *Hum Reprod* 2009;24(1):55-62.

Ia Cour Freiesleben N, Lossi K, Bogstad J, Bredkjaer HE, Toft B, Rosendahl M, et al. Individual versus standard dose of rFSH in a mild stimulation protocol for intrauterine insemination: a randomized study. *Hum Reprod* 2009;24(10):2523-30.

Larsen EC, Petersen K, Andersen AN, Ziebe S. [Egg-donation in Denmark]. *Ugeskr Laeger* 2009;171(39):2822-5.

Lossi K, Loft A, Freiesleben NL, Bangsboll S, Andersen CY, Pedersen AT, et al. Combined down-regulation by aromatase inhibitor and GnRH-agonist in IVF patients with endometriomas-A pilot study. *Eur J Obstet Gynecol Reprod Biol* 2009;144(1):48-53.

Nielsen HS, Steffensen R, Varming K, Van Halteren AG, Spierings E, Ryder LP, et al. Association of HY-restricting HLA class II alleles with pregnancy outcome in patients with recurrent miscarriage subsequent to a firstborn boy. *Hum Mol Genet* 2009;18(9):1684-91.

Nielsen HS, Lindberg L, Nygaard U, Aytenfisu H, Johnston OL, Sorensen B, et al. A community-based long-term follow up of women undergoing obstetric fistula repair in rural Ethiopia. *BJOG* 2009;116(9):1258-64.

Nyboe Andersen A, Goossens V, Bhattacharya S, Ferraretti AP, Kupka MS, de Mouzon J, et al. Assisted reproductive technology and intrauterine inseminations in Europe, 2005: results generated from European registers by ESHRE: ESHRE. The European IVF Monitoring Programme (EIM), for the European Society of Human Reproduction and Embryology (ESHRE). *Hum Reprod* 2009;24(6):1267-87.

Pinborg A, Hougaard CO, Nyboe Andersen A, Molbo D, Schmidt L. Prospective longitudinal cohort study on cumulative 5-year delivery and adoption rates among 1338 couples initiating infertility treatment. *Hum Reprod* 2009;24(4):991-9.

Pinborg A, Loft A. Single embryo transfer as a model for early conception and implantation. In: Gerris J, Adomson GD, De Sutter P, Racowsky C, eds. *Single Embryo Transfer*. Cambridge: Cambridge University Press; 2009:83-93.

Rosendahl M, Ahlgren J, Andersen J, Bergh J, Blomquist C, Lidbrink E, et al. The risk of amenorrhoea after adjuvant chemotherapy for early stage breast cancer is related to inter-individual variations in chemotherapy-induced leukocyte nadir in young patients: data from the randomised SBG 2000-1 study. *Eur J Cancer* 2009;45(18):3198-204.

van Oppenraaij RH, Jauniaux E, Christiansen OB, Horcajadas JA, Farquharson RG, Exalto N. Predicting adverse obstetric outcome after early pregnancy events and complications: a review. *Hum Reprod Update* 2009;15(4):409-21.

Wennerholm UB, Soderstrom-Anttila V, Bergh C, Aittomaki K, Hazekamp J, Nygren KG, et al. Children born after cryopreservation of embryos or oocytes: a systematic review of outcome data. *Hum Reprod* 2009;24(9):2158-72.

## Gynækologisk Klinik

### Publikationer

#### Disputatser og ph.d.-afhandlinger forsvaret i året

Petri AL. Proteomic analyses in human urine for the diagnosis of ovarian cancer (ph.d.-afhandling). København: Eget Forlag; 2009:1-77. Forsvaret den 19/6 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Risum S. Diagnostik af ovariecancer- værdien af PET/CT og proteomanalyser (ph.d.-afhandling). København: Eget Forlag; 2009:1-68. Forsvaret den 1/1 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

West-Norager M. Development of multivariate analytic methods for discovery of novel serum biomarkers in ovarian cancer (ph.d.-afhandling). København: Eget Forlag; 2009:1-55. Forsvaret den 11/11 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

## Videnskabelige artikler

Ammendrup AC, Bendixen A, Sander P, Ottesen BS, Lose G. [Urinary incontinence surgery in Denmark 2001-2003]. *Ugeskr Laeger* 2009;171(6):399-404.

Ammendrup AC, Jorgensen A, Sander P, Ottesen B, Lose G. A Danish national survey of women operated with mid-urethral slings in 2001. *Acta Obstet Gynecol Scand* 2009;88(11):1227-33.

Begum FD, Hogdall E, Kjaer SK, Blaakaer J, Christensen IJ, Christensen L, et al. Preoperative serum ttranectin, CA125 and menopausal status used as single markers in screening and in a risk assessment index (RAI) in discriminating between benign and malignant ovarian tumors. *Gynecol Oncol* 2009;113(2):221-7.

Brown DR, Kjaer SK, Sigurdsson K, Iversen OE, Hernandez-Avila M, Wheeler CM, et al. The impact of quadrivalent human papillomavirus (HPV; types 6, 11, 16, and 18) L1 virus-like particle vaccine on infection and disease due to oncogenic nonvaccine HPV types in generally HPV-naive women aged 16-26 years. *J Infect Dis* 2009;199(7):926-35.

Cunningham JM, Vierkant RA, Sellers TA, Phelan C, Rider DN, Liebow M, et al. Cell cycle genes and ovarian cancer susceptibility: a tagSNP analysis. *Br J Cancer* 2009;101(8):1461-8.

Eliasen M, Kaer SK, Munk C, Nygard M, Spare P, Tryggvadottir L, et al. The relationship between age at drinking onset and subsequent binge drinking among women. *Eur J Public Health* 2009;19(4):378-82.

Faergeman O, Lidegaard O. [Climate and health]. *Ugeskr Laeger* 2009;171(44):3163.

Forstholt MM, Lidegaard O. [Cesarean section on maternal request]. *Ugeskr Laeger* 2009;171(7):497-502.

Goode EL, Fridley BL, Vierkant RA, Cunningham JM, Phelan CM, Anderson S, et al. Candidate gene analysis using imputed genotypes: cell cycle single-nucleotide polymorphisms and ovarian cancer risk. *Cancer Epidemiol Biomarkers Prev* 2009;18(3):935-44.

Hogdall EV, Ringsholt M, Hogdall CK, Christensen IJ, Johansen JS, Kjaer SK, et al. YKL-40 tissue expression and plasma levels in patients with ovarian cancer. *BMC Cancer* 2009;9:8.

Iftner T, Germ L, Swoyer R, Kjaer SK, Breugelmans JG, Munk C, et al. Study comparing human papillomavirus (HPV) real-time multiplex PCR and Hybrid Capture II INNO-LiPA v2 HPV genotyping PCR assays. *J Clin Microbiol* 2009;47(7):2106-13.

International Collaboration of Epidemiological Studies of Cervical Cancer (Kjaer SK). Cervical carcinoma and sexual behavior: collaborative reanalysis of individual data on 15,461 women with cervical carcinoma and 29,164 women without cervical carcinoma from 21 epidemiological studies. *Cancer Epidemiol Biomarkers Prev* 2009;18(4):1060-9.

Jensen A, Sharif H, Kjaer SK. Use of fertility drugs and risk of uterine cancer: results from a large Danish population-based cohort study. *Am J Epidemiol* 2009;170(11):1408-14.

Jensen A, Sharif H, Frederiksen K, Kjaer SK. Use of fertility drugs and risk of ovarian cancer: Danish Population Based Cohort Study. *BMJ* 2009;338:b249.

Jochumsen KM, Tan Q, Hogdall EV, Hogdall C, Kjaer SK, Blaakaer J, et al. Gene expression profiles as prognostic markers in women with ovarian cancer. *Int J Gynecol Cancer* 2009;19(7):1205-13.

Kjaer SK, Sigurdsson K, Iversen OE, Hernandez-Avila M, Wheeler CM, Perez G, et al. A pooled analysis of continued prophylactic efficacy of quadrivalent human papillomavirus (Types 6/11/16/18) vaccine against high-grade cervical and external genital lesions. *Cancer Prev Res (Phila Pa)* 2009;2(10):868-78.

Kjaergaard H, Olsen J, Ottesen B, Dykes AK. Incidence and outcomes of dystocia in the active phase of labor in term nulliparous women with spontaneous labor onset. *Acta Obstet Gynecol Scand* 2009;88(4):402-7.

Lajer H, Kristensen J, Kjer JJ. [Inguinal endometriosis]. *Ugeskr Laeger* 2009;171(6):437.

Larsen CR, Soerensen JL, Grantcharov TP, Dalsgaard T, Schouenborg L, Ottosen C, et al. Effect of virtual reality training on laparoscopic surgery: randomised controlled trial. *BMJ* 2009;338:b1802.

Lidegaard O. [Lifestyle and climate change]. *Ugeskr Laeger* 2009;171(44):3194-7.

Lidegaard O, Lokkegaard E, Svendsen AL, Agger C. Hormonal contraception and risk of venous thromboembolism: national follow-up study. *BMJ* 2009;339:b2890.

Lidegaard O, Vestergaard CH, Hammerum MS. [Quality monitoring based on data from the Danish National Patient Registry]. *Ugeskr Laeger* 2009;171(6):412-5.

Lidegaard O. [The National Patient Registry - again]. *Ugeskr Laeger* 2009;171(6):397.

Lossi K, Loft A, Freiesleben NL, Bangsboll S, Andersen CY, Pedersen AT, et al. Combined down-regulation by aromatase inhibitor and GnRH-agonist in IVF patients with endometriomas-A pilot study. *Eur J Obstet Gynecol Reprod Biol* 2009;144(1):48-53.

Majewski S, Bosch FX, Dillner J, Iversen OE, Kjaer SK, Munoz N, et al. The impact of a quadrivalent human papillomavirus (types 6, 11, 16, 18) virus-like particle vaccine in European women aged 16 to 24. *J Eur Acad Dermatol Venereol* 2009;23(10):1147-55.

Meyhoff CS, Wetterslev J, Jorgensen LN, Henneberg SW, Hogdall C, Lundvall L, et al. Effect of high perioperative oxygen fraction on surgical site infection and pulmonary complications after abdominal surgery: the PROXI randomized clinical trial. *JAMA* 2009;302(14):1543-50.

Morch LS, Lokkegaard E, Andreasen AH, Kruger-Kjaer S, Lidegaard O. Hormone therapy and ovarian cancer. *JAMA* 2009;302(3):298-305.

Nielsen A, Iftner T, Munk C, Kjaer SK. Acquisition of high-risk human papillomavirus infection in a population-based cohort of Danish women. *Sex Transm Dis* 2009;36(10):609-15.

Nielsen A, Munk C, Liaw KL, Kjaer SK. Awareness of human papillomavirus in 23 000 Danish men from the general male population. *Eur J Cancer Prev* 2009;18(3):236-9.

Njor SH, Pedersen AT, Schwartz W, Hallas J, Lynge E. Minimizing misclassification of hormone users at mammography screening. *Int J Cancer* 2009;124(9):2159-65.

Noehr B, Jensen A, Frederiksen K, Tabor A, Kjaer SK. Depth of cervical cone removed by loop electrosurgical excision procedure and subsequent risk of spontaneous preterm delivery. *Obstet Gynecol* 2009;114(6):1232-8.

Noehr B, Jensen A, Frederiksen K, Tabor A, Kjaer SK. Loop electrosurgical excision of the cervix and risk for spontaneous preterm delivery in twin pregnancies. *Obstet Gynecol* 2009;114(3):511-5.

Noehr B, Jensen A, Frederiksen K, Tabor A, Kjaer SK. Loop electrosurgical excision of the cervix and subsequent risk for spontaneous preterm delivery: a population-based study of singleton deliveries during a 9-year period. *Am J Obstet Gynecol* 2009;201(1):33-6.

Olsson SE, Kjaer SK, Sigurdsson K, Iversen OE, Hernandez-Avila M, Wheeler CM, et al. Evaluation of quadrivalent HPV 6/11/16/18 vaccine efficacy against cervical and anogenital disease in subjects with serological evidence of prior vaccine type HPV infection. *Hum Vaccin* 2009;5(10):696-704.

Ottesen B. [Ovarian cancer - where are we going?]. *Ugeskr Laeger* 2009;171(48):3504.

Ottesen B, Iversen MG, Kehlet H. [Surgical treatment for ovarian cancer in Denmark 2004-2007]. *Ugeskr Laeger* 2009;171(4):217-20.

Pearce CL, Near AM, Van Den Berg DJ, Ramus SJ, Gentry-Maharaj A, Menon U, et al. Validating genetic risk associations for ovarian cancer through the international Ovarian Cancer Association Consortium. *Br J Cancer* 2009;100(2):412-20.

Pedersen SH, Nielsen LB, Pedersen NG, Nilas L, Ottesen B. Hormone therapy modulates ET(A) mRNA expression in the aorta of ovariectomised New Zealand white rabbits. *Gynecol Endocrinol* 2009;25(3):175-82.

Petersen CD, Giraldi A, Lundvall L, Kristensen E. Botulinum toxin type A - a novel treatment for provoked vestibulodynia? Results from a randomized, placebo controlled, double blinded study. *J Sex Med* 2009;6(9):2523-37.

Petersen CD, Kristensen E, Lundvall L, Giraldi A. A retrospective study of relevant diagnostic procedures in vulvodynia. *J Reprod Med* 2009;54(5):281-7.

Petri AL, Hogdall C, Lidegaard O. [Registration of primary ovarian cancer in Denmark]. *Ugeskr Laeger* 2009;171(6):408-11.

Petri AL, Simonsen AH, Yip TT, Hogdall E, Fung ET, Lundvall L, et al. Three new potential ovarian cancer biomarkers detected in human urine with equalizer bead technology. *Acta Obstet Gynecol Scand* 2009;88(1):18-26.

Petri AL, Kjaer SK, Christensen IJ, Blaakaer J, Hogdall E, Jeppesen U, et al. Validation of epithelial ovarian cancer and fallopian tube cancer and ovarian borderline tumor data in the Danish Gynecological Cancer Database. *Acta Obstet Gynecol Scand* 2009;88(5):536-42.

Quaye L, Tyrer J, Ramus SJ, Song H, Wozniak E, DiCioccio RA, et al. Association between common germline genetic variation in 94 candidate genes or regions and risks of invasive epithelial ovarian cancer. *PLoS One* 2009;4(6):e5983.

Quaye L, Dafou D, Ramus SJ, Song H, Gentry-Maharaj A, Notaridou M, et al. Functional complementation studies identify candidate genes and common genetic variants associated with ovarian cancer survival. *Hum Mol Genet* 2009;18(10):1869-78.

Quaye L, Song H, Ramus SJ, Gentry-Maharaj A, Hogdall E, DiCioccio RA, et al. Tagging single-nucleotide polymorphisms in candidate oncogenes and susceptibility to ovarian cancer. *Br J Cancer* 2009;100(6):993-1001.

Risum S, Hogdall E, Engelholm SA, Fung E, Lomas L, Yip C, et al. A proteomics panel for predicting optimal primary cytoreduction in stage III/IV ovarian cancer. *Int J Gynecol Cancer* 2009;19(9):1535-8.

Risum S, Hogdall C, Markova E, Berthelsen AK, Loft A, Jensen F, et al. Influence of 2-(18F) fluoro-2-deoxy-D-glucose positron emission tomography/computed tomography on recurrent ovarian cancer diagnosis and on selection of patients for secondary cytoreductive surgery. *Int J Gynecol Cancer* 2009;19(4):600-4.

Robinson KM, Ottesen B, Christensen KB, Krasnik A. Diagnostic delay experienced among gynecological cancer patients: a nationwide survey in Denmark. *Acta Obstet Gynecol Scand* 2009;88(6):685-92.

Schildkraut JM, Goode EL, Clyde MA, Iversen ES, Moorman PG, Berchuck A, et al. Single nucleotide polymorphisms in the TP53 region and susceptibility to invasive epithelial ovarian cancer. *Cancer Res* 2009;69(6):2349-57.

Soegaard M, Frederiksen K, Jensen A, Hogdall E, Hogdall C, Blaakaer J, et al. Risk of ovarian cancer in women with first-degree relatives with cancer. *Acta Obstet Gynecol Scand* 2009;88(4):449-56.

Song H, Ramus SJ, Tyrer J, Bolton KL, Gentry-Maharaj A, Wozniak E, et al. A genome-wide association study identifies a new ovarian cancer susceptibility locus on 9p22.2. *Nat Genet* 2009;41(9):996-1000.

Song H, Ramus SJ, Kjaer SK, DiCioccio RA, Chenevix-Trench G, Pearce CL, et al. Association between invasive ovarian cancer susceptibility and 11 best candidate SNPs from breast cancer genome-wide association study. *Hum Mol Genet* 2009;18(12):2297-304.

Sparholt MH, Hogdall E, Hogdall CK. [Tumour markers in epithelial ovarian cancer]. *Ugeskr Laeger* 2009;171(48):3505-9.

Svane D. [Human papillomavirus vaccination in Denmark]. *Ugeskr Laeger* 2009;171(13):1088.

Tabor A, Vestergaard CH, Lidegaard O. Fetal loss rate after chorionic villus sampling and amniocentesis: an 11-year national registry study. *Ultrasound Obstet Gynecol* 2009;34(1):19-24.

Vestergaard CH, Lidegaard O, Tabor A. Invasive prenatal diagnostic practice in Denmark 1996 to 2006. *Acta Obstet Gynecol Scand* 2009;88(3):362-5.

West-Norager M, Bro R, Marini F, Hogdall EV, Hogdall CK, Nedergaard L, et al. Feasibility of serodiagnosis of ovarian cancer by mass spectrometry. *Anal Chem* 2009;81:1907-13.

## Klinik for Føtal Medicin og Ultralydskanning

### Publikationer

#### Videnskabelige artikler

Gjerris AC, Loft A, Pinborg A, Christiansen M, Tabor A. First-trimester screening markers are altered in pregnancies conceived after IVF/ICSI. *Ultrasound Obstet Gynecol* 2009;33(1):8-17.

Gjerris AC, Loft A, Pinborg A, Christiansen M, Tabor A. The effect of a 'vanishing twin' on biochemical and ultrasound first trimester screening markers for Down's syndrome in pregnancies conceived by assisted reproductive technology. *Hum Reprod* 2009;24(1):55-62.

Hedley PL, Placing S, Wojdemann K, Carlsen AL, Shalmi AC, Sundberg K, et al. Free leptin index and PAPP-A: a first trimester maternal serum screening test for pre-eclampsia. *Prenat Diagn* 2009;30(2):103-9.

Hermann NV, Hove HD, Jorgensen C, Larsen P, Darvann TA, Kreiborg S, et al. Prenatal 3D ultrasound diagnostics in cleidocranial dysplasia. *Fetal Diagn Ther* 2009;25(1):36-9.

Klemmensen A, Tabor A, Osterdal ML, Knudsen VK, Halldorsson TI, Mikkelsen TB, et al. Intake of vitamin C and E in pregnancy and risk of pre-eclampsia: prospective study among 57 346 women. *BJOG* 2009;116(7):964-74.

Laigaard J, Pedersen NG, Larsen SO, Hedley PL, Wojdemann K, Gjerris AC, et al. ADAM12 in first trimester maternal serum from pregnancies conceived by assisted reproduction techniques (ART). *Prenat Diagn* 2009;29(6):628-9.

Laigaard J, Larsen SO, Pedersen NG, Hedley PL, Gjerris AC, Wojdemann KR, et al. ADAM 12-S in first trimester: fetal gender, smoking and maternal age influence the maternal serum concentration. *Prenat Diagn* 2009;29(5):525-7.

Lutterodt M, Byskov AG, Skouby SO, Tabor A, Yding Andersen C. Anti-Mullerian hormone in pregnant women in relation to other hormones, fetal sex and in circulation of second trimester fetuses. *Reprod Biomed Online* 2009;18(5):694-9.

Noehr B, Jensen A, Frederiksen K, Tabor A, Kjaer SK. Depth of cervical cone removed by loop electrosurgical excision procedure and subsequent risk of spontaneous preterm delivery. *Obstet Gynecol* 2009;114(6):1232-8.

Noehr B, Jensen A, Frederiksen K, Tabor A, Kjaer SK. Loop electrosurgical excision of the cervix and risk for spontaneous preterm delivery in twin pregnancies. *Obstet Gynecol* 2009;114(3):511-5.

Noehr B, Jensen A, Frederiksen K, Tabor A, Kjaer SK. Loop electrosurgical excision of the cervix and subsequent risk for spontaneous preterm delivery: a population-based study of singleton deliveries during a 9-year period. *Am J Obstet Gynecol* 2009;201(1):33-6.

Rode L, Langhoff-Roos J, Andersson C, Dinesen J, Hammerum MS, Mohapeloa H, et al. Systematic review of progesterone for the prevention of preterm birth in singleton pregnancies. *Acta Obstet Gynecol Scand* 2009;88(11):1180-9.

Schou KV, Kirchhoff M, Nygaard U, Jorgensen C, Sundberg K. Increased nuchal translucency with normal karyotype: a follow-up study of 100 cases supplemented with CGH and MLPA analyses. *Ultrasound Obstet Gynecol* 2009;34(6):618-22.

Tabor A, Vestergaard CH, Lidegaard O. Fetal loss rate after chorionic villus sampling and amniocentesis: an 11-year national registry study. *Ultrasound Obstet Gynecol* 2009;34(1):19-24.

Vestergaard CH, Lidegaard O, Tabor A. Invasive prenatal diagnostic practice in Denmark 1996 to 2006. *Acta Obstet Gynecol Scand* 2009;88(3):362-5.

## Klinik for Psykologi, Pædagogik og Socialrådgivning

### Publikationer

#### Videnskabelige artikler

Gronbaek HN, Madsen SA, Michaelsen KF. Family involvement in the treatment of childhood obesity: the Copenhagen approach. *Eur J Pediatr* 2009;168(12):1437-47.

Madsen SA. Men's mental health: fatherhood and psychotherapy. *The Journal of Men's Studies* 2009;17(1):15-30.

Reimers TS, Mortensen EL, Nysom K, Schmiegelow K. Health-related quality of life in long-term survivors of childhood brain tumors. *Pediatr Blood Cancer* 2009;53(6):1086-91.

## Klinik for Vækst og Reproduktion

### Publikationer

#### Disputatser og ph.d.-afhandlinger forsvarer i året

Bay K. Human testicular insulin-like factor 3: in relation to development, reproductive hormones, and andrological disorders (ph.d.-afhandling). København: Eget Forlag; 2009:1-71. Forsvaret den 3/9 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Novotny GW. Small RNA molecules: potential regulators of carcinogenesis and a novel tool in molecular biology research (ph.d.-afhandling). København: Eget Forlag; 2009:1-131. Forsvaret den 10/6 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

#### Videnskabelige artikler

Akssglaede L, Juul A, Olsen LW, Sorensen TI. Age at puberty and the emerging obesity epidemic. *PLoS One* 2009;4(12):e8450.

Akssglaede L, Jorgensen N, Skakkebaek NE, Juul A. Low semen volume in 47 adolescents and adults with 47,XXY Klinefelter or 46,XX male syndrome. *Int J Androl* 2009;32(4):376-84.

Akssglaede L, Sorensen K, Petersen JH, Skakkebaek NE, Juul A. Recent decline in age at breast development: the Copenhagen Puberty Study. *Pediatrics* 2009;123(5):e932-e939.

Bang AK, Petersen JH, Petersen PM, Andersson AM, Daugaard G, Jorgensen N. Testosterone production is better preserved after 16 than 20 Gray irradiation treatment against testicular carcinoma in situ cells. *Int J Radiat Oncol Biol Phys* 2009;75(3):672-6.

Bjornhart B, Juul A, Nielsen S, Zak M, Svenningsen P, Muller K. Cartilage oligomeric matrix protein in patients with juvenile idiopathic arthritis: relation to growth and disease activity. *J Rheumatol* 2009;36(8):1749-54.

Boas M, Hegedus L, Feldt-Rasmussen U, Skakkebaek NE, Hilsted L, Main KM. Association of thyroid gland volume, serum insulin-like growth factor-I, and anthropometric variables in euthyroid prepubertal children. *J Clin Endocrinol Metab* 2009;94(10):4031-5.

Boas M, Main KM, Feldt-Rasmussen U. Environmental chemicals and thyroid function: an update. *Curr Opin Endocrinol Diabetes Obes* 2009;16(5):385-91.

Boas M, Forman JL, Juul A, Feldt-Rasmussen U, Skakkebaek NE, Hilsted L, et al. Narrow intra-individual variation of maternal thyroid function in pregnancy based on a longitudinal study on 132 women. *Eur J Endocrinol* 2009;161(6):903-10.

Buhl AM, Novotny GW, Josefsson P, Nielsen JE, Pedersen LB, Geisler C, et al. The CLLU1 expression level is a stable and inherent feature of the chronic lymphocytic leukemia clone. *Leukemia* 2009;23(6):1182-6.

Carel JC, Eugster EA, Rogol A, Ghizzoni L, Palmert MR, Antoniazzi F, et al. Consensus statement on the use of gonadotropin-releasing hormone analogs in children. *Pediatrics* 2009;123(4):e752-e762.

Dias VL, Rajpert-De Meyts E, McLachlan R, Loveland KL. Analysis of activin/TGFB-signaling modulators within the normal and dysfunctional adult human testis reveals evidence of altered signaling capacity in a subset of seminomas. *Reproduction* 2009;138(5):801-11.

Goriely A, Hansen RM, Taylor IB, Olesen IA, Jacobsen GK, McGowan SJ, et al. Activating mutations in FGFR3 and HRAS reveal a shared genetic origin for congenital disorders and testicular tumors. *Nat Genet* 2009;41(11):1247-52.

Hvelplund C, Jeppesen EM, Mortensen HB, Christiansen P. [Generalized seizures as onset of Gitelman's syndrome]. *Ugeskr Laeger* 2009;171(10):818.

Joensen UN, Bossi R, Leffers H, Jensen AA, Skakkebaek NE, Jorgensen N. Do perfluoroalkyl compounds impair human semen quality? *Environ Health Perspect* 2009;117(6):923-7.

Joensen UN, Skakkebaek NE, Jorgensen N. Is there a problem with male reproduction? *Nat Clin Pract Endocrinol Metab* 2009;5(3):144-5.

Jorgensen A, Nielsen JE, Morthorst JE, Bjerregaard P, Leffers H. Laser capture microdissection of gonads from juvenile zebrafish. *Reprod Biol Endocrinol* 2009;7:97.

Juliusson PB, Roelants M, Eide GE, Moster D, Juul A, Hauspie R, et al. [Growth references for Norwegian children]. *Tidsskr Nor Laegeforen* 2009;129(4):281-6.

Juul A, Sorensen K, Aksglaede L, Garn I, Rajpert-De Meyts E, Hullstein I, et al. A common deletion in the uridine diphosphate glucuronyltransferase (UGT) 2B17 gene is a strong determinant of androgen excretion in healthy pubertal boys. *J Clin Endocrinol Metab* 2009;94(3):1005-11.

Juul A, Kreiborg S. Somatic growth and puberty. In: Koch G, Poulsen S, eds. *Pediatric Dentistry, A Clinical Approach*. Chichester UK: Wiley-Blackwell; 2009:5-16.

Krausz C, Giachini C, Xue Y, O'Bryan MK, Gromoll J, Rajpert-De Meyts E, et al. Phenotypic variation within European carriers of the Y-chromosomal gr/gr deletion is independent of Y-chromosomal background. *J Med Genet* 2009;46(1):21-31.

Larnkjaer A, Ingstrup HK, Schack-Nielsen L, Hoppe C, Molgaard C, Skovgaard IM, et al. Early programming of the IGF-I axis: negative association between IGF-I in infancy and late adolescence in a 17-year longitudinal follow-up study of healthy subjects. *Growth Horm IGF Res* 2009;19(1):82-6.

Main KM, Skakkebaek NE, Toppari J. Cryptorchidism as part of the testicular dysgenesis syndrome: the environmental connection. *Endocr Dev* 2009;14:167-73.

Mikkelsen JD, Bentsen AH, Ansel L, Simonneaux V, Juul A. Comparison of the effects of peripherally administered kisspeptins. *Regul Pept* 2009;152(1-3):95-100.

Petersen JH. A non-parametric conditional bivariate reference region with an application to height/weight measurements on normal girls. *Biom J* 2009;51(4):697-709.

Shah FJ, Tanaka M, Nielsen JE, Iwamoto T, Kobayashi S, Skakkebaek NE, et al. Gene expression profiles of mouse spermatogenesis during recovery from irradiation. *Reprod Biol Endocrinol* 2009;7:130.

Sonne SB, Dalgaard MD, Nielsen JE, Hoei-Hansen CE, Rajpert-De Meyts E, Gjerdum LM, et al. Optimizing staining protocols for laser microdissection of specific cell types from the testis including carcinoma in situ. *PLoS One* 2009;4(5):e5536.

Sonne SB, Almstrup K, Dalgaard M, Juncker AS, Edsgard D, Ruban L, et al. Analysis of gene expression profiles of microdissected cell populations indicates that testicular carcinoma in situ is an arrested gonocyte. *Cancer Res* 2009;69(12):5241-50.

Sorensen K, Aksglaede L, Munch-Andersen T, achmann-Andersen NJ, Leffers H, Helge JW, et al. Impact of the growth hormone receptor exon 3 deletion gene polymorphism on glucose metabolism, lipids, and insulin-like growth factor-I levels during puberty. *J Clin Endocrinol Metab* 2009;94(8):2966-9.

Sorensen K, Aksglaede L, Munch-Andersen T, achmann-Andersen NJ, Petersen JH, Hilsted L, et al. Sex hormone-binding globulin levels predict insulin sensitivity, disposition index, and cardiovascular risk during puberty. *Diabetes Care* 2009;32(5):909-14.

Sorensen MT, Poulsen ME, Leffers H. No effect of the plant growth regulator, chlormequat, on boar fertility. *Animal* 2009;3:697-702.

Stewart TM, Liu DY, Garrett C, Jorgensen N, Brown EH, Baker HW. Associations between andrological measures, hormones and semen quality in fertile Australian men: inverse relationship between obesity and sperm output. *Hum Reprod* 2009;24(7):1561-8.

Teilmann G, Petersen JH, Gormsen M, Damgaard K, Skakkebaek NE, Jensen TK. Early puberty in internationally adopted girls: hormonal and clinical markers of puberty in 276 girls examined biannually over two years. *Horm Res* 2009;72(4):236-46.

Thodberg HH, Kreiborg S, Juul A, Pedersen KD. The BoneXpert method for automated determination of skeletal maturity. *IEEE Trans Med Imaging* 2009;28(1):52-66.

Wohlfahrt-Veje C, Main KM, Skakkebaek NE. Testicular dysgenesis syndrome: foetal origin of adult reproductive problems. *Clin Endocrinol (Oxf)* 2009;71(4):459-65.

Wohlfahrt-Veje C, Boisen KA, Boas M, Damgaard IN, Kai CM, Schmidt IM, et al. Acquired cryptorchidism is frequent in infancy and childhood. *Int J Androl* 2009;32(4):423-8.

## Klinik Genetisk Afdeling

### Publikationer

#### Videnskabelige artikler

Arrigo N, Tuszyński JW, Ehrlich D, Gerdes T, Alvarez N. Evaluating the impact of scoring parameters on the structure of intra-specific genetic variation using RawGeno, an R package for automating AFLP scoring. *BMC Bioinformatics* 2009;10:33.

Bisgaard AM, Kirchhoff M, Nielsen JE, Kibaek M, Lund A, Schwartz M, et al. Chromosomal deletion unmasking a recessive disease: 22q13 deletion syndrome and metachromatic leukodystrophy. *Clin Genet* 2009;75(2):175-9.

Borregaard N, Andersen MK, Berthelsen AK, Bjerrum OW, de Nully Brown P, Geisler C, Giemsing P et al. Blodsygdomme. In: Schaffalitzky de Muckadell OB, Haunso S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:1762-887.

Camargo SM, Singer D, Makrides V, Huggel K, Pos KM, Wagner CA, et al. Tissue-specific amino acid transporter partners ACE2 and collectrin differentially interact with hartnup mutations. *Gastroenterology* 2009;136(3):872-82.

Darvann TA, Hermann NV, Larsen P, Govier D, Kane AA, Lo L-J, Kreiborg S. Detailed quantification of 3D soft tissue nose asymmetry before and after primary lip repair in UCCLP infants. In: do Amaral CER, de Almeida ABA, eds. 11th International Congress on Cleft Palate and Related Craniofacial Anomalies, Fortaleza 2009. Bologna: Medimond International Proceedings; 2009:157-60.

Demant S, Hermann NV, Darvann TA, Larsen P, Zak M, Schatz H, Kreiborg S. 3D facial asymmetry in patients with juvenile idiopathic arthritis (JIA) involving the temporomandibular joints (TMJ). In: do Amaral CER, de Almeida ABA, eds. 11th International Congress on Cleft Palate and Related Craniofacial Anomalies, Fortaleza 2009. Bologna: Medimond International Proceedings; 2009:57-62.

Duno M, Quinlivan R, Vissing J, Schwartz M. High-resolution melting facilitates mutation screening of PYGM in patients with McArdle disease. *Ann Hum Genet* 2009;73(Pt 3):292-7.

Frederiksen AL, Jeppesen TD, Vissing J, Schwartz M, Kyvik KO, Schmitz O, et al. High prevalence of impaired glucose homeostasis and myopathy in asymptomatic and oligosymptomatic 3243A>G mitochondrial DNA mutation-positive subjects. *J Clin Endocrinol Metab* 2009;94(8):2872-9.

Granild-Jensen J, Jensen UB, Schwartz M, Hansen US. Cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy resulting in stroke in an 11-year-old male. *Dev Med Child Neurol* 2009;51(9):754-7.

Hansen TO, Jonson L, Albrechtsen A, Andersen MK, Ejlertsen B, Nielsen FC. Large BRCA1 and BRCA2 genomic rearrangements in Danish high risk breast-ovarian cancer families. *Breast Cancer Res Treat* 2009;115(2):315-23.

Hansen TV, Ejlertsen B, Albrechtsen A, Bergsten E, Bjerregaard P, Hansen T, et al. A common Greenlandic Inuit BRCA1 RING domain founder mutation. *Breast Cancer Res Treat* 2009;115(1):69-76.

Hermann NV, Hove HD, Jorgensen C, Larsen P, Darvann TA, Kreiborg S, et al. Prenatal 3D ultrasound diagnostics in cleidocranial dysplasia. *Fetal Diagn Ther* 2009;25(1):36-9.

Hermann NV, Darvann TA, Sundberg K, Kreiborg S, Joergensen C. Prenatal mandibular dimensions and growth studies by 3D ultrasound. In: do Amaral CER, de Almeida ABA, eds. 11th International Congress on Cleft Palate and Related Craniofacial Anomalies, Fortaleza 2009. Bologna: Medimond International Proceedings; 2009:113-6.

Janssen RJ, Distelmaier F, Smeets R, Wijnhoven T, Ostergaard E, Jaspers NG, et al. Contiguous gene deletion of ELOVL7, ERCC8 and NDUFAF2 in a patient with a fatal multisystem disorder. *Hum Mol Genet* 2009;18(18):3365-74.

Jeppesen TD, Duno M, Schwartz M, Krag T, Rafiq J, Wibrand F, et al. Short- and long-term effects of endurance training in patients with mitochondrial myopathy. *Eur J Neurol* 2009;16(12):1336-9.

Jones SA, Almassy Z, Beck M, Burt K, Clarke JT, Giugliani R, et al. Mortality and cause of death in mucopolysaccharidosis type II-a historical review based on data from the Hunter Outcome Survey (HOS). *J Inherit Metab Dis* 2009;32(4):534-43.

Karrman K, Forestier E, Heyman M, Andersen MK, Autio K, Blennow E, et al. Clinical and cytogenetic features of a population-based consecutive series of 285 pediatric T-cell acute lymphoblastic leukemias: rare T-cell receptor gene rearrangements are associated with poor outcome. *Genes Chromosomes Cancer* 2009;48(9):795-805.

Kirchhoff M, Bisgaard AM, Stoeva R, Dimitrov B, Gillessen-Kaesbach G, Fryns JP, et al. Phenotype and 244k array-CGH characterization of chromosome 13q deletions: an update of the phenotypic map of 13q21.1-qter. *Am J Med Genet A* 2009;149A(5):894-905.

Klaus V, Vermeulen T, Minassian B, Israeli N, Engel K, Lund AM, et al. Highly variable clinical phenotype of carbamylphosphate synthetase 1 deficiency in one family: an effect of allelic variation in gene expression? *Clin Genet* 2009;76(3):263-9.

Kranendijk M, Salomons GS, Gibson KM, Ktuglu-Zeybek C, Bekri S, Christensen E, et al. Development and implementation of a novel assay for L-2-hydroxyglutarate dehydrogenase (L-2-HGDH) in cell lysates: L-2-HGDH deficiency in 15 patients with L-2-hydroxyglutaric aciduria. *J Inherit Metab Dis* 2009;32:713-9.

Larsen TS, Moller MB, de Stricker K, Norgaard P, Samuelsson J, Marcher C, et al. Minimal residual disease and normalization of the bone marrow after long-term treatment with alpha-interferon2b in polycythemia vera. A report on molecular response patterns in seven patients in sustained complete hematological remission. *Hematology* 2009;14(6):331-4.

Lindquist SG, Schwartz M, Batbayli M, Waldemar G, Nielsen JE. Genetic testing in familial AD and FTD: mutation and phenotype spectrum in a Danish cohort. *Clin Genet* 2009;76(2):205-9.

Pasternack SM, Betz RC, Brandrup F, Gade EF, Clemmensen O, Lund AM, et al. Identification of two new mutations in the TAT gene in a Danish family with tyrosinaemia type II. *Br J Dermatol* 2009;160(3):704-6.

Preisler N, Andersen G, Thogersen F, Crone C, Jeppesen TD, Wibrand F, et al. Effect of aerobic training in patients with spinal and bulbar muscular atrophy (Kennedy disease). *Neurology* 2009;72(4):317-23.

Puschmann A, Ross OA, Vilarino-Guell C, Lincoln SJ, Kachergus JM, Cobb SA, et al. A Swedish family with de novo alpha-synuclein A53T mutation: evidence for early cortical dysfunction. *Parkinsonism Relat Disord* 2009;15(9):627-32.

Roed C, Skovby F, Lund AM. [Severe vitamin B12 deficiency in infants breastfed by vegans]. *Ugeskr Laeger* 2009;171(43):3099-101.

Roos L, Jonch AE, Kjaergaard S, Taudorf K, Simonsen H, Hamborg-Petersen B, et al. A new microduplication syndrome encompassing the region of the Miller-Dieker (17p13 deletion) syndrome. *J Med Genet* 2009;46(10):703-10.

Schmiegelow K, Al-Modhwahi I, Andersen MK, Behrendtz M, Forestier E, Hasle H, et al. Methotrexate/6-mercaptopurine maintenance therapy influences the risk of a second malignant neoplasm after childhood acute lymphoblastic leukemia: results from the NOPHO ALL-92 study. *Blood* 2009;113(24):6077-84.

Schou KV, Kirchhoff M, Nygaard U, Jorgensen C, Sundberg K. Increased nuchal translucency with normal karyotype: a follow-up study of 100 cases supplemented with CGH and MLPA analyses. *Ultrasound Obstet Gynecol* 2009;34(6):618-22.

Skovby F, Nordestgaard BG. Medicinsk genetik. In: Schaffalitzky de Muckadell OB, Haunso S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:116-30.

Skovby F. Medfødte stofskiftesygdomme. In: Schaffalitzky de Muckadell OB, Haunso S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:2393-417.

Tfelt-Hansen J, Jespersen T, Hofman-Bang J, Rasmussen HB, Cedergreen P, Skovby F, et al. Ventricular tachycardia in a Brugada syndrome patient caused by a novel deletion in SCN5A. *Can J Cardiol* 2009;25(3):156-60.

Vissing J, Duno M, Schwartz M, Haller RG. Splice mutations preserve myophosphorylase activity that ameliorates the phenotype in McArdle disease. *Brain* 2009;132(Pt 6):1545-52.

## Neonatalklinikken

### Publikationer

#### Disputatser og ph.d.-afhandlinger forsvarer i året

Mathiasen R. Long-term prognosis following premature birth (ph.d.-afhandling). København: Eget Forlag; 2009:1-113. Forsvaret den 3/12 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Sorensen LC. The impact of fetal inflammation on cerebral oxygenation and electrocortical activity in preterm infants (ph.d.-afhandling). København: Eget Forlag; 2009:1-55. Forsvaret den 29/1 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

#### Videnskabelige artikler

Eriksen V, Nielsen LH, Klokke M, Greisen G. Follow-up of 5- to 11-year-old children treated for persistent pulmonary hypertension of the newborn. *Acta Paediatr* 2009;98(2):304-9.

Greisen G. To autoregulate or not to autoregulate - that is no longer the question. *Semin Pediatr Neurol* 2009;16(4):207-15.

Greisen G, Mirante N, Haumont D, Pierrat V, Pallas-Alonso CR, Warren I, et al. Parents, siblings and grandparents in the Neonatal Intensive Care Unit. A survey of policies in eight European countries. *Acta Paediatr* 2009;98(11):1744-50.

Hall MA, Cuttini M, Flemmer AW, Greisen G, Marlow N, Schulze A, et al. European online postgraduate educational programme in neonatology - the way forward? *Eur J Pediatr* 2009;168(4):449-56.

Mathiasen R, Hansen BM, Nybo Anderson AM, Greisen G. Socio-economic achievements of individuals born very preterm at the age of 27 to 29 years: a nationwide cohort study. *Dev Med Child Neurol* 2009;51(11):901-8.

Nordvall M, Dziegiej M, Hegaard HK, Bidstrup M, Jonsbo F, Christensen B, et al. Red blood cell antibodies in pregnancy and their clinical consequences: synergistic effects of multiple specificities. *Transfusion* 2009;49(10):2070-5.

Olsen AL, Reinholt J, Jensen AM, Andersen LP, Jensen ET. Nosocomial infection in a Danish Neonatal Intensive Care Unit: a prospective study. *Acta Paediatr* 2009;98(8):1294-9.

Sorensen LC, Greisen G. The brains of very preterm newborns in clinically stable condition may be hyperoxygenated. *Pediatrics* 2009;124(5):e958-e963.

Thornton S, Goodwin TM, Greisen G, Hedegaard M, Arce JC. The effect of barusiban, a selective oxytocin antagonist, in threatened preterm labor at late gestational age: a randomized, double-blind, placebo-controlled trial. *Am J Obstet Gynecol* 2009;200(6):627-10.

Wolf M, Greisen G. Advances in near-infrared spectroscopy to study the brain of the preterm and term neonate. *Clin Perinatol* 2009;36(4):807-34, vi.

## Obstetrisk Klinik

### Publikationer

#### Disputatser og ph.d.-afhandlinger forsvarer i året

Hedegaard HK. Pregnancy and leisure time physical activity (ph.d.-afhandling). Lund: Eget Forlag; 2009:1-87. Forsvaret den 23/10 2009 ved Lund Universitet, Department of Health Sciences, Faculty of Medicine.

Larsen CR. Virtual reality simulation in laparoscopic gynaecology (ph.d.-afhandling). København: Eget Forlag; 2009:1-55. Forsvaret den 16/1 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

#### Videnskabelige artikler

Andersen BR, Westergaard HB, Bodker B, Weber T, Moller M, Sorensen JL. Maternal mortality in Denmark, 1985-1994. *Eur J Obstet Gynecol Reprod Biol* 2009;142(2):124-8.

Andersgaard AB, Herbst A, Johansen M, Borgstrom A, Bille AG, Oian P. Follow-up interviews after eclampsia. *Gynecol Obstet Invest* 2009;67(1):49-52.

Bodker B, Hvidman L, Weber T, Moller M, Aarre A, Nielsen KM, et al. Maternal deaths in Denmark 2002-2006. *Acta Obstet Gynecol Scand* 2009;88(5):556-62.

Borup L, Wurlitzer W, Hedegaard M, Kesmodel US, Hvidman L. Acupuncture as pain relief during delivery: a randomized controlled trial. *Birth* 2009;36(1):5-12.

Clausen TD, Mathiesen ER, Hansen T, Pedersen O, Jensen DM, Lauenborg J, et al. Overweight and the metabolic syndrome in adult offspring of women with diet-treated gestational diabetes mellitus or type 1 diabetes. *J Clin Endocrinol Metab* 2009;94(7):2464-70.

Damm P. Future risk of diabetes in mother and child after gestational diabetes mellitus. *Int J Gynaecol Obstet* 2009;104 Suppl 1:S25-S26.

Geirsson RT, Langhoff-Roos J. A good blend of interesting topics. *Acta Obstet Gynecol Scand* 2009;88(4):371-2.

Jensen A, Sharif H, Kjaer SK. Use of fertility drugs and risk of uterine cancer: results from a large Danish population-based cohort study. *Am J Epidemiol* 2009;170(11):1408-14.

Jensen DM, Korsholm L, Ovesen P, Beck-Nielsen H, Moelsted-Pedersen L, Westergaard JG, et al. Periconceptional A1C and risk of serious adverse pregnancy outcome in 933 women with type 1 diabetes. *Diabetes Care* 2009;32(6):1046-8.

Jensen HH, Sogaard K, Grande P, Langhoff-Roos J. [Thrombolytic therapy in pregnant woman with pulmonary embolism]. *Ugeskr Laeger* 2009;171(21):1776-8.

Kjaergaard H, Olsen J, Ottesen B, Dykes AK. Incidence and outcomes of dystocia in the active phase of labor in term nulliparous women with spontaneous labor onset. *Acta Obstet Gynecol Scand* 2009;88(4):402-7.

Larsen CR, Soerensen JL, Grantcharov TP, Dalsgaard T, Schouenborg L, Ottosen C, et al. Effect of virtual reality training on laparoscopic surgery: randomised controlled trial. *BMJ* 2009;338:b1802.

Lauenborg J, Grarup N, Damm P, Borch-Johnsen K, Jorgensen T, Pedersen O, et al. Common type 2 diabetes risk gene variants associate with gestational diabetes. *J Clin Endocrinol Metab* 2009;94(1):145-50.

Laursen M, Johansen C, Hedegaard M. Fear of childbirth and risk for birth complications in nulliparous women in the Danish National Birth Cohort. *BJOG* 2009;116(10):1350-5.

Lou H, Pedersen BD, Hedegaard M. Questions never asked. Positive family outcomes of extremely premature childbirth. *Qual Life Res* 2009;18(5):567-73.

Lykke JA, Paidas MJ, Langhoff-Roos J. Recurring complications in second pregnancy. *Obstet Gynecol* 2009;113(6):1217-24.

Lykke JA, Langhoff-Roos J, Sibai BM, Funai EF, Triche EW, Paidas MJ. Hypertensive pregnancy disorders and subsequent cardiovascular morbidity and type 2 diabetes mellitus in the mother. *Hypertension* 2009;53(6):944-51.

Maagaard M, Langhoff-Roos J. [Twin gestation in a single horn of a bicornuate uterus]. *Ugeskr Laeger* 2009;171(11):907.

Maagaard M, Hindso K, Wislander SB, Holm K. [Bacterial pyomyositis in a 12-year-old girl without fever]. *Ugeskr Laeger* 2009;171(10):818.

Mathiesen ER, Johansen M, Kamper AL, Damm P. [Hypertension during pregnancy]. *Ugeskr Laeger* 2009;171(25):2094-7.

Nielsen LR, Rehfeld JF, Pedersen-Bjergaard U, Damm P, Mathiesen ER. Pregnancy-induced rise in serum C-peptide concentrations in women with type 1 diabetes. *Diabetes Care* 2009;32(6):1052-7.

Nielsen LR, Pedersen-Bjergaard U, Thorsteinsson B, Boomsma F, Damm P, Mathiesen ER. Severe hypoglycaemia during pregnancy in women with type 1 diabetes: possible role of renin-angiotensin system activity? *Diabetes Res Clin Pract* 2009;84(1):61-7.

Nielsen LR, Damm P, Mathiesen ER. Improved pregnancy outcome in type 1 diabetic women with microalbuminuria or diabetic nephropathy: effect of intensified antihypertensive therapy? *Diabetes Care* 2009;32(1):38-44.

Nordvall M, Dziegiel M, Hegaard HK, Bidstrup M, Jonsbo F, Christensen B, et al. Red blood cell antibodies in pregnancy and their clinical consequences: synergistic effects of multiple specificities. *Transfusion* 2009;49(10):2070-5.

Nygaard U, Nielsen HS, Schmidt IM, Nysom K, Schmiegelow K, Sorensen JL. [Evaluation of trainee doctors' skills]. *Ugeskr Laeger* 2009;171(38):2742-5.

Rode L, Langhoff-Roos J, Andersson C, Dinesen J, Hammerum MS, Mohapeloa H, et al. Systematic review of progesterone for the prevention of preterm birth in singleton pregnancies. *Acta Obstet Gynecol Scand* 2009;88(11):1180-9.

Sharif H, Glavind J, Uldbjerg N. [Reconvalescence following Caesarean section]. *Ugeskr Laeger* 2009;171(40):2902-5.

Sorensen JL, Lokkegaard E, Johansen M, Ringsted C, Kreiner S, McAleer S. The implementation and evaluation of a mandatory multi-professional obstetric skills training program. *Acta Obstet Gynecol Scand* 2009;88(10):1107-17.

Thornton S, Goodwin TM, Greisen G, Hedegaard M, Arce JC. The effect of barusiban, a selective oxytocin antagonist, in threatened preterm labor at late gestational age: a randomized, double-blind, placebo-controlled trial. *Am J Obstet Gynecol* 2009;200(6):e627,e1-10.

Thuesen LL, Diness BR, Langhoff-Roos J. Pre-pregnancy transabdominal cerclage. *Acta Obstet Gynecol Scand* 2009;88(4):483-6.

## Pædiatrisk Klinik I og II

### Publikationer

#### Videnskabelige artikler

Andreassen BU, Paerregaard A, Michaelsen KF, Andersen J, Heilmann CJ, Muller K. Nutrition, anthropometry, gastrointestinal dysfunction, and circulating levels of tumour necrosis factor alpha receptor I and interleukin-1 receptor antagonist in children during stem cell transplantation. *Pediatr Transplant* 2009;13(2):182-7.

Barbato A, Frischer T, Kuehni CE, Snijders D, Azevedo I, Baktai G, et al. Primary ciliary dyskinesia: a consensus statement on diagnostic and treatment approaches in children. *Eur Respir J* 2009;34(6):1264-76.

Biondi A, Baruchel A, Hunger S, Masera G, Schmiegelow K, Schrappe M, et al. The Eleventh International Childhood Acute Lymphoblastic Leukemia Workshop Report: Ponte di Legno, Italy, 6-7 May 2009. *Leukemia* 2009;23(12):2318-24.

Bjarnsholt T, Jensen PO, Fiandaca MJ, Pedersen J, Hansen CR, Andersen CB, et al. *Pseudomonas aeruginosa* biofilms in the respiratory tract of cystic fibrosis patients. *Pediatr Pulmonol* 2009;44(6):547-58.

Bjornhart B, Juul A, Nielsen S, Zak M, Svenningsen P, Muller K. Cartilage oligomeric matrix protein in patients with juvenile idiopathic arthritis: relation to growth and disease activity. *J Rheumatol* 2009;36(8):1749-54.

Bohnstedt C, Taskinen M, Zeller B, Bjorgvinsdottir H, Hafsteinsdottir S, Schmiegelow K. Poor treatment compliance in children with down syndrome and acute lymphoblastic leukemia. *J Pediatr Hematol Oncol* 2009;31(1):79-80.

Dahl S, Schmidt LS, Vestergaard T, Schuz J, Schmiegelow K. Allergy and the risk of childhood leukemia: a meta-analysis. *Leukemia* 2009;23(12):2300-4.

Fluge G, Olesen HV, Gilljam M, Meyer P, Pressler T, Storrosten OT, et al. Co-morbidity of cystic fibrosis and celiac disease in Scandinavian cystic fibrosis patients. *J Cyst Fibros* 2009;8(3):198-202.

Foghsgaard J, Nir M, Marthin JK, Bach K, Hansen H. [Chronic pulmonary alterations in children with long-lasting productive cough]. *Ugeskr Laeger* 2009;171(5):322-4.

Hansen CR, Pressler T, Hoiby N, Johansen HK. Long-term, low-dose azithromycin treatment reduces the incidence but increases macrolide resistance in *Staphylococcus aureus* in Danish CF patients. *J Cyst Fibros* 2009;8(1):58-62.

Heijerman H, Westerman E, Conway S, Touw D, Doring G. Inhaled medication and inhalation devices for lung disease in patients with cystic fibrosis: A European consensus. *J Cyst Fibros* 2009;8(5):295-315.

Jensen KG, Kristensen K. [Necrotizing fasciitis in children]. *Ugeskr Laeger* 2009;171(3):147.

Josefine P, Britt-Marie F, Curt P, Henrik H, Marit H, Jukka K, et al. Thioguanine pharmacokinetics in induction therapy of children with acute myeloid leukemia. *Anticancer Drugs* 2009;20(1):7-14.

Knudsen PK, Olesen HV, Hoiby N, Johannesson M, Karpati F, Laerum BN, et al. Differences in prevalence and treatment of *Pseudomonas aeruginosa* in cystic fibrosis centres in Denmark, Norway and Sweden. *J Cyst Fibros* 2009;8(2):135-42.

Kristensen K, Stensballe LG, Bjerre J, Roth D, Fisker N, Kongstad T, et al. Risk factors for respiratory syncytial virus hospitalisation in children with heart disease. *Arch Dis Child* 2009;94(10):785-9.

Kruse M, Michelsen SI, Flachs EM, Bronnum-Hansen H, Madsen M, Uldall P. Lifetime costs of cerebral palsy. *Dev Med Child Neurol* 2009;51(8):622-8.

Lonnerholm G, Nordgren A, Frost BM, Jonsson OG, Kanerva J, Nygaard R, et al. Dic(9;20)(p13;q11) in childhood acute lymphoblastic leukaemia is related to low cellular resistance to asparaginase, cytarabine and corticosteroids. *Leukemia* 2009;23(1):209-12.

Manongi RN, Nasuwa FR, Mwangi R, Reyburn H, Poulsen A, Chandler CI. Conflicting priorities: evaluation of an intervention to improve nurse-parent relationships on a Tanzanian paediatric ward. *Hum Resour Health* 2009;7:50.

Michelsen SI, Flachs EM, Uldall P, Eriksen EL, McManus V, Parkes J, et al. Frequency of participation of 8-12-year-old children with cerebral palsy: a multi-centre cross-sectional European study. *Eur J Paediatr Neurol* 2009;13(2):165-77.

Milani L, Lundmark A, Nordlund J, Kialainen A, Flaegstad T, Jonmundsson G, et al. Allele-specific gene expression patterns in primary leukemic cells reveal regulation of gene expression by CpG site methylation. *Genome Res* 2009;19(1):1-11.

Mosha D, Poulsen A, Reyburn H, Kituma E, Mtei F, Bygbjerg IC. Quality of paediatric blood transfusions in two district hospitals in Tanzania: a cross-sectional hospital based study. *BMC Pediatr* 2009;9:51.

Neilson DE, Adams MD, Orr CM, Schelling DK, Eiben RM, Kerr DS, et al. Infection-triggered familial or recurrent cases of acute necrotizing encephalopathy caused by mutations in a component of the nuclear pore, RANBP2. *Am J Hum Genet* 2009;84(1):44-51.

Nersting J, Schmiegelow K. Pharmacogenomics of methotrexate: moving towards individualized therapy. *Pharmacogenomics* 2009;10(12):1887-9.

Nygaard U, Nielsen HS, Schmidt IM, Nysom K, Schmiegelow K, Sorensen JL. [Evaluation of trainee doctors' skills]. *Ugeskr Laeger* 2009;171(38):2742-5.

Pressler T, Karpati F, Granstrom M, Knudsen PK, Lindblad A, Hjelte L, et al. Diagnostic significance of measurements of specific IgG antibodies to *Pseudomonas aeruginosa* by three different serological methods. *J Cyst Fibros* 2009;8(1):37-42.

Qasim W, Cavazzana-Calvo M, Davies EG, Davis J, Duval M, Eames G, et al. Allogeneic hematopoietic stem-cell transplantation for leukocyte adhesion deficiency. *Pediatrics* 2009;123(3):836-40.

Reimers TS, Mortensen EL, Nysom K, Schmiegelow K. Health-related quality of life in long-term survivors of childhood brain tumors. *Pediatr Blood Cancer* 2009;53(6):1086-91.

Riley CH, Nikolajsen K, Kjaersgaard E, Klausen TW, Mourits-Andersen T, Clausen N, et al. [Flowcytometric diagnostics of hereditary spherocytosis]. *Ugeskr Laeger* 2009;171(49):3610-4.

Schmidt LS, Grell K, Frederiksen K, Johansen C, Schmiegelow K, Schuz J. Seasonality of birth in children with central nervous system tumours in Denmark, 1970-2003. *Br J Cancer* 2009;100(1):185-7.

Schmiegelow K, Heyman M, Kristinsson J, Mogensen UB, Rosthoj S, Vettentranta K, et al. Oral methotrexate/6-mercaptopurine may be superior to a multidrug LSA2L2 maintenance therapy for higher risk childhood acute lymphoblastic leukemia: results from the NOPHO ALL-92 study. *J Pediatr Hematol Oncol* 2009;31(6):385-92.

Schmiegelow K. Advances in individual prediction of methotrexate toxicity: a review. *Br J Haematol* 2009;146(5):489-503.

Schmiegelow K, Al-Modhwahi I, Andersen MK, Behrendtz M, Forestier E, Hasle H, et al. Methotrexate/6-mercaptopurine maintenance therapy influences the risk of a second malignant neoplasm after childhood acute lymphoblastic leukemia: results from the NOPHO ALL-92 study. *Blood* 2009;113(24):6077-84.

Schmiegelow K, Forestier E, Kristinsson J, Soderhall S, Vettentranta K, Weinshilboum R, et al. Thiopurine methyltransferase activity is related to the risk of relapse of childhood acute lymphoblastic leukemia: results from the NOPHO ALL-92 study. *Leukemia* 2009;23(3):557-64.

Stensballe LG, Ravn H, Kristensen K, Meakins T, Aaby P, Simoes EA. Seasonal variation of maternally derived respiratory syncytial virus antibodies and association with infant hospitalizations for respiratory syncytial virus. *J Pediatr* 2009;154(2):296-8.

Stensballe LG, Ravn H, Kristensen K, Agerskov K, Meakins T, Aaby P, et al. Respiratory syncytial virus neutralizing antibodies in cord blood, respiratory syncytial virus hospitalization, and recurrent wheeze. *J Allergy Clin Immunol* 2009;123(2):398-403.

Stensballe LG, Simonsen JB, Thomsen SF, Larsen AM, Lysdal SH, Aaby P, et al. The causal direction in the association between respiratory syncytial virus hospitalization and asthma. *J Allergy Clin Immunol* 2009;123(1):131-7.

Thomsen SF, van der Sluis S, Stensballe LG, Posthuma D, Skytthe A, Kyvik KO, et al. Exploring the association between severe respiratory syncytial virus infection and asthma: a registry-based twin study. *Am J Respir Crit Care Med* 2009;179(12):1091-7.

Trottestam H, Beutel K, Meeths M, Carlsen N, Heilmann C, Pasic S, et al. Treatment of the X-linked lymphoproliferative, Griscelli and Chediak-Higashi syndromes by HLH directed therapy. *Pediatr Blood Cancer* 2009;52(2):268-72.

Uldall P. [Our children stuff themselves with medications - does it matter?]. *Ugeskr Laeger* 2009;171(1-2):23.

Weber S, Molgaard C, Karentaudorf, Uldall P. Modified Atkins diet to children and adolescents with medical intractable epilepsy. *Seizure* 2009;18(4):237-40.

Wohlfahrt-Veje C, Boisen KA, Boas M, Damgaard IN, Kai CM, Schmidt IM, et al. Acquired cryptorchidism is frequent in infancy and childhood. *Int J Androl* 2009;32(4):423-8.

Wood SM, Meeths M, Chiang SC, Bechensteen AG, Boelens JJ, Heilmann C, et al. Different NK cell-activating receptors preferentially recruit Rab27a or Munc13-4 to perforin-containing granules for cytotoxicity. *Blood* 2009;114(19):4117-27.

## Reproduktionsbiologisk Laboratorium

### Publikationer

#### Disputatser og ph.d.-afhandlinger forsvarer i året

Lutterodt MC. The effect of maternal cigarette smoking on human embryos and foetuses focused on developmental, gonadal and hormonal parameters (ph.d.-afhandling). København: Eget Forlag; 2009:1-94. Forsvaret den 22/9 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Rosendahl M. Preservation of fertility in girls and women before gonadotoxic treatment (ph.d.-afhandling). København: Eget Forlag; 2009:1-117. Forsvaret den 20/6 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

#### Videnskabelige artikler

Lossi K, Loft A, Freiesleben NL, Bangsboll S, Andersen CY, Pedersen AT, et al. Combined down-regulation by aromatase inhibitor and GnRH-agonist in IVF patients with endometriomas-A pilot study. *Eur J Obstet Gynecol Reprod Biol* 2009;144(1):48-53.

Lutterodt M, Byskov AG, Skouby SO, Tabor A, Yding Andersen C. Anti-Mullerian hormone in pregnant women in relation to other hormones, fetal sex and in circulation of second trimester fetuses. *Reprod Biomed Online* 2009;18(5):694-9.

Lutterodt MC, Sorensen KP, Larsen KB, Skouby SO, Andersen CY, Byskov AG. The number of oogonia and somatic cells in the human female embryo and fetus in relation to whether or not exposed to maternal cigarette smoking. *Hum Reprod* 2009;24(10):2558-66.

Lutterodt MC, Rosendahl M, Yding Andersen C, Skouby SO, Byskov AG. Age determination enhanced by embryonic foot bud and foot plate measurements in relation to Carnegie stages, and the influence of maternal cigarette smoking. *Hum Reprod* 2009;24(8):1825-33.

Rosendahl M, Ahlgren J, Andersen J, Bergh J, Blomquist C, Lidbrink E, et al. The risk of amenorrhoea after adjuvant chemotherapy for early stage breast cancer is related to inter-individual variations in chemotherapy-induced leukocyte nadir in young patients: data from the randomised SBG 2000-1 study. Eur J Cancer 2009;45(18):3198-204.

von Wolff M, Donnez J, Hovatta O, Keros V, Maltaris T, Montag M, et al. Cryopreservation and autotransplantation of human ovarian tissue prior to cytotoxic therapy--a technique in its infancy but already successful in fertility preservation. Eur J Cancer 2009;45(9):1547-53.

# Neurocentret

---

## Klinisk for Rygmarvsskader

### Publikationer

---

#### Videnskabelige artikler

Alexander MS, Anderson KD, Biering-Sorensen F, Blight AR, Brannon R, Bryce TN, et al. Outcome measures in spinal cord injury: recent assessments and recommendations for future directions. *Spinal Cord* 2009;47(8):582-91.

Alexander MS, Biering-Sorensen F, Bodner D, Brackett NL, Cardenas D, Charlifue S, et al. International standards to document remaining autonomic function after spinal cord injury. *Spinal Cord* 2009;47(1):36-43.

Biering-Sorensen B, Kristensen IB, Kjaer M, Biering-Sorensen F. Muscle after spinal cord injury. *Muscle Nerve* 2009;40(4):499-519.

Biering-Sorensen F, Jennum P, Laub M. Sleep disordered breathing following spinal cord injury. *Respir Physiol Neurobiol* 2009;169(2):165-70.

Biering-Sorensen F, Hansen B, Lee BS. Non-pharmacological treatment and prevention of bone loss after spinal cord injury: a systematic review. *Spinal Cord* 2009;47(7):508-18.

Biering-Sorensen F, Craggs M, Kennelly M, Schick E, Wyndaele JJ. International urinary tract imaging basic spinal cord injury data set. *Spinal Cord* 2009;47(5):379-83.

Biering-Sorensen F, Bing J, Berggreen P, Olesen GM. Rectum perforation during transanal irrigation: a case story. *Spinal Cord* 2009;47(3):266-7.

Biering-Sorensen T, Hansen RB, Biering-Sorensen F. Home aids and personal assistance 10-45 years after spinal cord injury. *Spinal Cord* 2009;47(5):405-12.

Finnerup NB, Grydehoj J, Bing J, Johannessen IL, Biering-Sorensen F, Sindrup SH, et al. Levetiracetam in spinal cord injury pain: a randomized controlled trial. *Spinal Cord* 2009;47(12):861-7.

Fromovich-Amit Y, Biering-Sorensen F, Baskov V, Juocevicius A, Hansen HV, Gelernter I, et al. Properties and outcomes of spinal rehabilitation units in four countries. *Spinal Cord* 2009;47(8):597-603.

Krogh K, Perkash I, Stiens SA, Biering-Sorensen F. International bowel function basic spinal cord injury data set. *Spinal Cord* 2009;47(3):230-4.

Krogh K, Perkash I, Stiens SA, Biering-Sorensen F. International bowel function extended spinal cord injury data set. *Spinal Cord* 2009;47(3):235-41.

Lidal IB, Hjeltnes N, Roislien J, Stanghelle JK, Biering-Sorensen F. Employment of persons with spinal cord lesions injured more than 20 years ago. *Disabil Rehabil* 2009;31(26):2174-84.

Martinsen B, Harder I, Biering-Sorensen F. Sensitive cooperation: a basis for assisted feeding. *J Clin Nurs* 2009;18(5):708-15.

Remvig L, Duhn PH, Ullman S, Kobayashi T, Hansen B, Juul-Kristensen B, et al. Skin extensibility and consistency in patients with Ehlers-Danlos syndrome and benign joint hypermobility syndrome. *Scand J Rheumatol* 2009;38(3):227-30.

## Klinisk Neurofysiologisk Klinik

### Publikationer

#### Videnskabelige artikler

Bahl JM, Heegaard NH, Falkenhorst G, Laursen H, Hogenhaven H, Molbak K, et al. The diagnostic efficiency of biomarkers in sporadic Creutzfeldt-Jakob disease compared to Alzheimer's disease. *Neurobiol Aging* 2009;30(11):1834-41.

Bie-Olsen LG, Pedersen-Bjergaard U, Kjaer TW, Lonsdale MN, Law I, Thorsteinsson B. Association between regional cerebral blood flow during hypoglycemia and genetic and phenotypic traits of the renin-angiotensin system. *J Cereb Blood Flow Metab* 2009;29(11):1790-5.

Bie-Olsen LG, Kjaer TW, Pedersen-Bjergaard U, Lonsdale MN, Holst JJ, Law I, et al. Changes of cognition and regional cerebral activity during acute hypoglycemia in normal subjects: A H<sub>2</sub> 15O positron emission tomographic study. *J Neurosci Res* 2009;87(8):1922-8.

Colding-Jorgensen E. [Wartenberg's migrant sensory neuritis]. *Ugeskr Laeger* 2009;171(5):331-3.

Hoi-Hansen T, Pedersen-Bjergaard U, Andersen RD, Kristensen PL, Thomsen C, Kjaer T, et al. Cognitive performance, symptoms and counter-regulation during hypoglycaemia in patients with type 1 diabetes and high or low renin-angiotensin system activity. *J Renin Angiotensin Aldosterone Syst* 2009;10(4):216-29.

Krarup C, Moldovan M. Nerve conduction and excitability studies in peripheral nerve disorders. *Curr Opin Neurol* 2009;22(5):460-6.

Lou HC, Gross J, Biermann-Ruben K, Kjaer TW, Schnitzler A. Coherence in consciousness: paralimbic gamma synchrony of self-reference links conscious experiences. *Hum Brain Mapp* 2009;31(2):185-92.

Moldovan M, Alvarez S, Krarup C. Motor axon excitability during Wallerian degeneration. *Brain* 2009;132(Pt 2):511-23.

Preisler N, Andersen G, Thogersen F, Crone C, Jeppesen TD, Wibrand F, et al. Effect of aerobic training in patients with spinal and bulbar muscular atrophy (Kennedy disease). *Neurology* 2009;72(4):317-23.

Torvin Moller A, Winther Bach F, Feldt-Rasmussen U, Rasmussen A, Hasholt L, Lan H, et al. Functional and structural nerve fiber findings in heterozygote patients with Fabry disease. *Pain* 2009;145(1-2):237-45.

## Neuroanæstesiologisk Klinik

### Publikationer

#### Videnskabelige artikler

Bauer J, Hageman I, Dam H, Baez A, Bolwig T, Roed J, et al. Comparison of propofol and thiopental as anesthetic agents for electroconvulsive therapy: a randomized, blinded comparison of seizure duration, stimulus charge, clinical effect, and cognitive side effects. *J ECT* 2009;25(2):85-90.

Berg RM, Strauss GI, Tofteng F, Qvist T, Edvinsson L, Fahrenkrug J, et al. Circulating levels of vasoactive peptides in patients with acute bacterial meningitis. *Intensive Care Med* 2009;35(9):1604-8.

Biering-Sorensen F, Jennum P, Laub M. Sleep disordered breathing following spinal cord injury. *Respir Physiol Neurobiol* 2009;169(2):165-70.

Gjesing AP, Sparso T, Borch-Johnsen K, Jorgensen T, Pedersen O, Hansen T, et al. No consistent effect of ADRB2 haplotypes on obesity, hypertension and quantitative traits of body fatness and blood pressure among 6,514 adult danes. *PLoS One* 2009;4(9):e7206.

Jensen MK, Nielsen M, Koefoed P, Nielsen HB, Ullum H, Haastrup E, et al. Haplotype structure of the beta2-adrenergic receptor gene in 814 Danish Caucasian subjects and association with body mass index. *Scand J Clin Lab Invest* 2009;69(7):801-8.

Kristensen PL, Hoi-Hansen T, Olsen NV, Pedersen-Bjergaard U, Thorsteinsson B. Erythropoietin during hypoglycaemia in type 1 diabetes: relation to basal renin-angiotensin system activity and cognitive function. *Diabetes Res Clin Pract* 2009;85(1):75-84.

Poulsen TD, Andersen LW, Steinbruchel D, Gotze JP, Jorgensen OS, Olsen NV. Two large preoperative doses of erythropoietin do not reduce the systemic inflammatory response to cardiac surgery. *J Cardiothorac Vasc Anesth* 2009;23(3):316-23.

## Neurokirurgisk Klinik

Neurokirurgisk klinik omfatter følgende forskningsenhed:  
CSF-dynamisk laboratorium.

## Publikationer

### Videnskabelige artikler

Bergdal O, Springborg J, Hauerberg J, Eskesen V, Poulsgaard L, Romner B. Outcome after emergency surgery without angiography in patients with intracerebral haemorrhage after aneurysm rupture. *Acta Neurochir (Wien)* 2009;151(8):911-5.

Grande PO, Reinstrup P, Romner B. Active cooling in traumatic brain-injured patients: a questionable therapy? *Acta Anaesthesiol Scand* 2009;53(10):1233-8.

Heskestad B, Baardsen R, Helseth E, Romner B, Waterloo K, Ingebrigtsen T. Incidence of hospital referred head injuries in Norway: a population based survey from the Stavanger region. *Scand J Trauma Resusc Emerg Med* 2009;17(1):6.

Jensen MK, Nielsen M, Koefoed P, Nielsen HB, Ullum H, Haastrup E, et al. Haplotype structure of the beta2-adrenergic receptor gene in 814 Danish Caucasian subjects and association with body mass index. *Scand J Clin Lab Invest* 2009;69(7):801-8.

Kronvall E, Undren P, Romner B, Saveland H, Cronqvist M, Nilsson OG. Nimodipine in aneurysmal subarachnoid hemorrhage: a randomized study of intravenous or peroral administration. *J Neurosurg* 2009;110(1):58-63.

Lindekleiv HM, Jacobsen EA, Kloster R, Sandell T, Isaksen JG, Romner B, et al. Introduction of endovascular embolization for intracranial aneurysms in a low-volume institution. *Acta Radiol* 2009;50(5):555-61.

Muller K, Ingebrigtsen T, Wilsgaard T, Wikran G, Fagerheim T, Romner B, et al. Prediction of time trends in recovery of cognitive function after mild head injury. *Neurosurgery* 2009;64(4):698-704.

Munch TN, Rochat P, Astrup J. [Vagoglossopharyngeal neuralgia treated with vascular decompression]. *Ugeskr Laeger* 2009;171(37):2654-5.

Nielsen MS, Christensen HC, Kosteljanetz M, Johansen C. Incidence of and survival from oligodendrogloma in Denmark, 1943-2002. *Neuro Oncol* 2009;11(3):311-7.

Pluta RM, Hansen-Schwartz J, Dreier J, Vajkoczy P, Macdonald RL, Nishizawa S, et al. Cerebral vasospasm following subarachnoid hemorrhage: time for a new world of thought. *Neurol Res* 2009;31(2):151-8.

Poulsen HS, Grunnet K, Sorensen M, Olsen P, Hasselbalch B, Nelausen K, et al. Bevacizumab plus irinotecan in the treatment patients with progressive recurrent malignant brain tumours. *Acta Oncol* 2009;48(1):52-8.

Sarac S, Afzal S, Broholm H, Madsen FF, Ploug T, Laursen H. Excitatory amino acid transporters EAAT-1 and EAAT-2 in temporal lobe and hippocampus in intractable temporal lobe epilepsy. *APMIS* 2009;117(4):291-301.

Sollid S, Sundstrom T, Ingebrigtsen T, Romner B, Wester K. Organisation of traumatic head injury management in the Nordic countries. *Emerg Med J* 2009;26(11):769-72.

Springborg JB, Unden J, Ingebrigtsen T, Romner B. [Brain injury marker S100B can reduce the use of computer tomography in minor head injuries - secondary publication]. *Ugeskr Laeger* 2009;171(12):978-81.

Unden J, Strandberg K, Malm J, Campbell E, Rosengren L, Stenflo J, et al. Explorative investigation of biomarkers of brain damage and coagulation system activation in clinical stroke differentiation. *J Neurol* 2009;256(1):72-7.

Unden J, Romner B. A new objective method for CT triage after minor head injury - serum S100B. *Scand J Clin Lab Invest* 2009;69(1):13-7.

Westergaard L, Hauerberg J, Springborg JB. Outcome after surgical treatment for lumbar spinal stenosis: the lumbar extension test is not a predictive factor. *Spine (Phila Pa 1976 )* 2009;34(25):E930-E935.

## Neurologisk Klinik

Neurologisk klinik omfatter følgende forskningsenheder:

Dansk Multipel Sclerose Center

Epilepsiklinikken

Hukommelsesklinikken og Nationalt Videncenter for Demens

Neurobiologisk Forskningsenhed

Neuromuskulær klinik

Vaskulær og almen neurologi

## Dansk Multipel Sclerose Center

(Inklusive Neuroimmunologisk Laboratorium)

## Publikationer

### Videnskabelige artikler

Comi G, Martinelli V, Rodegher M, Moiola L, Bajenaru O, Carra A, et al. Effect of glatiramer acetate on conversion to clinically definite multiple sclerosis in patients with clinically isolated syndrome (PreCISE study): a randomised, double-blind, placebo-controlled trial. *Lancet* 2009;374(9700):1503-11.

Enevold C, Oturai AB, Sorensen PS, Ryder LP, Koch-Henriksen N, Bendtzen K. Multiple sclerosis and polymorphisms of innate pattern recognition receptors TLR1-10, NOD1-2, DDX58, and IFIH1. *J Neuroimmunol* 2009;212(1-2):125-31.

Frischer JM, Bramow S, Dal-Bianco A, Lucchinetti CF, Rauschka H, Schmidbauer M, et al. The relation between inflammation and neurodegeneration in multiple sclerosis brains. *Brain* 2009;132(Pt 5):1175-89.

Giovannoni G, Barbarash O, Casset-Semanaz F, King J, Metz L, Pardo G, et al. Safety and immunogenicity of a new formulation of interferon beta-1a (Rebif New Formulation) in a Phase IIIb study in patients with relapsing multiple sclerosis: 96-week results. *Mult Scler* 2009;15(2):219-28.

Hedegaard CJ, Chen N, Sellebjerg F, Sorensen PS, Leslie RG, Bendtzen K, et al. Autoantibodies to myelin basic protein (MBP) in healthy individuals and in patients with multiple sclerosis: a role in regulating cytokine responses to MBP. *Immunology* 2009;128(1 Suppl):e451-e461.

Hesse D, Frederiksen JL, Koch-Henriksen N, Schreiber K, Stenager E, Heltberg A, et al. Methylprednisolone does not restore biological response in multiple sclerosis patients with neutralizing antibodies against interferon-beta. *Eur J Neurol* 2009;16(1):43-7.

Hesse D, Sellebjerg F, Sorensen PS. Absence of MxA induction by interferon beta in patients with MS reflects complete loss of bioactivity. *Neurology* 2009;73(5):372-7.

Kempainen A, Suvela M, Tienari PJ, Elovaara I, Koivisto K, Pirttila T, et al. MYO9B polymorphisms in multiple sclerosis. *Eur J Hum Genet* 2009;17(6):840-3.

Khademi M, Bornsen L, Rafatnia F, Andersson M, Brundin L, Piehl F, et al. The effects of natalizumab on inflammatory mediators in multiple sclerosis: prospects for treatment-sensitive biomarkers. *Eur J Neurol* 2009;16(4):528-36.

Koch-Henriksen N, Sorensen PS, Bendtzen K, Flachs EM. The clinical effect of neutralizing antibodies against interferon-beta is independent of the type of interferon-beta used for patients with relapsing-remitting multiple sclerosis. *Mult Scler* 2009;15(5):601-5.

Nielsen TR, Rostgaard K, Askling J, Steffensen R, Oturai A, Jersild C, et al. Effects of infectious mononucleosis and HLA-DRB1\*15 in multiple sclerosis. *Mult Scler* 2009;15(4):431-6.

Oturai AB, Koch-Henriksen N, Petersen T, Jensen PE, Sellebjerg F, Sorensen PS. Efficacy of natalizumab in multiple sclerosis patients with high disease activity: a Danish nationwide study. *Eur J Neurol* 2009;16(3):420-3.

Ravnborg M, Bendtzen K, Christensen O, Jensen PE, Hesse D, Tovey MG, et al. Treatment with azathioprine and cyclic methylprednisolone has little or no effect on bioactivity in anti-interferon beta antibody-positive patients with multiple sclerosis. *Mult Scler* 2009;15(3):323-8.

Sellebjerg F, Krakauer M, Hesse D, Ryder LP, Alsing I, Jensen PE, et al. Identification of new sensitive biomarkers for the in vivo response to interferon-beta treatment in multiple sclerosis using DNA-array evaluation. *Eur J Neurol* 2009;16(12):1291-8.

Sellebjerg F, Bornsen L, Khademi M, Krakauer M, Olsson T, Frederiksen JL, et al. Increased cerebrospinal fluid concentrations of the chemokine CXCL13 in active MS. *Neurology* 2009;73(23):2003-10.

Sorensen PS, Mellgren SI, Svenningsson A, Elovaara I, Frederiksen JL, Beiske AG, et al. NORdic trial of oral Methylprednisolone as add-on therapy to Interferon beta-1a for treatment of relapsing-remitting Multiple Sclerosis (NORMIMS study): a randomised, placebo-controlled trial. *Lancet Neurol* 2009;8(6):519-29.

Sorensen PS. How effective is natalizumab as second-line treatment for multiple sclerosis in daily clinical praxis? *Eur J Neurol* 2009;16(3):287-8.

Sorensen PS. Management of patients with neutralizing antibodies against interferon-beta: stop IFN-beta therapy or wait for the antibodies to go away? Eur J Neurol 2009;16(1):1-2.

## Hukommelsesklinikken og Nationalt Videnscenter for Demens

### Publikationer

#### Disputatser og ph.d.-afhandlinger forsvarer i året

Svenstrup K. Clinical and molecular genetic aspects of hereditary spastic paraplegia (ph.d.-afhandling). København: Eget Forlag; 2009:1-149. Forsvaret den 29/8 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

#### Videnskabelige artikler

Bahl JM, Heegaard NH, Falkenhorst G, Laursen H, Hogenhaven H, Molbak K, et al. The diagnostic efficiency of biomarkers in sporadic Creutzfeldt-Jakob disease compared to Alzheimer's disease. Neurobiol Aging 2009;30(11):1834-41.

Blahak C, Baezner H, Pantoni L, Poggesi A, Chabriat H, Erkinjuntti T, et al. Deep frontal and periventricular age related white matter changes but not basal ganglia and infratentorial hyperintensities are associated with falls: cross sectional results from the LADIS study. J Neurol Neurosurg Psychiatry 2009;80(6):608-13.

Boesgaard TW, Nielsen TT, Josefsen K, Hansen T, Jorgensen T, Pedersen O, et al. Huntington's disease does not appear to increase the risk of diabetes mellitus. J Neuroendocrinol 2009;21(9):770-6.

Buerger K, Frisoni G, Uspenskaya O, Ewers M, Zetterberg H, Geroldi C, et al. Validation of Alzheimer's disease CSF and plasma biological markers: the multicentre reliability study of the pilot European Alzheimer's Disease Neuroimaging Initiative (E-ADNI). Exp Gerontol 2009;44(9):579-85.

Ellefse B, Holm-Pedersen P, Morse DE, Schroll M, Andersen BB, Waldemar G. Assessing caries increments in elderly patients with and without dementia: a one-year follow-up study. J Am Dent Assoc 2009;140(11):1392-400.

Eskildsen SF, Ostergaard LR, Rodell AB, Ostergaard L, Nielsen JE, Isaacs AM, et al. Cortical volumes and atrophy rates in FTD-3 CHMP2B mutation carriers and related non-carriers. Neuroimage 2009;45(3):713-21.

Hasselbalch SG, Kampmann JP. [Treatment of degenerative dementia disorders - who should be treated?]. Ugeskr Laeger 2009;171(10):802-5.

Inzitari D, Pracucci G, Poggesi A, Carlucci G, Barkhof F, Chabriat H, et al. Changes in white matter as determinant of global functional decline in older independent outpatients: three year follow-up of LADIS (leukoaraiosis and disability) study cohort. BMJ 2009;339:b2477.

Jokinen H, Kalska H, Ylikoski R, Madureira S, Verdelho A, van der Flier WM, et al. Longitudinal cognitive decline in subcortical ischemic vascular disease - the LADIS Study. Cerebrovasc Dis 2009;27(4):384-91.

Jokinen H, Kalska H, Ylikoski R, Madureira S, Verdelho A, Gouw A, et al. MRI-defined subcortical ischemic vascular disease: baseline clinical and neuropsychological findings. The LADIS Study. Cerebrovasc Dis 2009;27(4):336-44.

Jones RW, Schwam E, Wilkinson D, Waldemar G, Feldman HH, Zhang R, et al. Rates of cognitive change in Alzheimer disease: observations across a decade of placebo-controlled clinical trials with donepezil. *Alzheimer Dis Assoc Disord* 2009;23(4):357-64.

Lindquist SG, Schwartz M, Batbayli M, Waldemar G, Nielsen JE. Genetic testing in familial AD and FTD: mutation and phenotype spectrum in a Danish cohort. *Clin Genet* 2009;76(2):205-9.

Pedersen PM, Vogel A, Svendsen HAa. Anosognosi. In: Gade A, Gerlach C, Starrfelt R, Pedersen PM, eds. *Klinisk Neuropsykologi*. København: Frydenlund; 2009:101-11.

Phung TK, Andersen BB, Kessing LV, Mortensen PB, Waldemar G. Diagnostic evaluation of dementia in the secondary health care sector. *Dement Geriatr Cogn Disord* 2009;27(6):534-42.

Puschmann A, Ross OA, Vilarino-Guell C, Lincoln SJ, Kachergus JM, Cobb SA, et al. A Swedish family with de novo alpha-synuclein A53T mutation: evidence for early cortical dysfunction. *Parkinsonism Relat Disord* 2009;15(9):627-32.

Rohrer JD, Ahsan RL, Isaacs AM, Nielsen JE, Ostergaard L, Scahill R, et al. Presymptomatic generalized brain atrophy in frontotemporal dementia caused by CHMP2B mutation. *Dement Geriatr Cogn Disord* 2009;27(2):182-6.

Ropele S, Seewann A, Gouw AA, van der Flier WM, Schmidt R, Pantoni L, et al. Quantitation of brain tissue changes associated with white matter hyperintensities by diffusion-weighted and magnetization transfer imaging: the LADIS (Leukoaraiosis and Disability in the Elderly) study. *J Magn Reson Imaging* 2009;29(2):268-74.

Schultz K, Wiehager S, Nilsson K, Nielsen JE, Lindquist SG, Hjemdahl LE, et al. Reduced CSF CART in dementia with Lewy bodies. *Neurosci Lett* 2009;453(2):104-6.

Schuz J, Waldemar G, Olsen JH, Johansen C. [Mobile phone use as a risk factor for affection of the central nerve system - secondary publication]. *Ugeskr Laeger* 2009;171(45):3268-71.

Schuz J, Waldemar G, Olsen JH, Johansen C. Risks for central nervous system diseases among mobile phone subscribers: a Danish retrospective cohort study. *PLoS One* 2009;4(2):e4389.

Sogaard R, Sorensen J, Waldorff FB, Eckermann A, Buss DV, Waldemar G. Private costs almost equal health care costs when intervening in mild Alzheimer's: a cohort study alongside the DAISY trial. *BMC Health Serv Res* 2009;9:215.

Stokholm J, Vogel A, Johannsen P, Waldemar G. Validation of the Danish Addenbrooke's Cognitive Examination as a screening test in a memory clinic. *Dement Geriatr Cogn Disord* 2009;27(4):361-5.

Svenstrup K, Bross P, Koefoed P, Hjemdahl LE, Eiberg H, Born AP, et al. Sequence variants in SPAST, SPG3A and HSPD1 in hereditary spastic paraparesis. *J Neurol Sci* 2009;284(1-2):90-5.

Teodorczuk A, Firbank MJ, Pantoni L, Poggesi A, Erkinjuntti T, Wallin A, et al. Relationship between baseline white-matter changes and development of late-life depressive symptoms: 3-year results from the LADIS study. *Psychol Med* 2009;1-8.

Vogel A, Stokholm J. Demens: Alzheimers sygdom, frontotemporal demens og Lewy Body Demens. In: Gade A, Gerlach C, Starrfelt R, Pedersen PM, eds. *Klinisk Neuropsykologi*. København: Frydenlund; 2009:336-58.

Waldemar G, Burns A. *Alzheimer's Disease*. Oxford: Oxford University Press; 2009.

Waldorff FB, Siersma V, Waldemar G. Association between subjective memory complaints and health care utilisation: a three-year follow up. *BMC Geriatr* 2009;9:43.

Waldorff FB, Siersma V, Waldemar G. Association between subjective memory complaints and nursing home placement: a four-year follow-up. *Int J Geriatr Psychiatry* 2009;24(6):602-9.

Wilkinson D, Schindler R, Schwam E, Waldemar G, Jones RW, Gauthier S, et al. Effectiveness of donepezil in reducing clinical worsening in patients with mild-to-moderate alzheimer's disease. *Dement Geriatr Cogn Disord* 2009;28(3):244-51.

## Neurobiologisk Forskningsenhed

### Publikationer

#### Disputatser og ph.d.-afhandlinger forsvaret i året

Erritzoe D. In vivo serotonergic markers in overweight and schizophrenic human subjects (ph.d.-afhandling). København: Eget Forlag; 2009:1-74. Forsvaret den 17/4 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Kalbitzer J. The serotonin transporter and behavior: gene environment interactions (ph.d.-afhandling). København: Eget Forlag; 2009:1-120. Forsvaret den 16/11 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Kornum BR. A pig model for studies of serotonergic mechanisms in memory disorders (ph.d.-afhandling). København: Eget Forlag; 2009:1-70. Forsvaret den 29/10 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Licht CL. Changes in the 5-HT4 receptor in animal models of depression and antidepressant treatment (ph.d.-afhandling). København: Eget Forlag; 2009:1-61. Forsvaret den 2/2 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Marner L. Molecular brain imaging of the serotonin system: reproducibility and evaluation of PET radiotracers (ph.d.-afhandling). København: Eget Forlag; 2009:1-62. Forsvaret den 13/3 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Pinborg L. Molecular imaging of receptors and transporters in humans using PET and SPECT: from models to methods and potentials to pitfalls (disputats). København: Eget Forlag; 2009:1-63. Forsvaret den 4/6 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Rasmussen H. Imaging serotonin 2A receptors in schizophrenia patients before and after first antipsychotic treatment (ph.d.-afhandling). København: Eget Forlag; 2009:1-66. Forsvaret den 18/9 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

#### Videnskabelige artikler

Bendova Z, Sumova A, Mikkelsen JD. Circadian and developmental regulation of N-methyl-d-aspartate-receptor 1 mRNA splice variants and N-methyl-d-aspartate-receptor 3 subunit expression within the rat suprachiasmatic nucleus. *Neuroscience* 2009;159(2):599-609.

Bundzikova J, Pirnik Z, Zelena D, Mikkelsen JD, Kiss A. Alpha2-adrenergic impact on hypothalamic magnocellular oxytocinergic neurons in long evans and brattleboro rats: effects of agonist and antagonists. *Cell Mol Neurobiol* 2009;29(6-7):1015-23.

Butini S, Gemma S, Campiani G, Franceschini S, Trotta F, Borriello M, et al. Discovery of a new class of potential multifunctional atypical antipsychotic agents targeting dopamine D3 and serotonin 5-HT1A and 5-HT2A receptors: design, synthesis, and effects on behavior. *J Med Chem* 2009;52(1):151-69.

de Nijs R, Miranda MJ, Hansen LK, Hanson LG. Motion correction of single-voxel spectroscopy by independent component analysis applied to spectra from nonanesthetized pediatric subjects. *Magn Reson Med* 2009;62(5):1147-54.

Erritzoe D, Frokjaer VG, Haugbol S, Marner L, Svarer C, Holst K, et al. Brain serotonin 2A receptor binding: relations to body mass index, tobacco and alcohol use. *Neuroimage* 2009;46(1):23-30.

Frokjaer VG, Erritzoe D, Madsen J, Paulson OB, Knudsen GM. Gender and the use of hormonal contraception in women are not associated with cerebral cortical 5-HT 2A receptor binding. *Neuroscience* 2009;163(2):640-5.

Frokjaer VG, Vinberg M, Erritzoe D, Svarer C, Baare W, Budtz-Joergensen E, et al. High familial risk for mood disorder is associated with low dorsolateral prefrontal cortex serotonin transporter binding. *Neuroimage* 2009;46(2):360-6.

Gade A, Knudsen GM. Metaboliske, endokrine og andre systemiske sygdomme. In: Gade A, Gerlach C, Starrfelt R, Pedersen PM, eds. *Klinisk Neuropsykologi*. 1st ed. København: Frydenlund; 2009:371-82.

Gerlach C. Category-specificity in visual object recognition. *Cognition* 2009;111(3):281-301.

Herth MM, Kramer V, Piel M, Palmer M, Riss PJ, Knudsen GM, et al. Synthesis and in vitro affinities of various MDL 100907 derivatives as potential 18F-radioligands for 5-HT2A receptor imaging with PET. *Bioorg Med Chem* 2009;17(8):2989-3002.

Jacobsen JP, Redrobe JP, Hansen HH, Petersen S, Bond CT, Adelman JP, et al. Selective cognitive deficits and reduced hippocampal brain-derived neurotrophic factor mRNA expression in small-conductance calcium-activated K<sup>+</sup> channel deficient mice. *Neuroscience* 2009;163(1):73-81.

Kalbitzer J, Svarer C, Frokjaer VG, Erritzoe D, Baare WF, Madsen J, et al. A probabilistic approach to delineating functional brain regions. *J Nucl Med Technol* 2009;37(2):91-5.

Kalbitzer J, Frokjaer VG, Erritzoe D, Svarer C, Cumming P, Nielsen FA, et al. The personality trait openness is related to cerebral 5-HTT levels. *Neuroimage* 2009;45(2):280-5.

Knorr U, Vinberg M, Klose M, Feldt-Rasmussen U, Hilsted L, Gade A, et al. Rationale and design of the participant, investigator, observer, and data-analyst-blinded randomized AGENDA trial on associations between gene-polymorphisms, endophenotypes for depression and antidepressive intervention: the effect of escitalopram versus placebo on the combined dexamethasone-corticotrophine releasing hormone test and other potential endophenotypes in healthy first-degree relatives of persons with depression. *Trials* 2009;10:66.

Knudsen GM. Testing for radioligand sensitivity to endogenous neurotransmitter release. *Eur J Nucl Med Mol Imaging* 2009;36(3):472-4.

Kornum BR, Lind NM, Gillings N, Marner L, Andersen F, Knudsen GM. Evaluation of the novel 5-HT4 receptor PET ligand [11C]SB207145 in the Gottingen minipig. *J Cereb Blood Flow Metab* 2009;29(1):186-96.

Kupers R, Frokjaer VG, Naert A, Christensen R, Budtz-Joergensen E, Kehlet H, et al. A PET [18F]altanserin study of 5-HT2A receptor binding in the human brain and responses to painful heat stimulation. *Neuroimage* 2009;44(3):1001-7.

Kupers R, Schneider FC, Christensen R, Naert A, Husted H, Paulson OB, et al. No evidence for generalized increased postoperative responsiveness to pain: a combined behavioral and serial functional magnetic resonance imaging study. *Anesth Analg* 2009;109(2):600-6.

Licht CL, Marcussen AB, Wegener G, Overstreet DH, Aznar S, Knudsen GM. The brain 5-HT4 receptor binding is down-regulated in the Flinders Sensitive Line depression model and in response to paroxetine administration. *J Neurochem* 2009;109(5):1363-74.

Marner L, Gillings N, Comley RA, Baare WF, Rabiner EA, Wilson AA, et al. Kinetic modeling of 11C-SB207145 binding to 5-HT4 receptors in the human brain in vivo. *J Nucl Med* 2009;50(6):900-8.

Marner L, Knudsen GM, Haugbol S, Holm S, Baare W, Hasselbalch SG. Longitudinal assessment of cerebral 5-HT2A receptors in healthy elderly volunteers: an [18F]-altanserin PET study. *Eur J Nucl Med Mol Imaging* 2009;36(2):287-93.

Mikkelsen JD, Bentsen AH, Ansel L, Simonneaux V, Juul A. Comparison of the effects of peripherally administered kisspeptins. *Regul Pept* 2009;152(1-3):95-100.

Mikkelsen JD, Simonneaux V. The neuroanatomy of the kisspeptin system in the mammalian brain. *Peptides* 2009;30(1):26-33.

Nielsen FA. Visualizing data mining results with the brede tools. *Front Neuroinformatics* 2009;3:26.

Nielsen FA. Lost in localization: a solution with neuroinformatics 2.0? *Neuroimage* 2009;48(1):11-3.

Nielsen TR, Kornum BR, Moustgaard A, Gade A, Lind NM, Knudsen GM. A novel spatial Delayed Non-Match to Sample (DNMS) task in the Gottingen minipig. *Behav Brain Res* 2009;196(1):93-8.

Ramsoy TZ, Liptrot MG, Skimminge A, Lund TE, Sidaros K, Christensen MS, et al. Regional activation of the human medial temporal lobe during intentional encoding of objects and positions. *Neuroimage* 2009;47(4):1863-72.

Revel FG, Masson-Pevet M, Pevet P, Mikkelsen JD, Simonneaux V. Melatonin controls seasonal breeding by a network of hypothalamic targets. *Neuroendocrinology* 2009;90(1):1-14.

Sidaros A, Skimminge A, Liptrot MG, Sidaros K, Engberg AW, Herning M, et al. Long-term global and regional brain volume changes following severe traumatic brain injury: a longitudinal study with clinical correlates. *Neuroimage* 2009;44(1):1-8.

Simonneaux V, Ansel L, Revel FG, Klosen P, Pevet P, Mikkelsen JD. Kisspeptin and the seasonal control of reproduction in hamsters. *Peptides* 2009;30(1):146-53.

Syvanen S, Lindhe O, Palner M, Kornum BR, Rahman O, Langstrom B, et al. Species differences in blood-brain barrier transport of three positron emission tomography radioligands with emphasis on P-glycoprotein transport. *Drug Metab Dispos* 2009;37(3):635-43.

Thomsen MS, Christensen DZ, Hansen HH, Redrobe JP, Mikkelsen JD. Alpha(7) Nicotinic acetylcholine receptor activation prevents behavioral and molecular changes induced by repeated phencyclidine treatment. *Neuropharmacology* 2009;56(6-7):1001-9.

Trajkovska V, Santini MA, Marcussen AB, Thomsen MS, Hansen HH, Mikkelsen JD, et al. BDNF downregulates 5-HT(2A) receptor protein levels in hippocampal cultures. *Neurochem Int* 2009;55(7):697-702.

Trajkovska V, Kirkegaard L, Krey G, Marcussen AB, Thomsen MS, Chourbaji S, et al. Activation of glucocorticoid receptors increases 5-HT2A receptor levels. *Exp Neurol* 2009;218(1):83-91.

Vinberg M, Trajkovska V, Bennike B, Knorr U, Knudsen GM, Kessing LV. The BDNF Val66Met polymorphism: relation to familiar risk of affective disorder, BDNF levels and salivary cortisol. *Psychoneuroendocrinology* 2009;34(9):1380-9.

## Neuromuskulær Klinik

### Publikationer

#### Videnskabelige artikler

Andersen ST, Jeppesen TD, Taivassalo T, Sveen ML, Heinicke K, Haller RG, et al. Effect of changes in fat availability on exercise capacity in McArdle disease. *Arch Neurol* 2009;66(6):762-6.

Duno M, Quinlivan R, Vissing J, Schwartz M. High-resolution melting facilitates mutation screening of PYGM in patients with McArdle disease. *Ann Hum Genet* 2009;73(Pt 3):292-7.

Frederiksen AL, Jeppesen TD, Vissing J, Schwartz M, Kyvik KO, Schmitz O, et al. High prevalence of impaired glucose homeostasis and myopathy in asymptomatic and oligosymptomatic 3243A>G mitochondrial DNA mutation-positive subjects. *J Clin Endocrinol Metab* 2009;94(8):2872-9.

Haller RG, Vissing J. Drilling for energy in mitochondrial disease. *Arch Neurol* 2009;66(8):931-2.

Haller RG, Vissing J. Muscle fatigue in metabolic myopathies. In: Williams C, Ratel S, eds. *Human Muscle Fatigue: in Sport, Exercise, and Health*. London: Taylor & Francis Group; 2009:338-59.

Jeppesen TD, Orngreen MC, van Hall G, Haller RG, Vissing J. Fat metabolism during exercise in patients with mitochondrial disease. *Arch Neurol* 2009;66(3):365-70.

Jeppesen TD, Duno M, Schwartz M, Krag T, Rafiq J, Wibrand F, et al. Short- and long-term effects of endurance training in patients with mitochondrial myopathy. *Eur J Neurol* 2009;16(12):1336-9.

Naini A, Toscano A, Musumeci O, Vissing J, Akman HO, Dimauro S. Muscle phosphoglycerate mutase deficiency revisited. *Arch Neurol* 2009;66(3):394-8.

Orngreen MC, Jeppesen TD, Andersen ST, Taivassalo T, Hauerslev S, Preisler N, et al. Fat metabolism during exercise in patients with McArdle disease. *Neurology* 2009;72(8):718-24.

Preisler N, Andersen G, Thogersen F, Crone C, Jeppesen TD, Wibrand F, et al. Effect of aerobic training in patients with spinal and bulbar muscular atrophy (Kennedy disease). *Neurology* 2009;72(4):317-23.

Stojkovic T, Vissing J, Petit F, Piraud M, Orngreen MC, Andersen G, et al. Muscle glycogenosis due to phosphoglucomutase 1 deficiency. *N Engl J Med* 2009;361(4):425-7.

Svenstrup K, Bross P, Koefoed P, Hjermind LE, Eiberg H, Born AP, et al. Sequence variants in SPAST, SPG3A and HSPD1 in hereditary spastic paraparesis. *J Neurol Sci* 2009;284(1-2):90-5.

Vissing J, Duno M, Schwartz M, Haller RG. Splice mutations preserve myophosphorylase activity that ameliorates the phenotype in McArdle disease. *Brain* 2009;132(Pt 6):1545-52.

Vissing J. Myoglobinuria. In: Lisak RP, Truong DD, Carroll W, Bhidayasiri R, eds. *International Neurology: a Clinical Approach*. 1st ed. Oxford, UK: Blackwell Publishing; 2009:477-9.

Vissing J, Di Donato S, Taroni F. Metabolic myopathies. In: Karpati G, Hilton-Jones D, Bushby K, Griggs RC, eds. *Disorders of Voluntary Muscles*. 8th ed. Cambridge: Cambridge University Press, UK; 2009:390-407.

Waldemar G, Boysen GM, Hogenhaven H, Knudsen GM, Krarup C, Olsen J, Paulson OB et al. Neurologi. In: Schaffalitzky de Muckadell OB, Haunso S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:2418-623.

## Vaskulær og almen neurologi

### Publikationer

#### Videnskabelige artikler

van Walraven C, Hart RG, Connolly S, Austin PC, Mant J, Hobbs FD, et al. Effect of age on stroke prevention therapy in patients with atrial fibrillation: the atrial fibrillation investigators. *Stroke* 2009;40(4):1410-6.

## Tværfagligt Smertecenter

### Publikationer

#### Disputatser og ph.d.-afhandlinger forsvaret i året

Ia Cour P. Elementer til en moderne, dansk religionspsykologi (ph.d.-afhandling). København: Eget Forlag; 2009:1-210. Forsvaret den 15/9 2009 ved Københavns Universitet, Det Samfundsvidenskabelige Fakultet.

Peuckmann V. Long term breast cancer survivors. Health-related quality of life, health care utilisation, and sequelae with focus on chronic pain (ph.d.-afhandling). København: Eget Forlag; 2009:1-83. Forsvaret den 30/8 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

#### Videnskabelige artikler

Kongsgaard UE, Werner MU. Evidence-based medicine works best when there is evidence: challenges in palliative medicine when randomized controlled trials are not possible. *J Pain Palliat Care Pharmacother* 2009;23(1):48-50.

Kurita GP, Lundorff L, Pimenta CA, Sjogren P. The cognitive effects of opioids in cancer: a systematic review. *Support Care Cancer* 2009;17(1):11-21.

Tonnesen H, Nielsen PR, Lauritzen JB, Moller AM. Smoking and alcohol intervention before surgery: evidence for best practice. *Br J Anaesth* 2009;102(3):297-306.

# Center for Klinisk Uddannelse (CEKU)

---

## Center for Klinisk Uddannelse (CEKU)

### Publikationer

---

#### Videnskabelige artikler

Davis DJ, Ringsted C, Bonde M, Scherpbier A, van der Vieuten C. Using participatory design to develop structured training in child and adolescent psychiatry. *Eur Child Adolesc Psychiatry* 2009;18(1):33-41.

Henriksen AH, Ringsted C. [Clinical supervisors' perceptions concerning assessment of pre-registration house officers]. *Ugeskr Laeger* 2009;171(18):1505-8.

Jensen ML, Mondrup F, Lippert F, Ringsted C. Using e-learning for maintenance of ALS competence. *Resuscitation* 2009;80(8):903-8.

Jensen ML, Lippert F, Hesselfeldt R, Rasmussen MB, Mogensen SS, Jensen MK, et al. The significance of clinical experience on learning outcome from resuscitation training-a randomised controlled study. *Resuscitation* 2009;80(2):238-43.

Kromann CB, Jensen ML, Ringsted C. The effect of testing on skills learning. *Med Educ* 2009;43(1):21-7.

Lillevang G, Bugge L, Beck H, Joost-Rethans J, Ringsted C. Evaluation of a national process of reforming curricula in postgraduate medical education. *Med Teach* 2009;31(6):e260-e266.

Malling B, Mortensen L, Bonderup T, Scherpbier A, Ringsted C. Combining a leadership course and multi-source feedback has no effect on leadership skills of leaders in postgraduate medical education. An intervention study with a control group. *BMC Med Educ* 2009;9:72.

Malling B, Bonderup T, Mortensen L, Ringsted C, Scherpbier A. Effects of multi-source feedback on developmental plans for leaders of postgraduate medical education. *Med Educ* 2009;43(2):159-67.

Ringsted C. [Implementation of new knowledge in times of climate change?]. *Ugeskr Laeger* 2009;171(44):3203-6.

Ringsted C. Experiential learning: another turn on 'see one, do one'. *Med Educ* 2009;43(7):606-7.

Ringsted C. Research in medical education. *Notfall und Rettungsmedizin* 2009;12(2):57-60.

Sorensen JL, Lokkegaard E, Johansen M, Ringsted C, Kreiner S, McAleer S. The implementation and evaluation of a mandatory multi-professional obstetric skills training program. *Acta Obstet Gynecol Scand* 2009;88(10):1107-17.

# Det Nordiske Cochrane Center

---

## Copenhagen Trial Unit (CTU) og Cochrane Hepato-Biliary Group (CHBG)

### Publikationer

---

#### Videnskabelige artikler

Awad T, Thorlund K, Gluud C. Cryotherapy for hepatocellular carcinoma. *Cochrane Database Syst Rev* 2009;(4):CD007611.

Awad T, Thorlund K, Mabrouk M, Gluud C. Hepatitis C intervention research - where are we now and where should we be heading? *Arab J Gastroenterol* 2009;10:4-9.

Boysen G, Krarup LH, Zeng X, Oskedra A, Korv J, Andersen G, et al. ExStroke Pilot Trial of the effect of repeated instructions to improve physical activity after ischaemic stroke: a multinational randomised controlled clinical trial. *BMJ* 2009;339:b2810.

Brok J, Gluud LL, Gluud C. Ribavirin monotherapy for chronic hepatitis C. *Cochrane Database Syst Rev* 2009;(4):CD005527.

Brok J, Thorlund K, Wetterslev J, Gluud C. Apparently conclusive meta-analyses may be inconclusive--Trial sequential analysis adjustment of random error risk due to repetitive testing of accumulating data in apparently conclusive neonatal meta-analyses. *Int J Epidemiol* 2009;38(1):287-98.

Damgaard S, Wetterslev J, Lund JT, Lilleor NB, Perko MJ, Kelbaek H, et al. One-year results of total arterial revascularization vs. conventional coronary surgery: CARRPO trial. *Eur Heart J* 2009;30(8):1005-11.

Gluud C, Hilden J. Povl Heiberg's 1897 methodological study on the statistical method as an aid in therapeutic trials. *Prev Med* 2009;48(6):600-3.

Gluud LL, Gluud C. Meta-analyses on viral hepatitis. *Infect Dis Clin North Am* 2009;23(2):315-30.

Gluud LL, Marchesini E, Iorio A. Peginterferon plus ribavirin for chronic hepatitis C in patients with human immunodeficiency virus. *Am J Gastroenterol* 2009;104(9):2335-41.

Gluud LL, Rask-Madsen J. Gastroenterology. In: Gad SC, ed. *Clinical Trials Handbook*. Hoboken, New Jersey: John Wiley & Sons Inc.; 2009:501-17.

Gurusamy K, Samraj K, Gluud C, Wilson E, Davidson BR. Meta-analysis of randomized controlled trials on the safety and effectiveness of early versus delayed laparoscopic cholecystectomy for acute cholecystitis. *Br J Surg* 2009;97(2):141-50.

Gurusamy KS, Gluud C, Nikolova D, Davidson BR. Assessment of risk of bias in randomized clinical trials in surgery. *Br J Surg* 2009;96(4):342-9.

Hemmingsen B, Lund SS, Wetterslev J, Vaag A. Oral hypoglycaemic agents, insulin resistance and cardiovascular disease in patients with type 2 diabetes. *Eur J Endocrinol* 2009;161(1):1-9.

Hemmingsen B, Lund SS, Vaag A. [Anti-diabetic treatment, insulin resistance and cardiovascular disease in patients with type 2 diabetes]. *Ugeskr Laeger* 2009;171(19):1598-602.

Jespersen CM, Kolmos HJ, Frydendall N, Hilden J, Gluud C, Hansen JF. Compliance with and short-term adverse events from clarithromycin versus placebo in patients with stable coronary heart disease: the CLARICOR trial. *J Antimicrob Chemother* 2009;64(2):411-5.

Kastrup J, Johansen JS, Winkel P, Hansen JF, Hildebrandt P, Jensen GB, et al. High serum YKL-40 concentration is associated with cardiovascular and all-cause mortality in patients with stable coronary artery disease. *Eur Heart J* 2009;30(9):1066-72.

Keus F, Wetterslev J, Gluud C, Gooszen HG, van Laarhoven CJ. Robustness assessments are needed to reduce bias in meta-analyses that include zero-event randomized trials. *Am J Gastroenterol* 2009;104(3):546-51.

Keus F, Gooszen HG, van Laarhoven CJ. Systematic review: open, small-incision or laparoscopic cholecystectomy for symptomatic cholezystolithiasis. *Aliment Pharmacol Ther* 2009;29(4):359-78.

Knorr U, Vinberg M, Klose M, Feldt-Rasmussen U, Hilsted L, Gade A, et al. Rationale and design of the participant, investigator, observer, and data-analyst-blinded randomized AGENDA trial on associations between gene-polymorphisms, endophenotypes for depression and antidepressive intervention: the effect of escitalopram versus placebo on the combined dexamethasone-corticotrophine releasing hormone test and other potential endophenotypes in healthy first-degree relatives of persons with depression. *Trials* 2009;10:66.

Krogh J, Saltin B, Gluud C, Nordentoft M. The DEMO trial: a randomized, parallel-group, observer-blinded clinical trial of strength versus aerobic versus relaxation training for patients with mild to moderate depression. *J Clin Psychiatry* 2009;70(6):790-800.

Kubiak C, de Andres-Trelles F, Kuchinke W, Huemer KH, Thirstrup S, Whitfield K, et al. Common definition for categories of clinical research: a prerequisite for a survey on regulatory requirements by the European Clinical Research Infrastructures Network (ECRIN). *Trials* 2009;10:95.

Liu JP, Nikolova D, Fei Y. Immunoglobulins for preventing hepatitis A. *Cochrane Database Syst Rev* 2009;(2):CD004181.

Liu JP, Gluud C, Koretz RL. Gastrointestinal health. In: Jacobs BP, Gundling K, eds. *The ACP Evidence-Based Guide to Complementary & Alternative Medicine*. Philadelphia: Books Publishing; 2009:133-60.

Lundby CL, Almdal T, Boesgaard T, Breum L, Dunn E, Gade-Rasmussen B, et al. Study rationale and design of the CIMT trial: the Copenhagen Insulin and Metformin Therapy trial. *Diabetes Obes Metab* 2009;11(4):315-22.

Lundstrom LH, Moller AM, Rosenstock C, Astrup G, Gatke MR, Wetterslev J. A documented previous difficult tracheal intubation as a prognostic test for a subsequent difficult tracheal intubation in adults. *Anaesthesia* 2009;64(10):1081-8.

Lundstrom LH, Moller AM, Rosenstock C, Astrup G, Gatke MR, Wetterslev J. Avoidance of neuromuscular blocking agents may increase the risk of difficult tracheal intubation: a cohort study of 103,812 consecutive adult patients recorded in the Danish Anaesthesia Database. *Br J Anaesth* 2009;103(2):283-90.

Lundstrom LH, Moller AM, Rosenstock C, Astrup G, Wetterslev J. High body mass index is a weak predictor for difficult and failed tracheal intubation: a cohort study of 91,332 consecutive patients scheduled for direct laryngoscopy registered in the Danish Anesthesia Database. *Anesthesiology* 2009;110(2):266-74.

Maggio A, Vitrano A, Capra M, Cuccia L, Gagliardotto F, Filosa A, et al. Long-term sequential deferiprone-deferoxamine versus deferiprone alone for thalassaemia major patients: a randomized clinical trial. *Br J Haematol* 2009;145(2):245-54.

Meyhoff CS, Wetterslev J, Jorgensen LN, Henneberg SW, Hogdall C, Lundvall L, et al. Effect of high perioperative oxygen fraction on surgical site infection and pulmonary complications after abdominal surgery: the PROXI randomized clinical trial. *JAMA* 2009;302(14):1543-50.

Runge M, Moller CH, Steinbruchel DA. Increased accuracy in heparin and protamine administration decreases bleeding: a pilot study. *J Extra Corpor Technol* 2009;41(1):10-4.

Thorlund K, Devereaux PJ, Wetterslev J, Guyatt G, Ioannidis JP, Thabane L, et al. Can trial sequential monitoring boundaries reduce spurious inferences from meta-analyses? *Int J Epidemiol* 2009;38(1):276-86.

Tsochatzis EA, Gurusamy KS, Gluud C, Burroughs AK. Ursodeoxycholic acid and primary biliary cirrhosis: EASL and AASLD guidelines. *J Hepatol* 2009;51(6):1084-5.

Wetterslev J, Thorlund K, Brok J, Gluud C. Estimating required information size by quantifying diversity in random-effects model meta-analyses. *BMC Med Res Methodol* 2009;9(1):86.

Whitfield K, Rambaldi A, Wetterslev J, Gluud C. Pentoxifylline for alcoholic hepatitis. *Cochrane Database Syst Rev* 2009;(4):CD007339.

Wilson E, Gurusamy K, Gluud C, Davidson BR. Cost-utility and value-of-information analysis of early versus delayed laparoscopic cholecystectomy for acute cholecystitis. *Br J Surg* 2009;97(2):210-9.

## Det Nordiske Cochrane Center

### Publikationer

#### Videnskabelige artikler

Brorson S, Olsen BS, Frich LH, Jensen SL, Johannsen HV, Sorensen AK, et al. Effect of osteosynthesis, primary hemiarthroplasty, and non-surgical management for displaced four-part fractures of the proximal humerus in elderly: a multi-centre, randomised clinical trial. *Trials* 2009;10:51.

Brorson S, Bagger J, Sylvest A, Hrobjartsson A. Diagnosing displaced four-part fractures of the proximal humerus: a review of observer studies. *Int Orthop* 2009;33(2):323-7.

Brorson S, Frich LH, Hrobjartsson A. The Neer classification for fractures of the proximal humerus: a narrative review. *Minerva Ortopedica Traumatologica* 2009;60:447-60.

Gotzsche P, Hrobjartsson A, Johansen HK, Haahr MT, Altman D, Chan AW. Videnskabelig uredelelighed. Ubegrundet anklage rejst af Lægemiddelindustriforeningen mod akademiske forskere havde karakter af chikane. *Ugeskr Laeger* 2009;171:1206-9.

Gotzsche P. Alternativ behandling. In: Schaffalitzky de Muckadell OB, Haunso S, Vilstrup H, eds. Medicinsk Kompendium. 17th ed. København: Nyt Nordisk Forlag Arnold Busck; 2009:2845-51.

Gotzsche P, Hartling O, Nielsen M, Brodersen J. Invitation til brystkræftscreening: propaganda eller information? *Ugeskr Laeger* 2009;171:1963.

Gotzsche PC, Jorgensen KJ. [Honest information about mammography screening, please!]. *Lakartidningen* 2009;106(44):2860-1.

Gotzsche PC, Nielsen M. Screening for breast cancer with mammography. *Cochrane Database Syst Rev* 2009;(4):CD001877.

Gotzsche PC, Kassirer JP, Woolley KL, Wager E, Jacobs A, Gertel A, et al. What should be done to tackle ghostwriting in the medical literature? PLoS Med 2009;6(2):e23.

Gotzsche PC, Hartling OJ, Nielsen M, Brodersen J, Jorgensen KJ. Breast screening: the facts - or maybe not. BMJ 2009;338:b86.

Gotzsche PC. Readers as research detectives. Trials 2009;10:2.

Gotzsche PC. Kasuistiske meddelelser: fortsat en hovedkilde til forvirring, men nu på patientgruppeniveau. Bibliotek for Læger 2009;201:87-91.

Gotzsche PC. Atter fri adgang til Cochrane-biblioteket for alle danskere. Ugeskr Laeger 2009;171:932-3.

Gotzsche PC. Evidensbaseret medicin: ankestyrelsen mod Sundhedsstyrelsen om husstøvmider. Ugeskr Laeger 2009;171(50):3727.

Graugaard C, Hrobjartsson A, Osler M, Bak-Jensen S, Juni P. At holde skridt med tiden. Bibliotek for læger gennem 200 år. Bibliotek for Læger 2009;20:13-35.

Hrobjartsson A, Pildal J, Chan AW, Haahr MT, Altman DG, Gotzsche PC. Reporting on blinding in trial protocols and corresponding publications was often inadequate but rarely contradictory. J Clin Epidemiol 2009;62(9):967-73.

Hrobjartsson A, Jorgensen KJ, Felling UA. [A new scientific source of bias: SILLY bias. Analysis of citations of BMJ's Christmas articles]. Ugeskr Laeger 2009;171(51):3784-9.

Jorgensen KJ, Zahl PH, Gotzsche PC. Overdiagnosis in organised mammography screening in Denmark. A comparative study. BMC Womens Health 2009;9(1):36.

Jorgensen KJ, Gotzsche PC. Overdiagnosis in publicly organised mammography screening programmes: systematic review of incidence trends. BMJ 2009;339:b2587.

Jorgensen KJ, Hrobjartsson A, Gotzsche PC. Divine intervention? A Cochrane review on intercessory prayer gone beyond science and reason. J Negat Results Biomed 2009;8:7.

Jorgensen KJ, Brodersen J, Hartling OJ, Nielsen M, Gotzsche PC. Informed choice requires information about both benefits and harms. J Med Ethics 2009;35(4):268-9.

Krogsboll LT, Hrobjartsson A, Gotzsche PC. Spontaneous improvement in randomised clinical trials: meta-analysis of three-armed trials comparing no treatment, placebo and active intervention. BMC Med Res Methodol 2009;9:1.

Liberati A, Altman DG, Tetzlaff J, Mulrow C, Gotzsche PC, Ioannidis JP, et al. The PRISMA statement for reporting systematic reviews and meta-analyses of studies that evaluate health care interventions: explanation and elaboration. J Clin Epidemiol 2009;62(10):e1-34.

Liberati A, Altman DG, Tetzlaff J, Mulrow C, Gotzsche PC, Ioannidis JP, et al. The PRISMA statement for reporting systematic reviews and meta-analyses of studies that evaluate healthcare interventions: explanation and elaboration. BMJ 2009;339:b2700.

Liberati A, Altman DG, Tetzlaff J, Mulrow C, Gotzsche PC, Ioannidis JP, et al. The PRISMA statement for reporting systematic reviews and meta-analyses of studies that evaluate health care interventions: explanation and elaboration. Ann Intern Med 2009;151(4):W65-W94.

Liberati A, Altman DG, Tetzlaff J, Mulrow C, Gotzsche PC, Ioannidis JP, et al. The PRISMA statement for reporting systematic reviews and meta-analyses of studies that evaluate health care interventions: explanation and elaboration. PLoS Med 2009;6(7):e1000100.

Lundh A, Knijnenburg SL, Jorgensen AW, van Dalen EC, Kremer LC. Quality of systematic reviews in pediatric oncology - a systematic review. *Cancer Treat Rev* 2009;35(8):645-52.

Lundh A, Gotzsche P. Industrisponsoreret efteruddannelse hører ikke hjemme i et evidensbaseret sundhedsvæsen. *Ugeskr Laeger* 2009;171:2228-9.

Madsen MV, Gotzsche PC, Hrobjartsson A. Acupuncture treatment for pain: systematic review of randomised clinical trials with acupuncture, placebo acupuncture, and no acupuncture groups. *BMJ* 2009;338:a3115.

Rud B, Hilden J, Hyldstrup L, Hrobjartsson A. The Osteoporosis Self-Assessment Tool versus alternative tests for selecting postmenopausal women for bone mineral density assessment: a comparative systematic review of accuracy. *Osteoporos Int* 2009;20(4):599-607.

Tendal B, Higgins JP, Juni P, Hrobjartsson A, Trelle S, Nuesch E, et al. Disagreements in meta-analyses using outcomes measured on continuous or rating scales: observer agreement study. *BMJ* 2009;339:b3128.

Vandenbroucke JP, Von Elm E, Altman DG, Gotzsche PC, Mulrow CD, Pocock SJ, et al. [Strengthening the reporting of observational studies in epidemiology (STROBE): explanation and elaboration]. *Gac Sanit* 2009;23(2):158.

# **Universitetshospitalernes Center for Sygepleje- og omsorgsforskning (UCSF)**

---

## **Universitetshospitalernes Center for Sygepleje- og omsorgsforskning (UCSF)**

### **Publikationer**

---

#### **Disputatser og ph.d.-afhandlinger forsvarer i året**

Jarden M. Hematopoietic stem cell transplantation: the effect of a multimodal intervention on physical capacity and functional performance, treatment-related symptoms and quality of life (ph.d.-afhandling). København: UCSF; 2009:1-103. Forsvaret den 12/4 2009 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

#### **Videnskabelige artikler**

Adamsen L, Andersen C, Midtgård J, Møller T, Quist M, Rorth M. Struggling with cancer and treatment: young athletes recapture body control and identity through exercise: qualitative findings from a supervised group exercise program in cancer patients of mixed gender undergoing chemotherapy. *Scand J Med Sci Sports* 2009;19(1):55-66.

Adamsen L, Quist M, Andersen C, Møller T, Herrstedt J, Kronborg D, et al. Effect of a multimodal high intensity exercise intervention in cancer patients undergoing chemotherapy: randomised controlled trial. *BMJ* 2009;339:b3410.

Egerod I. Cultural changes in ICU sedation management. *Qual Health Res* 2009;19(5):687-96.

Egerod I, Christensen D. Analysis of patient diaries in Danish ICUs: a narrative approach. *Intensive Crit Care Nurs* 2009;25(5):268-77.

Egerod I. Aftrapning af respiratorbehandling: en case til belysning af kvalitative metoders brug i sundhedsvidenskaberne. *Bibl Laeger* 2009;201(3):335-49.

Egerod I. Dagbøger til intensivpatienter. In: Holen M, Winther B, eds. *Akut, kritisk og kompleks sygepleje: samfunds- og humanvidenskabelige perspektiver*. 1st ed. København: Munksgaard Danmark; 2009:127-42.

Jarden M, Baadsgaard MT, Hovgaard DJ, Boesen E, Adamsen L. A randomized trial on the effect of a multimodal intervention on physical capacity, functional performance and quality of life in adult patients undergoing allogeneic SCT. *Bone Marrow Transplant* 2009;43(9):725-37.

Jarden M, Nelausen K, Hovgaard D, Boesen E, Adamsen L. The effect of a multimodal intervention on treatment-related symptoms in patients undergoing hematopoietic stem cell transplantation: a randomized controlled trial. *J Pain Symptom Manage* 2009;38(2):174-90.

Krstrup P, Helsen W, Randers MB, Christensen JF, MacDonald C, Rebelo AN, et al. Activity profile and physical demands of football referees and assistant referees in international games. *J Sports Sci* 2009;27(11):1167-76.

Krstrup P, Nielsen JJ, Krstrup BR, Christensen JF, Pedersen H, Randers MB, et al. Recreational soccer is an effective health-promoting activity for untrained men. *Br J Sports Med* 2009;43(11):825-31.

Larsen K, Adamsen L. Emergence of Nordic nursing research: no position is an Island. Scand J Caring Sci 2009;23(4):757-66.

Midtgård J, Baadsgaard MT, Møller T, Rasmussen B, Quist M, Andersen C, et al. Self-reported physical activity behaviour; exercise motivation and information among Danish adult cancer patients undergoing chemotherapy. Eur J Oncol Nurs 2009;13(2):116-21.

Midtgård J, Hansen MJ, Grandjean B. Modesty and recognition--a qualitative study of the lived experience of recovery from anal cancer. Support Care Cancer 2009;17(9):1213-22.

Pedersen CM, Rosendahl-Nielsen M, Hjermind J, Egerod I. Endotracheal suctioning of the adult intubated patient--what is the evidence? Intensive Crit Care Nurs 2009;25(1):21-30.

Vilstrup DL, Weitze Mortensen C, Rud K, Egerod I. Patienters oplevelse af henholdsvis konventionelle og accelererede kolonkirurgiske behandlingsforløb: en kvalitativ undersøgelse på baggrund af fokusgruppeinterviews. Klin Sygepleje 2009;23(9):56-67.