

A photograph showing a medical professional, likely a nurse or doctor, wearing white scrubs and glasses, smiling and interacting with a patient who is lying down. The patient is covered with a white blanket with blue text. The scene is set in a hospital room with medical equipment visible in the background.

RIGSHOSPITALET
Videnskabelige Publikationer 2012

Abdominalcentret	4
Centerfunktionen	4
Anæstesi- og Operationsklinikken.....	5
Hepatologisk Klinik A	7
Intensiv Terapiklinik	9
Karkirurgisk Klinik RK.....	12
Kirurgisk Gastroenterologisk Klinik C	16
Medicinsk Gastroenterologisk Klinik CA.....	19
Nefrologisk Klinik P	20
Endokrinologisk Klinik PE	24
Urologisk Klinik D	32
Center for Klinisk Uddannelse (CEKU)	35
Det Nordiske Cochrane Center.....	37
Copenhagen Trial Unit.....	37
Det Nordiske Cochrane Center.....	41
Diagnostisk Center	45
Enhed for Genomisk Medicin	45
Infektionshygiejniske Enhed	48
Klinisk Biokemisk Afdeling.....	49
Klinik for Klinisk Fysiologi, Nuklearmedicin & PET	57
Klinisk Immunologisk Afdeling	67
Klinisk Mikrobiologisk Afdeling	74
Patologiafdelingen.....	79
Radiologisk Klinik X	88
Direktionen	94
Finsencentret	96
Center for Muskelforskning	96
Finsenlaboratoriet.....	97
Hæmatologisk Klinik	102
Klinik for infektionsmedicin og Reumatologi / Epidemiklinikken	109
Klinik for Infektionsmedicin og Reumatologi/Reumatologisk Klinik	127
Klinik for Infektionsmedicin og Reumatologi/Center for Inflammation og Metabolisme (CIM)	131
Onkologisk Klinik.....	135

Radioterapiklinikken	144
Hjertecentret.....	147
Hjertemedicinsk Klinik B	147
Thoraxkirurgisk Klinik RT	168
Thoraxanæstesiologisk Klinik ANT.....	174
Hovedortocentret.....	176
Anæstesi- og operationsklinikken HOC	176
Cochrane Anaesthesia Review Group, HOC	182
Klinik for Ergo- og Fysioterapi	183
Klinik for Plastikkirurgi, Brystkirurgi og Brandsårsbehandling.....	183
Ortopædkirurgisk Klinik.....	186
Tand-mund-kæbekirurgisk Klinik.....	188
Traumecenter og Akut Modtagelse	191
Øre-Næse-Halskirurgisk og Audiologisk Klinik	192
Juliane Marie Centret	198
Anæstesi & Operationsafdelingen	198
BørneUngeKlinikken.....	199
Enhed for Kirurgisk Patofysiologi.....	205
Fertilitetsklinikken & Reproduktions Biologisk Laboratorium	211
Gynækologisk Klinik Y	215
Klinisk Genetisk Afdeling.....	221
Klinikken Kennedy Centret	227
Klinik for Psykologi, Pædagogik og Socialrådgivning.....	230
Klinik for Vækst og Reproduktion	230
Neonatalklinikken	236
Obstetrisk Klinik	240
Neurocentret	245
Neuroanæstesiologisk Klinik.....	245
Neurologisk Klinik	248
Nationalt Videnscenter for Demens	248
Dansk Multipel Sclerose Center	252
Epilepsiklinikken.....	254
Neuromuskulær Klinik.....	255
Neurovaskulær Klinik	256
Neurobiologisk Forskningsenhed, Neurologisk Klinik	257

Neurokirurgisk Klinik.....	260
Klinisk Neurofysiologisk Klinik	263
UCSF.....	265

Abdominalcentret

Centerfunktionen

Videnskabelige artikler

Greve I, Vasilevskis EE, Egerod I, Mortensen CB, Møller AM, Svenningsen H et al. Interventions for preventing intensive care unit delirium (Protocol). Cochrane Database of Systematic Reviews. 2012;8:1-21.

Herling SF, Møller A, Palle C, Thomsen T. Robotassisted laparoscopic hysterectomy- Complications, quality of life and a health economic evaluation. 2012. Poster session presented at forskningensdag, Herlev, Danmark.

Loving S, Nordling J, Jaszczak P, Thomsen T. Does evidence support physiotherapy management of adult female chronic pelvic pain? A systematic review. Scandinavian Journal of Pain. 2012 apr;3(2):70-81.

Loving S, Nordling J, Jaszczak P, Thomsen T. Does evidence support physiotherapy management of adult female chronic pelvic pain? A systematic review. 2012. Poster session presented at Danske Fysioterapeuters Fagfestival, Odense, Danmark.

Loving S, Thomsen T, Jaszczak P, Nordling J. Female Chronic Pelvic Pain is highly prevalent in Denmark. A randomly selected crosssectional population study. 2012. Poster session presented at Forskningensdag, Herlev, Danmark

Anæstesi- og Operationsklinikken

Videnskabelige artikler

Bada AA, Svendsen JH, Secher NH, Saltin B, Mortensen SP. Peripheral vasodilatation determines cardiac output in exercising humans: insight from atrial pacing. *Journal of Physiology*. 2012;590(Pt 8):2051-60.

Bjerring PN, Hauerberg J, Frederiksen H-J, Nielsen HMB, Clemmesen JO, Larsen FS. The effect of fractionated plasma separation and adsorption on cerebral amino acid metabolism and oxidative metabolism during acute liver failure. *Journal of Hepatology*. 2012;57(4):774-9.

Brassard P, Kim Y-S, van Lieshout J, Secher NH, Rosenmeier JB. Endotoxemia reduces cerebral perfusion but enhances dynamic cerebrovascular autoregulation at reduced arterial carbon dioxide tension*. *The Open Critical Care Medicine Journal*. 2012;40(6):1873-1878.

Christensen P, Nordsborg NB, Nybo L, Mortensen SP, Sander M, Secher NH et al. Thigh oxygen uptake at the onset of intense exercise is not affected by a reduction in oxygen delivery caused by hypoxia. *American Journal of Physiology: Regulatory, Integrative and Comparative Physiology*. 2012;303(8):843-9.

Crandall CG, Wilson TE, Marving J, Bundgaard-Nielsen M, Seifert T, Klausen T et al. Colloid volume loading does not mitigate decreases in central blood volume during simulated hemorrhage while heat stressed. *Journal of Physiology*. 2012;1287-97.

Ganio MS, Overgaard M, Seifert T, Secher NH, Johansson PI, Meyer M et al. Effect of heat stress on cardiac output and systemic vascular conductance during simulated hemorrhage to presyncope in young men. *American Journal of Physiology: Heart and Circulatory Physiology*. 2012;302(8):H1756-61.

Laughlin MH, Secher NH, Davis MJ, Van Lieshout JJ, Arce-Esquivel A, Simmons GH et al Peripheral circulation: In *Comprehensive Physiology*, 2012; 321-447

Martusevicius R, Swiatek F, Joergensen LG, Nielsen HMB. Ultrasound-guided locoregional anaesthesia for carotid endarterectomy: a prospective observational study. *European Journal of Vascular and Endovascular Surgery*. 2012;44(1):27-30.

Overgaard M, Rasmussen P, Bohm AM, Seifert T, Brassard P, Zaar M et al. Hypoxia and exercise provoke both lactate release and lactate oxidation by the human brain. *F A S E B Journal*. 2012;3012-20.

Pearson J, Ganio MS, Seifert T, Overgaard M, Secher NH, Crandall CG. Pulmonary artery and intestinal temperatures during heat stress and cooling. *Medicine and Science in Sports and Exercise*. 2012;44(5):857-62.

Rasmussen P, Kim Y-S, Krogh-Madsen R, Lundby C, Olsen NV, Secher NH et al. Both acute and prolonged administration of EPO reduce cerebral and systemic vascular conductance in humans. *F A S E B Journal*. 2012;26(3):1343-8.

Rasmussen P, Nordsborg NB, Taudorf S, Sørensen NHB, Berg RMG, Jacobs RA et al. Brain and skin do not contribute to the systemic rise in erythropoietin during acute hypoxia in humans. *F A S E B Journal*. 2012;26(5):1831-4.

Robach P, Siebenmann C, Jacobs RA, Rasmussen P, Nordsborg NB, Pesta D et al. The role of haemoglobin mass on VO₂max following normobaric 'live high-train low' in endurance-trained athletes. *British Journal of Sports Medicine*. 2012;46(11):822-7.

Rud B, Foss O, Krstrup P, Secher NH, Hallén J. One-legged endurance training: leg blood flow and oxygen extraction during cycling exercise. *Acta Physiologica (Online)*. 2012;205(1):177-85.

Sato K, Fisher JP, Seifert T, Overgaard M, Secher NH, Ogoh S. Blood flow in internal carotid and vertebral arteries during orthostatic stress. *Experimental Physiology*. 2012;97(12):1272-80.

Secher NH, Amann M. Human investigations into the exercise pressor reflex. *Experimental Physiology*. 2012;97(1):59-69.

Secher NH, Rasmussen P. Food for thought. *Journal of Physiology*. 2012;590(Pt 5):1013.

Sørensen NHB, Secher NH, Siebenmann C, Nielsen HMB, Kohl-Bareis M, Lundby C et al. Cutaneous vasoconstriction affects near-infrared spectroscopy determined cerebral oxygen saturation during administration of norepinephrine. *Anesthesiology News*. 2012;117(2):263-70.

Toft BG, Federspiel BH, Sørensen SS, Bagi P, Nielsen HMB, Andersen CB. A histopathological score on baseline biopsies from elderly donors predicts outcome 1 year after renal transplantation. *APMIS*. 2012;120(3):182-6.

Truijen J, Kim YS, Krediet CTP, Stok WJ, Kölgen RS, Colier WN et al. Orthostatic leg blood volume changes assessed by near-infrared spectroscopy. *Experimental Physiology*. 2012;97(3):353-61.

Volianitis S, Dawson EA, Dalsgaard M, Yoshiga C, Clemmesen J, Secher NH et al. Renal lactate elimination is maintained during moderate exercise in humans. *Journal of Sports Sciences*. 2012;30(2):149-53.

Wiis Vogelsang T, Marving J, G. Crandall C, Wilson C, C. Yoshiga C, Secher NH et al. Atrial Natriuretic Peptide and Acute Changes in Central Blood Volume by Hyperthermia in Healthy Humans. *The Open Neuroendocrinology Journal*. 2012;5:1-4.

Hepatologisk Klinik A

Disputatser og ph.d.-afhandlinger forsvaret i året

Bjerring PN. Cerebral metabolism during acute liver failure and the effect of treatment with fractionated plasma separation and adsorption (Ph.D.). University of Copenhagen: København: Eget forlag, 2012. 71 s.

Videnskabelige artikler

Allingstrup MJ, Esmailzadeh N, Wilkens Knudsen A, Espersen K, Hartvig Jensen T, Wiis J et al. Provision of protein and energy in relation to measured requirements in intensive care patients. *Clinical Nutrition*. 2012 aug;31(4):462-68.

Andersen IB, Ytting H. Oesophagussygdomme. Baslund B, Feldt-Rasmussen U, Kastrup J, Soelberg Sørensen P, red. I: Medicin. 1 udg. København: FADL's Forlag. 2012. s. 133-44.

Bendtsen F, Grønbæk H, Hansen JB, Aagaard NK, Schmidt L, Møller S. Treatment of ascites and spontaneous bacterial peritonitis - Part I. *Danish Medical Journal*. 2012;59(1):C4371.

Berg RMG, Taudorf S, Bailey DM, Lundby C, Larsen FS, Pedersen BK et al. Effects of lipopolysaccharide infusion on arterial levels and transcerebral exchange kinetics of glutamate and glycine in healthy humans. *APMIS*. 2012;120(9):761-6.

Bjerring PN, Hauerberg J, Frederiksen H-J, Nielsen HMB, Clemmesen JO, Larsen FS. The effect of fractionated plasma separation and adsorption on cerebral amino acid metabolism and oxidative metabolism during acute liver failure. *Journal of Hepatology*. 2012;57(4):774-9.

Buchard A, Eefsen M, Semb S, Andersen SE, Morling N, Bendtsen F et al. The role of the glutathione S-transferase genes GSTT1, GSTM1, and GSTP1 in acetaminophen-poisoned patients. *Clinical Toxicology*. 2012;50(1):27-33.

Christensen PB, Clausen MR, Krarup HB, Laursen AL, Schlichting P, Weis N. Treatment for hepatitis B virus (HBV) and hepatitis C virus (HCV) infection - Danish national guidelines 2011. *Danish Medical Journal*. 2012;59(6):C4465.

Hartling HJ, Gaardbo JC, Ronit A, Knudsen LS, Ullum H, Vainer B et al. CD4 \square and CD8 \square regulatory T cells (Tregs) are elevated and display an active phenotype in patients with chronic HCV mono-infection and HIV/HCV co-infection. *Scandinavian Journal of Immunology*. 2012;76(3):294-305.

Jie B, Jiang Z-M, Nolan MT, Zhu S-N, Yu K, Kondrup J. Impact of preoperative nutritional support on clinical outcome in abdominal surgical patients at nutritional risk. *Nutrition*. 2012;28(10):1022-7.

Kjær MS. Mave-tarmsygdomme. Bladbjerg EM, Sandbæk A, Stallknecht BM, red. I: Sygdomslære for ikke-klinikere. 1 udg. København: Munksgård Danmark. 2012. s. 321-355.

Larsen FS, Grønbæk H. Lever-galdevejssygdomme. Baslund B, Feldt-Rasmussen U, Kastrup J, Soelberg Sørensen P, red. I: Medicin. 1 udg. København: FADL's Forlag. 2012. s. 205-32.

Larsen FS, Schmidt L. Levererstatningsbehandling. Rubertsson, Larsson, red. I: Intensivvård. 2 udg. Stockholm: Liber AB. 2012. s. 323-330.

Maibom MMM, Andersen JR. Forslag til ernæring ved hjerteinsufficiens. Ugeskrift for Laeger. 2012;174(12):782.

Møller S, Aagaard NK, Schmidt L, Grønbæk H, Hansen JB, Bendtsen F. Treatment of the hepatorenal syndrome and hyponatremia in cirrhosis - Part II. Danish Medical Journal. 2012;59(1):C4372.

Novovic S, Semb S, Olsen H, Moser C, Knudsen IJD, Homann C. First-line treatment with cephalosporins in spontaneous bacterial peritonitis provides poor antibiotic coverage. Scandinavian Journal of Gastroenterology. 2012;47(2):212-6.

Sorensen JM, Holm L, Frøst MB, Kondrup J. Food for patients at nutritional risk: a model of food sensory quality to promote intake. Clinical Nutrition. 2012;31(5):637-46.

Volianitis S, Dawson EA, Dalsgaard M, Yoshiga C, Clemmesen J, Secher NH et al. Renal lactate elimination is maintained during moderate exercise in humans. Journal of Sports Sciences. 2012;30(2):149-53.

Weijs PJM, Sauerwein HP, Kondrup J. Protein recommendations in the ICU: g protein/kg body weight - which body weight for underweight and obese patients?. Clinical Nutrition. 2012;31(5):774-5.

Weis N, Thomsen RW, DANHEP-styregruppen. Den Danske Database for Hepatitis B og C. Ugeskrift for Laeger. 2012;174(42):2521.

Ytting H, Larsen FS. Karakteristik, diagnostik og behandling af patienter med autoimmun hepatitis. Ugeskrift for Laeger. 2012;174(46):2859-63.

Ytting H, Andersen IB. Ventrik lens og Duodenum sygdomme. I: Medicin. 1 udg. København. 2012. s. 145-59.

Intensiv Terapiklinik

Videnskabelige artikler

Allingstrup MJ, Esmailzadeh N, Wilkens Knudsen A, Espersen K, Hartvig Jensen T, Wiis J et al. Provision of protein and energy in relation to measured requirements in intensive care patients. *Clinical Nutrition*. 2012 aug;31(4):462-68.

Berg RMG, Plovsing RR, Ronit A, Bailey DM, Holstein-Rathlou N-H, Møller K. Disassociation of Static and Dynamic Cerebral Autoregulatory Performance in Healthy Volunteers After Lipopolysaccharide Infusion and in Patients with Sepsis. *American Journal of Physiology: Regulatory, Integrative and Comparative Physiology*. 2012;120(9):R1127-35.

Berg RMG, Taudorf S, Bailey DM, Lundby C, Larsen FS, Pedersen BK et al. Effects of lipopolysaccharide infusion on arterial levels and transcerebral exchange kinetics of glutamate and glycine in healthy humans. *APMIS*. 2012;120(9):761-6.

Berg RMG, Plovsing RR, Damgaard M. Teaching baroreflex physiology to medical students: a comparison of quiz-based and conventional teaching strategies in a laboratory exercise. *Advances in Physiology Education*. 2012;36(2):147-53.

Berg R, Møller K, Pedersen BK, Laye MJ, Mathur N, Pedersen M et al. Altered Subcutaneous Adipose Tissue Response to Systemic LPS Administration in Patients with Type 2 Diabetes. *Journal of Diabetes & Metabolism*. 2012;3(8):217.

Christiansen CB, Berg RMG, Plovsing RR, Møller K. Two cases of infectious purpura fulminans and septic shock caused by Capnocytophaga canimorsus transmitted from dogs. *Scandinavian Journal of Infectious Diseases*. 2012;44(8):635-9.

Grønlykke L, Brandstrup SLR, Perner A. Data from clinical database on septic shock are valid. *Danish Medical Journal*. 2012;59(10):A4522.

Hvidt LN, Perner A. High dosage of dextran 70 is associated with severe bleeding in patients admitted to the intensive care unit for septic shock. *Danish Medical Journal*. 2012;59(11):A4531.

Haase N, Perner A. Is hydroxyethyl starch 130/0.4 safe?. *Critical Care (Online Edition)*. 2012;16(2):116.

Ibsen M, Wiis J, Waldau T, Perner A. Consecutive daily measurements of luminal concentrations of lactate in the rectum in septic shock patients. *Critical Care Research and Practice*. 2012;2012:504096.

Johansson PI, Sørensen AM, Perner A, Welling K-L, Wanscher M, Larsen CF et al. Elderly trauma patients have high circulating noradrenaline levels but attenuated release of adrenaline, platelets, and leukocytes in response to increasing injury severity. *Critical Care Medicine*. 2012;40(6):1844-50.

Johansson PI, Sørensen AM, Perner A, Welling K-L, Wanscher M, Larsen CF et al. High sCD40L levels Early After Trauma are Associated with Enhanced Shock, Sympathoadrenal Activation, Tissue and Endothelial Damage, Coagulopathy and Mortality. *Journal of Thrombosis and Haemostasis*. 2012;10(2):207-216.

Magid T, Haase N, Andersen JS, Nielsen OJ, Bonde J. Intensive care of haematological patients. *Danish Medical Journal*. 2012;59(3):A4395.

Møller-Sørensen H, Hansen KL, Ostergaard M, Andersen LW, Møller K. Lack of agreement and trending ability of the endotracheal cardiac output monitor compared with thermodilution. *Acta Anaesthesiologica Scandinavica*. 2012;56(4):433-440.

Ostrowski SR, Sørensen AM, Windeløv NA, Perner A, Welling K-L, Wanscher M et al. High levels of soluble VEGF receptor 1 early after trauma are associated with shock, sympathoadrenal activation, glycocalyx degradation and inflammation in severely injured patients: a prospective study. *Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine*. 2012;20:27.

Palsgaard Møller T, Perner A, Bülow H-H. Forskellige metoder til kredsløbsmonitorering hos intensivpatienter. *Ugeskrift for Læger*. 2012;174(36):2067-71.

Pedersen LM, Nielsen J, Østergaard M, Nygård E, Nielsen H. Increased intrathoracic pressure affects cerebral oxygenation following cardiac surgery. *Clinical Physiology and Functional Imaging*. 2012;32(5):367-71.

Perner A, Haase N, Guttormsen AB, Tenhunen J, Klemenzson G, Åneman A et al. Hydroxyethyl starch 130/0.42 versus Ringer's acetate in severe sepsis. *New England Journal of Medicine*. 2012;367(2):124-34.

Perner A, Haase N, Wetterslev J. Protocols, physiology, and trials of hydroxyethyl starch. Authors reply. *New England Journal of Medicine*. 2012;367:1265-7.

Perner A, Smith SH, Carlsen S, Holst LB. Red blood cell transfusion during septic shock in the ICU. *Acta Anaesthesiologica Scandinavica*. 2012;56(6):718-23.

Pynnonen L, Minkkinen M, Räty S, Sand J, Nordback I, Perner A et al. Luminal lactate in acute pancreatitis - validation and relation to disease severity. *B M C Gastroenterology*. 2012;12(1):40.

Reinhart K, Perner A, Sprung CL, Jaeschke R, Schortgen F, Groeneveld ABJ et al. Consensus statement of the ESICM task force on colloid volume therapy in critically ill patients: authors' reply to comments by Zacharowski et al. *Intensive Care Medicine*. 2012;38(9):1558-9.

Reinhart K, Perner A, Sprung CL, Jaeschke R, Schortgen F, Johan Groeneveld AB et al. Unless high-quality clinical data show they are safe, synthetic colloids should not be used in patients with head injury. *Intensive Care Medicine*. 2012;38(9):1563-4.

Reinhart K, Perner A, Sprung CL, Jaeschke R, Schortgen F, Johan Groeneveld AB et al. Consensus statement of the ESICM task force on colloid volume therapy in critically ill patients. *Intensive Care Medicine*. 2012;38(3):368-83.

Sjövall F, Hansson MJ, Elmér E. Platelet mitochondrial function in sepsis. *Critical Care* (Online Edition). 2012;40(1):357; author reply 357-8.

Smith SH, Perner A. Higher vs. lower fluid volume for septic shock: clinical characteristics and outcome in unselected patients in a prospective, multicenter cohort. *Critical Care* (Online Edition). 2012;16(3):R76.

Karkirurgisk Klinik RK

Disputatser og ph.d.-afhandlinger forsvaret i året

Bech B. Developing Endovascular Expertise - Aspects of Incorporating Virtual Reality Simulations (PhD). 2012.

Heerwagen ST, Lönn L. Endovascular Management of the Dysfunctional Hemodialysis Vascular Access. (Ph.D.-afhandling). København: København: Eget forlag, 2012. 95 s.

Videnskabelige artikler

Abbott AL, Adelman MA, Alexandrov AV, Barnett HJM, Beard J, Bell P et al. Why the United States Center for Medicare and Medicaid Services (CMS) should not extend reimbursement indications for carotid artery angioplasty/stenting. European Journal of Vascular and Endovascular Surgery. 2012 jan 5;43(3):247-51.

Birkeland S, Schroeder TV. Gad vide hvad Lægehåndbogen siger om varicer. Practicus. 2012;211:88-89.

Blinkenberg M, Akeson P, Sillesen H, Lövgaard S, Sellebjerg F, Paulson OB et al. Chronic cerebrospinal venous insufficiency and venous stenoses in multiple sclerosis. Acta Neurologica Scandinavica. 2012 dec;126(6):421-7.

Borgwardt A, Borre M, Elberg JJ, Hjortdal VE, Jensen LP, Lauritsen K et al, red. Kirurgi. 2012 udg. FADL's Forlag, 2012. 1294 s.

Broholm R, Just S, Jørgensen M, Bækgaard N. Akut iliofemoral venøs trombose bør behandles med kateterbaseret trombolyse. Ugeskrift for Laeger. 2012;174(14):930-3.

Bækgaard N, Hansen AK. Venesygdomme. Borgwardt A, Borre M, Elberg JJ, red. I: Kirurgi. 2012 udg. FADL's Forlag. 2012. s. 815-23.

Bækgaard N, Klitfod L, Broholm R. Safety and efficacy of catheter-directed thrombolysis. Phlebology / Venous Forum of the Royal Society of Medicine. 2012;27 Suppl 1:149-54.

Clausen LL, Nielsen OM. Hæmodialyseadgange. Borgwardt A, Borre M, Elberg JJ, red. I: Kirurgi. FADL's Forlag. 2012. s. 824-6.

Czerny M, Eggebrecht H, Sodeck G, Verzini F, Cao P, Maritati G et al. Mechanisms of symptomatic spinal cord ischemia after TEVAR: insights from the European Registry of Endovascular Aortic Repair Complications (EuREC). Journal of endovascular therapy : an official journal of the International Society of Endovascular Specialists. 2012 feb;19(1):37-43.

Czerny M, Bachet J, Bavaria J, Bonser RS, Borger MA, De Paulis R et al. The future of aortic surgery in Europe. European Journal of Cardio-Thoracic Surgery. 2012 nov;226-30.

de la Motte L, Jensen LP. Fortsat behov for både endovaskulær og åben kirurgisk behandling af abdominalt aortaaneurisme. Ugeskrift for Laeger. 2012 maj 14;174(20):1376-82.

Gould DA, Chalmers N, Johnson SJ, Kilkenny C, White MD, Bech B et al. Simulation: moving from technology challenge to human factors success. *Cardiovascular and Interventional Radiology*. 2012;35(3):445-53.

Hansen AK, Røder OC, Sillesen HH, Laustsen J. Underekstremitetens arterielle sygdomme. Borgwardt A, Borre M, Elberg JJ, red. I: Kirurgi. FADL's Forlag. 2012. s. 761-776.

Heerwagen ST, Hansen MA, Schroeder TV, Ladefoged SD, Lönn L. Blood flow measurements during hemodialysis vascular access interventions - Catheter-based thermodilution or Doppler ultrasound?. *The journal of vascular access*. 2012;13(2):145-151.

Heerwagen ST, Lönn L, Schroeder TV, Ladefoged SD, Hansen MA. Catheter-based flow measurements in hemodialysis fistulas - Bench testing and clinical performance. *The journal of vascular access*. 2012;13(1):45-50.

Heerwagen ST, Hansen MA, Schroeder TV, Ladefoged SD, Lönn L. Endovascular treatment of hemodialysis arteriovenous fistulas: is immediate post-interventional blood flow a predictor of patency. *The journal of vascular access*. 2012;13(3):315-20.

Høgh A, Lindholt JS, Nielsen H, Jensen LP, Johnsen SP. Use of angiotensin-converting enzyme inhibitors and cardiovascular outcomes following primary vascular surgery: a nationwide propensity score matched follow-up study. *European Journal of Vascular and Endovascular Surgery*. 2012 okt;46(7):515-23.

Høgh A, Lindholt J, Nielsen H, Jensen LP, Johnsen SP. Age- and gender-related differences in the use of secondary medical prevention after primary vascular surgery: a nationwide follow-up study. *European Journal of Vascular and Endovascular Surgery*. 2012 mar;43(3):300-7.

Jensen LP, Laustsen J. Karkirurgi. Borgwardt A, Borre M, Elberg JJ, red. I: Kirurgi. 2012 udg. FADL's Forlag. 2012. s. 746-8.

Jensen LP, Vammen S. Lymfekarrenes sygdomme - lymfødem. Borgwardt A, Borre M, Elberg JJ, red. I: Kirurgi. 2012 udg. København: FADL's Forlag. 2012. s. 827-8.

Jørgensen LP, Schroeder TV. Micro-lightguide spectrophotometry for tissue perfusion in ischemic limbs. *Journal of Vascular Surgery*. 2012 sep;56(3):746-52.

Larsen MB, Bækgaard N. Acceptable results after venous reconstructive surgery following iatrogenic injuries to the iliofemoral vein segment. *Danish Medical Journal*. 2012 apr;59(4):A4410.

Lees T, Troëng T, Thomson IA, Menyhei G, Simo G, Beiles B et al. International variations in infrainguinal bypass surgery - a VASCUNET report. European Journal of Vascular and Endovascular Surgery. 2012 aug;44(2):185-92.

Lindholt JS, Jensen LP. Karkirurgisk undersøgelsesteknik. Borgwardt A, Borre M, Elberg JJ, red. I: Kirurgi. FADL's Forlag. 2012. s. 749-54.

Lundgren F, SCAMICOS, Schroeder TV. Does patency after a vein collar and PTFE-bypass depend on sex and age?: Re-analysis of a randomised trial. International Angiology. 2012;31(2):156-62.

Lundgren F, Schroeder TV. The vein collar: an anastomotic servant or a patency promoter? Re-analysis of a randomized trial. International Angiology. 2012;31(3):234-8.

Lundgren F, Schroeder TV. The effect on patency of type, shape and volume of a vein collar used at the distal anastomosis of PTFE-bypass to arteries below-knee. International Angiology. 2012;31(4):348-55.

Lönn L, Edmond JJ, Marco J, Kearney PP, Gallagher AG. Virtual reality simulation training in a high-fidelity procedure suite: operator appraisal. Journal of Vascular and Interventional Radiology. 2012 okt;23(10):1361-6.e2.

Niebuhr MH, Yde JB, Hansen MA, Lönn L, Eiberg JP. Vertebral artery pseudoaneurysm by gunshot wound: endovascular treatment. Chirurgia. 2012;25(4):295-6.

Nielsen OM, Clausen LL. Mesenterialarterier. Borgwardt A, Borre M, Elberg JJ, red. I: Kirurgi. FADL's Forlag. 2012. s. 803-6.

Nielsen OM, Laustsen J. Proteseinfektioner i karkirurgi. Borgwardt A, Borre M, Elberg JJ, red. I: Kirurgi. FADL's Forlag. 2012. s. 829-31.

Pedersen SF, Graebe M, Hag AMF, Hoejgaard L, Sillesen H, Kjaer A. Microvessel Density But Not Neoangiogenesis Is Associated with (18)F-FDG Uptake in Human Atherosclerotic Carotid Plaques. Molecular Imaging and Biology. 2012;14(3):384-392.

Schroeder TV, Schulze S, Hilsted J, Gøtzsche L, red. Basisbog i medicin og kirurgi. 5 udg. København: Munksgård Danmark, 2012. 783 s.

Schroeder TV, Clausen LL. Nyrearterier. Borgwardt A, Borre M, Elberg JJ, red. I: Kirurgi. FADL's Forlag. 2012. s. 807-10.

Schroeder TV, Røder OC. Ekstrakraniel sygdom i a. carotis. Borgwardt A, Borre M, Elberg JJ, red. I: Kirurgi. FADL's Forlag. 2012. s. 798-802.

Schroeder TV, Sillesen HH. Carotiskirurgi og -angioplastik. Andersen G, Damgaard D, Forchhammer HS, Iversen H, red. I: Apopleksi - sygdom, behandling og organisation. Munksgård Danmark. 2012. s. 225-8.

Schroeder TV. Adgang til medicinstudiet?. Ugeskrift for Laeger. 2012;174(9):558.

Schroeder TV. Commentary on 'No benefit from carotid intervention in fatal stroke prevention for >80 years patients'. European Journal of Vascular and Endovascular Surgery. 2012 sep;44(3):260.

Sillesen HH, Lindholt JS. Karkirurgiske behandlingsprincipper. Borgwardt A, Borre M, Elberg JJ, red. I: Kirurgi. FADL's Forlag. 2012. s. 755-60.

Sillesen H, Muntendam P, Adourian A, Entrekin R, Garcia M, Falk E et al. Carotid plaque burden as a measure of subclinical atherosclerosis: comparison with other tests for subclinical arterial disease in the High Risk Plaque Biolimage study. J A C C: Cardiovascular Imaging. 2012 jul;5(7):681-9.

Sillesen H, Fuster V. Predicting coronary heart disease: from framingham risk score to ultrasound bioimaging. The Mount Sinai journal of medicine, New York. 2012 nov;79(6):654-63.

Vammen S, Clausen LL, Lindholt JS, Jensen LP. Arterielle sygdomme i Aorta og a. iliaca. Borgwardt A, Borre M, Elberg JJ, red. I: Kirurgi. FADL's Forlag. 2012. s. 783-97.

Vikatmaa P, Mitchell D, Jensen LP, Beiles B, Björck M, Halbakken E et al. Variation in clinical practice in carotid surgery in nine countries 2005-2010. Lessons from VASCUNET and recommendations for the future of national clinical audit. European Journal of Vascular and Endovascular Surgery. 2012 jul;44(1):11-7.

Vinther S, Nielsen OH, Rosenberg J, Keiding N, Schroeder TV. Same review quality in open versus blinded peer review in "Ugeskrift for Læger". Danish Medical Journal. 2012;59(8):A4479.

Virkus RA, Jørgensen M, Broholm R, Bergholt T. Successful treatment of massive deep vein thrombosis using catheter-directed thrombolysis and inferior vena cava filter in a puerperal woman. Acta Obstetricia et Gynecologica Scandinavica. 2012 feb;91(2):269-70.

Kirurgisk Gastroenterologisk Klinik C

Videnskabelige artikler

Branci S, Ewertsen C, Thybo S, Nielsen HV, Jensen F, Wettergren A et al. Cystic echinococcosis of the liver: experience from a danish tertiary reference center (2002-2010). *Journal of Travel Medicine.* 2012;19(1):28-34.

Crone SG, Jacobsen A, Federspiel B, Bardram L, Krogh AS, Lund AH et al. microRNA-146a inhibits G protein-coupled receptor-mediated activation of NF- κ B by targeting CARD10 and COPS8 in gastric cancer. *Molecular Cancer.* 2012;11:71.

Delle Fave G, Kwekkeboom DJ, Van Cutsem E, Rindi G, Kos-Kudla B, Knigge U et al. ENETS Consensus Guidelines for the management of patients with gastroduodenal neoplasms. *The Open Neuroendocrinology Journal.* 2012;95(2):74-87.

Eefsen RL, Van den Eynden GG, Høyer-Hansen G, Brodt P, Laerum OD, Vermeulen PB et al. Histopathological growth pattern, proteolysis and angiogenesis in chemonaive patients resected for multiple colorectal liver metastases. *Journal of Oncology.* 2012;2012:907971.

Goetze JP, Hunter I, Lippert SK, Bardram L, Rehfeld JF. Processing-independent analysis of peptide hormones and prohormones in plasma. *Frontiers in bioscience : a journal and virtual library.* 2012;17:1804-15.

Grossjohann HS, Ewertsen C, Svendsen LB, Nielsen MB. Intra-/Interobserver Agreement of Enhancement Pattern for Pancreatic Head Lesions Using Contrast-Enhanced Ultrasound: According to EFSUMB Guidelines. *Diagnostics.* 2012;2(2):2-9.

Haugaard MV, Penninga L, Ifaoui IB-R, Qvist N, Wettergren A. Pancreastramer hos børn - operativ versus nonoperativ behandling. *Ugeskrift for Laeger.* 2012;174(3):115-119.

Hillingsø JG, Wille-Jørgensen PA. Synchronous resection of the primary tumour and liver metastases?. *Colorectal Disease Online.* 2012;14(8):915-6.

Kofoed SC, Muhic A, Jensen LB, Jendresen M, Gustafsen J, Holm J et al. Survival after adjuvant chemoradiotherapy or surgery alone in resectable adenocarcinoma at the gastro-esophageal junction. *Scandinavian Journal of Surgery.* 2012;101(1):26-31.

Kofoed SC, Lundsgaard M, Ellemann A-C, Svendsen LB. Low morbidity after palliation of obstructing gastro-oesophageal adenocarcinoma to restore swallowing function. *Danish Medical Bulletin (Online).* 2012;59(6):A4434.

Nielsen SK, Ewertsen C, Svendsen LB, Hillingsø JG, Nielsen MB. Focused assessment with sonography for trauma in patients with confirmed liver lesions. *Scandinavian Journal of Surgery.* 2012;101(4):287-91.

Nielsen MKR, Ewertsen C, Hillingsø JG. Ventrikkelbezoar forårsaget af bariumsulfat. Ugeskrift for Laeger. 2012;174(3):129-30.

Olsen IH, Langer SW, Jepsen I, Assens M, Federspiel B, Hasselby JP et al. First-line treatment of patients with disseminated poorly differentiated neuroendocrine carcinomas with carboplatin, etoposide, and vincristine: a single institution experience. Acta Oncologica. 2012;51(1):97-100.

Olsen IH, Sørensen JB, Federspiel B, Kjaer A, Hansen CP, Knigge U et al. Temozolomide as second or third line treatment of patients with neuroendocrine carcinomas. Scientific World Journal. 2012;2012:170496.

Penninga L, Wettergren A, Chan A-W, Steinbrüchel DA, Gluud C. Calcineurin inhibitor minimisation versus continuation of calcineurin inhibitor treatment for liver transplant recipients. Cochrane Database of Systematic Reviews. 2012;3:CD008852.

Pfeifer A, Knigge U, Mortensen J, Oturai P, Berthelsen AK, Loft A et al. Clinical PET of neuroendocrine tumors using ⁶⁴Cu-DOTATATE: first-in-humans study. Journal of Nuclear Medicine. 2012;53(8):1207-15.

Rehfeld JF, Bardram L, Hilsted L, Poitras P, Goetze JP. Pitfalls in diagnostic gastrin measurements. Clinical Chemistry (Washington, DC). 2012;58(5):831-6.

Renault K, Gyrtrup HJ, Pedersen KD, Hedegaard M, Sørensen JL. Pregnant woman with fatal complication after laparoscopic Roux-en-Y gastric bypass. Acta Obstetricia et Gynecologica Scandinavica. 2012;91(7):873-875.

Rolff HC, Calatayud D, Larsen PN, Wettergren A. Good results after repeated resection for colorectal liver metastases. Danish Medical Journal. 2012;59(2):A4373.

Schultz NA, Roslind A, Christensen IJ, Horn T, Høgdall E, Pedersen LN et al. Frequencies and prognostic role of KRAS and BRAF mutations in patients with localized pancreatic and ampullary adenocarcinomas. Pancreas. 2012;41(5):759-66.

Schultz NA, Andersen K, Roslind A, Willenbrock H, Wøjdemann M, Johansen JS. Prognostic microRNAs in cancer tissue from patients operated for pancreatic cancer--five microRNAs in a prognostic index. World Journal of Surgery. 2012;36(11):2699-707.

Schultz NA, Werner J, Willenbrock H, Roslind A, Giese N, Horn T et al. MicroRNA expression profiles associated with pancreatic adenocarcinoma and ampullary adenocarcinoma. Modern pathology : an official journal of the United States and Canadian Academy of Pathology, Inc. 2012;25(12):1609-22.

Spanager L, Lyk-Jensen HT, Dieckmann P, Wettergren A, Rosenberg J, Ostergaard D. Customization of a tool to assess Danish surgeons' non-technical skills in the operating room. Danish Medical Journal. 2012;59(11):A4526.

Svendsen LB, Jensen L, Nordsmark M. Dansk Esophagus-, Cardia- og Ventrikelcancer Database. Ugeskrift for Laeger. 2012;174(42):2536.

Thorup J, Petersen BL, Kvist K, Cortes D. Bilateral undescended testes classified according to preoperative and postoperative status of gonadotropins and inhibin B in relation to testicular histopathology at bilateral orchiopexy in infant boys. Journal of Urology. 2012;188(4 Suppl):1436-42.

Tolsgaard MG, Arendrup H, Lindhardt BO, Hillingsø JG, Stoltenberg MB, Ringsted C. Construct Validity of the Reporter-Interpreter-Manager-Educator Structure for Assessing Students' Patient Encounter Skills. Academic Medicine. 2012;87(6):799-806.

Öberg K, Knigge U, Kwekkeboom D, Perren A, ESMO Guidelines Working Group. Neuroendocrine gastro-entero-pancreatic tumors: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. Annals of Oncology. 2012;23 Suppl 7:vii124-30.

Medicinsk Gastroenterologisk Klinik CA

Videnskabelige artikler

Haderslev KV, Staun M. Tarmsygdomme. Baslund B, Feldt-Rasmussen U, Kastrup J, Soelberg Sørensen P, red. I: Medicin. 1 udg. København: FADL's Forlag. 2012. s. 160-187.

Jeppesen PB. Teduglutide, a novel glucagon-like peptide 2 analog, in the treatment of patients with short bowel syndrome. *Therapeutic Advances in Gastroenterology*. 2012;5(3):159-71.

Jeppesen PB, Pertkiewicz M, Messing B, Iyer K, Seidner DL, O'keefe SJD et al. Teduglutide reduces need for parenteral support among patients with short bowel syndrome with intestinal failure. *Gastroenterology Today*. 2012;143(6):1473-1481.e3.

Lassen IN, Dahlerup JF, Belard E, Gerstoft J, Kjeldsen JCW, Kragballe K et al. Guidelines for screening, prophylaxis and critical information prior to initiating anti-TNF-alpha treatment. *Danish Medical Journal*. 2012;59(7):C4480.

Lund PE, Sangild PT, Aunsholt L, Hartmann B, Holst J, Mortensen J et al. Randomised controlled trial of colostrum to improve intestinal function in patients with short bowel syndrome. *European Journal of Clinical Nutrition*. 2012;66(9):1059-65.

Nielsen XC, Chen M, Hellesøe A-MB, Jeppesen PB, Gyldenlykke J, Tvede M et al. Etiology and epidemiology of catheter related bloodstream infections in patients receiving home parenteral nutrition in a gastromedical center at a tertiary hospital in denmark. *The Open Microbiology Journal*. 2012;6:98-101.

Nørholm LM, Holst JJ, Jeppesen PB. Treatment of adult short bowel syndrome patients with teduglutide. *Expert Opinion on Pharmacotherapy*. 2012;13(2):235-43.

Staun M, Haderslev KV. Kliniske og parakliniske undersøgelser. Baslund B, Feldt-Rasmussen U, Kastrup J, Soelberg Sørensen P, red. I: Medicin. 1 udg. København: FADL's Forlag. 2012. s. 124.

Nefrologisk Klinik P

Disputatser og ph.d.-afhandlinger forsvaret i året

Boesby L. Aldosterone receptor blockade in chronic kidney disease. Effects on albuminuria and arterial stiffness. København: Eget forlag, 2012. 53 s.

Hommel K . Chronic renal replacement therapy in Denmark. Referral pattern, regional and social variation. København: Eget forlag, 2012. 111 s.

Mølsted S. Strength training in patients undergoing dialysis. København: Eget forlag, 2012. 78 s.

Ørskov B. Autosomal dominant polycystic kidney disease in Denmark 1990-2008. Progression, prognosis and the influence of birth weight. København: Eget forlag, 2012. 88 s.

Videnskabelige artikler

Boesby L, Thijs L, Elung-Jensen T, Strandgaard S, Kamper A-L. Ambulatory arterial stiffness index in chronic kidney disease stage 2-5. Reproducibility and relationship with pulse wave parameters and kidney function. Scandinavian Journal of Clinical and Laboratory Investigation . 2012;72(4):304-12.

Chertow GM, Block GA, Correa-Rotter R, Drueke TB, Floege J, Goodman WG et al. Effect of cinacalcet on cardiovascular disease in patients undergoing dialysis. New England Journal of Medicine. 2012;367(26):2482-94.

Dieperink H, Thiesson H, Egfjord M. Undersøgelser ved nyresygdom. Baslund B, Feldt-Rasmussen U, Kastrup J, Soelberg Sørensen P, red. I: Medicin. 1 udg. FADL's Forlag. 2012. s. 480-482.

Dieperink H, Thiesson H, Egfjord M. Akutte nyresygdomme. Baslund B, Feldt-Rasmussen U, Kastrup J, Soelberg Sørensen P, red. I: Medicin. 1. udg. FADL's Forlag. 2012. s. 483-497.

Dieperink H, Thiesson H, Egfjord M, Feldt-Rasmussen U. Arteriel hypertension. Baslund B, Feldt-Rasmussen U, Kastrup J, Soelberg Sørensen P, red. I: Medicin. 1 udg. FADL's Forlag. 2012. s. 539-549.

Feldt-Rasmussen BF, Rabkin R. Therapeutic use of Growth Factors in Renal Disease. Kopple M, red. I: Nutritional Management of Renal Disease. 3. udg. Elsevier Science. 2012. s. 685-698.

Feldt-Rasmussen BF, Christensen KL. Nyresygdomme og hypertension. Schroder T, Schulze S, Hilsted J, Gøtzsche L, red. I: Basisbog i Medicin og Kirurgi. 5. udg. Danmark: Munksgård Danmark. 2012. s. 237-264.

Frimodt-Møller M, Kamper A-L, Strandgaard S, Kreiner S, Nielsen AH. Beneficial effects on arterial stiffness and pulse-wave reflection of combined enalapril and candesartan in chronic kidney disease--a randomized trial. *P L o S One*. 2012;7(7):e41757.

Gyldenløve M, Kamper A-L, Skov L. Hudmanifestationer ved kronisk nyresygdom. *Månedsskrift for Almen Praksis*. 2012;5(90):416-423.

Heerwagen ST, Hansen MA, Schroeder TV, Ladefoged SD, Lönn L. Blood flow measurements during hemodialysis vascular access interventions - Catheter-based thermodilution or Doppler ultrasound?. *The journal of vascular access*. 2012;13(2):145-151.

Heerwagen ST, Lönn L, Schroeder TV, Ladefoged SD, Hansen MA. Catheter-based flow measurements in hemodialysis fistulas - Bench testing and clinical performance. *The journal of vascular access*. 2012;13(1):45-50.

Heerwagen ST, Hansen MA, Schroeder TV, Ladefoged SD, Lönn L. Endovascular treatment of hemodialysis arteriovenous fistulas: is immediate post-interventional blood flow a predictor of patency. *The journal of vascular access*. 2012;13(3):315-20.

Hendriksen KV, Jensen TJ, Oturai P, Feldt-Rasmussen B. Effects of insulin detemir and NPH insulin on renal handling of sodium, fluid retention and weight in type 2 diabetic patients. *Diabetologia*. 2012;55(1):46-50.

Hofman-Bang J, Gravesen E, Olgaard K, Lewin E. Epigenetic Methylation of Parathyroid CaR and VDR Promoters in Experimental Secondary Hyperparathyroidism. *International Journal of Nephrology*. 2012;2012:123576.

Hommel K, Madsen M, Kamper A-L. The importance of early referral for the treatment of chronic kidney disease: a Danish nationwide cohort study. *B M C Nephrology*. 2012;13:108.

Hornum M, Feldt-Rasmussen B. Nyopstået diabetes mellitus efter nyretransplantation. *Ugeskrift for Laeger*. 2012;174(12):791.

Idorn T, Schejbel L, Rydahl C, Heaf JG, Jølvig KR, Bergstrøm M et al. Anti-glomerular basement membrane glomerulonephritis and thrombotic microangiopathy in first degree relatives; a case report. *B M C Nephrology*. 2012;13:64.

Idorn T, Hornum M, Bjerre M, Jørgensen KA, Nielsen FT, Hansen JM et al. Plasma adiponectin before and after kidney transplantation. *Transplant International*. 2012;25(11):1194-203.

Knudsen ST, Mosbech TH, Hansen BP, König E, Johnsen PC, Kamper A-L. Screening for microalbuminuria in patients with type 2 diabetes is incomplete in general practice. *Danish Medical Journal*. 2012;59(9):A4502.

Kristensen SL, Fosbøl EL, Kamper A-L, Køber L, Hommel K, Lamberts M et al. Use of nonsteroidal anti-inflammatory drugs prior to chronic renal replacement therapy initiation: a nationwide study. *Pharmacoepidemiology and Drug Safety*. 2012;21(4):428-434.

Magnusson NE, Hornum M, Jørgensen KA, Hansen JM, Bistrup C, Feldt-Rasmussen B et al. Plasma neutrophil gelatinase associated lipocalin (NGAL) is associated with kidney function in uraemic patients before and after kidney transplantation. *B M C Nephrology*. 2012;13:8.

Mathiesen ER, Ringholm L, Feldt-Rasmussen B, Clausen P, Damm P. Obstetric Nephrology: Pregnancy in Women with Diabetic Nephropathy--The Role of Antihypertensive Treatment. *American Society of Nephrology. Clinical Journal*. 2012;7(12):2081-2088.

Mjörnstedt L, Sørensen SS, von Zur Mühlen B, Jespersen B, Hansen JM, Bistrup CH et al. Improved renal function after early conversion from a calcineurin inhibitor to everolimus: a randomized trial in kidney transplantation. *American Journal of Transplantation*. 2012;12(10):2744-53.

Munch IC, Traustason S, Olgaard K, Larsen M. Acute macular neuroretinopathy in relation to anti-thymocyte globulin infusion. *Acta Ophthalmologica (Online)*. 2012;90(4):e321-e322.

Olesen JB, Lip GYH, Kamper A-L, Hommel K, Køber L, Lane DA et al. Stroke and bleeding in atrial fibrillation with chronic kidney disease. *New England Journal of Medicine*. 2012;367(7):625-35.

Orskov B, Christensen K, Feldt-Rasmussen B, Strandgaard S. Low birth weight is associated with earlier onset of end-stage renal disease in Danish patients with autosomal dominant polycystic kidney disease. *Kidney International*. 2012;81(9):919-24.

Prabakaran T, Nielsen RS, Satchell SC, Mathieson PW, Feldt-Rasmussen U, Sørensen SS et al. Mannose 6-phosphate receptor and sortilin mediated endocytosis of α-galactosidase A in kidney endothelial cells. *P L o S One*. 2012;7(6):e39975.

Rasch MG, Engsig FN, Feldt-Rasmussen B, Kirk O, Kronborg G, Pedersen C et al. Renal function and incidence of chronic kidney disease in HIV patients: a Danish cohort study. *Scandinavian Journal of Infectious Diseases*. 2012;44(9):689-96.

Rix M, Brandi L. Calcium-Fosfatmetabolisme ved nedsat nyrefunktion. Baslund B, Feldt-Rasmussen U, Kastrup J, Soelberg Sørensen P, red. I: Medicin. FADL's Forlag. 2012. s. 534-538.

Schousboe K, El Fassi D, Secher EL, Elming H, Rasmussen K, Hornum M. Behandling af metforminassocieret laktatacidose med hæmodialyse. *Ugeskrift for Laeger*. 2012;174(23):1604-6.

Sørensen SS, Jørgensen KA. Nyretransplantation. Baslund B, Feldt-Rasmussen U, Kastrup J, Soelberg Sørensen P, red. I: Medicin. 1. udg. FADL's Forlag. 2012. s. 522-533.

Thiesson H, Egfjord M, Dieperink H. Kronisk nyresvigt. Baslund B, Feldt-Rasmussen U, Kastrup J, Soelberg Sørensen P, red. I: Medicin. 1. udg. FADL's Forlag. 2012. s. 498-521.

Thiyagarajan D, Fismen S, Seredkina N, Jacobsen S, Elung-Jensen T, Kamper A-L et al. Silencing of renal DNasel in murine lupus nephritis imposes exposure of large chromatin fragments and activation of Toll like receptors and the Clec4e. *P L o S One*. 2012;7(3):e34080.

Toft BG, Federspiel BH, Sørensen SS, Bagi P, Nielsen HMB, Andersen CB. A histopathological score on baseline biopsies from elderly donors predicts outcome 1 year after renal transplantation. *APMIS*. 2012;120(3):182-6.

Zachariae C, Sand C, Hansen JM, Sørensen SS, Koch K, Villumsen J et al. Warts in a cohort of Danish kidney transplanted patients: impact on quality of life. *Acta Dermato Venereologica*. 2012;92(6):615-8.

Ørskov B, Sørensen VR, Feldt-Rasmussen BF, Strandgaard SV. Changes in causes of death and risk of cancer in Danish patients with autosomal dominant polycystic kidney disease and end-stage renal disease. *Nephrology, Dialysis, Transplantation*. 2012;27(4):1607-13.

Endokrinologisk Klinik PE

Videnskabelige artikler

Andersson C, Vaag A, Selmer C, Schmiegelow M, Sørensen R, Lindhardsen J et al. Risk of cancer in patients using glucose-lowering agents: a nationwide cohort study of 3.6 million people. *BMJ Open*. 2012;2(3)e000433.

Beck-Nielsen H, Solomon TP, Lauridsen JT, Karstoft K, Pedersen BK, Johnsen SP et al. The Danish Centre for Strategic Research in Type 2 Diabetes (DD2) study: expected outcome from the DD2 project and two intervention studies. *Clinical Epidemiology*. 2012;4(Suppl 1):21-6.

Blomberg M, Feldt-Rasmussen U, Andersen KK, Kjaer SK. Thyroid cancer in Denmark 1943-2008, before and after iodine supplementation. *International Journal of Cancer*. 2012;131(10):2360-6.

Boas M, Feldt-Rasmussen U, Main KM. Thyroid effects of endocrine disrupting chemicals. *Molecular and Cellular Endocrinology*. 2012;355(2):240-8.

Broholm C, Brandt C, Schultz NS, Nielsen AR, Pedersen BK, Scheele C. Deficient leukemia inhibitory factor signaling in muscle precursor cells from patients with type 2 diabetes. *American Journal of Physiology: Endocrinology and Metabolism*. 2012;303(2):E283-92.

Buckley BS, Harreiter J, Damm P, Corcoy R, Chico A, Simmons D et al. Gestational diabetes mellitus in Europe: prevalence, current screening practice and barriers to screening. *Diabetic Medicine Online*. 2012;29(7):844-54.

Callesen N, Ringholm L, Stage E, Damm P, Mathiesen ER. Insulin requirements in type 1 diabetic pregnancy: do twin pregnant women require twice as much insulin as singleton pregnant women?. *Diabetes Care*. 2012;35(6):1246-8.

Dieperink H, Thiesson H, Egfjord M, Feldt-Rasmussen U. Arteriel hypertension. Baslund B, Feldt-Rasmussen U, Kastrup J, Soelberg Sørensen P, red. I: Medicin. 1 udg. FADL's Forlag. 2012. s. 539-549.

Dieperink H, Thiesson H, Egfjord M, Feldt-Rasmussen U. Medicin. Baslund B, Feldt-Rasmussen U, Kastrup J, Soelberg Sørensen P, red. I: Medicin. 1. udg. FADL's Forlag. 2012. s. 539-549.

Dwyer JP, Parving H-H, Hunsicker LG, Ravid M, Remuzzi G, Lewis JB. Renal Dysfunction in the Presence of Normoalbuminuria in Type 2 Diabetes: Results from the DEMAND Study. *Cardiorenal Medicine*. 2012;2(1):1-10.

Fagerholm E, Ahlqvist E, Forsblom C, Sandholm N, Syreeni A, Parkkonen M et al. SNP in the genome-wide association study hotspot on chromosome 9p21 confers susceptibility to diabetic nephropathy in type 1 diabetes. *Diabetologia*. 2012;55(9):2386-93.

Feldt-Rasmussen U, Emerson CH. Further thoughts on the diagnosis and diagnostic criteria for thyroid storm. *Thyroid*. 2012;22(11):1094-5.

Feldt-Rasmussen U, Klose MC. Medicin. Baslund B, Feldt-Rasmussen U, Kastrup J, Soelberg Sørensen P, red. I: Medicin. 1. udg. FADL's Forlag. 2012. s. 552-556.

Feldt-Rasmussen U, Klose MC. Medicin. Baslund B, Feldt-Rasmussen U, Kastrup J, Soelberg Sørensen P, red. I: Medicin. 1. udg. FADL's Forlag. 2012. s. 557-574.

Filipsson Nyström H, Feldt-Rasmussen U, Kourides I, Popovic V, Koltowska-Häggström M, Jonsson B et al. The metabolic consequences of thyroxine replacement in adult hypopituitary patients. *Pituitary*. 2012;15(4):495-504.

Friedrichsen M, Ribe-Madsen R, Mortensen B, Hansen CN, Alibegovic AC, Højbjerg L et al. Muscle inflammatory signaling in response to 9 days of physical inactivity in young men with low compared with normal birth weight. *European Journal of Endocrinology*. 2012;167(6):829-38.

Færch KV, Højlund K, Vind BF, Vaag A, Dalgård C, Nielsen FR et al. Increased serum concentrations of persistent organic pollutants among prediabetic individuals: potential role of altered substrate oxidation patterns. *Journal of Clinical Endocrinology and Metabolism*. 2012;97(9):E1705-13.

Gaillard RC, Mattsson AF, Akerblad A-C, Bengtsson B-Å, Cara J, Feldt-Rasmussen U et al. Overall and cause-specific mortality in GH-deficient adults on GH replacement. *European Journal of Endocrinology*. 2012;166(6):1069-77.

Grunnet LG, Laurila E, Hansson O, Almgren P, Groop L, Brøns C et al. The triglyceride content in skeletal muscle is associated with hepatic but not peripheral insulin resistance in elderly twins. *Journal of Clinical Endocrinology and Metabolism*. 2012;97(12):4571-7.

Hemmingsen B, Christensen LL, Wetterslev J, Vaag A, Gluud C, Lund S et al. Comparison of metformin and insulin versus insulin alone for type 2 diabetes: systematic review of randomised clinical trials with meta-analyses and trial sequential analyses. *B M J*. 2012;344:e1771.

Hemmingsen B, Lund SS, Gluud C, Vaag AA, Almdal TP, Wetterslev J. Intensive glycaemic control for patients with type 2 diabetes: systematic review with meta-analysis and trial sequential analysis of randomised clinical trials. (Rapid response). *B M J*. 2012;344:e710.

Hendriksen KV, Jensen TJ, Oturai P, Feldt-Rasmussen B. Effects of insulin detemir and NPH insulin on renal handling of sodium, fluid retention and weight in type 2 diabetic patients. *Diabetologia*. 2012;55(1):46-50.

Hida K, Poulsen P, Teshigawara S, Nilsson E, Friedrichsen M, Ribe-Madsen R et al. Impact of circulating vaspin levels on metabolic variables in elderly twins. *Diabetologia*. 2012;55(2):530-2.

Jacobsen SC, Brøns C, Bork-Jensen J, Ribe-Madsen R, Yang B, Lara E et al. Effects of short-term high-fat overfeeding on genome-wide DNA methylation in the skeletal muscle of healthy young men. *Diabetologia*. 2012;55(12):3341-9.

Joergensen C, Reinhard H, Schmedes A, Hansen PR, Wiinberg N, Petersen CL et al. Vitamin D levels and asymptomatic coronary artery disease in type 2 diabetic patients with elevated urinary albumin excretion rate. *Diabetes Care*. 2012;35(1):168-72.

Kelstrup L, Clausen TD, Mathiesen ER, Hansen T, Damm P. Low-grade inflammation in young adults exposed to intrauterine hyperglycemia. *Diabetes Research and Clinical Practice*. 2012;97(2):322-30.

Klose MC, Feldt-Rasmussen U. Medicin. Baslund B, Feldt-Rasmussen U, Kastrup J, Soelberg Sørensen P, red. I: Medicin. 1. udg. FADL's Forlag. 2012. s. 575-588.

Klose M, Rasmussen ÅK, Feldt-Rasmussen U. Quality of Life in Adult Hypopituitary Patients Treated for Growth Hormone Deficiency. *The Open Endocrinology Journal*. 2012;6 (Suppl 1:M12):91-102.

Krarup NT, Grarup N, Banasik K, Friedrichsen M, Færch KV, Sandholt CH et al. The PNPLA3 rs738409 G-Allele Associates with Reduced Fasting Serum Triglyceride and Serum Cholesterol in Danes with Impaired Glucose Regulation. *PLOS One*. 2012;7(7):e40376.

Krarup NT, Grarup N, Banasik K, Friedrichsen M, Færch KV, Sandholt CH et al. Correction: The PNPLA3 rs738409 G-Allele Associates with Reduced Fasting Serum Triglyceride and Serum Cholesterol in Danes with Impaired Glucose Regulation. *PLOS One*. 2012;7(9).

Kristensen PL, Pedersen-Bjergaard U, Beck-Nielsen H, Nørgaard K, Perrild H, Christiansen JS et al. A prospective randomised cross-over study of the effect of insulin analogues and human insulin on the frequency of severe hypoglycaemia in patients with type 1 diabetes and recurrent hypoglycaemia (the HypoAna trial): study rationale and design. *BMC Endocrine Disorders*. 2012;12:10.

Kristensen PL, Hansen LS, Jespersen MJ, Pedersen-Bjergaard U, Beck-Nielsen H, Christiansen JS et al. Insulin analogues and severe hypoglycaemia in type 1 diabetes. *Diabetes Research and Clinical Practice*. 2012;96(1):17-23.

Lambers Heerspink HJ, Holtkamp FA, Parving H-H, Navis GJ, Lewis JB, Ritz E et al. Moderation of dietary sodium potentiates the renal and cardiovascular protective effects of angiotensin receptor blockers. *Kidney International*. 2012;82(3):330-7.

Linthorst GE, Burlina AP, Cecchi F, Cox TM, Fletcher JM, Feldt-Rasmussen U et al. Recommendations on reintroduction of agalsidase Beta for patients with fabry disease in europe, following a period of shortage. JIMD reports. 2012;8:51-6.

Madsen HN, Ekelund CK, Tørring N, Ovesen PG, Friis-Hansen L, Nielsen LR et al. Impact of type 1 diabetes and glycemic control on fetal aneuploidy biochemical markers. Acta Obstetricia et Gynecologica Scandinavica. 2012;91(1):57-61.

Marcocci C, Watt T, Altea MA, Rasmussen ÅK, Feldt-Rasmussen U, Orgiazzi J et al. Fatal and non-fatal adverse events of glucocorticoid therapy for Graves' orbitopathy: a questionnaire survey among members of the European Thyroid Association. European Journal of Endocrinology. 2012;166(2):247-53.

Mathiesen ER. Associations of Body Mass Index (Maternal BMI) and Gestational Diabetes Mellitus with Neonatal and Maternal Pregnancy Outcomes in a Multicentre European Database (Diabetes and Pregnancy Vitamin D and Lifestyle Intervention for Gestational Diabetes Mellitus Prevention). ISRN Obesity. 2012;2012(2012):424010.

Mathiesen ER, Madsbad S. Medicin. Baslund B, Feldt-Rasmussen U, Kastrup J, Soelberg Sørensen P, red. I: Medicin. 1. udg. FADL's Forlag. 2012. s. 639-651.

Mathiesen ER, Ringholm L, Feldt-Rasmussen B, Clausen P, Damm P. Obstetric Nephrology: Pregnancy in Women with Diabetic Nephropathy--The Role of Antihypertensive Treatment. American Society of Nephrology. Clinical Journal. 2012;7(12):2081-2088.

Mathiesen ER, Hod M, Ivanisevic M, Duran Garcia S, Brøndsted L, Jovanovic L et al. Maternal Efficacy and Safety Outcomes in a Randomized, Controlled Trial Comparing Insulin Detemir With NPH Insulin in 310 Pregnant Women With Type 1 Diabetes. Diabetes Care. 2012;35(10):2012-2017.

Mogensen UM, Jensen T, Køber L, Kelbæk H, Mathiesen AS, Dixen U et al. Cardiovascular autonomic neuropathy and subclinical cardiovascular disease in normoalbuminuric type 1 diabetic patients. Diabetes. 2012;61(7):1822-30.

Mortensen LL, Hegaard HK, Andersen AN, Bentzen JG. Attitudes towards motherhood and fertility awareness among 20-40-year-old female healthcare professionals. European Journal of Contraception and Reproductive Health Care. 2012;17(6):468-81.

Nielsen S, Rossing K, Hess G, Zdunek D, Jensen BR, Parving H-H et al. The effect of RAAS blockade on markers of renal tubular damage in diabetic nephropathy: u-NGAL, u-KIM1 and u-LFABP. Scandinavian Journal of Clinical & Laboratory Investigation. 2012;72(2):137-42.

Nielsen S, Reinhard H, Zdunek D, Hess G, Gutiérrez OM, Wolf M et al. Tubular markers are associated with decline in kidney function in proteinuric type 2 diabetic patients. Diabetes Research and Clinical Practice. 2012;97(1):71-6.

Nielsen SE, Persson F, Frandsen E, Sugaya T, Hess G, Zdunek D et al. Spironolactone diminishes urinary albumin excretion in patients with type 1 diabetes and microalbuminuria: a randomized placebo-controlled crossover study. *Diabetic Medicine*. 2012;29(8):e184-90.

Nielsen LR, Pedersen-Bjergaard U, Thorsteinsson B, Damm P, Mathiesen ER. Hypoglycaemia during pregnancy in women with Type 1 diabetes. *Diabetic Medicine*. 2012;29(5):558-66.

Nielsen LR, Mathiesen ER, Kelstrup L, Damm P. Managing type 1 diabetes mellitus in pregnancy-from planning to breastfeeding. *Nature Reviews Endocrinology*. 2012;8(11):659-67.

Nin JWM, Ferreira I, Schalkwijk CG, Jorsal A, Prins MH, Parving H-H et al. Higher plasma high-mobility group box 1 levels are associated with incident cardiovascular disease and all-cause mortality in type 1 diabetes: a 12 year follow-up study. *Diabetologia*. 2012;55(9):2489-93.

Niskanen L, Leiter LA, Franek E, Weng J, Damci T, Muñoz-Torres M et al. Comparison of a soluble co-formulation of insulin degludec/insulin aspart vs biphasic insulin aspart 30 in type 2 diabetes: a randomised trial. *European Journal of Endocrinology*. 2012;167(2):287-94.

Ottesen AS, Mathiesen ER. Amning reducerer risikoer for fedme hos børn i etårsalderen. *Ugeskrift for Laeger*. 2012;174(24):1661-4.

Overgaard AJ, McGuire JN, Hovind P, Parving H-H, Rossing P, Pociot FM. Serum amyloid A and C-reactive protein levels may predict microalbuminuria and macroalbuminuria in newly diagnosed type 1 diabetic patients. *Journal of Diabetes and its Complications*. 2012;27(1):59-63.

Parving H-H, Brenner BM, McMurray JJV, de Zeeuw D, Haffner SM, Solomon SD et al. Baseline characteristics in the Aliskiren Trial in Type 2 Diabetes Using Cardio-Renal Endpoints (ALTITUDE). *Journal of the Renin-Angiotensin-Aldosterone System*. 2012;13(3):387-93.

Parving H-H, Brenner BM, McMurray JJV, de Zeeuw D, Haffner SM, Solomon SD et al. Cardiorenal end points in a trial of aliskiren for type 2 diabetes. *New England Journal of Medicine*. 2012;367(23):2204-13.

Persson F, Rathcke CN, Gall M-A, Parving H-H, Vestergaard H, Rossing P. High YKL-40 levels predict mortality in patients with type 2 diabetes. *Diabetes Research and Clinical Practice*. 2012;96(1):84-9.

Persson F, Lewis JB, Lewis EJ, Rossing P, Hollenberg NK, Parving H-H. Impact of glycaemic control on the effect of direct renin inhibition in the AVOID study. *Journal of the Renin-Angiotensin-Aldosterone System*. 2012;13(2):250-3.

Prabakaran T, Nielsen RS, Satchell SC, Mathieson PW, Feldt-Rasmussen U, Sørensen SS et al. Mannose 6-phosphate receptor and sortilin mediated endocytosis of α-galactosidase A in kidney endothelial cells. *P L o S One*. 2012;7(6):e39975.

Rabbani N, Adaikalakoteswari A, Rossing K, Rossing P, Tarnow L, Parving H-H et al. Effect of Irbesartan treatment on plasma and urinary markers of protein damage in patients with type 2 diabetes and microalbuminuria. *Journal of Amino Acids*. 2012;42(5):1627-39.

Ragnarsson O, Höybye C, Jönsson PJ, Feldt-Rasmussen U, Johannsson G, Biller BMK et al. Comorbidity and cardiovascular risk factors in adult GH deficiency following treatment for Cushing's disease or non-functioning pituitary adenomas during childhood. *European Journal of Endocrinology*. 2012;166(4):593-600.

Rasmussen AK. Sygdomme i gl. thyroidea. Baslund B, Feldt-Rasmussen U, Kastrup J, Soelberg Sørensen P, red. I: Lærebog i medicin. 2012 udg. FADL's Forlag. 2012. s. 594-620.

Rasmussen AK. Multibel endokrin neoplaesi. Baslund B, Feldt-Rasmussen U, Kastrup J, Soelberg Sørensen P, red. I: Lærebog i medicin. 2012 udg. FADL's Forlag. 2012. s. 678-682.

Rasmussen L, Mathiesen ER, Kronborg G, Pedersen C, Gerstoft J, Obel N. Risk of Diabetes Mellitus in Persons with and without HIV: A Danish Nationwide Population-Based Cohort Study. *P L o S One*. 2012;7(9):e44575.

Reinhard H, Garde E, Skimminge A, Akeson P, Ramsøy T, Winther K et al. Plasma NT-proBNP and white matter hyperintensities in type 2 diabetic patients. *Cardiovascular Diabetology*. 2012 okt 3;11(1)119.

Reinhard H, Hansen PR, Wiinberg N, Kjær A, Petersen CL, Winther K et al. NT-proBNP, echocardiographic abnormalities and subclinical coronary artery disease in high risk type 2 diabetic patients. *Cardiovascular Diabetology*. 2012;11:19.

Ribel-Madsen R, Fraga MF, Jacobsen S, Bork-Jensen J, Lara E, Calvanese V et al. Genome-wide analysis of DNA methylation differences in muscle and fat from monozygotic twins discordant for type 2 diabetes. *P L o S One*. 2012;7(12):e51302.

Ross L, Lundstrøm LH, Petersen MA, Johnsen AT, Watt T, Groenvold M. Using method triangulation to validate a new instrument (CPWQ-com) assessing cancer patients' satisfaction with communication. *Cancer Epidemiology*. 2012;36(1):29-35.

Sandholm N, Salem RM, McKnight AJ, Brennan EP, Forsblom C, Isakova T et al. New susceptibility loci associated with kidney disease in type 1 diabetes. *P L o S Genetics* (Online). 2012;8(9):e1002921.

Secher AL, Madsen AB, Ringholm L, Barfred C, Stage E, Andersen H et al. Patient satisfaction and barriers to initiating real-time continuous glucose monitoring in early pregnancy in women with diabetes. *Diabetic Medicine*. 2012;29(2):272-7.

Steffensen CK, Thomsen RW, Vaag A, Beck-Nielsen H, Christiansen JS, Hansen T et al. The Danish Centre for Strategic Research in Type 2 Diabetes (DD2) Project: rationale and planned nationwide studies of genetic predictors, physical exercise, and individualized pharmacological treatment. *Clinical Epidemiology*. 2012;4(Suppl 1):7-13.

Sørensen HT, Friberg S, Rungby J, Christensen JS, Vaag A, Beck-Nielsen H. The Danish national type 2 diabetes cohort - the DD2 study. *Clinical Epidemiology*. 2012;4(Suppl 1):1-5.

Theilade S, Lajer M, Jorsal A, Tarnow L, Parving H-H, Rossing P. Evaluation of placental growth factor and soluble Fms-like tyrosine kinase 1 as predictors of all-cause and cardiovascular mortality in patients with Type 1 diabetes with and without diabetic nephropathy. *Diabetic Medicine*. 2012;29(3):337-44.

Theilade S, Lajer M, Jorsal A, Tarnow L, Parving H-H, Rossing P. Arterial stiffness and endothelial dysfunction independently and synergistically predict cardiovascular and renal outcome in patients with type 1 diabetes. *Diabetic Medicine*. 2012;29(8):990-4.

Thomas N, Grunnet LG, Poulsen PH, Christopher S, Spurgeon R, Inbakumari M et al. Born with low birth weight in rural Southern India: what are the metabolic consequences 20 years later?. *European Journal of Endocrinology*. 2012;166(4):647-55.

Toogood A, Brabant G, Maiter D, Jonsson B, Feldt-Rasmussen U, Koltowska-Haggstrom M et al. Similar clinical features among patients with severe adult growth hormone deficiency diagnosed with insulin tolerance test or arginine or glucagon stimulation tests. *Endocrine practice : official journal of the American College of Endocrinology and the American Association of Clinical Endocrinologists*. 2012;18(3):325-34.

Vienberg SG, Brøns C, Nilsson E, Astrup A, Vaag A, Andersen B. Impact of short-term high-fat feeding and insulin-stimulated FGF21 levels in subjects with low birth weight and controls. *European Journal of Endocrinology*. 2012;167(1):49-57.

Vaag A. Type 2-diabetes--en heterogen sygdom med kim i fostertilstanden. *Ugeskrift for Laeger*. 2012;174(37):2138-42.

Vaag A, Lund S. Insulin initiation in patients with type 2 diabetes mellitus: treatment guidelines, clinical evidence and patterns of use of basal vs premixed insulin analogues. *European Journal of Endocrinology*. 2012;166(2):159-70.

Vaag AA, Grunnet LG, Arora GP, Brøns C. The thrifty phenotype hypothesis revisited. *Diabetologia*. 2012;55(8):2085-8.

Vaag A, Arora GP, Thaman RG. Timing of inter-generational prevention of adiposity and type 2 diabetes. *Journal of Physiology*. 2012;590(Pt 5):1021-2.

Watt T, Bjørner J, Grønvold M, Bonnema SJ, Rasmussen AK, Feldt-Rasmussen U. Is Thyroid Autoimmunity per se a Determinant of Quality of Life in Patients with Autoimmune Hypothyroidism?. European Thyroid Journal. 2012;(1):186-192.

Wilcox WR, Linthorst GE, Germain DP, Feldt-Rasmussen U, Waldek S, Richards SM et al. Anti- α -galactosidase A antibody response to agalsidase beta treatment: data from the Fabry Registry. Molecular Genetics and Metabolism. 2012;105(3):443-9.

Urologisk Klinik D

Videnskabelige artikler

Berg KD, Røder MA, Brasso K, Vainer B, Iversen P. Can primary biopsy Gleason grade 3 or 4 predict final pathology?. APMIS. 2012 ;120(suppl.134):18-39.

Berg KD, Røder MA, Brasso K, Vainer B, Iversen P. Can prostate needle biopsies predict low-volume and insignificant prostate cancer?. APMIS. 2012 ;120(suppl.134):18-39.

Borre M, Høyer M, Friis S, Hansen S, Brasso K, Petersen AH et al. DaProCadata--Dansk Prostatacancer Database. Ugeskrift for Laeger. 2012;174(42):2556.

Damber J-E, Tammela TLJ, Iversen P, Abrahamsson P-A, Boccon-Gibod L, Olesen TK et al. The effect of baseline testosterone on the efficacy of degarelix and leuprorelin: further insights from a 12-month, comparative, phase III study in prostate cancer patients. Contemporary Urology. 2012;80(1):174-80.

Feldskou E, Thind P. Primært adenokarcinom i det mandlige urinrør. Ugeskrift for Laeger. 2012;174(43):2636-7.

Hermann GG, Thind P, Mathiassen H, Jensen JB, Petersen A, Agerbæk M et al DBCR årsrapport 2009-2010 [Online] 2012 [!!cited 2012 jan 01] !!Available from:
URL:http://ducg.dk/fileadmin/www.ducg.dk/Endelig_2010_dbcr_rapport.pdf

Huber ML, Haynes L, Parker C, Iversen P. Interdisciplinary critique of sipuleucel-T as immunotherapy in castration-resistant prostate cancer. National Cancer Institute. Journal (Online). 2012;104(4):273-9.

Iversen P, Thomsen FB, Berg KD. Re: Tardivt respons eller miraklernes tid.: Brun, C.; Mogensen, P.; Møller, N.E.Ugeskrift for Læger. 2012 nov;174(45):2809.

Iversen P, Kirkeby HJ. Urologi. Schroeder TV, Schulze S, Hilsted J, Gøtzsche L, red. I: Basisbog i medicin og kirurgi. 5. udg. København: Munksgård Danmark. 2012. s. 203-40.

Rohrsted M, Bagi P. Onabotulinumtoxin A (Botox) in treatment of neurogenic bladder overactivity. Nephro-Urology Monthly. 2012;04:437-442.

Røder MA, Christensen IJ, Berg KD, Gruschy L, Brasso K, Iversen P. Serum testosterone level as a predictor of biochemical failure after radical prostatectomy for localized prostate cancer. B J U International (Print). 2012;109(4):520-4.

Røder MA, Iversen P. Radikal prostatektomi ved avanceret prostatacancer. Ugeskrift for Laeger. 2012;174(50):3160-3161.

Røder MA, Christensen IJ, Toft BG, Berg KD, Vainer B, Brasso K et al. Risk factors associated with positive surgical margins after radical prostatectomy for localized prostate cancer.APMIS. 2012 ;120(suppl.134):18-39.

Røder MA, Vrang M-L, Vainer B, Christensen IJ, Gruschy L, Brasso K et al. First Danish single-institution experience with Radical Prostatectomy: Impact of site and number of surgical margins on biochemical outcome. APMIS . 2012 ;120(suppl.134):18-39.

Røder MA, Brasso K, Iversen P. Gleason score inflation in patients treated for localized prostate cancer at Rigshospitalet. APMIS . 2012 ;120(suppl.134):18-39.

Røder MA, Berg KD, Christensen IJ, Gruschy L, Brasso K, Iversen P. Biochemical Outcome after Radical Prostatectomy for High-Risk Localized Prostate Cancer. Urology. 2012 sep;80(3):1-135.

Røder MA, Thomsen FB, Christensen IJ, Toft BG, Berg KD, Gruschy L et al. Positive Surgical Margins in Radical Prostatectomy for Localized Prostate Cancer: Is the Risk Increased by Nerve-Sparing Surgery?. Urology. 2012 sep;80(3)Suppl.

Røder MA, Vrang M-L, Christensen IJ, Gruschy L, Brasso K, Vainer B et al. Location of Positive Margins in Radical Prostatectomy Specimens: Prognostic Implications. Urology. 2012 sep;80(3)Suppl..

Røder MA, Berg KD, Christensen IJ, Gruschy L, Brasso K, Iversen PBeyond the abstract on Urotoday.com: Outcome of radical prostatectomy for high-risk prostate cancer. [Online] 2012 [!!cited 2012 aug 14] !!Available from:
URL:<http://www.urotoday.com/UroToday/Prostate-Cancer/radical-prostatectomy-in-clinically-localized-high-risk-prostate-cancer-outcome-of-231-consecutive-patients-abstract.html>

Røder MA, Iversen P. PSA screening for prostatacancer. Lægemagasinet. 2012 okt;5:14-16.

Røder MA, Høyer M, Iben H. Kræft i prostata.. Kræftens Bekæmpelse: Sundhedsstyrelsen. 4 udg. 2012.

Røder MA, Berg KD, Christensen IJ, Gruschy L, Brasso K, Iversen P. biochemical outcome after radical prostatectomy for high-risk localized prostate cancer. 2012. Abstract from 32nd Congress of the Société Internationale d'Urologie, Fukuoka, Japan.

Røder MA, Thomsen FB, Christensen IJ, Toft BG, Berg KD, Gruschy L et al. Positive surgical margins in radical prostatectomy for localized prostate cancer: is the risk increased by nerve-sparing surgery?. 2012. Abstract from 32nd Congress of the Société Internationale d'Urologie, Fukuoka, Japan.

Røder MA, Christensen IJ, Toft BG, Berg KD, Vainer B, Brasso K et al. Risk factors associated with positive surgical margins after radical prostatectomy for localized prostate cancer. A P M I S. Acta Pathologica, Microbiologica et Immunologica Scandinavica. 2012;120:18-39.

Thind P, Jensen JB. Blærecancer database. Ugeskrift for Laeger. 2012;174(42):2549.

Thomsen FB, Røder MA, Hvarness H, Iversen P, Brasso K. Active surveillance for patients with Low-risk Prostate Cancer: How Does PSA Doubling time Affect the Risk of Histopathological Progression at Re-biopsy?. *Urology*. 2012 sep;80(3):1-135.

Thomsen FB, Røder MA, Berg KD, Gruschy L, Hvarness H, Brasso K et al. Is Histopathology and Risk of Biochemical Failure Negatively Affected in Patients Eventually Undergoing Radical Prostatectomy Following Initial Active Surveillance?. *Urology*. 2012 sep;80(3):1-135.

Toft BG, Federspiel BH, Sørensen SS, Bagi P, Nielsen HMB, Andersen CB. A histopathological score on baseline biopsies from elderly donors predicts outcome 1 year after renal transplantation. *APMIS*. 2012;120(3):182-6.

Ulmert D, Vickers AJ, Scher HI, Becker C, Iversen P, Frankel D et al. Rapid elimination kinetics of free PSA or human kallikrein-related peptidase 2 after initiation of gonadotropin-releasing hormone-antagonist treatment of prostate cancer: potential for rapid monitoring of treatment responses. *Clinical Chemistry and Laboratory Medicine*. 2012;50(11):1993-8.

Vainer B, Røder MA, Toft BG, Jacobsen G, Marcussen N. Response to: KB Bell, M Kida & K Cooper: Histopathology sampling of radical prostatectomy specimens: representative or entire submission?. *Histopathology*. 2011 nov;59(5):1014.

Vrang M-L, Røder MA, Vainer B, Christensen IJ, Gruschy L, Brasso K et al. First danish single-institution experience with radical prostatectomy: impact of surgical margins on biochemical outcome. *Scandinavian Journal of Urology and Nephrology*. 2012 jun;46(3):172-9.

Aagaard M, Klarskov N, Sønksen J, Bagi P, Colstrup H, Lose G. Urethral pressure reflectometry; a novel technique for simultaneous recording of pressure and cross-sectional area: a study of feasibility in the prostatic urethra. *B J U International (Online)*. 2012;110(8):1178-83.

Center for Klinisk Uddannelse (CEKU)

Disputatser og ph.d.-afhandlinger forsvarer i året

Bech B. Developing Endovascular Expertise - Aspects of Incorporating Virtual Reality Simulations (PhD). Copenhagen 2012.

Kromann CB. Test-enhanced learning (PhD): PhD-thesis on testing, stress and skills learning. Copenhagen: University of Copenhagen, 2012.

Tolsgaard MG. Clinical skills training in undergraduate medical education using a student-centered approach (PhD). Copenhagen, 2012.

Videnskabelige artikler

Bessmann EL, Bitsch M. Medicinstuderende har udbytte af praktisk kursus i klinisk ultralydsundersøgelse. Ugeskrift for Læger. 2012;174(48):3000-3003.

Bitsch M, Christensen B. Ultralydskanning - det nye universalværktøj - også for praktiserende læger. Månedsskrift for Almen Praksis. 2012;90(8):632-8.

Bitsch M, Christensen B. Ultralydskanning i almen praksis II. Månedsskrift for Almen Praksis. 2012;90:705-12.

Irner TB, Teasdale TW, Nielsen T, Vedal S, Olofsson M. Substance use during pregnancy and postnatal outcomes. Journal of Addictive Diseases. 2012;31(1):19-28.

Kandler K, Konge L, Rafiq S, Larsen CF, Ravn J. Emergency thoracotomies in the largest trauma center in Denmark: 10 years' experience. European Journal of Trauma and Emergency Surgery. 2012;38(2):151-156.

Konge L, Clementsen P, Larsen KR, Arendrup H, Buchwald C, Ringsted C. Establishing Pass/Fail Criteria for Bronchoscopy Performance. Respiration. 2012;83(2):140-6.

Konge L, Larsen KR, Clementsen P, Arendrup H, von Buchwald C, Ringsted C. Reliable and Valid Assessment of Clinical Bronchoscopy Performance. Respiration. 2012;83(1):53-60.

Konge L, Lehnert P, Hansen HJ, Petersen RH, Ringsted C. Reliable and valid assessment of performance in thoracoscopy. Surgical Endoscopy. 2012;26(6):1624-8.

Konge L, Petersen RH, Hansen HJ, Ringsted C. No extensive experience in open procedures is needed to learn lobectomy by video-assisted thoracic surgery. Interactive Cardiovascular and Thoracic Surgery. 2012;15(6):961-5.

Konge L, Vilman P, Clementsen P, Annema JT, Ringsted C. Reliable and valid assessment of competence in endoscopic ultrasonography and fine-needle aspiration for

mediastinal staging of non-small cell lung cancer. *Gastroenterological Endoscopy*. 2012;44(10):928-33.

Kromann C, Koefoed MJ, Jensen M, Ringsted C. Test af viden og færdigheder øger indlæring. *Ugeskrift for Laeger*. 2012;174(11):716-9.

Maagaard M, Oestergaard J, Johansen M, Andersen LLF, Ringsted C, Ottesen B et al. Vacuum extraction: development and test of a procedure-specific rating scale. *Acta Obstetricia et Gynecologica Scandinavica*. 2012;91(12):1453-9.

Nielsen T. Når eleverne lærer anderledes end læreren. Bendixen C, Fischer H, red. I: *Psykologi i skolen - hvad virker?*. København: Hans Reitzel. 2011; 205-30.

Oestergaard J, Bjerrum F, Maagaard M, Winkel P, Larsen CR, Ringsted C et al. Instructor feedback versus no instructor feedback on performance in a laparoscopic virtual reality simulator: a randomized educational trial. *B M C Medical Education*. 2012;12 (findes kun elektronisk).

Tolsgaard MG, Arendrup H, Lindhardt BO, Hillingsø JG, Stoltzenberg MB, Ringsted C. Construct Validity of the Reporter-Interpreter-Manager-Educator Structure for Assessing Students' Patient Encounter Skills. *Academic Medicine*. 2012;87(6):799-806.

Det Nordiske Cochrane Center

Copenhagen Trial Unit

Ph.d.-afhandling

Storebø OJ. Social skills training for children with attention deficit hyperactivity disorder. 1. udg. København: Eget Forlag, 2012. 72 s.

Videnskabelige artikler

Bertelé V, Banzi R, Gluud C, Garattini S. EMA's reflection on placebo does not reflect patients' interests. European Journal of Clinical Pharmacology. 2012;1175-4.

Bjelakovic G, Nikolova D, Gluud LL, Simonetti RG, Gluud C. Antioxidant supplements for prevention of mortality in healthy participants and patients with various diseases. Cochrane Database of Systematic Reviews. 2012;3:CD007176.

Bjelakovic G, Nikolova DK, Gluud C. Antioxidant Supplements: An Evidence-Based Approach to Health Benefits and Risks. Shankar S, K. Srivastava R, red. I: Nutrition, Diet and Cancer. Springer – Science + Business Media. 2012. s. 557-561.

Brok J, Huusom LD, Thorlund K. Conclusive meta-analyses on antenatal magnesium may be inconclusive! Are we underestimating the risk of random error? Acta Obstetricia et Gynecologica Scandinavica. 2012;91(11):1247-51.

Gluud LL, Klingenberg SL, Langholz E. Tranexamic acid for upper gastrointestinal bleeding. Cochrane Database of Systematic Reviews. 2012;1:CD006640.

Gluud LL, Christensen K, Christensen E, Krag A. Terlipressin for hepatorenal syndrome. Cochrane Database of Systematic Reviews. 2012;9:CD005162.

Gluud C, Kubiak C, Whitfield KE, Byrne J, Huemer K-H, Thirstrup S et al. Typical investigational medicinal products follow relatively uniform regulations in 10 European Clinical Research Infrastructures Network (ECRIN) countries. Trials. 2012;13:27.

Hansen HV, Christensen EM, Dam OH, Gluud C, Wetterslev J, Kessing LV. The effects of centralised and specialised intervention in the early course of severe unipolar depressive disorder: a randomised clinical trial. PLoS One. 2012;7(3):e32950.

Haugaard MV, Penninga L, Ifaoui IB-R, Qvist N, Wettergren A. Pancreastramer hos børn - operativ versus nonoperativ behandling. Ugeskrift for Laeger. 2012;174(3):115-119.

Hemmingset B, Christensen LL, Wetterslev J, Vaag A, Gluud C, Lund S et al. Comparison of metformin and insulin versus insulin alone for type 2 diabetes: systematic review of randomised clinical trials with meta-analyses and trial sequential analyses. BMJ. 2012;344:e1771.

Hemmingsen B. Intensiv glukosekontrol ved type 2-diabetes. BestPractice. 2012;(10):20.

Hemmingsen B, Lund SS, Gluud C, Vaag AA, Almdal TP, Wetterslev J. Intensive glycaemic control for patients with type 2 diabetes: systematic review with meta-analysis and trial sequential analysis of randomised clinical trials. (Rapid response). BMJ. 2012;344:e710.

Huusom LD, Brok J, Hegaard HK, Pryds O, Secher NJ. Does antenatal magnesium sulfate prevent cerebral palsy in preterm infants? The final trial? Acta Obstetricia et Gynecologica Scandinavica. 2012;91(11):1346-1347.

Ibler KS, Jemec G, Diepgen TL, Gluud C, Hansen JL, Winkel P et al. Skin care education and individual counselling versus treatment as usual in healthcare workers with hand eczema: randomised clinical trial. BMJ. 2012;345:e7822.

Jakobsen JC, Hansen JL, Simonsen S, Simonsen E, Gluud C. Effects of cognitive therapy versus interpersonal psychotherapy in patients with major depressive disorder: a systematic review of randomized clinical trials with meta-analyses and trial sequential analyses. Psychological Medicine. 2012;42(7):1343-58.

Jakobsen JC, Hansen JL, Simonsen E, Gluud C. The effect of adding psychodynamic therapy to antidepressants in patients with major depressive disorder. A systematic review of randomized clinical trials with meta-analyses and trial sequential analyses. Journal of Affective Disorders. 2012;137(1):4-14.

Jakobsen JC, Gluud C, Kongerslev MT, Larsen KA, Sørensen P, Winkel P et al. 'Third wave' cognitive therapy versus mentalization-based therapy for major depressive disorder. A protocol for a randomised clinical trial. BMC Psychiatry. 2012;12:232.

Johnsen AT, Bahn Vejlgaard T, Higgins IJ, Petersen MA, Hansen JL, Sjøgren P et al. The Danish Palliative Care Trial (DanPaCT) Protocol: Preliminary Results and Subsequent Protocol Revisions. 2012. Poster session presented at 7th World Research Congress of the European Association for Palliative Care, Trondheim, Norge.

Kjoller E, Hilden J, Winkel P, Frandsen NJ, Galatius S, Jensen G et al. Good interobserver agreement was attainable on outcome adjudication in patients with stable coronary heart disease. Journal of Clinical Epidemiology. 2012;65(4):444-53.

Klausen SH, Mikkelsen UR, Hirth A, Wetterslev J, Kjærgaard H, Søndergaard L et al. Design and rationale for the PREVAIL study: effect of e-Health individually tailored encouragements to physical exercise on aerobic fitness among adolescents with congenital heart disease--a randomized clinical trial. American Heart Journal. 2012;163(4):549-56.

Knorr U, Vinberg M, Gether U, Winkel P, Gluud C, Wetterslev J et al. The effect of escitalopram versus placebo on perceived stress and salivary cortisol in healthy first-

degree relatives of patients with depression - A randomised trial. Psychiatry Research. 2012;200(2):354-360.

Knorr U, Vinberg M, Mortensen EL, Winkel P, Gluud C, Wetterslev J et al. Effect of chronic escitalopram versus placebo on personality traits in healthy first-degree relatives of patients with depression: a randomized trial. PLoS One. 2012;7(2):e31980.

Krogh J, Videbech P, Thomsen C, Gluud C, Nordentoft M. DEMO-II trial. Aerobic exercise versus stretching exercise in patients with major depression - a randomised clinical trial. PLoS One. 2012;7(10):e48316.

Mackeen AD, Berghella V, Larsen M-L. Techniques and materials for skin closure in caesarean section. Cochrane Database of Systematic Reviews. 2012;11:CD003577.

Martí-Carvajal AJ, Solà I, Gluud C, Lathyris D, Cardona AF. Human recombinant protein C for severe sepsis and septic shock in adult and paediatric patients. Cochrane Database of Systematic Reviews. 2012;12:CD004388.

Meyhoff CS, Wetterslev J, Jorgensen LN, Rasmussen LS. Sensitivity analyses of supplemental oxygen to prevent surgical site infection. Anesthesia and Analgesia. 2012;115(3):734.

Meyhoff CS, Jorgensen LN, Wetterslev J, Christensen KB, Rasmussen LS, PROXI Trial Group. Increased long-term mortality after a high perioperative inspiratory oxygen fraction during abdominal surgery: follow-up of a randomized clinical trial. Anesthesia and Analgesia. 2012;115(4):849-54.

Møller CH, Penninga L, Wetterslev J, Steinbrüchel DA, Gluud C. Off-pump versus on-pump coronary artery bypass grafting for ischaemic heart disease. Cochrane Database of Systematic Reviews. 2012;3:CD007224.

Nielsen N, Wetterslev J, al-Subaie N, Andersson B, Bro-Jeppesen J, Bishop G et al. Target temperature management after out-of-hospital cardiac arrest--a randomized, parallel-group, assessor-blinded clinical trial--rationale and design. American Heart Journal. 2012;163(4):541-8.

Oestergaard J, Bjerrum F, Maagaard M, Winkel P, Larsen CR, Ringsted C et al. Instructor feedback versus no instructor feedback on performance in a laparoscopic virtual reality simulator: a randomized educational trial. BMC Medical Education. 2012;12:7.

Oliveri RS, Wetterslev J, Gluud C. Hepatocellular carcinoma. Lancet. 2012;380(9840):470-1.

Penninga L, Wettergren A, Chan A-W, Steinbrüchel DA, Gluud C. Calcineurin inhibitor minimisation versus continuation of calcineurin inhibitor treatment for liver transplant recipients. Cochrane Database of Systematic Reviews. 2012;3:CD008852.

Perner A, Haase N, Guttormsen AB, Tenhunen J, Klemenzson G, Åneman A et al. Hydroxyethyl starch 130/0.42 versus Ringer's acetate in severe sepsis. *New England Journal of Medicine*. 2012;367(2):124-34.

Rasmussen TB, Zwisler A-D, Sibilitz KL, Risom SS, Bundgaard H, Gluud C et al. A randomised clinical trial of comprehensive cardiac rehabilitation versus usual care for patients treated for infective endocarditis--the CopenHeartIE trial protocol. *BMJ Open*. 2012;2(6):e001929.

Rasmussen R, Wetterslev J, Stavngaard T, Skjøth-Rasmussen J, Grände PO, Olsen NV et al. The effects of continuous prostacyclin infusion on regional blood flow and cerebral vasospasm following subarachnoid haemorrhage: study protocol for a randomised controlled trial. *Trials*. 2012;13:102.

Rudic JS, Poropat G, Krstic MN, Bjelakovic G, Gluud C. Ursodeoxycholic acid for primary biliary cirrhosis. *Cochrane Database of Systematic Reviews*. 2012;12:CD000551.

Rudic JS, Poropat G, Krstic MN, Bjelakovic G, Gluud C. Bezafibrate for primary biliary cirrhosis. *Cochrane Database of Systematic Reviews*. 2012;1:CD009145.

Savović J, Jones HE, Altman DG, Harris RJ, Jüni P, Pildal J et al. Influence of reported study design characteristics on intervention effect estimates from randomized, controlled trials. *Annals of Internal Medicine*. 2012;157(6):429-38.

Savović J, Jones H, Altman D, Harris R, Jüni P, Pildal J et al. Influence of reported study design characteristics on intervention effect estimates from randomised controlled trials: combined analysis of meta-epidemiological studies. *Health Technology Assessment*. 2012;16(35):1-82.

Skovbjerg S, Hauge CR, Rasmussen A, Winkel P, Elberling J. Mindfulness-based cognitive therapy to treat multiple chemical sensitivities: a randomized pilot trial. *Scandinavian Journal of Psychology*. 2012;53(3):233-8.

Storebø OJ, Gluud C, Winkel P, Simonsen E. Social-skills and parental training plus standard treatment versus standard treatment for children with ADHD--the randomised SOSTRA trial. *PLoS One*. 2012;7(6):e37280.

Storebø OJ, Rosendal S, Skoog M, Groth C, Bille T, Rasmussen KB et al. Methylphenidate for attention deficit hyperactivity disorder (ADHD) in children and adolescents (Protocol). *Cochrane Database of Systematic Reviews* 2012, Issue 5. Art. No.: CD009885. DOI: 10.1002/14651858.CD009885.

Sømhovd MJ, Hansen BM, Brok J, Esbjørn BH, Greisen G. Anxiety in adolescents born preterm or with very low birthweight: a meta-analysis of case-control studies. *Developmental Medicine and Child Neurology*. 2012;54(11):988-94.

Thorlund K, Imberger G, Johnston BC, Walsh M, Awad T, Thabane L et al. Evolution of heterogeneity (I^2) estimates and their 95% confidence intervals in large meta-analyses. *PLoS One*. 2012;7(7):e39471.

Thorlund K, Wetterslev J, Awad T, Thabane L, Gluud C. Comparison of statistical inferences from the DerSimonian-Laird and alternative random-effects model meta-analyses - an empirical assessment of 920 Cochrane primary outcome meta-analyses. *Research Synthesis Methods*. 2012;2(4):238-253.

Wetterslev J, Engstrøm J, Gluud C, Thorlund K. Trial sequential analysis: methods and software for cumulative meta-analyses. *Cochrane Methods*. *Cochrane Database of Systematic Reviews*. 2012;Suppl 1(1-56):29-31.

Wetterslev J, Engstrøm J, Gluud C, Thorlund K. Response to comment by Higgins. *Cochrane Methods*. *Cochrane Database of Systematic Reviews*. 2012;Suppl 1(1-56):33-35.

Winkel P, Zhang NF. Statistical Process Control in Clinical Medicine. W. Faltin F, S. Kenett R, Ruggeri F, red. I: Statistical Methods in Healthcare. John Wiley & Sons Ltd. 2012. s. 309-331.

Det Nordiske Cochrane Center

Videnskabelige artikler

Brorson S, Rasmussen JV, Frich LH, Olsen BS, Hróbjartsson A. Benefits and harms of locking plate osteosynthesis in intraarticular (OTA Type C) fractures of the proximal humerus: A systematic review. *Injury*. 2012;43(7):999-1005.

Brorson S, Olsen BS, Frich LH, Jensen SL, Sørensen AK, Krosgaard M et al. Surgeons agree more on treatment recommendations than on classification of proximal humeral fractures. *B M C Musculoskeletal Disorders*. 2012;13:114.

Grønhøj Larsen C, Jørgensen KJ, Gøtzsche PC. Regular health checks: cross-sectional survey. *P L o S One*. 2012;7(3):e33694.

Gøtzsche PC. Mammography screening: truth, lies, and controversy. 1 udg. London: Radcliffe Publishing Ltd, 2012. 388 s.

Gøtzsche PC. Lægers råd om medicin er ikke sunde. *Politiken*. 2012 nov 29.

Gøtzsche PC. Vores lykkepille-epidemi er dybt skadelig. *Berlingske Tidende*. 2012 dec.

Gøtzsche PC. Hvorfor så snævre grænser for omfang i Ugeskriftet?. *Ugeskrift for Læger*. 2012;174(5):297.

Gøtzsche PC, Hartling OJ, Nielsen M, Brodersen J. Screening for brystkræft med mammografi. København. 15 s. 2. udg. 2012.

Gøtzsche PC, Ioannidis JPA. Content area experts as authors: helpful or harmful for systematic reviews and meta-analyses?. *B M J (Online)*. 2012;345:e7031.

Gøtzsche PC. European governments should sue Roche and prescribers should boycott its drugs. *B M J (Online)*. 2012;345:e7689.

Gøtzsche PC. Strengthening and opening up health research by sharing our raw data. *Circulation. Cardiovascular Quality and Outcomes*. 2012;5(2):236-7.

Gøtzsche PC, Jørgensen KJ, Zahl P-H, Mæhlen J. Why mammography screening has not lived up to expectations from the randomised trials. *Cancer Causes & Control*. 2012;23(1):15-21.

Gøtzsche PC, Juhl Jørgensen K. Effect of population-based screening on breast cancer mortality. *Lancet*. 2012;379(9823):1297; author reply 1298.

Gøtzsche PC. Why does the BMJ support donations of pulse oximeters when they have no effect?. *B M J (Online)*. 2012;344:e409; discussion e417.

Gøtzsche PC. Mammography screening: truth, lies, and controversy. *Lancet*. 2012;380(9838):218.

Gøtzsche PC. Deficiencies in proposed new EU regulation of clinical trials. *B M J (Online)*. 2012;345:e8522.

Gøtzsche PC. Big pharma often commits corporate crime, and this must be stopped. *B M J (Online)*. 2012;345:e8462.

Hart B, Lundh A, Bero L. Effect of reporting bias on meta-analyses of drug trials: reanalysis of meta-analyses. *B M J (Online)*. 2012;344:d7202.

Hróbjartsson A, Thomsen ASS, Emanuelsson F, Tendal B, Hilden J, Boutron I et al. Observer bias in randomised clinical trials with binary outcomes: systematic review of trials with both blinded and non-blinded outcome assessors. *B M J (Clinical Research Edition)*. 2012;344:e1119.

Javitt MC, Hendrick RE, Keen JD, Jorgensen KJ, Orton CG. Point/Counterpoint: recent data show that mammographic screening of asymptomatic women is effective and essential. *Medical Physics*. 2012;39(7):4047-50.

Jørgensen KJ, Gøtzsche PC. Dödigheten i bröstcancer minskar--men inte tack vare screening. Dags att slopa mammografiscreening. *Laekartidningen*. 2012;109(13):690-2.

Jørgensen KJ, Keen JD, Zahl P-H, Gøtzsche PC. The Two-County breast screening trial cannot provide a reliable estimate of the effect of breast cancer screening. *Radiology*. 2012;262(2):729-30; author reply 730-1.

Jørgensen KJ, Gøtzsche PC. Rintasyöpäkuolleisuus vähenee, muttei seulonnan ansiosta. *Suomen Lääkärilehti*. 2012;67:856-8.

Jørgensen KJ. Is the tide turning against breast screening?. *Breast Cancer Research (Online Edition)*. 2012;14(4):107.

Jørgensen KJ, Kalager M, Zahl PH, Fønnebø VM. Comparing attendees with non-attendees in breast screening does not provide useful information about an effect on prognostic features or mortality. *Breast Cancer Research and Treatment*. 2012;136(2):617-8, author reply 619-20.

Jørgensen KJ. Overdiagnosis of invasive breast cancer due to mammography screening. *Annals of Internal Medicine*. 2012;157(3):219-20; author reply 221-2.

Jørgensen KJ, Gøtzsche PC. Unclear methods in estimate of screening effect in women ages 40 to 49 years. *Cancer*. 2012;118(4):1170; author reply 1170-1.

Jørgensen KJ. Screening of young, high-risk women should not be based on statistical modelling. *Annals of Internal Medicine*. 2012;156(9):206-17.

Jørgensen KJ. The evidence that motivated an independent review of breast cancer. *CML Breast Cancer*. 2012;24:37-44.

Krogsbøll LT, Juhl Jørgensen K, Gøtzsche PC. Helbredstjek og diabetesscreening har ingen effekt. *Ugeskrift for Læger*. 2012;174(50):3203.

Krogsbøll LT, Jørgensen KJ, Grønhøj Larsen C, Gøtzsche PC. General health checks in adults for reducing morbidity and mortality from disease. *Cochrane Database of Systematic Reviews*. 2012;10:CD009009.

Krogsbøll LT, Jørgensen KJ, Grønhøj Larsen C, Gøtzsche PC. General health checks in adults for reducing morbidity and mortality from disease: Cochrane systematic review and meta-analysis. *B M J (Online)*. 2012;345:e7191.

Lundh A, Krogsbøll LT, Gøtzsche PC. Sponsors' participation in conduct and reporting of industry trials: a descriptive study. *Trials*. 2012;13:146.

Lundh A, Hróbjartsson A, Gøtzsche PC. Income from reprints creates a conflict of interests. *B M J (Online)*. 2012;345:e4970.

Lundh A, Sismondo S, Lexchin J, Busuioc OA, Bero L. Industry sponsorship and research outcome. *Cochrane Database of Systematic Reviews*. 2012;12:MR000033.

Moher D, Hopewell S, Schulz KF, Montori V, Gøtzsche PC, Devereaux PJ et al. CONSORT 2010 explanation and elaboration: updated guidelines for reporting parallel group randomised trials. International Journal of Surgery. 2012;10(1):28-55.

Nielsen M, Hansen EH, Gøtzsche PC. What is the difference between dependence and withdrawal reactions?: A comparison of benzodiazepines and selective serotonin re-uptake inhibitors. Addiction. 2012;107(5):900-8.

Savović J, Jones HE, Altman DG, Harris RJ, Jüni P, Pildal J et al. Influence of reported study design characteristics on intervention effect estimates from randomized, controlled trials. Annals of Internal Medicine. 2012;157(6):429-38.

Savović J, Jones H, Altman D, Harris R, Júni P, Pildal J et al. Influence of reported study design characteristics on intervention effect estimates from randomised controlled trials: combined analysis of meta-epidemiological studies. Health Technology Assessment. 2012;16(35):1-82.

Schroll JB, Maund E, Gøtzsche PC. Challenges in coding adverse events in clinical trials: a systematic review. P L o S One. 2012;7(7):e41174.

Schroll J, Lundh A. Was the composite outcome specified in the original protocol?. B M J (Online). 2012;345:e8144; author reply e8164.

Schroll J. Prisen er for høj for rotavirusvaccination!. Ugeskrift for Laeger. 2012;174(10):673; author reply 673.

Schroll J. Lyrisk tragedie. Ugeskrift for Laeger. 2012;174(9):592; discussion 592.

Tendal B, Ortner N, Gøtzsche PC, Hrobjartsson A. Minimal clinically important differences in chronic pain. I: Abstracts of the 2012 Cochrane Colloquium: Scientific evidence for healthcare quality and patient safety. Oxford (UK): Wiley-Blackwell. 2012. s. 83.

Diagnostisk Center

Enhed for Genomisk Medicin

Ph.d.-afhandlinger

Vikeså J. Functional characterization of oncofetal RNA-binding IMPs (Ph.D.). København: Eget forlag, 2012.

Glud M. Cutaneous Malignant Melanoma and MicroRNA (Ph.D.). København: Eget forlag, 2012. 66 s.

Møller AKH. Diagnostic tools and treatment of patients with carcinoma of unknown primary site (ph.d.). København: Eget forlag, 2012. 70 s.

Videnskabelige artikler

Andersen SD, Liberti SE, Lützen A, Drost M, Bernstein I, Nilbert M et al. Functional characterization of MLH1 missense variants identified in lynch syndrome patients. *Human Mutation*. 2012;33(12):1647-55.

Andersen SD, Keijzers G, Rampakakis E, Engels K, Luhn P, El-Shemery M et al. 14-3-3 checkpoint regulatory proteins interact specifically with DNA repair protein human exonuclease 1 (hEXO1) via a semi-conserved motif. *DNA Repair*. 2012;11(3):267-77.

Antoniou AC, Kuchenbaecker KB, Soucy P, Beesley J, Chen X, McGuffog L et al. Common variants at 12p11, 12q24, 9p21, 9q31.2 and in ZNF365 are associated with breast cancer risk for BRCA1 and/or BRCA2 mutation carriers. *Breast Cancer Research (Online Edition)*. 2012;14(1):R33.

Astrand R, Romner B, Reinstrup P, Friis-Hansen L, Undén J. Comparison between capillary, venous and arterial levels of protein S100B in patients with severe brain pathology. *Clinical Chemistry and Laboratory Medicine*. 2012;50(6):1055-61.

Bentzen JG, Forman JL, Pinborg A, Lidegaard O, Larsen EC, Friis-Hansen L et al. Ovarian reserve parameters: a comparison between users and non-users of hormonal contraception. *Reproductive BioMedicine Online*. 2012;25(6):612-9.

Borst L, Wesolowska A, Joshi T, Borup R, Nielsen FC, Andersen MK et al. Genome-wide analysis of cytogenetic aberrations in ETV6/RUNX1-positive childhood acute lymphoblastic leukaemia. *British Journal of Haematology*. 2012;157(4):476-82.

Couch FJ, Gaudet MM, Antoniou AC, Ramus SJ, Kuchenbaecker KB, Soucy P et al. Common variants at the 19p13.1 and ZNF365 loci are associated with ER subtypes of breast cancer and ovarian cancer risk in BRCA1 and BRCA2 mutation carriers. *Cancer Epidemiology, Biomarkers & Prevention*. 2012;21(4):645-57.

Crone SG, Jacobsen A, Federspiel B, Bardram L, Krogh AS, Lund AH et al. microRNA-146a inhibits G protein-coupled receptor-mediated activation of NF- κ B by targeting CARD10 and COPS8 in gastric cancer. *Molecular Cancer*. 2012;11:71.

Dandanell M, Friis-Hansen L, Sunde L, Nielsen FC, Hansen TVO. Identification of 3 novel VHL germ-line mutations in Danish VHL patients. *B M C Medical Genetics*. 2012;13:54.

Ding YC, McGuffog L, Healey S, Friedman E, Laitman Y, Paluch-Shimon S et al. A nonsynonymous polymorphism in IRS1 modifies risk of developing breast and ovarian cancers in BRCA1 and ovarian cancer in BRCA2 mutation carriers. *Cancer Epidemiology, Biomarkers & Prevention*. 2012;21(8):1362-70.

Ekelund C, Wright D, Ball S, Kirkegaard I, Nørgaard P, Sørensen S et al. Prospective study evaluating performance of first-trimester combined screening for trisomy 21 using repeat sampling of maternal serum markers PAPP-A and free β -hCG. *Ultrasound in Obstetrics & Gynecology*. 2012;40(3):276-81.

Gregory AP, Dendrou CA, Attfield KE, Haghikia A, Xifara DK, Butter F et al. TNF receptor 1 genetic risk mirrors outcome of anti-TNF therapy in multiple sclerosis. *Nature Study*. 2012;488(7412):508-11.

Grøndahl ML, Andersen CY, Bogstad J, Borgbo T, Boujida VH, Borup R. Specific genes are selectively expressed between cumulus and granulosa cells from individual human pre-ovulatory follicles. *Molecular Human Reproduction*. 2012;18(12):572-84.

Kaczkowski B, Rossing M, Andersen D, Dreher A, Morevati M, Visser MA et al. Integrative analyses reveal novel strategies in HPV11,-16 and -45 early infection. *Scientific Reports*. 2012;2:515.

Klochendler A, Weinberg-Corem N, Moran M, Swisa A, Pochet N, Savova V et al. A transgenic mouse marking live replicating cells reveals in vivo transcriptional program of proliferation. *Developmental Cell*. 2012;23(4):681-90.

Lajer CB, Garnæs E, Friis-Hansen L, Norrild B, Therkildsen MH, Glud M et al. The role of miRNAs in human papilloma virus (HPV)-associated cancers: bridging between HPV-related head and neck cancer and cervical cancer. *B J C*. 2012;106(9):1526-34.

Mavaddat N, Barrowdale D, Andrulis IL, Domchek SM, Eccles D, Nevanlinna H et al. Pathology of Breast and Ovarian Cancers among BRCA1 and BRCA2 Mutation Carriers: Results from the Consortium of Investigators of Modifiers of BRCA1/2 (CIMBA). *Cancer Epidemiology, Biomarkers & Prevention*. 2012;21(1):134-147.

Millot GA, Carvalho MA, Caputo SM, Vreeswijk MPG, Brown MA, Webb M et al. A guide for functional analysis of BRCA1 variants of uncertain significance. *Human Mutation*. 2012;33(11):1526-37.

Ramus SJ, Antoniou AC, Kuchenbaecker KB, Soucy P, Beesley J, Chen X et al. Ovarian cancer susceptibility alleles and risk of ovarian cancer in BRCA1 and BRCA2 mutation carriers. *Human Mutation*. 2012;33(4):690-702.

Rossing M, Borup R, Henao R, Winther O, Vikesaa J, Niazi O et al. Down-regulation of microRNAs controlling tumourigenic factors in follicular thyroid carcinoma. *Journal of Molecular Endocrinology*. 2012 Jan 25;48(1):11-23.

Spurdle AB, Whiley PJ, Thompson B, Feng B, Healey S, Brown MA et al. BRCA1 R1699Q variant displaying ambiguous functional abrogation confers intermediate breast and ovarian cancer risk. *Journal of Medical Genetics*. 2012;49(8):525-32.

Spurdle AB, Healey S, Devereau A, Hogervorst FBL, Monteiro ANA, Nathanson KL et al. ENIGMA--evidence-based network for the interpretation of germline mutant alleles: an international initiative to evaluate risk and clinical significance associated with sequence variation in BRCA1 and BRCA2 genes. *Human Mutation*. 2012;33(1):2-7.

Stevens KN, Wang X, Fredericksen Z, Pankratz VS, Greene MH, Andrulis IL et al. Evaluation of chromosome 6p22 as a breast cancer risk modifier locus in a follow-up study of BRCA2 mutation carriers. *Breast Cancer Research and Treatment*. 2012;136(1):295-302.

Swales N, Martens GA, Bonné S, Heremans Y, Borup R, Van de Castele M et al. Plasticity of adult human pancreatic duct cells by neurogenin3-mediated reprogramming. *PLoS One*. 2012;7(5):e37055.

Thomassen M, Blanco A, Montagna M, Hansen TVO, Pedersen IS, Gutiérrez-Enríquez S et al. Characterization of BRCA1 and BRCA2 splicing variants: a collaborative report by ENIGMA consortium members. *Breast Cancer Research and Treatment*. 2012;132(3):1009-23.

Wadt K, Andersen MK, Hansen TVO, Gerdes A-M. Ny genteknologisk diagnostik af familiær gastrointestinal stromal tumor. *Ugeskrift for Laeger*. 2012;174(21):1462-4.

Wadt K, Gerdes A-M, Hansen TVO, Toft BG, Friis-Hansen L, Andersen MK. Novel germline c-MET mutation in a family with hereditary papillary renal carcinoma. *Familial Cancer*. 2012;11(3):535-7.

Infektionshygiejnisk Enhed

Videnskabelige artikler

Malfertheiner P, Megraud F, O'Morain CA, Atherton J, Axon ATR, Bazzoli F et al. Management of Helicobacter pylori infection--the Maastricht IV/ Florence Consensus Report. Gut (English Edition). 2012;61(5):646-64.

Nielsen XC, Chen M, Hellesøe A-MB, Jeppesen PB, Gyldenlykke J, Tvede M et al. Etiology and epidemiology of catheter related bloodstream infections in patients receiving home parenteral nutrition in a gastromedical center at a tertiary hospital in denmark. The Open Microbiology Journal. 2012;6:98-101.

Klinisk Biokemisk Afdeling

Ph.d.-afhandlinger

Haase CL. APOA1, HDL cholesterol and ischemic heart disease. Faculty of Health Sciences, University of Copenhagen, 2012. 155 s.

Nielsen SE. New insights into the biology of two HDL modulating proteins - apolipoprotein M and endothelial lipase. Faculty of Health Sciences, University of Copenhagen, 2012. 150 s.

Schou J. Resequencing the ABCG1 gene to identify genetic variation affecting lipid and lipoprotein levels, risk of ischemic heart disease, mortality and type 2 diabetes in the general population. Faculty of Health Sciences, University of Copenhagen, 2012. 89 s.

Smith J. Natriuretic Peptide Measurement in Paediatric Cardiology. Faculty of Health Sciences, University of Copenhagen, 2012. 152 s.

Videnskabelige artikler

Emerging Risk Factors Collaboration, Tybjærg-Hansen A, Jørgensen T. Adult height and the risk of cause-specific death and vascular morbidity in 1 million people: individual participant meta-analysis. International Journal of Epidemiology. 2012;41(5):1419-33.

Alehagen U, Dahlström U, Carstensen J, Rehfeld JF, Gøtze JP. Combined measurement of copeptin, high-sensitivity troponin T, and N-terminal proBNP improves the identification of patients at risk of cardiovascular death. Cardiovascular Endocrinology. 2012;1(4):68-73.

Andersen SD, Liberti SE, Lützen A, Drost M, Bernstein I, Nilbert M et al. Functional characterization of MLH1 missense variants identified in lynch syndrome patients. Human Mutation. 2012;33(12):1647-55.

Balling L, Kistorp C, Schou M, Egstrup M, Gustafsson I, Gøtze JP et al. Plasma copeptin levels and prediction of outcome in heart failure outpatients: relation to hyponatremia and loop diuretic doses. Journal of Cardiac Failure. 2012;18(5):351-8.

Benn M, Tybjaerg-Hansen A, McCarthy MI, Jensen GB, Grande P, Nordestgaard BG. Nonfasting glucose, ischemic heart disease, and myocardial infarction: a Mendelian randomization study. American College of Cardiology. Journal. 2012;59(25):2356-65.

Benn M, Watts GF, Tybjaerg-Hansen A, Nordestgaard BG. Familial hypercholesterolemia in the danish general population: prevalence, coronary artery disease, and cholesterol-lowering medication. Journal of Clinical Endocrinology and Metabolism. 2012;97(11):3956-64.

Bentzen JG, Forman JL, Pinborg A, Lidegaard O, Larsen EC, Friis-Hansen L et al. Ovarian reserve parameters: a comparison between users and non-users of hormonal contraception. *Reproductive BioMedicine Online*. 2012;25(6):612-9.

Bernini F, Costet P, Ehrenborg E, Fisher R, Fielding B, Freeman D et al. European Lipoprotein Club: Report of the 34th ELC annual conference, Tutzing, 5-8 September 2011. *Atherosclerosis*. 2012;221:287-93.

Bækvad-Hansen M, Nordestgaard BG, Dahl M. Heterozygosity for E292V in ABCA3, lung function and COPD in 64,000 individuals. *Respiratory Research*. 2012;13:67.

Carlsen CM, Bay M, Kirk V, Gøtze JP, Køber L, Nielsen OW. Prevalence and prognosis of heart failure with preserved ejection fraction and elevated N-terminal pro brain natriuretic peptide: a 10-year analysis from the Copenhagen Hospital Heart Failure Study. *European Journal of Heart Failure*. 2012;14(3):240-7.

Christoffersen C, Benn M, Christensen PM, Gordts PLSM, Roebroek AJM, Frikke-Schmidt R et al. The plasma concentration of HDL-associated apoM is influenced by LDL receptor-mediated clearance of apoB-containing particles. *Journal of Lipid Research*. 2012;53(10):2198-204.

Christoffersen C, Nielsen LB. Apolipoprotein M - a new biomarker in sepsis. *Critical Care (Online Edition)*. 2012;16(3):126.

Di Angelantonio E, Gao P, Pennells L, Kaptoge S, Caslake M, Thompson A et al. Lipid-related markers and cardiovascular disease prediction. *JAMA: The Journal of the American Medical Association*. 2012;307(23):2499-506.

Egstrup M, Schou M, Tuxen CD, Kistorp CN, Hildebrandt PR, Gustafsson F et al. Prediction of outcome by highly sensitive troponin T in outpatients with chronic systolic left ventricular heart failure. *American Journal of Cardiology*. 2012;110(4):552-7.

Ekelund C, Wright D, Ball S, Kirkegaard I, Nørgaard P, Sørensen S et al. Prospective study evaluating performance of first-trimester combined screening for trisomy 21 using repeat sampling of maternal serum markers PAPP-A and free β-hCG. *Ultrasound in Obstetrics & Gynecology*. 2012;40(3):276-81.

Ellervik C, Tybjærg-Hansen A, Nordestgaard BG. Risk of cancer by transferrin saturation levels and haemochromatosis genotype: population-based study and meta-analysis. *Journal of Internal Medicine*. 2012;271(1):51-63.

Fjord-Larsen L, Kusk PH, Emerich DF, Thanos C, Torp M, Bintz B et al. Increased encapsulated cell biodelivery of nerve growth factor in the brain by transposon-mediated gene transfer. *Gene Therapy*. 2012;19(10):1010-7.

Goetze JP, Hunter I, Lippert SK, Bardram L, Rehfeld JF. Processing-independent analysis of peptide hormones and prohormones in plasma. *Frontiers in bioscience : a journal and virtual library*. 2012;17:1804-15.

Goetze JP. B-Type Natriuretic Peptide: From Posttranslational Processing to Clinical Measurement. *Clinical Chemistry (Washington, DC)*. 2012 jan;58(1).

Goetze JP, Jørgensen HL, Sennels HP, Fahrenkrug J. Diurnal Plasma Concentrations of Natriuretic Propeptides in Healthy Young Males. *Clinical Chemistry (Washington, DC)*. 2012;58(4):789-792.

Gordts PL, Bartelt A, Nilsson BS, Annaert W, Christoffersen C, Nielsen LB et al. Impaired LDL receptor-related protein 1 translocation correlates with improved dyslipidemia and atherosclerosis in apoE-deficient mice. *P L o S One*. 2012;7(6):e38330.

Gøtze JP. Defining cardiovascular endocrinology. *Cardiovascular Endocrinology*. 2012;1:2-3.

Gøtze JP, Hammarsten O. Copeptin: A new peptide in clinical measurement. *Klinisk Kemi i Norden*. 2012;1:22-31.

Hag AMF, Pedersen SF, Christoffersen C, Binderup T, Jensen MM, Jørgensen JT et al. (18)F-FDG PET imaging of murine atherosclerosis: association with gene expression of key molecular markers. *P L o S One*. 2012;7(11):e50908.

Hunter I, Goetze JP. Next generation natriuretic peptide measurement. *Advances in Clinical Chemistry*. 2012;58:45-8.

Husby S, Lind B, Goetze JP. Practical use of natriuretic peptide measurement: questionnaire results from general practitioners and cardiologists. *Biomarkers in Medicine*. 2012;6(1):13-8.

Hvelplund A, Galatius S, Madsen M, Sørensen R, Madsen JK, Iversen AZ et al. Significance of the invasive strategy after acute myocardial infarction on prognosis and secondary preventive medication: a nationwide study of 6364 women and 11,915 men. *Journal of Invasive Cardiology*. 2012;24(1):19-24.

Haase CL, Tybjærg-Hansen A, Ali Qayyum A, Schou J, Nordestgaard BG, Frikke-Schmidt R. LCAT, HDL Cholesterol and Ischemic Cardiovascular Disease: A Mendelian Randomization Study of HDL Cholesterol in 54,500 Individuals. *Journal of Clinical Endocrinology and Metabolism*. 2012 feb;E248-56.

Haase CL, Frikke-Schmidt R, Nordestgaard BG, Tybjærg-Hansen A. Population-Based Resequencing of APOA1 in 10,330 Individuals: Spectrum of Genetic Variation, Phenotype, and Comparison with Extreme Phenotype Approach. *P L o S Genetics (Online)*. 2012;8(11):e1003063.

Jacobsen SH, Olesen SC, Dirksen C, Jørgensen NB, Bojsen-Møller KN, Kielgast U et al. Changes in Gastrointestinal Hormone Responses, Insulin Sensitivity, and Beta-Cell

Function Within 2 Weeks After Gastric Bypass in Non-diabetic Subjects. *Obesity Surgery*. 2012 jan;22(7):1084-1096.

Johannsen TH, Frikke-Schmidt R, Schou J, Nordestgaard BG, Tybjærg-Hansen A. Genetic inhibition of CETP, ischemic vascular disease and mortality, and possible adverse effects. *American College of Cardiology. Journal*. 2012;60(20):2041-8.

Kaptoge S, Di Angelantonio E, Pennells L, Wood AM, White IR, Gao P et al. C-reactive protein, fibrinogen, and cardiovascular disease prediction. *New England Journal of Medicine*. 2012;367(14):1310-20.

Kilpeläinen L, Ivaska KK, Kuiri-Hänninen T, Väänänen HK, Rehfeld JF, Goetze JP et al. Urinary osteocalcin and serum pro-C-type natriuretic peptide predict linear catch-up growth in infants. *Journal of Bone and Mineral Research*. 2012;27(7):1528-35.

Kousholt BS, Larsen JKR, Bisgaard LS, Burnett Jr JC, Hasenkam JM, Gøtze JP. Natriuretic peptide infusion reduces myocardial injury during acute ischemia/reperfusion. *Cardiovascular Endocrinology*. 2012;1:4-12.

Lajer CB, Garnæs E, Friis-Hansen L, Norrild B, Therkildsen MH, Glud M et al. The role of miRNAs in human papilloma virus (HPV)-associated cancers: bridging between HPV-related head and neck cancer and cervical cancer. *B J C*. 2012;106(9):1526-34.

Lange P, Marott JL, Dahl M, Ingebrigtsen TS, Vestbo J, Nordestgaard BG. Substantial need for early diagnosis, rehabilitation and treatment of chronic obstructive pulmonary disease. *Danish Medical Journal*. 2012 apr;59(4):A4396.

Lange P, Marott JL, Vestbo J, Olsen KR, Ingebrigtsen TS, Dahl M et al. Prediction of the clinical course of chronic obstructive pulmonary disease, using the new GOLD classification: a study of the general population. *American Journal of Respiratory and Critical Care Medicine*. 2012;186(10):975-81.

Larsen S, Nielsen J, Hansen CN, Nielsen LB, Wibrand F, Stride NO et al. Biomarkers of mitochondrial content in skeletal muscle of healthy young human subjects. *Journal of Physiology*. 2012;590(Pt 14):3349-60.

Lauridsen BK. Månedens billede. *Ugeskrift for laeger*. 2012;174(39):2312.

Løkke A, Marott JL, Mortensen J, Nordestgaard BG, Dahl M, Lange P. New Danish reference values for spirometry. *Clinical Respiratory Journal*. 2012.

Madsen HN, Ekelund CK, Tørring N, Ovesen PG, Friis-Hansen L, Nielsen LR et al. Impact of type 1 diabetes and glycemic control on fetal aneuploidy biochemical markers. *Acta Obstetricia et Gynecologica Scandinavica*. 2012;91(1):57-61.

Mavaddat N, Barrowdale D, Andrulis IL, Domchek SM, Eccles D, Nevanlinna H et al. Pathology of Breast and Ovarian Cancers among BRCA1 and BRCA2 Mutation Carriers:

Results from the Consortium of Investigators of Modifiers of BRCA1/2 (CIMBA). *Cancer Epidemiology, Biomarkers & Prevention*. 2012;21(1):134-147.

Moller S, Mortensen C, Bendtsen F, Jensen LT, Gøtze JP, Madsen JL. Cardiac sympathetic imaging with mIBG in cirrhosis and portal hypertension: Relation to autonomic and cardiac function. *American Journal of Physiology: Gastrointestinal and Liver Physiology*. 2012;308(11):GL228-GL235.

Munk M, Memon AA, Goetze JP, Nielsen LB, Nexo E, Sorensen BS. Hypoxia changes the expression of the epidermal growth factor (EGF) system in human hearts and cultured cardiomyocytes. *P L o S One*. 2012;7(7):e40243.

Murabito JM, White CC, Kavousi M, Sun HY, Feitosa MF, Nambi V et al. Association Between Chromosome 9p21 Variants and the Ankle-Brachial Index Identified by a Meta-Analysis of 21 Genome-Wide Association Studies. *Circulation: Cardiovascular Genetics*. 2012;5:100-12

Nielsen SE, Ahnström J, Christoffersen C, Hoofnagle AN, Plomgaard P, Heinecke JW et al. Apolipoprotein M binds oxidized phospholipids and increases the antioxidant effect of HDL. *Atherosclerosis*. 2012 mar 1;221,1(91-97).

Nordestgaard BG, Palmer TM, Benn M, Zacho J, Tybjaerg-Hansen A, Davey Smith G et al. The effect of elevated body mass index on ischemic heart disease risk: causal estimates from a Mendelian randomisation approach. *P L o S Medicine (Online)*. 2012;9(5):e1001212.

Pedersen TX, Nielsen LB. A little+a little equals a lot-Does the combination of modest increases of liver inflammation and plasma cholesterol augment atherosclerosis?. *Atherosclerosis*. 2012;220(2):321-2.

Petersen M, Andersen JT, Jimenez-Solem E, Broedbaek K, Hjelvang BR, Henriksen T et al. The Effect of the Arg389Gly Beta-1 Adrenoceptor Polymorphism on Plasma Renin Activity and Heart Rate and the Genotype-Dependent Response to Metoprolol Treatment. *Clinical and Experimental Pharmacology & Physiology*. 2012;39(9):779-85

Plomgaard P, Halban PA, Bouzakri K. Bimodal impact of skeletal muscle on pancreatic β-cell function in health and disease. *Diabetes, Obesity and Metabolism*. 2012;14 Suppl 3:78-84.

Poitras P, Gingras M-H, Rehfeld JF. The Zollinger-Ellison syndrome: dangers and consequences of interrupting antisecretory treatment. *Clinical Gastroenterology and Hepatology*. 2012;10(2):199-202.

Emerging Risk Factors Collaboration, ATH, Tybjærg-Hansen A. A framework for quantifying net benefits of alternative prognostic models. *Statistics in Medicine*. 2012;31(2):114-30.

Rehfeld JF, Bardram L, Hilsted L, Poitras P, Goetze JP. Pitfalls in diagnostic gastrin measurements. *Clinical Chemistry (Washington, DC)*. 2012;58(5):831-6.

Rehfeld JF, Agersnap M. Unsulfated cholecystokinin: An overlooked hormone?. *Regulatory Peptides*. 2012;173(1-3):1-5.

Rehfeld JF. Beginnings: a reflection on the history of gastrointestinal endocrinology. *Regulatory Peptides*. 2012;177 Suppl:S1-5.

Rehfeld JF, Ericsson P. Supersensitive gastrin assay using antibodies raised against a cholecystokinin homolog. *Scandinavian Journal of Clinical and Laboratory Investigation*. 2012;72(2):175-9.

Sarwar N, Butterworth AS, Freitag DF, Gregson J, Willeit P, Gorman DN et al. Interleukin-6 receptor pathways in coronary heart disease: a collaborative meta-analysis of 82 studies. *Lancet*. 2012;379(9822):1205-13.

Schou J, Frikke-Schmidt R, Kardassis D, Thymiakou E, Nordestgaard BG, Jensen G et al. Genetic Variation in ABCG1 and Risk of Myocardial Infarction and Ischemic Heart Disease. *Arteriosclerosis, Thrombosis, and Vascular Biology*. 2012;506-15.

Schou J, Tybjærg-Hansen A, Møller HJ, Nordestgaard BG, Frikke-Schmidt R. ABC transporter genes and risk of type 2 diabetes: a study of 40,000 individuals from the general population. *Diabetes Care*. 2012;35(12):2600-6.

Schou JV, Larsen FO, Rasch L, Linnemann D, Langhoff J, Høgdall E et al. Induction chemotherapy with capecitabine and oxaliplatin followed by chemoradiotherapy before total mesorectal excision in patients with locally advanced rectal cancer. *Annals of Oncology*. 2012;23(10):2627-33.

Sennels HP, Jørgensen HL, Gøtze JP, Fahrenkrug J. Rhythmic 24-hour variations of frequently used clinical biochemical parameters in healthy young males - The Bispebjerg study of diurnal variations. *Scandinavian Journal of Clinical & Laboratory Investigation*. 2012;72(4):287-95.

Smith J, Goetze JP, Søndergaard L, Kjaergaard J, Iversen KK, Vejlstrup NG et al. Myocardial hypertrophy after pulmonary regurgitation and valve implantation in pigs. *International Journal of Cardiology*. 2012;159(1):29-33.

Smith FA, Howard P, Shah S, Eriksson P, Stender S, Giambartolomei C et al. Use of allele-specific FAIRE to determine functional regulatory polymorphism using large-scale genotyping arrays. *PLOS Genetics (Online)*. 2012;8(8):e1002908.

Steiner C, Holleboom AG, Karuna R, Motazacker MM, Kuivenhoven JA, Frikke-Schmidt R et al. Lipoprotein distribution and serum concentrations of 7α-hydroxy-4-cholesteno-3-one and bile acids: effects of monogenic disturbances in high-density lipoprotein metabolism. *Clinical Science*. 2012;122(8):385-96.

Terciz D, Johansson-Fällgren AS, Ragnarsson O, Götze JP, Hammarsten O. Evaluation of a Sensitive Copeptin Assay for Clinical Measurement. *The Open Clinical Chemistry Journal*. 2012;5:21-26.

Thomsen M, Dahl M, Lange P, Vestbo J, Nordestgaard BG. Inflammatory biomarkers and comorbidities in chronic obstructive pulmonary disease. *American Journal of Respiratory and Critical Care Medicine*. 2012;186(10):982-8.

Thomsen M, Dahl M, Tybjærg-Hansen A, Nordestgaard BG. β 2-adrenergic receptor Thr164Ile polymorphism, obesity, and diabetes: comparison with FTO, MC4R, and TMEM18 polymorphisms in more than 64,000 individuals. *Journal of Clinical Endocrinology and Metabolism*. 2012;97(6):E1074-9.

Thomsen M, Dahl M, Tybjærg-Hansen A, Nordestgaard BG. β (2) -adrenergic receptor Thr164Ile polymorphism, blood pressure and ischaemic heart disease in 66 750 individuals. *Journal of Internal Medicine*. 2012;271(3):305-14.

Thomsen M, Nordestgaard BG, Sethi AA, Tybjærg-Hansen A, Dahl M. β 2-Adrenergic receptor polymorphisms, asthma and COPD: two large population-based studies. *European Respiratory Journal*. 2012;39(3):558-66

Toft N, Jensen C, Tvede M, Andersen CB, Carlsen J, Iversen M. Use of prophylactic voriconazole for three months after lung transplantation does not reduce infection with Aspergillus: a retrospective study of 147 patients. *Scandinavian Journal of Infectious Diseases*. 2012;44(11):835-41.

Tybjærg-Hansen A, Kamstrup PR, Nordestgaard BG. Genetic evidence that lipoprotein(a) associates with atherosclerotic stenosis rather than venous thrombosis. *Arteriosclerosis, Thrombosis, and Vascular Biology*. 2012;32(7):1732-41.

Voight BF, Peloso GM, Orho-Melander M, Frikke-Schmidt R, Barbalic M, Jensen MK et al. Plasma HDL cholesterol and risk of myocardial infarction: a mendelian randomisation study. *Lancet*. 2012;380(9841):572-80.

Wassel CL, Lamina C, Nambi V, Coassini S, Mukamal KJ, Ganesh SK et al. Genetic determinants of the ankle-brachial index: a meta-analysis of a cardiovascular candidate gene 50K SNP panel in the candidate gene association resource (CARe) consortium. *Atherosclerosis*. 2012;222(1):138-47.

Weischer M, Bojesen SE, Cawthon RM, Freiberg JJ, Tybjærg-Hansen A, Nordestgaard BG. Short Telomere Length, Myocardial Infarction, Ischemic Heart Disease, and Early Death. *Arteriosclerosis, Thrombosis, and Vascular Biology*. 2012;32:822-29

Wieringa G, Zerah S, Jansen R, Simundic A-M, Queralto J, Solnica B et al. The EC4 European syllabus for post-graduate training in clinical chemistry and laboratory medicine: version 4--2012. *Clinical Chemistry and Laboratory Medicine*. 2012;50(8):1317-28.

Yao X, Dai C, Fredriksson K, Lam J, Gao M, Keeran KJ et al. Human apolipoprotein E genotypes differentially modify house dust mite-induced airway disease in mice. American Journal of Physiology: Lung Cellular and Molecular Physiology. 2012;302(2):L206-15.

Formidling

Bidrag til bog/antologi

Rehfeld JF. Peptide hormones in the gastrointestinal tract. Simon MI, Abelson J, red. I: Peptide hormones in the gastrointestinal tract. Elsevier Science. 2012.

Kapitler i bøger

Hilsted LM. Blodprøvetagning med brug af PDA. Klinisk Kemi i Norden. 2012;24(4):18-20.

Hilsted LM. Status og perspektivering af speciallægeuddannelsen i Danmark - nu med klinisk Biokemi!. Klinisk Kemi i Norden. 2012;24(4):4-7.

Hilsted LM. Speciallægeuddannelsen - Status og perspektivering: Sundhedsstyrelsen har februar 2012 udgivet en rapport om speciallægeuddannelsen. I: Speciallægeuddannelsen - Status og perspektivering. Sundhedsstyrelsen. 2012.

Klinik for Klinisk Fysiologi, Nuklearmedicin & PET

Disputatser og ph.d.-afhandlinger

Due AK. Recurrence location after definitive (chemo)radiation therapy for head and neck squamos cell carcinoma in relation to clinical target volumes and (18F)-FDG uptake. Eget Forlag, 2012.

Fischer BM. PET/CT scanning for diagnosing and staging patients with non-small cell lung cancer. Ugeskrift for Læger, 2012.

Grüner JM. Physiologic imaging for the characterization of brain tumours. Eget Forlag, 2012.

Hollensen C. Planning and Evaluation of Radio-Therapeutic Treatment of Head-and-Neck Cancer Using PET/CT. Eget Forlag, 2012.

Videnskabelige artikler

Andersen KH, Iversen M, Kjaergaard J, Mortensen J, Nielsen-Kudsk JE, Bendstrup E et al. Prevalence, predictors, and survival in pulmonary hypertension related to end-stage chronic obstructive pulmonary disease. *Journal of Heart and Lung Transplantation*. 2012;31(4):373-80.

Andersson H, Atharovsky KA, Christensen TE, Bang LE, Holmvang L, Engstrøm T et al. How to distinguish takotsubo cardiomyopathy from acute myocardial infarction using multimodal cardiac imaging. *International Journal of Cardiology*. 2012;159(1):73-4.

Balyasnikova S, Löfgren J, de Nijs R, Zamogilnaya Y, Højgaard L, Fischer BM. PET/MR in oncology: an introduction with focus on MR and future perspectives for hybrid imaging. *American journal of nuclear medicine and molecular imaging*. 2012;2(4):458-74.

Belmaati EO, Iversen M, Kofoed KF, Nielsen MB, Mortensen J. Scintigraphy at 3 months after single lung transplantation and observations of primary graft dysfunction and lung function. *Interactive Cardiovascular and Thoracic Surgery*. 2012;14(6):792-6.

Belmaati EO, Steffensen I, Jensen CV, Kofoed KF, Mortensen J, Nielsen MB et al. Radiological patterns of primary graft dysfunction after lung transplantation evaluated by 64-multi-slice computed tomography: a descriptive study. *Interactive Cardiovascular and Thoracic Surgery*. 2012;14(6):785-91.

Bernsdorff M, Berthelsen AK, Timmermans-Wielenga V, Kroman N, Teilum D, Binderup T et al. Preoperative PET/CT in early-stage breast cancer. *Annals of Oncology*. 2012;23(9):2277-82.

Blinkenberg M, Mathiesen HK, Tscherning T, Jønsson A, Svarer C, Holm S et al. Cerebral metabolism, magnetic resonance spectroscopy and cognitive dysfunction in early multiple sclerosis: an exploratory study. *Neurological Research*. 2012 Jan;34(1):52-8.

Borgwardt HG, Mortensen J, Kristoffersen US, Kjær A. Kombineret ventilations/perfusions-SPECT/CT er bedst til diagnostik af lungeemboli. *Ugeskrift for Laeger*. 2012;174(6):334-6.

Brodin NP, Vogelius IS, Maraldo MV, Munck Af Rosenschöld P, Aznar MC, Berthelsen AK et al. Life years lost-comparing potentially fatal late complications after radiotherapy for pediatric medulloblastoma on a common scale. *Cancer*. 2012;118:5432-5440.

Cederkrantz E, Angenete E, Bäck T, Falk P, Haraldsson B, Ivarsson M-L et al. Evaluation of effects on the peritoneum after intraperitoneal α -radioimmunotherapy with (211)At. *Cancer Biotherapy & Radiopharmaceuticals*. 2012;27(6):353-64.

Chouin N, Lindegren S, Jensen H, Albertsson P, Bäck T. Quantification of activity by alpha-camera imaging and small-scale dosimetry within ovarian carcinoma micrometastases treated with targeted alpha therapy. *Quarterly Journal of Nuclear Medicine and Molecular Imaging*. 2012;56(6):487-95.

Christensen TE, Ahtarovski KA, Andersson H, Vejlstrup N, Ihlemann N, Kjaer A et al. Takotsubo-cardiomyopathy: a case of extremely fast recovery described by multimodality cardiac imaging. *Journal of Nuclear Cardiology*. 2012;19(6):1240-2.

Christensen C, Borgwardt L, Loft A, Berthelsen AK. PET/CT-Radiotherapy Planning - children. Chapter in Technologist Guide, EANM 2012. I: PET/CT-Radiotherapy Planning. 2012.

Clemmensen C, Aznar S, Knudsen GM, Klein AB. The microtubule-associated protein 1A (MAP1A) is an early molecular target of soluble A β -peptide. *Cellular & Molecular Neurobiology*. 2012;32(4):561-6.

Crandall CG, Wilson TE, Marving J, Bundgaard-Nielsen M, Seifert T, Klausen T et al. Colloid volume loading does not mitigate decreases in central blood volume during simulated hemorrhage while heat stressed. *Journal of Physiology*. 2012;1287-97.

Dickson JC, Tossici-Bolt L, Sera T, de Nijs R, Booij J, Bagnara MC et al. Proposal for the standardisation of multi-centre trials in nuclear medicine imaging: prerequisites for a European 123I-FP-CIT SPECT database. *European Journal of Nuclear Medicine and Molecular Imaging*. 2012;39(1):188-97.

Due AK, Vogelius IR, Aznar MC, Bentzen SM, Berthelsen AK, Korreman SS et al. Methods for estimating the site of origin of locoregional recurrence in head and neck

squamous cell carcinoma. Strahlentherapie und Onkologie : Organ der Deutschen Röntgengesellschaft ... [et al]. 2012;188(8):671-6.

Eckardt R, Kjeldsen BJ, Johansen A, Grupe P, Haghfelt T, Thayssen P et al. Can preoperative myocardial perfusion scintigraphy predict changes in left ventricular perfusion and function after coronary artery bypass graft surgery?. Interactive Cardiovascular and Thoracic Surgery. 2012;14(6):779-84.

El-Ali HH, Bodholdt RP, Jørgensen JT, Myschetzky R, Kjær A. Importance of Attenuation Correction (AC) for Small Animal PET imaging. Diagnostics. 2012;2(4):42-51.

El-Ali HH, Eckerwall M, Skovgaard D, Larsson E, Strand S-E, Kjær A. The Combination of In vivo ¹²⁴I-PET and CT Small Animal Imaging for Evaluation of Thyroid Physiology and Dosimetry. Diagnostics. 2012;2(2):10-22.

El-Galaly TC, Mylam KJ, Brown P, Specht L, Christiansen I, Munksgaard L et al. PET/CT surveillance in patients with Hodgkin lymphoma in first remission is associated with low positive predictive value and high costs. Haematologica. 2012;2012;97(6):931-6.

El-Galaly TC, d'Amore F, Mylam KJ, de Nully Brown P, Bøgsted M, Bukh A et al. Routine Bone Marrow Biopsy Has Little or No Therapeutic Consequence for Positron Emission Tomography/Computed Tomography-Staged Treatment-Naive Patients With Hodgkin Lymphoma. Journal of Clinical Oncology. 2012;30(36):4508-14.

Fischer BM, Højgaard L. PET/MR-skanning. Ugeskrift for Laeger. 2012;174(12):787.

Fischer BM, Mortensen J. The role of positron emission tomography for evaluation of lung nodules and staging lung cancer. Current Respiratory Care Reports. 2012;1(1):30-39.

Fisher PM, Holst K, Mahon BM, Haahr M, Madsen K, Gillings N et al. 5-HTTLPR status predictive of neocortical 5-HT₄ binding assessed with [¹¹C]SB207145 PET in humans. NeuroImage. 2012;62(2):130-136.

Franklin SS, Thijs L, Hansen TW, Li Y, Boggia J, Kikuya M et al. Significance of white-coat hypertension in older persons with isolated systolic hypertension: a meta-analysis using the International Database on Ambulatory Blood Pressure Monitoring in Relation to Cardiovascular Outcomes population. Hypertension. 2012;59(3):564-71.

Frederiksen KS, Hasselbalch S, Hejl A-M, Law I, Højgaard L, Waldemar G. Added Diagnostic Value of ¹¹C-PiB-PET in Memory Clinic Patients with Uncertain Diagnosis. Dementia and Geriatric Cognitive Disorders Extra. 2012;2:610-621.

Fuglø HM, Jørgensen SM, Loft A, Hovgaard D, Petersen MM. The diagnostic and prognostic value of ¹⁸F-FDG PET/CT in the initial assessment of high-grade bone and soft tissue sarcoma. A retrospective study of 89 patients. European Journal of Nuclear Medicine and Molecular Imaging. 2012;39(9):1416-24.

Grüner JM, Paamand RT, Kosteljanetz M, Broholm H, Højgaard L, Law I. Brain perfusion CT compared with $^{15}\text{O}-\text{H}_2\text{O}$ PET in patients with primary brain tumours. European Journal of Nuclear Medicine and Molecular Imaging. 2012;39(11):1691-701.

Gustafsson AME, Bäck T, Elgqvist J, Jacobsson L, Hultborn R, Albertsson P et al. Comparison of therapeutic efficacy and biodistribution of ^{213}Bi - and ^{211}At -labeled monoclonal antibody MX35 in an ovarian cancer model. Nuclear Medicine and Biology. 2012;39(1):15-22.

Hag AMF, Pedersen SF, Christoffersen C, Binderup T, Jensen MM, Jørgensen JT et al. $(^{18}\text{F})\text{-FDG}$ PET imaging of murine atherosclerosis: association with gene expression of key molecular markers. PLoS One. 2012;7(11):e50908.

Hall H, Takahashi K, Erlandsson M, Estrada S, Razifar P, Bergström E et al. Pharmacological characterization of ^{18}F -labeled vorozole analogs. Journal of Labelled Compounds and Radiopharmaceuticals. 2012;55(14):484-490.

Hansen AE, Kristensen AT, Jørgensen JT, McEvoy F, Busk M, van der Kogel AJ et al. $(^{64}\text{Cu})\text{-ATSM}$ and $(^{18}\text{F})\text{-FDG}$ PET uptake and $(^{64}\text{Cu})\text{-ATSM}$ autoradiography in spontaneous canine tumors: comparison with pimonidazole hypoxia immunohistochemistry. Radiation Oncology. 2012;7:89.

Hansen A, Kristensen AT, Law I, McEvoy F, Kjær A, Engelholm SA. Multimodality functional imaging of spontaneous canine tumors using $(^{64}\text{Cu})\text{-ATSM}$ and $(^{18}\text{F})\text{-FDG}$ PET/CT and dynamic contrast enhanced perfusion CT. Radiotherapy & Oncology. 2012;102(3):424-28.

Hansen AE, Keller SH, Löfgren J, Holm S. Første erfaringer fra Rigshospitalet med en kombineret PET/MR skanner. Medicinsk Teknologi & Informatik. 2012;9(3):9-10.

Hasbak P, Kjær A, Skovgaard DC, Bang LE, Grande P, Holmvang L. Preserved myocardial blood flow in the apical region involved in takotsubo cardiomyopathy by quantitative cardiac PET assessment. Journal of Nuclear Cardiology. 2012;19(1):169-71.

Hendriksen KV, Jensen TJ, Oturai P, Feldt-Rasmussen B. Effects of insulin detemir and NPH insulin on renal handling of sodium, fluid retention and weight in type 2 diabetic patients. Diabetologia Croatica. 2012;55(1):46-50.

Henriksen OM, Larsson HBW, Hansen AE, Grüner JM, Law I, Rostrup E. Estimation of intersubject variability of cerebral blood flow measurements using MRI and positron emission tomography. Journal of Magnetic Resonance Imaging. 2012;35(6):1290-99

Herth MM, Kramer V, Gillings N, Rösch F, Knudsen GM. Direct radiofluorination of $[^{18}\text{F}]$ MH.MZ for 5-HT_{2A} receptor molecular imaging with PET. Journal of Labelled Compounds and Radiopharmaceuticals. 2012;55(9):354-358.

Herth MM, Hansen HD, Ettrup A, Dyssegard A, Lehel S, Kristensen JL et al. Synthesis and evaluation of [¹¹C]Cimbi-806 as a potential PET ligand for 5-HT₂ receptor imaging. *Bioorganic & Medicinal Chemistry*. 2012;20(14):4574-81.

Hesse B, Vinberg N, Berthelsen AK, Ballinger JR. Adverse events in nuclear medicine - cause for concern?. *European Journal of Nuclear Medicine and Molecular Imaging*. 2012;39(5):782-785.

Hilberg O, Andersen C, Henning O, Lundby T, Mortensen J, Bendstrup E. Remarkably efficient inhaled antifungal monotherapy for invasive pulmonary aspergillosis. *European Respiratory Journal*. 2012;40(1):271-3.

Hollensen C, Cannon G, Cannon D, Bentzen S, Larsen R. Lung Tumor Segmentation Using Electric Flow Lines for Graph Cuts. I: Lecture Notes in Computer Science, Image Analysis and Recognition. 2012. s. 206-213.

Højgaard L. Tiden lige nu: Paradigmerne skifter. *Ugeskrift for Laeger*. 2012;174(5):300.

Højgaard L. The Human Brain: from cells to society. I: (SCSS/SCH lead). EMRC. 2012.

Højgaard L. Open Access in Biomedical Research. I: Science Policy Briefing No. 47. EMRC. 2012.

Højgaard L. Personalised Medicine for the European Citizen (iPM). I: Forward Look Report. EMRC. 2012.

Højgaard L. Implementation of Medical Research in Clinical Practice. I: ESF Science Policy Briefing No. 46. EMRC. 2012.

Højgaard L. Medical Research Education in Europe. I: Science Policy Briefing No. 46. EMRC. 2012.

Højgaard L. Pan-European Clinical Trials (ECT). I: EUROCORES Final Report. EMRC. 2012.

Højgaard L. Proposal for a revision of the "Clinical Trials Directive" (2011/20/EC) and other recommendations to facilitate clinical trials. I: ESF-EMRC Position paper. EMRC. 2012.

Haahr ME, Rasmussen PM, Madsen K, Marner L, Ratner C, Gillings N et al. Obesity is associated with high serotonin 4 receptor availability in the brain reward circuitry. *NeuroImage*. 2012 jul 16;61(4):884-8.

James ML, Shen B, Zavaleta CL, Nielsen CH, Mesangeau C, Vuppala PK et al. New positron emission tomography (PET) radioligand for imaging σ-1 receptors in living subjects. *Journal of Medicinal Chemistry Letters*. 2012;55(19):8272-82.

Jensen ATI, Binderup T, Andresen TL, Kjær A, Rasmussen P. PET imaging of liposomes labeled with an [^{18}F]-fluorocholesteryl ether probe prepared by automated radiosynthesis. *Journal of Liposome Research*. 2012;22(4):295-305.

Jeppesen JL, Nielsen SJ, Torp-Pedersen C, Hansen TW, Olsen MH, Berg ND et al. Genetic Variation in the Natriuretic Peptide System, Circulating Natriuretic Peptide Levels, and Blood Pressure: An Ambulatory Blood Pressure Study. *American Journal of Hypertension*. 2012;25(10):1095-1100.

Jeppesen J, Berg ND, Torp-Pedersen C, Hansen TW, Linneberg A, Fenger M. Fibrillin-1 genotype and risk of prevalent hypertension: A study in two independent populations. *Blood Pressure*. 2012; 21(5):273-280 .

Jørgensen A, Law I, Nielsen S, Jørgensen MB. Fluorodeoxyglucose positron emission tomography in juvenile systemic lupus erythematosus with psychiatric manifestations: relation to psychopathology and treatment response in two cases. *Rheumatology*. 2012;51(1):193-5.

Kamstrup MR, Lindahl LM, Gniadecki R, Iversen L, Skov L, Petersen PM et al. Low-Dose Total Skin Electron Beam Therapy as a Debulking Agent for Cutaneous T-Cell Lymphoma: An open-label prospective phase II study. *British Journal of Dermatology*. 2012 jan;166(2):399-404.

Keller SH, Hansen AE, Beyer T, Andersen F, Klausen TL, Löfgren J et al. Evaluation of PET Image Quality and Distortions in Simultaneous Clinical PET/MR. 2012. Paper presented at IEEE Nuclear Science Symsposium Conference Record (MIC), .

Keller SH, Sibomana M, Olesen OV, Svarer C, Holm S, Andersen FL et al. Methods for motion correction evaluation using ^{18}F -FDG human brain scans on a high-resolution PET scanner. *Journal of Nuclear Medicine*. 2012;53(3):495-504.

Kjær A, Opfinder. Entrapment of radionuclides in nanoparticle compositions. 2012079582. jun 22, 2012.

Knudsen A, Kristoffersen US, Kjær A, Lebech A-M. Cardiovascular Disease in Patients With HIV. *Future Virology*. 2012;7(4):413-423.

Kristoffersen US, Lebech A-M, Mortensen J, Gerstoft J, Borgwardt HG, Kjaer A. Changes in lung function of HIV-infected patients: a 4.5-year follow-up study. *Clinical Physiology and Functional Imaging*. 2012;32(4):288-95.

Lagerburg V, de Nijs R, Holm S, Svarer C. A comparison of different energy window subtraction methods to correct for scatter and downscatter in I-123 SPECT imaging. *Nuclear Medicine Communications*. 2012;33(7):708-18.

Levin Klausen T, Høgild Keller S, Vinter Olesen O, Aznar M, Andersen FL. Innovations in PET/CT. *Quarterly Journal of Nuclear Medicine and Molecular Imaging*. 2012;56(3):268-79.

Lund PE, Sangild PT, Aunsholt L, Hartmann B, Holst J, Mortensen J et al. Randomised controlled trial of colostrum to improve intestinal function in patients with short bowel syndrome. European Journal of Clinical Nutrition. 2012;66(9):1059-65.

Madsen K, Hasselbalch J, Frederiksen KS, Haahr ME, Gade A, Law I et al. Lack of association between prior depressive episodes and cerebral [(11)C]PiB binding. Neurobiology of Aging. 2012;33(12):2334-2342.

Milman N, Graudal N, Loft A, Mortensen J, Larsen J, Baslund B. Effect of the TNF- α inhibitor adalimumab in patients with recalcitrant sarcoidosis: a prospective observational study using FDG-PET. Clinical Respiratory Journal. 2012;6(4):238-247.

Moller AKH, Loft A, Berthelsen AK, Pedersen KD, Graff J, Christensen C et al. A Prospective Comparison of 18F-FDG PET/CT and CT as Diagnostic Tools to Identify the Primary Tumor Site in Patients with Extracervical Carcinoma of Unknown Primary Site. Oncologist. 2012;17:1146-1154.

Munk Jensen M, Erichsen KD, Björkling F, Madsen J, Jensen PB, Sehested M et al. [18F]FLT PET for Non-Invasive Assessment of Tumor Sensitivity to Chemotherapy: Studies with Experimental Chemotherapy TP202377 in Human Cancer Xenografts in Mice. PLoS One. 2012;7(11):e50618.

Nalla A, Buch I, Sigvardt M, Bodholdt RP, Kjaer A, Hesse B. (111)Indium Labelling of Recombinant Activated Coagulation Factor VII: In Vitro and Preliminary In Vivo Studies in Healthy Rats. International Journal of Molecular Imaging. 2012;2012:464810.

Olesen OV, Paulsen R, Højgaard L, Roed B, Larsen R. Motion tracking for medical imaging: a nonvisible structured light tracking approach. IEEE Transactions on Medical Imaging. 2012;31(1):79-87.

Olesen OV, Paulsen RR, Jensen RR, Keller SH, Sibomana M, Højgaard L et al. 3D Surface Realignment Tracking for Medical Imaging: A Phantom Study with PET Motion Correction. Image-based Geometric Modeling and Mesh Generation. 2012;3:11-19.

Olsen IH, Langer SW, Jepsen I, Assens M, Federspiel B, Hasselby JP et al. First-line treatment of patients with disseminated poorly differentiated neuroendocrine carcinomas with carboplatin, etoposide, and vincristine: a single institution experience. Acta Oncologica. 2012;51(1):97-100.

Olsen IH, Sørensen JB, Federspiel B, Kjaer A, Hansen CP, Knigge U et al. Temozolomide as second or third line treatment of patients with neuroendocrine carcinomas. Scientific World Journal. 2012;2012:170496.

Oxboel J, Schjoeth-Eskesen C, El-Ali HH, Madsen J, Kjaer A. (64)Cu-NODAGA-c(RGDyK) Is a Promising New Angiogenesis PET Tracer: Correlation between Tumor Uptake and Integrin $\alpha(V)\beta(3)$ Expression in Human Neuroendocrine Tumor Xenografts. International Journal of Molecular Imaging. 2012;2012:379807.

Pedersen TI, Roed C, Knudsen LS, Loft A, Skinhøj P, Poulsen SD. Fever of unknown origin: A retrospective study of 52 cases with evaluation of the diagnostic utility of FDG-PET/CT. Scandinavian Journal of Infectious Diseases. 2012 jan;44(1):18-23.

Pedersen SF, Graebe M, Hag AMF, Hoejgaard L, Sillesen H, Kjaer A. Microvessel Density But Not Neoangiogenesis Is Associated with (18)F-FDG Uptake in Human Atherosclerotic Carotid Plaques. Molecular Imaging and Biology. 2012;14(3):384-392.

Persson M, Madsen J, Østergaard S, Jensen MM, Jørgensen JT, Juhl K et al. Quantitative PET of human urokinase-type plasminogen activator receptor with 64Cu-DOTA-AE105: implications for visualizing cancer invasion. Journal of nuclear medicine : official publication, Society of Nuclear Medicine. 2012;53(1):138-45.

Persson M, Madsen J, Ostergaard S, Ploug M, Kjaer A. (68)Ga-labeling and in vivo evaluation of a uPAR binding DOTA- and NODAGA-conjugated peptide for PET imaging of invasive cancers. Nuclear Medicine and Biology. 2012;39(4):560-569.

Persson M, Rasmussen PD, Madsen J, Ploug M, Kjaer A. New peptide receptor radionuclide therapy of invasive cancer cells: in vivo studies using 177Lu-DOTA-AE105 targeting uPAR in human colorectal cancer xenografts. Nuclear Medicine and Biology. 2012;39(7):962-9.

Persson M, Madsen J, Østergaard S, Jensen MM, Jørgensen JT, Juhl K et al. Quantitative PET Imaging of Human uPAR with 64CU-DOTA-AE105: Implications for visualizing Cancer Invasion. Journal of Nuclear Medicine. 2012;53:1-8.

Persson GF, Nygaard DE, Hollensen C, Munck af Rosenschöld P, Mouritsen LS, Due AK et al. Interobserver delineation variation in lung tumour stereotactic body radiotherapy. British Journal of Radiology. 2012;85(1017):e654-60.

Petersen AL, Binderup T, Jølck RI, Rasmussen PD, Henriksen JR, Pfeifer AK et al. Positron emission tomography evaluation of somatostatin receptor targeted (64)Cu-TATE-liposomes in a human neuroendocrine carcinoma mouse model. Journal of Controlled Release. 2012;160(2):254-63.

Pfeifer A, Knigge U, Mortensen J, Oturai P, Berthelsen AK, Loft A et al. Clinical PET of neuroendocrine tumors using 64Cu-DOTATATE: first-in-humans study. Journal of Nuclear Medicine. 2012;53(8):1207-15.

Pinborg LH, Feng L, Haahr ME, Gillings N, Dyssegaard A, Madsen J et al. No change in [¹¹C]CUMI-101 binding to 5-HT(1A) receptors after intravenous citalopram in human. Synapse (New York). 2012 okt;66(10):880-4.

Reinhard H, Hansen PR, Wiinberg N, Kjær A, Petersen CL, Winther K et al. NT-proBNP, echocardiographic abnormalities and subclinical coronary artery disease in high risk type 2 diabetic patients. Cardiovascular Diabetology. 2012;11:19.

Reverte I, Klein AB, Ratner C, Domingo JL, Colomina MT. Behavioral phenotype and BDNF differences related to apoE isoforms and sex in young transgenic mice. *Experimental Neurology*. 2012;237(1):116-25.

Risum S, Loft A, Engelholm SA, Høgdall E, Berthelsen AK, Nedergaard L et al. Positron emission tomography/computed tomography predictors of overall survival in stage IIIC/IV ovarian cancer. *International Journal of Gynecological Cancer*. 2012;22(7):1163-9.

Roed T, Lebech A-M, Kjaer A, Weis N. Hepatitis C virus infection and risk of coronary artery disease: a systematic review of the literature. *Clinical Physiology and Functional Imaging*. 2012;32(6):421-30.

Saghir Z, Dirksen A, Ashraf H, Bach KS, Brodersen J, Clementsen PF et al. CT screening for lung cancer brings forward early disease. The randomised Danish Lung Cancer Screening Trial: status after five annual screening rounds with low-dose CT. *Thorax*. 2012;67(4):296-301

Schäfer K, Blankenburg F, Kupers R, Grüner JM, Law I, Lauritzen M et al. Negative BOLD signal changes in ipsilateral primary somatosensory cortex are associated with perfusion decreases and behavioral evidence for functional inhibition. *NeuroImage*. 2012;59(4):3119-27.

Sehestedt T, Jeppesen J, Hansen TW, Rasmussen S, Wachtell K, Ibsen H et al. Can ambulatory blood pressure measurements substitute assessment of subclinical cardiovascular damage?. *Journal of Hypertension*. 2012;30(3):513-521.

Sehestedt T, Jeppesen J, Hansen TW, Rasmussen S, Wachtell K, Ibsen H et al. Thresholds for pulse wave velocity, urine albumin creatinine ratio and left ventricular mass index using SCORE, Framingham and ESH/ESC risk charts. *Journal of Hypertension*. 2012;30(10):1928-36.

Selmer C, Olesen JB, Hansen ML, Lindhardsen J, Olsen A-MS, Madsen JC et al. The spectrum of thyroid disease and risk of new onset atrial fibrillation: a large population cohort study. *B M J (Online)*. 2012;345:e7895.

Serup-Hansen E, Hendel HW, Johannessen HH, Ottoson W, Hollensen C, Persson GBF et al. Variation in gross tumor volume delineation using CT, MRI, and FDG-PET in planning radiotherapy of anal cancer. *Journal of Clinical Oncology*. 2012;30(S4):652.

Skovgaard DC, Kjaer A, Heinemeier KM, Brandt-Larsen M, Madsen J, Kjaer M. Use of cis-[¹⁸F]fluoro-proline for assessment of exercise-related collagen synthesis in musculoskeletal connective tissue. *P L o S One*. 2012;6(2):827-36.

Suetta C, Frandsen U, Jensen L, Jensen MM, Jespersen JG, Hvid LG et al. Aging affects the transcriptional regulation of human skeletal muscle disuse atrophy. *P L o S One*. 2012;7(12):e51238.

Sveistrup J, Loft A, Berthelsen AK, Henriksen BM, Nielsen MB, Engelholm SA. Positron Emission Tomography/Computed Tomography in the Staging and Treatment of Anal Cancer. International Journal of Radiation: Oncology - Biology - Physics. 2012;83(1):134-41.

Thomsen HS, Højgaard L, Frøkiær J, Karstoft J. Billeddiagnostik. Thomsen HS, Dziegel MH, Hellebek A, Højgaard L, Nordestgaard B, Poulsen HE, Schrøder HD, Skovby F, Westh H, red. I: Basisbog i Diagnostiske Fag. København. 2012.

Thomsen HS, Dziegel MH, Hellebek A, Højgaard L, Nordestgaard BG, Poulsen HE et al, red. Basisbog i Diagnostiske Fag. København, 2012.

Wiis Vogelsang T, Marving J, G. Crandall C, Wilson C, C. Yoshiga C, Secher NH et al. Atrial Natriuretic Peptide and Acute Changes in Central Blood Volume by Hyperthermia in Healthy Humans. The Open Neuroendocrinology Journal. 2012;5:1-4.

Klinisk Immunologisk Afdeling

Videnskabelige artikler

Ala F, Allain J-P, Bates I, Boukef K, Boulton F, Brandful J et al. External financial aid to blood transfusion services in sub-Saharan Africa: a need for reflection. *P L o S Medicine (Online)*. 2012;9(9):e1001309.

Bentzer P, Thomas OD, Westborg J, Johansson PI, Schött U. The volume-expanding effects of autologous liquid stored plasma following hemorrhage. *Scandinavian Journal of Clinical and Laboratory Investigation*. 2012;72(6):490-4.

Breindahl M, Rieneck K, Nielsen CH, Justesen T, Bendtzen K, Müller KG. Cytokine responses in infants infected with respiratory syncytial virus. *Open Journal of immunology*. 2012;2(1):40-48.

Cheng S-C, Sprong T, Joosten LAB, van der Meer JWM, Kullberg B-J, Hube B et al. Complement plays a central role in *Candida albicans*-induced cytokine production by human PBMCs. *Central-European Journal of Immunology*. 2012;42(4):993-1004.

Clausen FB, Christiansen M, Steffensen RN, Jørgensen SN, Nielsen C, Jakobsen MA et al. Report of the first nationally implemented clinical routine screening for fetal RHD in D-pregnant women to ascertain the requirement for antenatal RhD prophylaxis. *Transfusion*. 2012;52(4):752-8.

Damkjaer MB, Perslev A, Clausen FB, Dziegiej MH, Jørgensen FS. Study of compliance with a new, targeted antenatal D immunization prevention programme in Denmark. *Vox Sanguinis*. 2012;103(2):145-9.

Doni A, Garlanda C, Bottazzi B, Meri S, Garred P, Mantovani A. Interactions of the humoral pattern recognition molecule PTX3 with the complement system. *Immunobiology*. 2012;217(11):1122-8.

Ganio MS, Overgaard M, Seifert T, Secher NH, Johansson PI, Meyer M et al. Effect of heat stress on cardiac output and systemic vascular conductance during simulated hemorrhage to presyncope in young men. *American Journal of Physiology: Heart and Circulatory Physiology*. 2012;302(8):H1756-61.

Genét GF, Ostrowski SR, Sørensen AM, Johansson PI. Detection of tPA-Induced Hyperfibrinolysis in Whole Blood by RapidTEG, KaolinTEG, and Functional FibrinogenTEG in Healthy Individuals. *Clinical and applied thrombosis/hemostasis : official journal of the International Academy of Clinical and Applied Thrombosis/Hemostasis*. 2012;18(6):638.

Genét GF, Johansson P, Meyer MAS, Solbeck S, Sørensen AM, Larsen CF et al. Trauma Induced Coagulopathy: Standard coagulation tests, biomarkers of coagulopathy and endothelial damage in patients with traumatic brain injury. *Journal of Neurotrauma*. 2012.

Gaardbo JC, Hartling HJ, Thorsteinsson K, Ullum H, Nielsen SD. CD3+CD8+CD161high Tc17 cells are depleted in HIV-infection. AIDS. 2012;15(6).

Gaardbo J, Ronit A, Hartling H, Thorsteinsson K, Ullum H, Andersen A et al. HIV-infected viremic long-term non-progressors and controllers display different immunological mechanisms for preserved CD4+cell counts. International AIDS Society. Journal. 2012;15(6):18138.

Gaardbo J, Hartling H, Ullum H, Nielsen S. CD3+CD8+CD161high Tc17 cells are depleted in HIV-Infection and related to the level of immune reconstitution. International AIDS Society. Journal. 2012;15(6):18140.

Hagemo JS, Næss PA, Johansson P, Windeløv N, Cohen MJ, Røislien J et al. Evaluation of TEG(®) and RoTEM(®) inter-changeability in trauma patients. Injury. 2012.

Hansen MH, Clausen FB, Dziegiel MH. Increased Y-chromosome detection by SRY duplexing. Fetal Diagnosis and Therapy. 2012;31(3):185-90.

Harboe M, Garred P, Lindstad JK, Pharo A, Müller F, Stahl GL et al. The Role of Properdin in Zymosan- and Escherichia coli-Induced Complement Activation. Journal of Immunology. 2012;189(5):2606-13.

Harritshøj LH, Erikstrup C, Ullum H. Virologisk sikring af donorblod efter NAT-testning. Ugeskrift for Laeger. 2012;174(12):796.

Hartling HJ, Gaardbo JC, Ronit A, Knudsen LS, Ullum H, Vainer B et al. CD4 \square and CD8 \square regulatory T cells (Tregs) are elevated and display an active phenotype in patients with chronic HCV mono-infection and HIV/HCV co-infection. Scandinavian Journal of Immunology.. 2012;76(3):294-305.

Henriksen KS, Andreassen KV, Thudium CS, Gudmann KNS, Moscatelli I, Crüger-Hansen CE et al. A specific subtype of osteoclasts secretes factors inducing nodule formation by osteoblasts. The Bone. 2012;51(3):353-61.

Holm C, Langhoff-Roos J, Petersen KB, Nørgaard A, Diness BR. Severe postpartum haemorrhage and mode of delivery: a retrospective cohort study. B J O G. 2012;119(5):596-604.

Holmvang L, Ostrowski SR, Dridi NP, Johansson P. A single center, open, randomized study investigating the clinical safety and the endothelial modulating effects of a prostacyclin analog in combination with eptifibatide in patients having undergone primary percutaneous coronary intervention (PCI) for ST-segment elevation myocardial infarction. Prostaglandins & Other Lipid Mediators. 2012;99(3-4):87.

Hummelshøj T, Ma YJ, Fog LM, Bjarnsholt T, Moser C, Skjoedt M-O et al. The interaction pattern of murine serum ficolin-A with microorganisms. P L o S One. 2012;7(5):e38196.

Haastrup E, Bukh JOD, Bock C, Vinberg M, Thørner LW, Hansen T et al. Promoter variants in IL18 are associated with onset of depression in patients previously exposed to stressful-life events. *Journal of Affective Disorders*. 2012;136(1-2):134-8.

Haastrup E, Knorr U, Erikstrup C, Kessing LV, Ullum H. No evidence for an anti-inflammatory effect of escitalopram intervention in healthy individuals with a family history of depression. *Journal of Neuroimmunology*. 2012;243(1-2):69-72.

Idorn T, Schejbel L, Rydahl C, Heaf JG, Jølvig KR, Bergstrøm M et al. Anti-glomerular basement membrane glomerulonephritis and thrombotic microangiopathy in first degree relatives; a case report. *B M C Nephrology*. 2012;13:64.

Jakobsen TR, Clausen FB, Rode L, Dziegieł MH, Tabor A. High levels of fetal DNA are associated with increased risk of spontaneous preterm delivery. *Prenatal Diagnosis*. 2012;32(9):840-5.

Jans O, Bundgaard-Nielsen M, Solgaard S, Johansson PI, Kehlet H. Orthostatic intolerance during early mobilization after fast-track hip arthroplasty. *British Journal of Anaesthesia*. 2012;108(3):436-443.

Jans O, Kehlet H, Johansson PI. Transfusion-related mortality after primary hip arthroplasty - an analysis of mechanisms and confounders. *Vox Sanguinis*. 2012;103(4):301–308.

Jepsen MPG, Röser D, Christiansen M, Larsen SO, Cavanagh DR, Dhanasarnsombut K et al. Development and evaluation of a multiplex screening assay for Plasmodium falciparum exposure. *Journal of Immunological Methods*. 2012;384(1-2):62-70.

Jogdand PS, Singh SK, Christiansen M, Dziegieł MH, Singh S, Theisen M. Flow cytometric readout based on Mitotracker Red CMXRos staining of live asexual blood stage malarial parasites reliably assesses antibody dependent cellular inhibition. *Malaria Journal*. 2012;11:235.

Johansson PI, Stensballe J, Rasmussen LS, Ostrowski SR. High Circulating Adrenaline Levels at Admission Predict Increased Mortality After Trauma. *Journal of Trauma*. 2012 okt 13;72(2):428-436.

Johansson PI, Sørensen AM, Perner A, Welling K-L, Wanscher M, Larsen CF et al. Elderly trauma patients have high circulating noradrenaline levels but attenuated release of adrenaline, platelets, and leukocytes in response to increasing injury severity. *Critical Care Medicine*. 2012;40(6):1844-50.

Johansson PI, Stensballe J, Ostrowski SR. Current management of massive hemorrhage in trauma. *Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine*. 2012;20:47.

Johansson PI, Sølbeck S, Genet G, Stensballe J, Ostrowski SR. Coagulopathy and hemostatic monitoring in cardiac surgery: an update. Scandinavian Cardiovascular Journal. 2012;46(4):194-202.

Johansson PI, Oliveri RS, Ostrowski SR. Hemostatic resuscitation with plasma and platelets in trauma. Journal of Emergencies, Trauma and Shock. 2012;5(2):120-5.

Johansson PI. Coagulation monitoring of the bleeding traumatized patient. Current Opinion in Anaesthesiology. 2012;25(2):235-41.

Johansson PI, Sørensen AM, Perner A, Welling K-L, Wanscher M, Larsen CF et al. High sCD40L levels Early After Trauma are Associated with Enhanced Shock, Sympathoadrenal Activation, Tissue and Endothelial Damage, Coagulopathy and Mortality. Journal of Thrombosis and Haemostasis. 2012;10(2):207-216.

Johansson PI. Emerging treatment strategies for trauma-induced coagulopathy (Br J Surg 2012; 99(Suppl 1): 40-50). British Journal of Surgery. 2012;99 Suppl 1:51.

Jusko M, Potempa J, Karim AY, Ksiazek M, Riesbeck K, Garred P et al. A metalloproteinase kariyisin present in the majority of *Tannerella forsythia* isolates inhibits all pathways of the complement system. Journal of Immunology. 2012;188(5):2338-49.

Koch J, Hau J, Jensen HE, Nielsen CH, Rieneck K. The cellular cancer resistance of the SR/CR mouse. APMIS Supplementum. 2012;120(12):974-87.

Larsen MH, Wegner LT, Zinyama R, Amstrup J, Kallestrup P, Gerstoft J et al. CCL3L gene copy number and survival in an HIV-1 infected Zimbabwean population. Infection, Genetics and Evolution. 2012;12(5):1087-93.

Loeth N, Assing K, Madsen HO, Vindeløv L, Buus S, Stryhn A. Humoral and cellular CMV responses in healthy donors; identification of a frequent population of CMV-specific, CD4+ T cells in seronegative donors. PLoS One. 2012;7(2):e31420.

Magnussen K, Hasselbalch HC, Ullum H, Bjerrum OW. Characterization of blood donors with high haemoglobin concentration. Vox Sanguinis. 2012;104(2):110-4.

Markova V, Sørensen JL, Holm C, Nørgaard A, Langhoff-Roos J. Evaluation of multi-professional obstetric skills training for postpartum hemorrhage. Acta Obstetricia et Gynecologica Scandinavica. 2012;91(3):346-352.

Morling Taaning EB, Jensen L, Varming K. Simultaneous occurrence of foetal and neonatal alloimmune thrombocytopenia and neonatal neutropenia due to maternal neutrophilic autoantibodies: a case study and review of the literature. Acta Paediatrica (Oslo, Norway : 1992). 2012;101(9):896-9.

Munthe-Fog L, Hummelshøj T, Honoré CLF, Møller ME, Skjoedt MO, Palsgaard I et al. Variation in FCN1 affects biosynthesis of ficolin-1 and is associated with outcome of systemic inflammation. Genes and Immunity. 2012;13(7):515-22.

Nielsen K, Meyhoff CS, Johansson PI, Jorgensen LN, Rasmussen LS, PROXI Trial Group. Transfusion practice and complications after laparotomy - an observational analysis of a randomized clinical trial. *Vox Sanguinis*. 2012;103(4):294-300.

Nielsen K, Dahl B, Johansson PI, Henneberg SW, Rasmussen LS. Intraoperative transfusion threshold and tissue oxygenation: a randomised trial. *Transfusion medicine* (Oxford, England). 2012;22(6):418-25.

Obro NF, Ryder LP, Madsen HO, Andersen MK, Lausen B, Hasle H et al. Identification of residual leukemic cells by flow cytometry in childhood B-cell precursor acute lymphoblastic leukemia - Verification of leukemic state by flow-sorting and molecular/cytogenetic methods. *Haematologica*. 2012;97(1):137-141.

Oliveri RS, Wetterslev J, Gluud C. Hepatocellular carcinoma. *Lancet*. 2012;380(9840):470-1.

Olsen M, Hjalgrim H, Melbye M, Madsen HO, Schmiegelow K. RT-PCR Screening for ETV6-RUNX1-positive Clones in Cord Blood From Newborns in the Danish National Birth Cohort. *Journal of Pediatric Hematology / Oncology*. 2012;34(4):301-3.

Ostrowski SR, Sørensen AM, Windeløv NA, Perner A, Welling K-L, Wanscher M et al. High levels of soluble VEGF receptor 1 early after trauma are associated with shock, sympathoadrenal activation, glycocalyx degradation and inflammation in severely injured patients: a prospective study. *Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine*. 2012;20:27.

Ostrowski SR, Johansson PI. Endothelial glycocalyx degradation induces endogenous heparinization in patients with severe injury and early traumatic coagulopathy. *Journal of Trauma*. 2012;73(1):60-6.

Pedersen OB, Erikstrup C, Kotzé SR, Sørensen E, Petersen MS, Grau K et al. The Danish Blood Donor Study: a large, prospective cohort and biobank for medical research. *Vox Sanguinis*. 2012;102(3):271.

Pedersen M, Pedersen KK, Bruunsgaard H, Krabbe KS, Thomsen C, Færch KV et al. Cognitive functions in middle aged individuals are related to metabolic disturbances and aerobic capacity: a cross-sectional study. *P L o S One*. 2012;7(12):e51132.

Rafiq S, Johansson PI, Ostrowski SR, Stissing T, Steinbrüchel DA. Hypercoagulability in patients undergoing coronary artery bypass grafting: prevalence, patient characteristics and postoperative outcome. *European Journal of Cardio-Thoracic Surgery*. 2012;41(3):550-555.

Rafiq S, Johansson PI, Zacho M, Stissing T, Kofoed K, Lilleoer NB et al. Thrombelastographic haemostatic status and antiplatelet therapy after coronary artery bypass surgery (TEG-CABG trial): assessing and monitoring the antithrombotic effect of

clopidogrel and aspirin versus aspirin alone in hypercoagulable patients: study protocol for a randomized controlled trial. *Trials*. 2012;13(1):48.

Roth WK, Busch M, Schuller A, Ismay S, Cheng A, Seed CR et al. International survey on NAT testing of blood donations: expanding implementation and yield from 1999 to 2009. *Vox Sanguinis*. 2012;102(1):82-90.

Ryder LR, Bartels EM, Woetmann A, Madsen HO, Odum N, Bliddal H et al. FoxP3 mRNA splice forms in synovial CD4+ T cells in rheumatoid arthritis and psoriatic arthritis. *A P M I S. Acta Pathologica, Microbiologica et Immunologica Scandinavica*. 2012;120(5):387-96.

Rönsholt FF, Ostrowski SR, Katzenstein TL, Ullum H, Gerstoft J. T Cell Subsets in HIV Infected Patients after Successful Combination Antiretroviral Therapy: Impact on Survival after 12 Years. *P L o S One*. 2012;7(7):e39356.

Rönsholt FF, Ullum H, Katzenstein TL, Gerstoft J, Ostrowski SR. T cell subset distribution in HIV-1 infected patients after 12 years of treatment induced viraemic suppression. *Journal of acquired immune deficiency syndromes* (1999). 2012;61(3):270-78.

Skjoedt M-O, Roversi P, Hummelshøj T, Palarasah Y, Rosbjerg A, Johnson S et al. Crystal structure and functional characterization of the complement regulator MBL/ficolin-associated protein-1 (MAP-1). *Journal of Biological Chemistry*. 2012;287:32913-32921.

Skjøt-Arkil H, Barascuk N, Larsen LK, Dziegieł M, Henriksen K, Karsdal MA. Tumor Necrosis Factor-Alpha and Receptor Activator of Nuclear Factor-κB Ligand Augment Human Macrophage Foam-Cell Destruction of Extracellular Matrix Through Protease-Mediated Processes. *ASSAY and Drug Development Technologies*. 2012;10(1):69-77.

Smedby KE, Foo JN, Skibola CF, Darabi H, Conde L, Hjalgrim H et al. GWAS of follicular lymphoma reveals allelic heterogeneity at 6p21.32 and suggests shared genetic susceptibility with diffuse large B-cell lymphoma. *P L o S Genetics*. 2011;7(4):e1001378.

Steinbrüchel AS, Johansson PI, Rafiq S, Steensgaard J, Steinbrüchel DA. Equally increased hypercoagulability irrespective of using minimized or conventional ECC systems. *Scandinavian Cardiovascular Journal*. 2012;46(4):233-8.

Sølbeck S, Ostrowski SR, Johansson PI. A review of the clinical utility of INR to monitor and guide administration of prothrombin complex concentrate to orally anticoagulated patients. *Thrombosis Journal*. 2012;10(1):5.

Sølbeck S, Windeløv NA, Bæk NH, Nielsen JD, Ostrowski SR, Johansson PI. In-vitro comparison of free oscillation rheometry (ReoRox) and rotational thromboelastometry (ROTEM) in trauma patients upon hospital admission. *Blood Coagulation and Fibrinolysis*. 2012;23(8):688-92.

Sørensen E, Grau K, Berg T, Simonsen AC, Magnussen K, Erikstrup C et al. A genetic risk factor for low serum ferritin levels in Danish blood donors. *Transfusion*. 2012;52(12):2585-2589.

Troelsen LN, Jacobsen S, Abrahams JL, Royle L, Rudd PM, Narvestad E et al. IgG glycosylation changes and MBL2 polymorphisms: associations with markers of systemic inflammation and joint destruction in rheumatoid arthritis. *Journal of Rheumatology*. 2012;39(3):463-9.

Trojahn Kølle S-F, Oliveri RS, Glovinski PV, Elberg JJ, Fischer-Nielsen A, Drzewiecki KT. Importance of mesenchymal stem cells in autologous fat grafting: a systematic review of existing studies. *Journal of Plastic Surgery and Hand Surgery*. 2012;46(2):59-68.

Vengen IT, Madsen HO, Garred P, Platou C, Vatten L, Videm V. Mannose-Binding Lectin Deficiency Is Associated with Myocardial Infarction: The HUNT2 Study in Norway. *P L o S One*. 2012;7(7):e42113.

Wikkelsøe AJ, Afshari A, Stensballe J, Langhoff-Roos J, Albrechtsen C, Ekelund K et al. The FIB-PPH trial: fibrinogen concentrate as initial treatment for postpartum haemorrhage: study protocol for a randomised controlled trial. *Trials*. 2012;13(1):110.

Klinisk Mikrobiologisk Afdeling

Disputater og ph.d.-afhandlinger forsvarer i året

Wang H. Pharmacokinetics and pharmacodynamics of antimicrobial agents to planktonic and biofilm-growing *Pseudomonas aeruginosa* and *Staphylococcus aureus* in vitro and in vivo (Ph.d.). 2012.

Videnskabelige artikler

Adjei GO, Oduro-Boatey C, Rodrigues OP, Høgberg LCG, Alifrangis M, Kurtzhals JA et al. Electrocardiographic study in Ghanaian children with uncomplicated malaria, treated with artesunate-amodiaquine or artemether-lumefantrine. *Malaria Journal*. 2012;11:420.

Alhede M, Qvortrup K, Liebrechts R, Høiby N, Givskov MC, Bjarnsholt T. Combination of microscopic techniques reveals a comprehensive visual impression of biofilm structure and composition. *F E M S Immunology and Medical Microbiology*. 2012;65(2):335-42.

Arendrup MC, Pfaller MA, Danish Fungaemia Study Group, Johansen HK. Caspofungin Etest susceptibility testing of *Candida* species: risk of misclassification of susceptible isolates of *C. glabrata* and *C. krusei* when adopting the revised CLSI caspofungin breakpoints. *Antimicrobial Agents and Chemotherapy*. 2012;56(7):3965-8.

Arendrup MC, Jensen R, Grif K, Skov M, Pressler T, Johansen HK et al. In vivo emergence of *Aspergillus terreus* with reduced azole susceptibility and a Cyp51a M217I alteration. *The Journal of Infectious Diseases*. 2012;206(6):981-5.

Bjarnsholt T, Høiby N, Donelli G, Imbert C, Försgård Å. Understanding biofilms--are we there yet?. *F E M S Immunology and Medical Microbiology*. 2012;65(2):125-6.

Chiduo M, Persson Theilgaard Z, Bakari V, Mtatifikolo F, Bygbjerg I, Flanholt L et al. Prevalence of sexually transmitted infections among women attending antenatal clinics in Tanga, north eastern Tanzania. *International Journal of S T D & AIDS*. 2012;23(5):325-9.

Christensen L, van Gennip M, Jakobsen TH, Alhede M, Hougen HP, Høiby N et al. Synergistic antibacterial efficacy of early combination treatment with tobramycin and quorum-sensing inhibitors against *Pseudomonas aeruginosa* in an intraperitoneal foreign-body infection mouse model. *Journal of Antimicrobial Chemotherapy*. 2012;67(5):1198-206.

Christensen JJ, Dargis R, Hammer M, Justesen US, Nielsen XC, Kemp M et al. Matrix-assisted laser desorption ionization-time of flight mass spectrometry analysis of Gram-positive, catalase-negative cocci not belonging to the *Streptococcus* or *Enterococcus* genus and benefits of database extension. *Journal of Clinical Microbiology*. 2012;50(5):1787-91.

Christophersen LJ, Trøstrup H, Malling Damlund DS, Bjarnsholt T, Thomsen K, Jensen PØ et al. Bead-size directed distribution of *Pseudomonas aeruginosa* results in distinct inflammatory response in a mouse model of chronic lung infection. *Clinical and Experimental Immunology*. 2012;170(2):222-30.

Ciofu O, Mandsberg LF, Wang H, Høiby N. Phenotypes selected during chronic lung infection in cystic fibrosis patients: implications for the treatment of *Pseudomonas aeruginosa* biofilm infections. *FEMS Immunology and Medical Microbiology*. 2012;65(2):215-25.

Cramer N, Wiehlmann L, Ciofu O, Tamm S, Høiby N, Tümmler B. Molecular epidemiology of chronic *Pseudomonas aeruginosa* airway infections in cystic fibrosis. *PLOS One*. 2012;7(11):e50731.

Döring G, Flume P, Heijerman H, Elborn JS, Consensus Study Group, Høiby N. Treatment of lung infection in patients with cystic fibrosis: current and future strategies. *Journal of Cystic Fibrosis*. 2012;11(6):461-79.

Folkesson A, Jelsbak L, Yang L, Johansen HK, Ciofu O, Høiby N et al. Adaptation of *Pseudomonas aeruginosa* to the cystic fibrosis airway: an evolutionary perspective. *Nature Reviews Microbiology*. 2012;10(12):841-51.

Hall-Stoodley L, Stoodley P, Kathju S, Høiby N, Moser C, Costerton JW et al. Towards diagnostic guidelines for biofilm-associated infections. *FEMS Immunology and Medical Microbiology*. 2012;65(2):127-45.

Hansen SK, Rau MH, Johansen HK, Ciofu O, Jelsbak L, Yang L et al. Evolution and diversification of *Pseudomonas aeruginosa* in the paranasal sinuses of cystic fibrosis children have implications for chronic lung infection. *ISME Journal*. 2012;6(1):31-45.

Hempel C, Hyttel P, Staalsø T, Nyengaard JR, Kurtzhals JA. Erythropoietin treatment alleviates ultrastructural myelin changes induced by murine cerebral malaria. *Malaria Journal*. 2012;11:216.

Hengzhuang W, Wu H, Ciofu O, Song Z, Høiby N. In vivo pharmacokinetics/pharmacodynamics of colistin and imipenem in *Pseudomonas aeruginosa* biofilm infection. *Antimicrobial Agents and Chemotherapy*. 2012;56(5):2683-90.

Hummelshøj T, Ma YJ, Fog LM, Bjarnsholt T, Moser C, Skjoedt M-O et al. The interaction pattern of murine serum ficolin-A with microorganisms. *PLOS One*. 2012;7(5):e38196.

Høiby N, Christiansen CB, Johansen HK. Øre-næse- og halsinfektionerne mikrobiologi. *Tandlaegebladet*. 2012;116(7):496-04.

Håkansson K, Aanæs K, Buchwald C, Johansen HK. Inflammatoriske og infektiøse tilstande i næse-bihuler. *Tandlaegebladet*. 2012;(7):506-509.

Jakobsen TH, van Gennip M, Phipps RK, Shanmugham MS, Christensen LD, Alhede M et al. Ajoene, a sulfur-rich molecule from garlic, inhibits genes controlled by quorum sensing. *Antimicrobial Agents and Chemotherapy*. 2012;56(5):2314-25.

Jakobsen TH, Bragason SK, Phipps RK, Christensen LD, van Gennip M, Alhede M et al. Food as a source for quorum sensing inhibitors: iberin from horseradish revealed as a quorum sensing inhibitor of *Pseudomonas aeruginosa*. *Applied and Environmental Microbiology*. 2012;78(7):2410-21.

Jakobsen MA, Katzenstein TL, Valerius NH, Roos D, Fisker N, Mogensen TH et al. Genetical analysis of all Danish patients diagnosed with chronic granulomatous disease. *Scandinavian Journal of Immunology*. 2012;76(5):505-11.

Jensen PØ, Lykkesfeldt J, Bjarnsholt T, Hougen HP, Høiby N, Ciofu O. Poor Antioxidant Status Exacerbates Oxidative Stress and Inflammatory Response to *Pseudomonas aeruginosa* Lung Infection in Guinea Pigs. *Basic & Clinical Pharmacology & Toxicology Online*. 2012 apr;110:353-358.

Johansen HK, Aanaes K, Pressler T, Nielsen KG, Fisker J, Skov M et al. Colonisation and infection of the paranasal sinuses in cystic fibrosis patients is accompanied by a reduced PMN response. *Journal of Cystic Fibrosis*. 2012;11(6):525-31.

Kurtzhals JAL, Opfinder. Detection device and method. PCT/DK2012/050497.

Lauridsen TK, Bruun LE, Rasmussen RV, Arpi M, Risum N, Moser C et al. Linezolid as rescue treatment for left-sided infective endocarditis: an observational, retrospective, multicenter study. *European Journal of Clinical Microbiology & Infectious Diseases*. 2012;31(10):2567-74.

Malfertheiner P, Megraud F, O'Morain CA, Atherton J, Axon ATR, Bazzoli F et al. Management of *Helicobacter pylori* infection--the Maastricht IV/ Florence Consensus Report. *Gut (English Edition)*. 2012;61(5):646-64.

Marety L, Sharp RE, Andersson M, Kurtzhals JAL. Intravenous ferric carboxymaltose accelerates erythropoietic recovery from experimental malarial anemia. *The Internet Journal of Infectious Diseases*. 2012;205(7):1173-7.

Marvig RL, Søndergaard M, Damkiær S, Høiby N, Johansen HK, Molin S et al. Mutations in 23S rRNA confer resistance against azithromycin in *Pseudomonas aeruginosa*. *Antimicrobial Agents and Chemotherapy*. 2012;56(8):4519-21.

Moskowitz SM, Brannon MK, Dasgupta N, Pier M, Sgambati N, Miller AK et al. PmrB Mutations Promote Polymyxin Resistance of *Pseudomonas aeruginosa* Isolated from Colistin-Treated Cystic Fibrosis Patients. *Antimicrobial Agents and Chemotherapy*. 2012;56(2):1019-30.

Nielsen XC, Chen M, Hellesøe A-MB, Jeppesen PB, Gyldenlykke J, Tvede M et al. Etiology and epidemiology of catheter related bloodstream infections in patients receiving

home parenteral nutrition in a gastromedical center at a tertiary hospital in denmark. The Open Microbiology Journal. 2012;6:98-101.

Novovic S, Semb S, Olsen H, Moser C, Knudsen IJD, Homann C. First-line treatment with cephalosporins in spontaneous bacterial peritonitis provides poor antibiotic coverage. Scandinavian Journal of Gastroenterology. 2012;47(2):212-6.

Pedersen TT, Nielsen XC, Olsen KEP, Barfod TS. Cerebral absces med Vibrio cholerae non-01 efter badning i dansk havvand. Ugeskrift for Laeger. 2012;174(8):498-9.

Pedersen JS, Oliveira CLPD, Hübschmann HB, Arleth L, Manniche S, Kirkby S et al. Structure of immune stimulating complex matrices and immune stimulating complexes in suspension determined by small-angle x-ray scattering. Biophysical Journal. 2012;102(10):2372-80.

Rasmussen J, Aanæs K, Norling R, Nielsen KG, Johansen HK, von Buchwald C. CT of the paranasal sinuses is not a valid indicator for sinus surgery in CF patients. Journal of Cystic Fibrosis. 2012;11(2):93-99.

Rudkjøbing VB, Thomsen TR, Alhede M, Kragh KN, Nielsen PH, Johansen UR et al. The microorganisms in chronically infected end-stage and non-end-stage cystic fibrosis patients. F E M S Immunology and Medical Microbiology. 2012;65(2):236-44.

Sautter R, Ramos D, Schnepel L, Ciofu O, Wassermann T, Heydorn A et al. A complex multilevel attack on *Pseudomonas aeruginosa* algT/U expression and AlgT/U activity results in the loss of alginate production. Gene. 2012;498(2):242-253.

Skjøt-Rasmussen L, Olsen S, Jensen US, Hammerum AM, DANRES Study Group, Tvede M. Increasing consumption of antimicrobial agents in Denmark parallels increasing resistance in *Escherichia coli* bloodstream isolates. International Journal of Antimicrobial Agents. 2012;40(1):86-8.

Tofte N, Jensen C, Tvede M, Andersen CB, Carlsen J, Iversen M. Use of prophylactic voriconazole for three months after lung transplantation does not reduce infection with *Aspergillus*: a retrospective study of 147 patients. Scandinavian Journal of Infectious Diseases. 2012;44(11):835-41.

Tramper-Stranders GA, van der Ent CK, Molin S, Yang L, Hansen SK, Rau MH et al. Initial *Pseudomonas aeruginosa* infection in patients with cystic fibrosis: characteristics of eradicated and persistent isolates. Clinical Microbiology and Infection . 2012;18:567-574.

van Gennip M, Christensen LD, Alhede M, Qvortrup K, Jensen PØ, Høiby N et al. Interactions between Polymorphonuclear Leukocytes and *Pseudomonas aeruginosa* Biofilms on Silicone Implants In Vivo. Infection and Immunity. 2012;80(8):2601-7.

Xu Y, Moser C, Al-Soud WA, Sørensen S, Høiby N, Nielsen PH et al. Culture-dependent and -independent investigations of microbial diversity on urinary catheters. Journal of Clinical Microbiology. 2012;50(12):3901-8.

Yang L, Liu Y, Wu H, Song Z, Høiby N, Molin S et al. Combating biofilms. F E M S Immunology and Medical Microbiology. 2012;65(2):145-57.

Yang L, Hengzhuang W, Wu H, Damkiaer S, Jochumsen N, Song Z et al. Polysaccharides serve as scaffold of biofilms formed by mucoid *Pseudomonas aeruginosa*. F E M S Immunology and Medical Microbiology. 2012;65(2):366-76.

Aabenhus R, Hallas P. Sundhedsloven og sundhedsydeler hos udokumenterede migranter. Ugeskrift for Laeger. 2012;174(38):2216-9.

Aanaes K, Rasmussen N, Pressler T, Segelmark M, Johansen HK, Lindberg U et al. Extensive endoscopic image-guided sinus surgery decreases BPI-ANCA in patients with cystic fibrosis. Scandinavian Journal of Immunology. Supplement. 2012;76(6):573-9.

Patologiafdelingen

Videnskabelige artikler

Abildgaard J, Pappot H, Petersen PM, Rørth M, Pedersen JH, Santoni-Rugiu E et al. Usikkerhed om behandlingsstrategien ved tymomer. Ugeskrift for Laeger. 2012;174(50):3164-3169.

Alpizar WEA, Christensen IJ, Santoni-Rugiu E, Skarstein A, Ovrebo K, Illemann M et al. Urokinase plasminogen activator receptor on invasive cancer cells: A prognostic factor in distal gastric adenocarcinoma. International Journal of Cancer. 2012;131(4):E329-36.

Andersen M, Grauslund M, Muhammad-Ali M, Ravn J, Sørensen JB, Andersen CB et al. Are differentially expressed microRNAs useful in the diagnostics of malignant pleural mesothelioma?. APMIS : acta pathologica, microbiologica, et immunologica Scandinavica. 2012;120(9):767-9.

Bangsgaard Bendtsen KM, Krych L, Sørensen DB, Pang W, Nielsen DS, Josefson K et al. Gut microbiota composition is correlated to grid floor induced stress and behavior in the BALB/c mouse. PLoS One. 2012;7(10):e46231.

Berg KD, Røder MA, Brasso K, Vainer B, Iversen P. Can primary biopsy Gleason grade 3 or 4 predict final pathology?. APMIS. 2012;120(suppl.134):18-39.

Berg KD, Røder MA, Brasso K, Vainer B, Iversen P. Can prostate needle biopsies predict low-volume and insignificant prostate cancer?. APMIS. 2012;120(suppl.134):18-39.

Bernsdorff M, Berthelsen AK, Timmermans-Wielenga V, Kroman N, Teilum D, Binderup T et al. Preoperative PET/CT in early-stage breast cancer. Annals of Oncology. 2012;23(9):2277-82.

Bjørndal K, Krogdahl A, Therkildsen MH, Overgaard J, Johansen JB, Kristensen CA et al. Salivary gland carcinoma in Denmark 1990-2005: Outcome and prognostic factors Results of the Danish Head and Neck Cancer Group (DAHANCA). Oral Oncology. 2012;48(2):179-185.

Bondgaard A-LRØ, Poulsen TT, Poulsen HS, Skov BG. Different expression of EZH2, BMI1 and Ki67 in low and high grade neuroendocrine tumors of the lung. Cancer Biomarkers. 2012;11(2-3):123-8.

Camparo P, Egevad L, Algaba F, Berney DM, Boccon-Gibod L, Compérat E et al. Utility of whole slide imaging and virtual microscopy in prostate pathology. APMIS : acta pathologica, microbiologica, et immunologica Scandinavica. 2012;120(4):298-304.

Colmorn LB, Jensen T, Petersen BL, Helvind M, Jørgensen FS. Prenatal Ultrasound Diagnosis of a Multiple Atypical Right Atrial Cardiac Fibroma. Ultraschall in der Medizin. 2012;33(1):85-86.

Cramer EP, Glenthøj A, Häger M, Juncker-Jensen A, Engelholm LH, Santoni-Rugiu E et al. No effect of NGAL/lipocalin-2 on aggressiveness of cancer in the MMTV-PyMT/FVB/N mouse model for breast cancer. PLoS One. 2012;7(6):e39646.

Crone SG, Jacobsen A, Federspiel B, Bardram L, Krogh AS, Lund AH et al. microRNA-146a inhibits G protein-coupled receptor-mediated activation of NF-κB by targeting CARD10 and COPS8 in gastric cancer. Molecular Cancer. 2012;11:71.

d'Amore F, Relander T, Lauritsen GF, Jantunen E, Hagberg H, Anderson H et al. Up-front autologous stem-cell transplantation in peripheral T-cell lymphoma: NLG-T-01. Journal of Clinical Oncology. 2012;30(25):3093-9.

Eefsen RL, Van den Eynden GG, Hoyer-Hansen G, Brodt P, Laerum OD, Vermeulen PB et al. Histopathological growth pattern, proteolysis and angiogenesis in chemonaive patients resected for multiple colorectal liver metastases. Journal of Oncology. 2012;2012:907971.

Friborg JT, Therkildsen MH, Homoe P, Kristensen C, Hui A, Liu F-F et al. A spectrum of basaloid morphology in a subset of EBV-associated "lymphoepithelial carcinomas" of major salivary glands. Head & Neck Pathology. 2012;6(4):445-50.

Geisler CH, Kolstad A, Laurell A, Jerkeman M, Räty R, Andersen NS et al. Nordic MCL2 trial update: six-year follow-up after intensive immunochemotherapy for untreated mantle cell lymphoma followed by BEAM or BEAC + autologous stem-cell support: still very long survival but late relapses do occur. British Journal of Haematology. 2012;158(3):355-62.

Greve T, Clasen-Linde E, Andersen MT, Andersen MK, Sørensen SD, Rosendahl M et al. Cryopreserved ovarian cortex from patients with leukemia in complete remission contains no apparent viable malignant cells. Blood. 2012;120(22):4311-4316.

Gromova I, Gromov P, Kroman N, Timmermans-Wielenga V, Simon R, Sauter G et al. Immunoexpression analysis and prognostic value of BLCAP in breast cancer. PLoS One. 2012;7(9):e45967.

Grüner JM, Paamand RT, Kosteljanetz M, Broholm H, Højgaard L, Law I. Brain perfusion CT compared with ¹⁵O-H₂O PET in patients with primary brain tumours. European Journal of Nuclear Medicine and Molecular Imaging. 2012;39(11):1691-701.

Gubbels S, Bacci S, Laursen H, Hogenhaven H, Cowan S, Molbak K et al. Description and analysis of 12 years of surveillance for Creutzfeldt-Jakob disease in Denmark, 1997 to 2008. Eurosurveillance (Print Edition). 2012;17(15):pii20142.

Gueler B, Sonne SB, Zimmer J, Hilscher B, Hilscher W, Græm N et al. AZFa protein DDX3Y is differentially expressed in human male germ cells during development and in testicular tumours: new evidence for phenotypic plasticity of germ cells. Human Reproduction. 2012;27(6):1547-1555.

Guldfred L-A, Daugaard S, von Buchwald C. Brown tumor mimicking maxillary sinus mucocele as the first manifestation of primary hyperparathyroidism. *Auris Nasus Larynx*. 2012;39(4):418-21.

Gurney BAS, Schilling C, Putcha V, Alkureishi LW, Alvarez AJ, Bakholdt VT et al. Implications of a positive sentinel node in oral squamous cell carcinoma. *Head & Neck Oncology*. 2012;34(11):1580-5.

Hahn GH, Maroun LL, Larsen NB, Hougaard DM, Sorensen LC, Lou HC et al. Cerebral autoregulation in the first day after preterm birth: no evidence of association with systemic inflammation. *Pediatric Research*. 2012;71(3):253-60.

Hansen S, Green AC, Nielsen J, Haugaard M, Laursen RJ, Schultz HP et al. Dansk Neuro Onkologisk Register. *Ugeskrift for Laeger*. 2012;174(42):2558.

Hartling HJ, Gaardbo JC, Ronit A, Knudsen LS, Ullum H, Vainer B et al. CD4 \square and CD8 \square regulatory T cells (Tregs) are elevated and display an active phenotype in patients with chronic HCV mono-infection and HIV/HCV co-infection. *Scandinavian Journal of Immunology*. 2012;76(3):294-305.

Hasselby JP, Maroun LL, Federspiel BH, Vainer B. Ghrelin in the fetal pancreas - a digital quantitation study. A P M I S. *Acta Pathologica, Microbiologica et Immunologica Scandinavica*. 2012;120(2):157-66.

Hauerberg L, Skibsted L, Graem N, Maroun LL. Correlation between prenatal diagnosis by ultrasound and fetal autopsy findings in second-trimester abortions. *Acta Obstetricia et Gynecologica Scandinavica*. 2012;91(5):546-551.

Heegaard NHH, West-Nørager M, Tanassi JT, Houen G, Nedergaard L, Høgdall C et al. Circulating antinuclear antibodies in patients with pelvic masses are associated with malignancy and decreased survival. *P L o S One*. 2012;7(2):e30997.

Heeran MC, Høgdall CK, Kjaer SK, Christensen LH, Blaakaer J, Christensen IJ et al. Limited prognostic value of tissue protein expression levels of cyclin E in Danish ovarian cancer patients: from the Danish 'MALOVA' ovarian cancer study. A P M I S. *Acta Pathologica, Microbiologica et Immunologica Scandinavica*. 2012;120(10):846-54.

Hermann GG, Mogensen K, Toft BG, Glenthøj A, Pedersen HM. Outpatient diagnostic of bladder tumours in flexible cystoscopes: evaluation of fluorescence-guided flexible cystoscopy and bladder biopsies. *Scandinavian Journal of Urology and Nephrology*. 2012;46(1):31-6.

Håkansson F, Høgdall EVS, Nedergaard L, Lundvall L, Engelholm SA, Pedersen AT et al. Risk of malignancy index used as a diagnostic tool in a tertiary centre for patients with a pelvic mass. *Acta Obstetricia et Gynecologica Scandinavica*. 2012;91(4):496-502.

Jacobsen B, Santoni-Rugiu E, Illeman M, Kriegbaum MC, Lærum OD, Ploug M. Expression of C4.4A in precursor lesions of pulmonary adenocarcinoma and squamous cell carcinoma. *International Journal of Cancer*. 2012;130(11):2734-2739.

Jensen JD, Knoop A, Ewertz M, Laenholm A-V. ER, HER2, and TOP2A expression in primary tumor, synchronous axillary nodes, and asynchronous metastases in breast cancer. *Breast Cancer Research and Treatment*. 2012;132(2):511-521.

Jensen JD, Knoop A, Laenholm AV, Grauslund M, Jensen MB, Santoni-Rugiu E et al. PIK3CA mutations, PTEN, and pHER2 expression and impact on outcome in HER2-positive early-stage breast cancer patients treated with adjuvant chemotherapy and trastuzumab. *Annals of Oncology*. 2012;23(8):2034-42.

Jepsen RK, Ingeholm P, Lund ECL. Upstaging of early colorectal cancers following improved lymph node yield after methylene blue injection. *Histopathology*. 2012;61(5):788-94.

Jørgensen A, Nielsen JE, Jensen MB, Græm N, Rajpert-De Meyts E. Analysis of meiosis regulators in human gonads: a sexually dimorphic spatio-temporal expression pattern suggests involvement of DMRT1 in meiotic entry. *Molecular Human Reproduction*. 2012;18(11):523-34.

Kallenbach K, Hjorth SV, Engel U, Schlesinger NH, Holck S. Significance of acquired diverticular disease of the veriform appendix: a marker of regional neoplasms?. *Journal of Clinical Pathology*. 2012;65(7):638-42.

Karlsen MA, Sandhu N, Høgdall C, Christensen IJ, Nedergaard L, Lundvall L et al. Evaluation of HE4, CA125, risk of ovarian malignancy algorithm (ROMA) and risk of malignancy index (RMI) as diagnostic tools of epithelial ovarian cancer in patients with a pelvic mass. *Journal of Gynecologic Oncology Nursing*. 2012;127(2):379-83.

Kim J, Villadsen R, Sørlie T, Fogh L, Grønlund SZ, Fridriksdottir AJ et al. Tumor initiating but differentiated luminal-like breast cancer cells are highly invasive in the absence of basal-like activity. *National Academy of Sciences. Proceedings*. 2012;109(16):6124-9.

Kiss K, Brozik A, Kucsma N, Toth A, Gera M, Berry L et al. Shifting the paradigm: the putative mitochondrial protein ABCB6 resides in the lysosomes of cells and in the plasma membrane of erythrocytes. *P L o S One*. 2012;7(5):e37378.

Kongstad T, Buchvald F, Brenøe J, Petersen BL, Tabor A, Nielsen KG. Radiology, histology and short-term outcome of asymptomatic congenital thoracic malformations. *Acta paediatrica (Oslo, Norway : 1992)*. 2012;101(2):155-8.

Kristensen DG, Mlynarska O, Nielsen JE, Jacobsen GK, Rajpert-De Meyts E, Almstrup K. Heterogeneity of chromatin modifications in testicular spermatocytic seminoma point toward an epigenetically unstable phenotype. *Cancer Genetics and Cytogenetics*. 2012;205(9):425-31.

Kaas A, Andersen MLM, Fredheim S, Hougaard P, Buschard K, Petersen JS et al. Proinsulin, GLP-1, and glucagon are associated with partial remission in children and adolescents with newly diagnosed type 1 diabetes. *Pediatric Diabetes*. 2012;13(1):51-8.

Kaas A, Pfleger CC, Kharagjitsingh AV, Schloot NC, Hansen L, Buschard K et al. Association between age, IL-10, IFN γ , stimulated C-peptide and disease progression in children with newly diagnosed Type 1 diabetes. *Diabetic Medicine Online*. 2012;29(6):734-741.

Laenholm A-V, Knoop A, Ejlertsen B, Rudbeck T, Jensen M-B, Müller S et al. ESR1 gene status correlates with estrogen receptor protein levels measured by ligand binding assay and immunohistochemistry. *Molecular Oncology*. 2012;6(4):428-36.

Lajer CB, Garnæs E, Friis-Hansen L, Norrild B, Therkildsen MH, Glud M et al. The role of miRNAs in human papilloma virus (HPV)-associated cancers: bridging between HPV-related head and neck cancer and cervical cancer. *B J C*. 2012;106(9):1526-34.

Langer SW, Thougaard AV, Sehested M, Jensen PB. Treatment of experimental extravasation of amrubicin, liposomal doxorubicin, and mitoxantrone with dextrazoxane. *Cancer Chemotherapy and Pharmacology*. 2012;69(2):573-6.

Larsen MS, Bjerre K, Giobbie-Hurder A, Lænholm A-V, Henriksen KL, Ejlertsen B et al. Prognostic value of Bcl-2 in two independent populations of estrogen receptor positive breast cancer patients treated with adjuvant endocrine therapy. *Acta Oncologica*. 2012;51(6):781-9.

Leeming DJ, Nielsen MJ, Dai Y, Veidal SS, Vassiliadis E, Zhang C et al. Enzyme-linked immunosorbent serum assay specific for the 7S domain of Collagen Type IV (P4NP 7S): A marker related to the extracellular matrix remodeling during liver fibrogenesis. *Hepatology Research*. 2012;42(5):482-93.

Lindhardt Johansen M, Hagen CP, Rajpert-De Meyts E, Kjærgaard S, Petersen BL, Skakkebæk NE et al. 45,X/46,XY mosaicism: phenotypic characteristics, growth, and reproductive function--a retrospective longitudinal study. *Journal of Clinical Endocrinology and Metabolism*. 2012;97(8):E1540-9.

Lundberg R, Clausen S, Pang W, Nielsen D, Möller K, Josefson KE et al. Gastrointestinal microbiota and local inflammation during oxazolone-induced dermatitis in BALB/cA mice. *Comparative Medicine (Memphis)*. 2012;62(5):371-80.

Madelung A, Bzorek M, Bondo H, Zetterberg E, Bjerrum OW, Hasselbalch HC et al. A novel immunohistochemical sequential multi-labelling and erasing technique enables epitope characterization of bone marrow pericytes in primary myelofibrosis. *Histopathology*. 2012;60: 554 – 660.

Michaelsen SR, Christensen CL, Sehested M, Cramer F, Poulsen TT, Patterson AV et al. Single agent- and combination treatment with two targeted suicide gene therapy systems

is effective in chemoresistant small cell lung cancer cells. *The journal of gene medicine.* 2012;14(7):445-58.

Minocherhomji S, Seemann ES, Mang Y, El-Schich Z, Bak M, Hansen CA et al. Sequence and expression analysis of gaps in human chromosome 20. *Nucleic Acids Research.* 2012;40(14):6660-72.

Moller AKH, Loft A, Berthelsen AK, Pedersen KD, Graff J, Christensen C et al. A Prospective Comparison of 18F-FDG PET/CT and CT as Diagnostic Tools to Identify the Primary Tumor Site in Patients with Extracervical Carcinoma of Unknown Primary Site. *Oncologist.* 2012;17:1146-1154.

Munk Jensen M, Erichsen KD, Björkling F, Madsen J, Jensen PB, Sehested M et al. [18F]FLT PET for Non-Invasive Assessment of Tumor Sensitivity to Chemotherapy: Studies with Experimental Chemotherapy TP202377 in Human Cancer Xenografts in Mice. *P L o S One.* 2012;7(11):e50618.

Munkholm J, Christensen AH, Svendsen JH, Andersen CB. Usefulness of immunostaining for plakoglobin as a diagnostic marker of arrhythmogenic right ventricular cardiomyopathy. *American Journal of Cardiology.* 2012;109(2):272-5.

Nielsen JE, Kristensen DM, Almstrup K, Jørgensen A, Olesen IA, Jacobsen G et al. A novel double staining strategy for improved detection of testicular carcinoma *in situ* cells in human semen samples. *Andrologia.* 2012;78-85.

Olsen IH, Langer SW, Jepsen I, Assens M, Federspiel B, Hasselby JP et al. First-line treatment of patients with disseminated poorly differentiated neuroendocrine carcinomas with carboplatin, etoposide, and vincristine: a single institution experience. *Acta Oncologica.* 2012;51(1):97-100.

Olsen IH, Sørensen JB, Federspiel B, Kjaer A, Hansen CP, Knigge U et al. Temozolomide as second or third line treatment of patients with neuroendocrine carcinomas. *Scientific World Journal.* 2012;2012:170496.

Riber-Hansen R, Vainer B, Steiniche T. Digital image analysis: a review of reproducibility, stability and basic requirements for optimal results. *APMIS.* 2012;120(4):276-89.

Risum S, Loft A, Engelholm SA, Høgdall E, Berthelsen AK, Nedergaard L et al. Positron emission tomography/computed tomography predictors of overall survival in stage IIIC/IV ovarian cancer. *International Journal of Gynecological Cancer.* 2012;22(7):1163-9.

Rohrberg KS, Olesen RK, Pfeiffer P, Ladekarl M, Pappot H, Christensen IJ et al. Phase II trial of erlotinib and bevacizumab in patients with advanced upper gastrointestinal cancers. *Acta Oncologica.* 2012;51(2):234-42.

Rossing HH, Talman M-LM, Laenholm A-V, Timmermans-Wielenga V. Implementation of TMA and digitalization in routine diagnostics of breast pathology. *APMIS : acta pathologica, microbiologica, et immunologica Scandinavica.* 2012;120(4):341-7.

Røder MA, Christensen IJ, Toft BG, Berg KD, Vainer B, Brasso K et al. Risk factors associated with positive surgical margins after radical prostatectomy for localized prostate cancer. APMIS. 2012 ;120(suppl.134):18-39.

Røder MA, Vrang M-L, Vainer B, Christensen IJ, Gruschy L, Brasso K et al. First Danish single-institution experience with Radical Prostatectomy: Impact of site and number of surgical margins on biochemical outcome. APMIS. 2012 ;120(suppl.134):18-39.

Røder MA, Thomsen FB, Christensen IJ, Toft BG, Berg KD, Gruschy L et al. Positive Surgical Margins in Radical Prostatectomy for Localized Prostate Cancer: Is the Risk Increased by Nerve-Sparing Surgery?. Urology. 2012 sep;80(Suppl.3):S1-S35.

Røder MA, Vrang M-L, Christensen IJ, Gruschy L, Brasso K, Vainer B et al. Location of Positive Margins in Radical Prostatectomy Specimens: Prognostic Implications.Urology. 2012 sep;80 Suppl.3):S1-S35

Røder MA, Thomsen FB, Christensen IJ, Toft BG, Berg KD, Gruschy L et al. Positive surgical margins in radical prostatectomy for localized prostate cancer: is the risk increased by nerve-sparing surgery?. 2012. Abstract from 32nd Congress of the Société Internationale d'Urologie, Fukuoka, Japan.

Røder MA, Christensen IJ, Toft BG, Berg KD, Vainer B, Brasso K et al. Risk factors associated with positive surgical margins after radical prostatectomy for localized prostate cancer. A P M I S. Acta Pathologica, Microbiologica et Immunologica Scandinavica. 2012;120:18-39.

Saghir Z, Dirksen A, Ashraf H, Bach KS, Brodersen J, Clementsen PF et al. CT screening for lung cancer brings forward early disease. The randomised Danish Lung Cancer Screening Trial: status after five annual screening rounds with low-dose CT. Thorax. 2012;67(4):296-301

Sildorf SM, Fredheim S, Svensson J, Buschard KS. Remission without insulin therapy on gluten-free diet in a 6-year old boy with type 1 diabetes mellitus. BMJ Case Reports . 2012 jun.

Smith J, Goetze JP, Søndergaard L, Kjaergaard J, Iversen KK, Vejlstrup NG et al. Myocardial hypertrophy after pulmonary regurgitation and valve implantation in pigs. International Journal of Cardiology. 2012;159(1):29-33.

Sun X, Vengoechea J, Elston R, Chen Y, Amos CI, Armstrong G et al. A variable age of onset segregation model for linkage analysis, with correction for ascertainment, applied to glioma. Cancer Epidemiology, Biomarkers & Prevention. 2012;21(12):2242-51.

Thorup J, Petersen BL, Kvist K, Cortes D. Bilateral undescended testes classified according to preoperative and postoperative status of gonadotropins and inhibin B in relation to testicular histopathology at bilateral orchiopexy in infant boys. Journal of Urology. 2012;188(4 Suppl):1436-42.

Thunnissen E, Kerr KM, Herth FJF, Lantuejoul S, Papotti M, Rintoul RC et al. The challenge of NSCLC diagnosis and predictive analysis on small samples. Practical approach of a working group. *Lung Cancer*. 2012;76(1):1-18.

Toft BG, Federspiel BH, Sørensen SS, Bagi P, Nielsen HMB, Andersen CB. A histopathological score on baseline biopsies from elderly donors predicts outcome 1 year after renal transplantation. *APMIS : acta pathologica, microbiologica, et immunologica Scandinavica*. 2012;120(3):182-6.

Tofte N, Jensen C, Tvede M, Andersen CB, Carlsen J, Iversen M. Use of prophylactic voriconazole for three months after lung transplantation does not reduce infection with Aspergillus: a retrospective study of 147 patients. *Scandinavian Journal of Infectious Diseases*. 2012;44(11):835-41.

Vainer B, Toft BG, Olsen KE, Jacobsen GK, Marcussen N. Handling of radical prostatectomy specimens: total or partial embedding?. *Histopathology*. 2011;58(2):211-6.

Vainer B, Røder MA, Toft BG, Jacobsen G, Marcussen N. Response to: KB Bell, M Kida & K Cooper: Histopathology sampling of radical prostatectomy specimens: representative or entire submission?. *Histopathology*. 2011 nov;59(5).

Vassiliadis E, Oliveira CP, Alvares-da-Silva MR, Zhang C, Carrilho FJ, Stefano JT et al. Circulating levels of citrullinated and MMP-degraded vimentin (VICM) in liver fibrosis related pathology. *American Journal of Translational Research*. 2012;4(4):403-14.

Vilmar AC, Garcia-Foncillas J, Huarriz M, Santoni-Rugiu E, Sorensen JB. RT-PCR versus immunohistochemistry for correlation and quantification of ERCC1, BRCA1, TUBB3 and RRM1 in NSCLC. *Lung Cancer*. 2012;75(3):306-12.

Von Holstein SL, Fehr A, Heegaard S, Therkildsen MH, Stenman G. CRTC1-MAML2 gene fusion in mucoepidermoid carcinoma of the lacrimal gland. *Oncology Reports*. 2012;27(5):1413-6.

Vrang M-L, Røder MA, Vainer B, Christensen IJ, Gruschy L, Brasso K et al. First danish single-institution experience with radical prostatectomy: impact of surgical margins on biochemical outcome. *Scandinavian Journal of Urology and Nephrology*. 2012 jun;46(3):172-9.

Wadt K, Gerdes A-M, Hansen TVO, Toft BG, Friis-Hansen L, Andersen MK. Novel germline c-MET mutation in a family with hereditary papillary renal carcinoma. *Familial Cancer*. 2012;11(3):535-7.

Wibom C, Sjöström S, Henriksson R, Brännström T, Broholm H, Rydén P et al. DNA-repair gene variants are associated with glioblastoma survival. *Acta Oncologica*. 2012;51(3):325-332.

Wielenga VT, Vainer B. Digital methods in pathology - the future is already here. APMIS : acta pathologica, microbiologica, et immunologica Scandinavica. 2012;120(4):255.

Zimling ZG, Sørensen JB, Gerds TA, Bech C, Andersen CB, Santoni-Rugiu E. Low ERCC1 expression in malignant pleural mesotheliomas treated with cisplatin and vinorelbine predicts prolonged progression-free survival. Journal of Thoracic Oncology. 2012;7(1):249-56.

Zimling ZG, Sørensen JB, Gerds TA, Bech C, Andersen CB, Santoni-Rugiu E. A biomarker profile for predicting efficacy of cisplatin-vinorelbine therapy in malignant pleural mesothelioma. Cancer Chemotherapy and Pharmacology. 2012;70(5):743-54.

Zimling ZG, Jørgensen A, Santoni-Rugiu E. The diagnostic value of immunohistochemically detected methylthioadenosine phosphorylase deficiency in malignant pleural mesotheliomas. Histopathology. 2012;60(6B):E96-105.

Radiologisk Klinik X

Disputatser og ph.d.-afhandlinger

Bech B. Developing Endovascular Expertise - Aspects of Incorporating Virtual Reality Simulations (PhD). 2012

Belmaati EO. Imaging of primary graft dysfunction after lung transplantation by scintigraphy and high resolution computed tomography (Ph.D.). København: Eget forlag, 2012. 88 s.

Heerwagen ST, Lönn L. Endovascular Management of the Dysfunctional Hemodialysis Vascular Access. (Ph.D.-afhandling). København: København: Eget forlag, 2012. 95 s.

Larzon T. Aspects of endovascular treatment of abdominal aortic aneurysms (Disputats). Örebro University, 2012.

Pedersen MM. Quantification of In Vivo 2D Vector Flow Ultrasound (Ph.d.). København: København: Eget forlag, 2012. 84 s.

Räder SBEW. Complex skills learning - aspects of development and assessment of coronary angiography skills. (Ph.d.). 1 udg. 2011.

Videnskabelige artikler

Belmaati EO, Iversen M, Kofoed KF, Nielsen MB, Mortensen J. Scintigraphy at 3 months after single lung transplantation and observations of primary graft dysfunction and lung function. Interactive Cardiovascular and Thoracic Surgery. 2012;14(6):792-6.

Belmaati EO, Steffensen I, Jensen CV, Kofoed KF, Mortensen J, Nielsen MB et al. Radiological patterns of primary graft dysfunction after lung transplantation evaluated by 64-multi-slice computed tomography: a descriptive study. Interactive Cardiovascular and Thoracic Surgery. 2012;14(6):785-91.

Bendix T, Sorensen JS, Henriksson GAC, Bolstad JE, Narvestad EK, Jensen TS. Lumbar Modic Changes - A Comparison Between Findings at Low-and High-field MRI. Spine Letter. 2012;37(20):1756-1762

Boesen M, Kubassova O, Bouert R, Axelsen MB, Østergaard M, Cimmino MA et al. Correlation between computer-aided dynamic gadolinium-enhanced MRI assessment of inflammation and semi-quantitative synovitis and bone marrow oedema scores of the wrist in patients with rheumatoid arthritis--a cohort study. Rheumatology. 2012;51(1):134-43.

Boesen AP, Boesen MI, Torp-Pedersen S, Christensen R, Boesen L, Hölmich P et al. Associations between abnormal ultrasound color Doppler measures and tendon pain symptoms in badminton players during a season: a prospective cohort study. American Journal of Sports Medicine. 2012;40(3):548-55.

Bonser RS, Ranasinghe AM, Loubani M, Evans JD, Thalji NMA, Bachet JE et al. Evidence, lack of evidence, controversy, and debate in the provision and performance of the surgery of acute type A aortic dissection. American College of Cardiology. Journal. 2011;58(24):2455-74.

Braendstrup P, Langkilde A, Schreiber K, Ravnborg M, Sellebjerg F, Vindeløv L. Progression and CSF Inflammation after Eradication of Oligoclonal Bands in an MS Patient Treated with Allogeneic Hematopoietic Cell Transplantation for Follicular Lymphoma. Case Reports in Neurology. 2012;4(2):101-6.

Branci S, Ewertsen C, Thybo S, Nielsen HV, Jensen F, Wettergren A et al. Cystic echinococcosis of the liver: experience from a danish tertiary reference center (2002-2010). Journal of Travel Medicine. 2012;19(1):28-34.

Czerny M, Eggebrecht H, Sodeck G, Verzini F, Cao P, Maritati G et al. Mechanisms of symptomatic spinal cord ischemia after TEVAR: insights from the European Registry of Endovascular Aortic Repair Complications (EuREC). Journal of endovascular therapy : an official journal of the International Society of Endovascular Specialists. 2012 feb;19(1):37-43.

Czerny M, Bachet J, Bavaria J, Bonser RS, Borger MA, De Paulis R et al. The future of aortic surgery in Europe. European Journal of Cardio-Thoracic Surgery. 2012 nov;226-30.

Danielsen ER. MRS: Ingredients and recipes. Aktinotexnologia. 2012;26-37.

Dietrich CF, Ponnudurai R, Nielsen MB. Besteht ein Bedarf an neuen Darstellungsmethoden zur Lymphknoten Beurteilung?. Ultraschall in der Medizin. 2012;33(5):411-4.

Duun-Henriksen J, Kjaer TW, Madsen RE, Remvig LS, Thomsen CE, Sorensen HBD. Channel selection for automatic seizure detection. Clinical Neurophysiology. 2012;123(1):84-92.

Duun-Henriksen J, Kjaer TW, Madsen R, Remvig LS, Thomsen CE, Sorensen HBD. Correlation between intra- and extracranial background EEG. I E E E Engineering in Medicine and Biology Society. Conference Proceedings. 2012;2012:5198-201.

Evans DH, Jensen JA, Nielsen MB. Ultrasonic colour Doppler imaging. Interface Focus. 2011;1(4):490-502.

Ewertsen C, Hansen KL, Nielsen MB. Billeddiagnostiske aspekter ved damage control-kirurgi. Ugeskrift for Laeger. 2011;173(18):1267-70.

Ewertsen C, Hansen KL, Henriksen BM, Nielsen MB. Improving Accuracy for Image Fusion in Abdominal Ultrasonography. Diagnostics. 2012;34-41.

Ewertsen C, Nielsen MKR, Nielsen MB. Freehand biopsy guided by electromagnetic needle tracking: a phantom study. *Ultraschall in der Medizin*. 2011;32(6):614-8.

Gould DA, Chalmers N, Johnson SJ, Kilkenny C, White MD, Bech B et al. Simulation: moving from technology challenge to human factors success. *Cardiovascular and Interventional Radiology*. 2012;35(3):445-53.

Grabenwöger M, Alfonso F, Bachet J, Bonser R, Czerny M, Eggebrecht H et al. Thoracic Endovascular Aortic Repair (TEVAR) for the treatment of aortic diseases: a position statement from the European Association for Cardio-Thoracic Surgery (EACTS) and the European Society of Cardiology (ESC), in collaboration with the European Association of Percutaneous Cardiovascular Interventions (EAPCI). *European Heart Journal (Online)*. 2012 jul;33(13):1558-63.

Grabenwöger M, Alfonso F, Bachet J, Bonser R, Czerny M, Eggebrecht H et al. Thoracic Endovascular Aortic Repair (TEVAR) for the treatment of aortic diseases: a position statement from the European Association for Cardio-Thoracic Surgery (EACTS) and the European Society of Cardiology (ESC), in collaboration with the European Association of Percutaneous Cardiovascular Interventions (EAPCI). *European Journal of Cardio-Thoracic Surgery*. 2012;42(1):17-24.

Grossjohann HS, Ewertsen C, Svendsen LB, Nielsen MB. Intra-/Interobserver Agreement of Enhancement Pattern for Pancreatic Head Lesions Using Contrast-Enhanced Ultrasound: According to EFSUMB Guidelines. *Diagnostics*. 2012;2:9.

Hansen KL, Pedersen MM, Jensen JA, Nielsen MB. Dopplerultralydskanning af abdomen. *Ugeskrift for Laeger*. 2011;173(47):3016-9.

Heerwagen ST, Hansen MA, Schroeder TV, Ladefoged SD, Lönn L. Blood flow measurements during hemodialysis vascular access interventions - Catheter-based thermodilution or Doppler ultrasound?. *The journal of vascular access*. 2012;13(2):145-151.

Heerwagen ST, Lönn L, Schroeder TV, Ladefoged SD, Hansen MA. Catheter-based flow measurements in hemodialysis fistulas - Bench testing and clinical performance. *The journal of vascular access*. 2012;13(1):45-50.

Heerwagen ST, Hansen MA, Schroeder TV, Ladefoged SD, Lönn L. Endovascular treatment of hemodialysis arteriovenous fistulas: is immediate post-interventional blood flow a predictor of patency. *The journal of vascular access*. 2012;13(3):315-20.

Hemmsen MC, Møller Hansen P, Lange T, Hansen JM, Hansen KL, Nielsen MB et al. In vivo evaluation of synthetic aperture sequential beamforming. *Ultrasound in Medicine & Biology*. 2012;38(4):708-16.

Hemmsen MC, Nikolov SI, Pedersen MM, Pihl MJ, Enevoldsen MS, Hansen JM et al. Implementation of a versatile research data acquisition system using a commercially

available medical ultrasound scanner. *I E E E Transactions on Ultrasonics, Ferroelectrics and Frequency Control*. 2012;59(7):1487-99.

Jønch AE, Danielsen ER, Thomsen C, Meden P, Svenstrup K, Nielsen JE. Intravenous immunoglobulin treatment in a patient with adrenomyeloneuropathy. *B M C Neurology*. 2012;12(1):108.

Jørgensen MH, Ott P, Michaelsen KF, Porsgaard T, Jensen F, Lanng S. Long-chain PUFA in granulocytes, mononuclear cells, and RBC in patients with cystic fibrosis: relation to liver disease. *The Electronic Journal of Pediatric Gastroenterology, Nutrition, and Liver Diseases*. 2012;55(1):76-81.

Knudsen SH, Hansen LS, Dejgaard T, Pedersen M, Hansen J, Hall GV et al. Changes in insulin sensitivity precede changes in body composition during 14 days of step reduction combined with overfeeding in healthy young men. *Journal of Applied Physiology*. 2012;113(1):7-15.

Kondziella D, Hansen K, Gonzalez T, Gideon P, Christiansen I, Sellebjerg F. Antithyroidal treatment of two patients with subacute demyelinating ataxia and myoklonus. *Ugeskrift for Laeger*. 2012;174(9):577-9.

Krogh J, Videbech P, Thomsen C, Gluud C, Nordentoft M. DEMO-II trial. Aerobic exercise versus stretching exercise in patients with major depression-a randomised clinical trial. *P L o S One*. 2012;7(10):e48316.

Kühl JT, Linde JJ, Fuchs A, Kristensen TS, Kelbæk H, George RT et al. Patterns of myocardial perfusion in humans evaluated with contrast-enhanced 320 multidetector computed tomography. *International Journal of Cardiovascular Imaging*. 2012;28(7):1739-47.

Kühl JT, Lønborg J, Fuchs A, Andersen MJ, Vejlstrup N, Kelbæk H et al. Assessment of left atrial volume and function: a comparative study between echocardiography, magnetic resonance imaging and multi slice computed tomography. *International Journal of Cardiovascular Imaging*. 2012;28(5):1061-71.

Langhans L, Vejborg TS, Vejborg I, Kroman N. Markering af nonpalpable forandringer i brystvæv. *Ugeskrift for Laeger*. 2012;174(34):1891-4.

Langkilde AR, Stavngaard T, Cortsen M, Wagner A. Computertomografiangiografi af hjernens og halsens kar. *Ugeskrift for Laeger*. 2012;174(19):1295-8.

Laoutliev B, Havsteen I, Bech BH, Narvestad E, Christensen H, Christensen A. Interobserver agreement in fusion status assessment after instrumental desis of the lower lumbar spine using 64-slice multidetector computed tomography: impact of observer experience. *European spine journal : official publication of the European Spine Society, the European Spinal Deformity Society, and the European Section of the Cervical Spine Research Society*. 2012;21(10):2085-90.

Larsen EH, Hermann G, Lund L, Hansen LU, Donskov F, Geertsen P et al. Dansk Renal Cancer Database. Ugeskrift for Laeger. 2012;174(42):2561.

Larzon T, Lönn L, Van Den Berg J. How to avoid and manage groin complications after endovascular repair. Jacobs M, red. I: Prevention and Management of Vascular Complications. Torino: Edizioni Minerva Medica. 2012. s. 33-40.

Lönn L, Edmond JJ, Marco J, Kearney PP, Gallagher AG. Virtual reality simulation training in a high-fidelity procedure suite: operator appraisal. Journal of Vascular and Interventional Radiology. 2012 okt;23(10):1361-6.e2.

Mogensen SS, Aksglaede L, Mouritsen A, Sørensen K, Main KM, Gideon P et al. Pathological and incidental findings on brain MRI in a single-center study of 229 consecutive girls with early or precocious puberty. P L o S One. 2012;7(1):e29829.

Møller AKH, Loft A, Berthelsen AK, Pedersen KD, Graff J, Christensen CB et al. A Prospective Comparison of 18F-FDG PET/CT and CT as Diagnostic Tools to Identify the Primary Tumor Site in Patients with Extracervical Carcinoma of Unknown Primary Site. Oncologist. 2012;17:1146-1154.

Møller Hansen P, Pedersen MM, Hansen KL, Nielsen MB, Jensen JA. New technology - demonstration of a vector velocity technique. Ultraschall in der Medizin. 2011;32(2):213-5.

Møller-Sørensen H, Hansen KL, Ostergaard M, Andersen LW, Møller K. Lack of agreement and trending ability of the endotracheal cardiac output monitor compared with thermodilution. Acta Anaesthesiologica Scandinavica. 2012;56(4):433-440.

Niebuhr MH, Yde JB, Hansen MA, Lönn L, Eiberg JP. Vertebral artery pseudoaneurysm by gunshot wound: endovascular treatment. Chirurgia. 2012;25(4):295-6.

Nielsen SK, Ewertsen C, Svendsen LB, Hillingsø JG, Nielsen MB. Focused assessment with sonography for trauma in patients with confirmed liver lesions. Scandinavian Journal of Surgery. 2012;101(4):287-91.

Nielsen MB, Säftoiu A. Elastografie - richtig oder falsch?. Ultraschall in der Medizin. 2011;32(1):5-7.

Nielsen MB. Introduction to the Educational Activities of EFSUMB. Dietrich CF, red. I: EFSUMB Course Book On Ultrasound. London: EFSUMB. 2012. s. 7-10.

Nielsen MB, Nolsøe CP. Interventional ultrasound. Dietrich CF, red. I: EFSUMB Course Book On Ultrasound. London: EFSUMB. 2012. s. 621-650.

Nielsen MKR, Ewertsen C, Hillingsø JG. Ventrikkelbezoar forårsaget af bariumsulfat. Ugeskrift for Laeger. 2012;174(3):129-30.

Norling R, Grau C, Nielsen MB, Homøe P, Sørensen J, Lambertsen K et al. Radiological imaging of the neck for initial decision-making in oral squamous cell carcinomas-A questionnaire survey in the Nordic countries. *Acta Oncologica*. 2012;51(3):355-361.

Pedersen M, Pedersen KK, Bruunsgaard H, Krabbe KS, Thomsen C, Færch KV et al. Cognitive functions in middle aged individuals are related to metabolic disturbances and aerobic capacity: a cross-sectional study. *P L o S One*. 2012;7(12):e51132.

Pedersen MM, Pihl MJ, Haugaard P, Hansen JM, Hansen KL, Nielsen MB et al. Comparison of real-time in vivo spectral and vector velocity estimation. *Ultrasound in Medicine & Biology*. 2012;38(1):145-51.

Petersen J, Thorborg K, Nielsen MB, Budtz-Jørgensen E, Hölmich P. Preventive effect of eccentric training on acute hamstring injuries in men's soccer: a cluster-randomized controlled trial. *American Journal of Sports Medicine*. 2011;39(11):2296-303.

Piscaglia F, Nolsøe C, Dietrich CF, Cosgrove DO, Gilja OH, Nielsen MB et al. The EFSUMB Guidelines and Recommendations on the Clinical Practice of Contrast Enhanced Ultrasound (CEUS): update 2011 on non-hepatic applications. *Ultraschall in der Medizin*. 2012;33(1):33-59.

Rafiq S, Johansson PI, Zacho M, Stissing T, Kofoed K, Lilleoer NB et al. Thrombelastographic haemostatic status and antiplatelet therapy after coronary artery bypass surgery (TEG-CABG trial): assessing and monitoring the antithrombotic effect of clopidogrel and aspirin versus aspirin alone in hypercoagulable patients: study protocol for a randomized controlled trial. *Trials*. 2012;13(1):48.

Rasmussen R, Wetterslev J, Stavngaard T, Skjøth-Rasmussen J, Grände PO, Olsen NV et al. The effects of continuous prostacyclin infusion on regional blood flow and cerebral vasospasm following subarachnoid haemorrhage: study protocol for a randomised controlled trial. *Trials*. 2012;13:102.

Rasmussen J, Aanæs K, Norling R, Nielsen KG, Johansen HK, von Buchwald C. CT of the paranasal sinuses is not a valid indicator for sinus surgery in CF patients. *Journal of Cystic Fibrosis*. 2012;11(2):93-99.

Renault K, Gyrstrup HJ, Pedersen KD, Hedegaard M, Sørensen JL. Pregnant woman with fatal complication after laparoscopic Roux-en-Y gastric bypass. *Acta Obstetricia et Gynecologica Scandinavica*. 2012;91(7):873-875.

Sellebjerg F, Krakauer M, Limborg S, Hesse D, Lund H, Langkilde A et al. Endogenous and recombinant type I interferons and disease activity in multiple sclerosis. *P L o S One*. 2012;7(6):e35927.

Sidhu PS, Choi BI, Nielsen MB. The EFSUMB Guidelines on the Non-hepatic Clinical Applications of Contrast Enhanced Ultrasound (CEUS): a new dawn for the escalating use of this ubiquitous technique. *Ultraschall in der Medizin*. 2012;33(1):5-7.

Stürup J, Dahl L, Jensen KE, Larsen AB, Gebuhr P. Few adverse reactions to metal on metal articulation in total hip arthroplasty in a review study on 358 consecutive cases with 1 to 5 years follow-up. *The Open Orthopaedics Journal*. 2012;6:366-70.

Sveistrup J, Loft A, Berthelsen AK, Henriksen BM, Nielsen MB, Engelholm SA. Positron Emission Tomography/Computed Tomography in the Staging and Treatment of Anal Cancer. *International Journal of Radiation Oncology - Biology - Physics*. 2012;134-41.

Troelsen LN, Jacobsen S, Abrahams JL, Royle L, Rudd PM, Narvestad E et al. IgG glycosylation changes and MBL2 polymorphisms: associations with markers of systemic inflammation and joint destruction in rheumatoid arthritis. *Journal of Rheumatology*. 2012;39(3):463-9.

Udesen J, Ewertsen C, Gran F, Christensen AF, Kjær-Kristoffersen F, Engelholm SA et al. Ultrasonography Fused with PET-CT Hybrid Imaging. *Current Medical Imaging Reviews*. 2011;7:248-51.

Uldall W, Henriksen T, Vejborg I. Månedens billede. *Ugeskrift for Laeger*. 2012;174(18):1244.

Vejborg I, Mikkelsen EM, Schwartz W, Bak M, Lernevall A, Mogensen NB et al. Dansk Kvalitetsdatabase for Mammografiscreening. *Ugeskrift for Laeger*. 2012;174(42):2533.

von Euler-Chelpin MC, Risør LM, Thorsted BL, Vejborg I. Risk of breast cancer after false-positive test results in screening mammography. *National Cancer Institute. Journal (Online)*. 2012;104(9):682-9.

Wagner A, Cortsen M, Hauerberg J, Romner B, Wagner MP. Treatment of intracranial aneurysms. Reconstruction of the parent artery with flow-diverting (Silk) stent. *Neuroradiology*. 2011 sep 6;54:709-18.

Wanscher M, Agersnap L, Ravn J, Yndgaard S, Nielsen JF, Danielsen ER et al. Outcome of accidental hypothermia with or without circulatory arrest: experience from the Danish Præstø Fjord boating accident. *Resuscitation*. 2012;83(9):1078-84.

Weigang E, Parker JATC, Czerny M, Lönn L, Bonser RS, Carrel TP et al. Should intentional endovascular stent-graft coverage of the left subclavian artery be preceded by prophylactic revascularisation?. *European Journal of Cardio-Thoracic Surgery*. 2011;40(4):858-68.

Zacho M, Damgaard S, Lilleør TN, Kelbaek H, Steinbrüchel D, Nielsen MB et al. Long-term internal thoracic artery bypass graft patency and geometry assessed by multidetector computed tomography. *International Journal of Cardiovascular Imaging*. 2012;28:1577-83.

Direktionen

Videnskabelige artikler

Bernardi L, Spallone V, Stevens M, Hilsted J, Frontoni S, Pop-Busui R et al. Methods of investigation for cardiac autonomic dysfunction in human research studies. *Diabetes - Metabolism: Research and Reviews* (Online). 2011;27(7):654-664.

Mogensen UM, Jensen T, Køber L, Kelbæk H, Mathiesen AS, Dixen U et al. Cardiovascular autonomic neuropathy and subclinical cardiovascular disease in normoalbuminuric type 1 diabetic patients. *Diabetes*. 2012;61(7):1822-30.

Schroeder TV, Schulze S, Hilsted J, Gøtzsche L, red. *Basisbog i medicin og kirurgi*. 5 udg. København: Munksgård Danmark, 2012. 783 s.

Spallone V, Ziegler D, Freeman R, Bernardi L, Frontoni S, Pop-Busui R et al. Cardiovascular autonomic neuropathy in diabetes: clinical impact, assessment, diagnosis, and management. *Diabetes - Metabolism: Research and Reviews* (Online). 2011;27(7):639-53.

Finsencentret

Center for Muskelforskning

Videnskabelige artikler

Andersen TM, Olsen DB, Søndergaard H, Daugaard JR, Bysted A, Christensen DL et al. Metabolic profile in two physically active Inuit groups consuming either a western or a traditional Inuit diet. International Journal of Circumpolar Health. 2012;71:17342.

Bada AA, Svendsen JH, Secher NH, Saltin B, Mortensen SP. Peripheral vasodilatation determines cardiac output in exercising humans: insight from atrial pacing. Journal of Physiology. 2012;590(Pt 8):2051-60.

Biensø RS, Ringholm S, Kiilerich K, Aachmann-Andersen NJ, Krogh-Madsen R, Guerra B et al. GLUT4 and glycogen synthase are key players in bed rest-induced insulin resistance. Diabetes. 2012;61(5):1090-9.

Boushel R, Fuentes T, Hellsten Y, Saltin B. Opposing effects of nitric oxide and prostaglandin inhibition on muscle mitochondrial Vo_2 during exercise. American Journal of Physiology: Regulatory, Integrative and Comparative Physiology. 2012;303(1):R94-100.

Christensen P, Nordsborg NB, Nybo L, Mortensen SP, Sander M, Secher NH et al. Thigh oxygen uptake at the onset of intense exercise is not affected by a reduction in oxygen delivery caused by hypoxia. American Journal of Physiology: Regulatory, Integrative and Comparative Physiology. 2012;303(8):R843-9.

Lundby C, Robach P, Saltin B. The evolving science of detection of 'blood doping'. British Journal of Clinical Pharmacology. 2012;165(5):1306-15.

Mortensen SP, Mørkeberg J, Thaning P, Hellsten Y, Saltin B. Two weeks of muscle immobilization impairs functional sympatholysis but increases exercise hyperemia and the vasodilatory responsiveness to infused ATP. American Journal of Physiology: Heart and Circulatory Physiology. 2012;302(10):H2074-82.

Mortensen SP, Nyberg M, Winding K, Saltin B. Lifelong physical activity preserves functional sympatholysis and purinergic signalling in the ageing human leg. Journal of Physiology. 2012;590(Pt 23):6227-36.

[Nyberg M](#), [Jensen LG](#), [Thaning P](#), [Hellsten Y](#), [Mortensen SP](#).

Role of nitric oxide and prostanoids in the regulation of leg blood flow and blood pressure in humans with essential hypertension: effect of high-intensity aerobic training. J Physiol. 2012 Mar 15;590(Pt 6):1481-94

Osada T, Saltin B, Mortensen SP, Rådegran G. Measurements of the exercising blood flow during rhythmic muscle contraction assessed by Doppler ultrasound: methodological considerations
J Biomed Sci and Engineering, 2012;5: 779-788.

Saltin B. In search of a vasodilator: is ATP the answer?. Journal of Physiology. 2012;590(Pt 21):5261-2.

Saltin B, Mortensen SP. Inefficient functional sympatholysis is an overlooked cause of malperfusion in contracting skeletal muscle. Journal of Physiology. 2012;590(Pt 24):6269-75.

Finsenlaboratoriet

Diputatser og ph.d.-afhandlinger forsvarer i året 2012

Ingvarsen S. Interferring with membrane type matrix metalloproteases in processes of extracellular matrix turnover (ph.d.). Eget Forlag, 2012. 97 s.

Knudsen KJ. The role of the transcription factor Erg in hematopoiesis (ph.d.). Eget Forlag, 2012. 104 s.

Videnskabelige artikler

Adams D, Altucci L, Antonarakis SE, Ballesteros J, Beck S, Bird A et al. BLUEPRINT to decode the epigenetic signature written in blood. Nature Biotechnology Directory (Year). 2012;30(3):224-6.

Bager R, Kristensen TK, Jensen J, Szczur A, Christensen A, Andersen L et al. Urokinase-type plasminogen activator-like proteases in teleosts lack genuine receptor-binding epidermal growth factor-like domains. Journal of Biological Chemistry. 2012;287(33):27526-36.

Bagger FO, Rapin N, Theilgaard-Mönch K, Kaczkowski B, Jendholm J, Winther O et al. HemaExplorer: a Web server for easy and fast visualization of gene expression in normal and malignant hematopoiesis. Blood. 2012;119(26):6394-5.

Botkjaer KA, Deryugina EI, Dupont DM, Gårdsvoll H, Bekes EM, Thuesen CK et al. Targeting tumor cell invasion and dissemination in vivo by an aptamer that inhibits urokinase-type plasminogen activator through a novel multifunctional mechanism. Molecular cancer research : MCR. 2012;10(12):1532-43.

Cramer EP, Glenthøj A, Häger M, Juncker-Jensen A, Engelholm LH, Santoni-Rugiu E et al. No effect of NGAL/lipocalin-2 on aggressiveness of cancer in the MMTV-PyMT/FVB/N mouse model for breast cancer. PLoS One. 2012;7(6):e39646.

Eefsen RL, Van den Eynden GG, Hoyer-Hansen G, Brodt P, Laerum OD, Vermeulen PB et al. Histopathological growth pattern, proteolysis and angiogenesis in chemonaive patients resected for multiple colorectal liver metastases. Audio Journal of Oncology. 2012;2012:907971.

Hald A, Eickhardt HT, Maerkedahl RB, Feldborg CW, Egerod KL, Engelholm LH et al. Plasmin-driven fibrinolysis facilitates skin tumor growth in a gender-dependent manner. FASEB Journal. 2012;26(11):4445-57.

Hasemann MS, Schuster MB, Frank A-K, Theilgaard-Mönch K, Pedersen T, Nerlov C et al. Phosphorylation of serine 248 of C/EBP α is dispensable for myelopoiesis but its disruption leads to a low penetrant myeloid disorder with long latency. PLoS One. 2012;7(6):e38841.

Heeran MC, Høgdall CK, Kjaer SK, Christensen L, Blaakaer J, Christensen IJ et al. Limited prognostic value of tissue protein expression levels of cyclin E in Danish ovarian cancer patients: from the Danish 'MALOVA' ovarian cancer study. APMIS 2012;120(10):846-54.

Hermann NV, Zargham M, Darvann TA, Christensen IJ, Kreiborg S. Early postnatal development of the mandibular permanent first molar in infants with isolated cleft palate. International Journal of Paediatric Dentistry (Online). 2012;22(4).

Hoejberg L, Bastholt L, Johansen JS, Christensen IJ, Gehl J, Schmidt H. Serum interleukin-6 as a prognostic biomarker in patients with metastatic melanoma. Melanoma Research Today. 2012;22(4):287-93.

Holten-Andersen L, Christensen IJ, Jensen SB, Reibel J, Laurberg S, Nauntofte B et al. Saliva and plasma TIMP-1 in patients with colorectal cancer: a prospective study. Scandinavian Journal of Gastroenterology. 2012;47(10):1234-41.

Karlsen MA, Sandhu N, Høgdall C, Christensen IJ, Nedergaard L, Lundvall L et al. Evaluation of HE4, CA125, risk of ovarian malignancy algorithm (ROMA) and risk of malignancy index (RMI) as diagnostic tools of epithelial ovarian cancer in patients with a pelvic mass. Journal of Gynecologic Oncology Nursing. 2012;127(2):379-83.

Laerum OD, Ovrebo K, Skarstein A, Christensen IJ, Alpizar WEA, Helgeland L et al. Prognosis in adenocarcinomas of lower oesophagus, gastro-oesophageal junction and

cardia evaluated by uPAR-immunohistochemistry. International Journal of Cancer. 2012;131(3):558-569.

Lawaetz AJ, Bro R, Kamstrup-Nielsen MH, Christensen IJ, Jørgensen LN, Nielsen HJ. Fluorescence spectroscopy as a potential metabonomic tool for early detection of colorectal cancer. Metabolomics. 2012;8(Suppl. 1):111-121.

Lecomte J, Masset A, Blacher S, Maertens L, Gothot A, Delgaudine M et al. Bone marrow-derived myofibroblasts are the providers of pro-invasive matrix metalloproteinase 13 in primary tumor. NeoPlasia. 2012;14(10):943-51.

Liu Z, Kromann-Hansen T, Lund IK, Hosseini M, Jensen KJ, Hoyer-Hansen G et al. Interconversion of active and inactive conformations of urokinase-type plasminogen activator. Biochemistry Insight. 2012;51(39):7804-11.

Lund IK, Rasch MG, Ingvarsen S, Pass J, Madsen DH, Engelholm LH et al. Inhibitory Monoclonal Antibodies against Mouse Proteases Raised in Gene-Deficient Mice Block Proteolytic Functions in vivo. Frontiers in Pharmacology. 2012;3:122.

Mertens HDT, Kjaergaard M, Mysling S, Gårdsvoll H, Jørgensen T, Svergun DI et al. A flexible multidomain structure drives the function of the urokinase-type plasminogen activator receptor (uPAR). Journal of Biological Chemistry. 2012;287(41):34304-15.

Noël A, Gutiérrez-Fernández A, Sounni NE, Behrendt N, Maquoi E, Lund IK et al. New and paradoxical roles of matrix metalloproteinases in the tumor microenvironment. Frontiers in Pharmacology. 2012;3:140.

Persson M, Madsen J, Østergaard S, Jensen MM, Jørgensen JT, Juhl K et al. Quantitative PET of human urokinase-type plasminogen activator receptor with ^{64}Cu -DOTA-AE105: implications for visualizing cancer invasion. Journal of nuclear medicine : official publication, Society of Nuclear Medicine. 2012;53(1):138-45.

Persson M, Rasmussen PD, Madsen J, Ploug M, Kjaer A. New peptide receptor radionuclide therapy of invasive cancer cells: in vivo studies using ^{177}Lu -DOTA-AE105 targeting uPAR in human colorectal cancer xenografts. Nuclear Medicine and Biology. 2012;39(7):962-9.

Rasmussen R, Claesson M, Stangerup S-E, Roed H, Christensen IJ, Thomasen PC et al. Fractionated stereotactic radiotherapy of vestibular schwannomas accelerates hearing loss. International Journal of Radiation: Oncology - Biology - Physics. 2012;83(5):e607-11.

Rohrberg KS, Olesen RK, Pfeiffer P, Ladekarl M, Pappot H, Christensen IJ et al. Phase II trial of erlotinib and bevacizumab in patients with advanced upper gastrointestinal cancers. Acta Oncologica. 2012;51(2):234-42.

Røder MA, Christensen IJ, Berg KD, Gruschi L, Brasso K, Iversen P. Serum testosterone level as a predictor of biochemical failure after radical prostatectomy for localized prostate cancer. B J U International (Print). 2012;109(4):520-4.

Røder MA, Christensen IJ, Toft BG, Berg KD, Vainer B, Brasso K et al. Risk factors associated with positive surgical margins after radical prostatectomy for localized prostate cancer. APMIS Supplementum. 2012 mar;120:18-39.

Røder MA, Vrang M-L, Vainer B, Christensen IJ, Gruschy L, Brasso K et al. First Danish single-institution experience with Radical Prostatectomy: Impact of site and number of surgical margins on biochemical outcome. APMIS Supplementum. 2012 mar;120:18-39.

Røder MA, Berg KD, Christensen IJ, Gruschy L, Brasso K, Iversen P. Biochemical Outcome after Radical Prostatectomy for High-Risk Localized Prostate Cancer. Urology. 2012 sep;80(3):1-135.

Røder MA, Thomsen FB, Christensen IJ, Toft BG, Berg KD, Gruschy L et al. Positive Surgical Margins in Radical Prostatectomy for Localized Prostate Cancer: Is the Risk Increased by Nerve-Sparing Surgery?. Urology. 2012 sep;80(3).

Røder MA, Vrang M-L, Christensen IJ, Gruschy L, Brasso K, Vainer B et al. Location of Positive Margins in Radical Prostatectomy Specimens: Prognostic Implications. Urology. 2012 sep;80(3).

Røder MA, Berg KD, Christensen IJ, Gruschy L, Brasso K, Iversen P. Beyond the abstract on Urotoday.com: Outcome of radical prostatectomy for high-risk prostate cancer. [Online] 2012 [!!cited 2012 aug 14] !!Available from:
URL: <http://www.urotoday.com/UroToday/Prostate-Cancer/radical-prostatectomy-in-clinically-localized-high-risk-prostate-cancer-outcome-of-231-consecutive-patients-abstract.html>

Røder MA, Berg KD, Christensen IJ, Gruschy L, Brasso K, Iversen P. biochemical outcome after radical prostatectomy for high-risk localized prostate cancer. 2012. Abstract from 32nd Congress of the Société Internationale d'Urologie, Fukuoka, Japan.

Røder MA, Thomsen FB, Christensen IJ, Toft BG, Berg KD, Gruschy L et al. Positive surgical margins in radical prostatectomy for localized prostate cancer: is the risk increased by nerve-sparing surgery?. 2012. Abstract from 32nd Congress of the Société Internationale d'Urologie, Fukuoka, Japan.

Røder MA, Christensen IJ, Toft BG, Berg KD, Vainer B, Brasso K et al. Risk factors associated with positive surgical margins after radical prostatectomy for localized prostate cancer. A P M I S. Acta Pathologica, Microbiologica et Immunologica Scandinavica. 2012;120:18-39.

Schultz NA, Roslind A, Christensen IJ, Horn T, Høgdall E, Pedersen LN et al. Frequencies and prognostic role of KRAS and BRAF mutations in patients with localized pancreatic and ampullary adenocarcinomas. Pancreas. 2012;41(5):759-66.

Sørensen TT, Illemann M, Christensen IJ, Hoyer-Hansen G. Urokinase-Type Plasminogen Activator, Its receptor and Inhibitor as Biomarkers in Cancer. I: Matrix Proteases in Health and Disease. Wiley-VCH. 2012. s. 325-344.

Trelle MB, Hirschberg D, Jansson A, Ploug M, Roeprstorff P, Andreasen KP et al. Hydrogen/Deuterium Exchange Mass Spectrometry Reveals Specific Changes in the Local Flexibility of Plasminogen Activator Inhibitor 1 upon Binding to the Somatomedin B Domain of Vitronectin. Biochemistry Insight. 2012;51(41):8256-66.

Treppendahl MB, Qiu X, Søgaard A, Yang X, Nandrup-Bus C, Hother C et al. Allelic methylation levels of the noncoding VTRNA2-1 located on chromosome 5q31.1 predict outcome in AML. Blood. 2012;119(1):206-16.

Vizin T, Christensen IJ, Nielsen HJ, Kos J. Cathepsin X in serum from patients with colorectal cancer: relation to prognosis. Radiology and Oncology. 2012;46(3):207-12.

Vrang M-L, Røder MA, Vainer B, Christensen IJ, Gruschy L, Brasso K et al. First danish single-institution experience with radical prostatectomy: impact of surgical margins on biochemical outcome. Scandinavian Journal of Urology and Nephrology. 2012 jun;46(3):172-9.

Weischenfeldt JL, Waage J, Tian G, Zhao J, Damgaard I, Jakobsen JS et al. Mammalian tissues defective in nonsense-mediated mRNA decay display highly aberrant splicing patterns. Genome Biology (Online Edition). 2012;13(5):R35.

Xu X, Gårdsvoll H, Yuan C, Lin L, Ploug M, Huang M. Crystal Structure of the Urokinase Receptor in a Ligand-Free Form. Journal of Molecular Biology. 2012;416(5):629-41

Zheng S, Gray EE, Chawla G, Porse BT, O'Dell TJ, Black DL. PSD-95 is post-transcriptionally repressed during early neural development by PTBP1 and PTBP2. Nature Reviews. Neuroscience. 2012;15(3):381-8, S1.

Hæmatologisk Klinik

Disputatser og ph.d.-afhandlinger forsvaret i året 2012

Glenthøj A. Sorting and processing of granule proteins during development of neutrophil granulocytes: Ph.d. dissertation. Eget Forlag, 2012.

Hother C. MicroRNA in lympholiferative malignancies: Ph.d. dissertation. Eget Forlag, 2012.

Treppendahl MB. Potential tumor suppressors on chromosome 5q in higher risk myelodysplastic syndrome and acute myeloid leukemia: Ph.d. dissertation. Eget Forlag, 2012.

Videnskabelige artikler

Abelsson J, Merup M, Birgegård G, Bjerrum OW, Brinch L, Brune M et al. The outcome of allo-HSCT for 92 patients with myelofibrosis in the Nordic countries. Bone Marrow Transplantation. 2012;47:380-386.

Agathangelidis A, Darzentas N, Hadzidimitriou A, Brochet X, Murray F, Yan X-J et al. Stereotyped B-cell receptors in one-third of chronic lymphocytic leukemia: a molecular classification with implications for targeted therapies. Blood. 2012;119(19):4467-75.

Alatri A, Armstrong A-E, Greinacher A, Koster A, Kozek-Langenecker SA, Lancé MD et al. Results of a consensus meeting on the use of argatroban in patients with heparin-induced thrombocytopenia requiring antithrombotic therapy - a European Perspective. Thrombosis Research. 2012;129(4):426-33.

Andersen NF, Vogel UB, Klausen TW, Gimsing P, Gregersen H, Abildgaard N et al. Vascular endothelial growth factor (VEGF) gene polymorphisms may influence the efficacy of thalidomide in multiple myeloma. International Journal of Cancer. 2012;131:E636-E642.

Andersen CL, Hasselbalch H, Grønbæk K. Lack of somatic mutations in the catalytic domains of CREBBP and EP300 genes implies a role for histone deacetylase inhibition in myeloproliferative neoplasms. Leukemia Research. 2012;36(4):485-487.

Andersen CL, Kristensen TK, Severinsen MT, Møller MB, Vestergaard H, Bergmann OJ et al. Systemic mastocytosis--a systematic review. Danish Medical Journal. 2012;59(3):A4397.

Andersson C, Gislason GH, Weeke P, Kjaergaard J, Hassager C, Akkan D et al. The prognostic importance of a history of hypertension in patients with symptomatic heart failure is substantially worsened by a short mitral inflow deceleration time. B M C Cardiovascular Disorders. 2012;12:30.

Arora SJ, Erikstad I, Ueland T, Sigurdardottir V, Ekmezagag B, Jansson K et al. Virtual histology assessment of cardiac allograft vasculopathy following introduction of everolimus--results of a multicenter trial. American Journal of Transplantation (Online). 2012;12(10):2700-9.

Baron F, Labopin M, Niederwieser D, Vigouroux S, Cornelissen J, Malm C et al. Impact of graft-versus-host disease after reduced-intensity conditioning allogeneic stem cell transplantation for acute myeloid leukemia: a report from the Acute Leukemia Working Party of the European group for blood and marrow transplantation. Leukemia. 2012;26(12):2462-8.

Braendstrup P, Langkilde A, Schreiber K, Ravnborg M, Sellebjerg F, Vindelov L. Progression and CSF Inflammation after Eradication of Oligoclonal Bands in an MS Patient Treated with Allogeneic Hematopoietic Cell Transplantation for Follicular Lymphoma. Case Reports in Neurology. 2012;4(2):101-6.

Brandt C, Nielsen AR, Fischer CP, Hansen J, Pedersen BK, Plomgaard P. Plasma and muscle myostatin in relation to type 2 diabetes. PLoS One. 2012;7(5):e37236.

Broholm R, Just S, Jørgensen M, Bækgaard N. Akut iliofemoral venøs trombose bør behandles med kateterbaseret trombolyse. Ugeskrift for Laeger. 2012;174(14):930-3.

Brown PN, Nørgaard JM, Gimsing P, Hasselbalch H, Abildgård N, Jensen P et al. Den Hæmatologiske Fællesdatabase. Ugeskrift for Laeger. 2012;174(42):2526.

Burnett AK, Russell NH, Hills RK, Kell J, Freeman S, Kjeldsen L et al. Addition of gemtuzumab ozogamicin to induction chemotherapy improves survival in older patients with acute myeloid leukemia. Journal of Clinical Oncology. 2012;30(32):3924-31.

Cahill N, Sutton L-A, Jansson M, Murray F, Mansouri L, Gunnarsson R et al. IGHV3-21 gene frequency in a Swedish cohort of patients with newly diagnosed chronic lymphocytic leukemia. Clinical lymphoma, myeloma & leukemia. 2012;12(3):201-6.

Cheng W-H, Wu RTY, Wu M, Rocourt CRB, Carrillo JA, Song J et al. Targeting Werner syndrome protein sensitizes U-2 OS osteosarcoma cells to selenium-induced DNA damage response and necrotic death. Biochemical and Biophysical Research Communications. 2012;420(1):24-8.

Clemmensen SN, Bohr CT, Rørvig S, Glenthøj A, Mora-Jensen HI, Cramer EP et al. Olfactomedin 4 defines a subset of human neutrophils. Journal of Leukocyte Biology. 2012;91(3):495-500.

Cramer EP, Glenthøj A, Häger M, Juncker-Jensen A, Engelholm LH, Santoni-Rugiu E et al. No effect of NGAL/lipocalin-2 on aggressiveness of cancer in the MMTV-PyMT/FVB/N mouse model for breast cancer. PLoS One. 2012;7(6):e39646.

d'Amore F, Relander T, Lauritsen GF, Jantunen E, Hagberg H, Anderson H et al. Up-front autologous stem-cell transplantation in peripheral T-cell lymphoma: NLG-T-01. *Journal of Clinical Oncology*. 2012;30(25):3093-9.

de Geus-Oei L-F, Vriens D, Arens AJJ, Hutchings M, Oyen WJG. FDG-PET/CT based response-adapted treatment. *Cancer Imaging*. 2012;12(2):324-35.

Dixon BM, Barker T, McKinnon T, Cuomo J, Frei B, Borregaard N et al. Positive correlation between circulating cathelicidin antimicrobial peptide (hCAP18/LL-37) and 25-hydroxyvitamin D levels in healthy adults. *B M C Research Notes*. 2012;5(1):575.

El Fassi D, Hegedüs L, Nielsen CH. Anti-CD20 antibody therapy for B-cell lymphomas. *New England Journal of Medicine*. 2012;367(9):877; author reply 878.

El Fassi D, Nielsen CH. Ulcerative colitis. *New England Journal of Medicine*. 2012;366(9):862; author reply 862-3.

El-Galaly TC, Mylam KJ, Brown P, Specht L, Christiansen I, Munksgaard L et al. PET/CT surveillance in patients with Hodgkin lymphoma in first remission is associated with low positive predictive value and high costs. *Haematologica*. 2012;2012;97(6):931-6.

El-Galaly TC, d'Amore F, Mylam KJ, de Nully Brown P, Bøgsted M, Bukh A et al. Routine Bone Marrow Biopsy Has Little or No Therapeutic Consequence for Positron Emission Tomography/Computed Tomography-Staged Treatment-Naïve Patients With Hodgkin Lymphoma. *Journal of Clinical Oncology*. 2012;30(36):4508-14.

Frederiksen BL, Dalton SO, Osler M, Steding-Jessen M, Brown PN. Socioeconomic position, treatment, and survival of non-Hodgkin lymphoma in Denmark--a nationwide study. *B J C*. 2012;106(5):988-95.

Gando S, Wada H, Kim HK, Kurosawa S, Nielsen JD, Thachil J et al. Comparison of disseminated intravascular coagulation in trauma with coagulopathy of trauma/acute coagulopathy of trauma-shock. *Journal of Thrombosis and Haemostasis*. 2012;10(12):2593-5.

Gang AO, Strøm C, Pedersen M, d'Amore F, Pedersen LM, Bukh A et al. R-CHOEP-14 improves overall survival in young high-risk patients with diffuse large B-cell lymphoma compared with R-CHOP-14. A population-based investigation from the Danish Lymphoma Group. *Annals of Oncology*. 2012;23(1):147-53.

Geisler CH, Kolstad A, Laurell A, Jerkeman M, Räty R, Andersen NS et al. Nordic MCL2 trial update: six-year follow-up after intensive immunochemotherapy for untreated mantle cell lymphoma followed by BEAM or BEAC + autologous stem-cell support: still very long survival but late relapses do occur. *British Journal of Haematology*. 2012;158(3):355-62.

Geisler CH. Autologous transplantation and management of younger patients with mantle cell lymphoma. *Best Practice & Research: Clinical Haematology*. 2012;25(2):211-20.

Grønbæk K, Müller-Tidow C, Perini G, Lehmann S, Bach Treppendahl M, Mills K et al. A critical appraisal of tools available for monitoring epigenetic changes in clinical samples from patients with myeloid malignancies. *Haematologica*. 2012;97(9):1380-8.

Hansen SB, Dufva IH, Kjeldsen L. Durable complete remission after azacitidine treatment in a patient with erythroleukaemia. *European Journal of Haematology*. 2012;89(4):369-70.

Hansen M, Nielsen AR, Vilsbøll T, Lund A, Krarup T, Knop FK et al. Increased Levels of YKL-40 and Interleukin 6 in Patients With Chronic Pancreatitis and Secondary Diabetes. *Pancreas*. 2012;41(8):1316-8.

Heslet L, Nielsen JD, Nepper-Christensen S. Local pulmonary administration of factor VIIa (rFVIIa) in diffuse alveolar hemorrhage (DAH) - a review of a new treatment paradigm. *Biologics (Online)*. 2012;6:37-46.

Hjorth M, Hjertner Ø, Knudsen LM, Gulbrandsen N, Holmberg E, Pedersen PT et al. Thalidomide and dexamethasone vs. bortezomib and dexamethasone for melphalan refractory myeloma: a randomized study. *European Journal of Haematology*. 2012;88(6):485-96.

Hoffmann MH, Klausen TW, Boegsted M, Larsen SF, Schmitz A, Leinø EB et al. Clinical impact of leukemic blast heterogeneity at diagnosis in cytogenetic intermediate-risk acute myeloid leukemia. *Cytometry. Part B: Clinical Cytometry*. 2012;82(3):123-31.

Hutchings M. How does PET/CT help in selecting therapy for patients with Hodgkin lymphoma?. *Hematology*. 2012;2012:322-7.

Hutchings M, Polliack A. When and how to perform surveillance imaging in patients with lymphoma, and is it worth it?. *Leukemia and Lymphoma*. 2012;53(6):1015-6.

Hutchings M. The role of bone marrow biopsy in Hodgkin lymphoma staging: "to be, or not to be, that is the question"? *Leukemia and Lymphoma*. 2012;53(4):523-4.

Jena P, Mohanty S, Mohanty T, Kallert S, Morgelin M, Lindstrøm T et al. Azurophil granule proteins constitute the major mycobactericidal proteins in human neutrophils and enhance the killing of mycobacteria in macrophages. *P L o S One*. 2012;7(12):e50345.

Kamstrup MR, Lindahl LM, Gniadecki R, Iversen L, Skov L, Petersen PM et al. Low-Dose Total Skin Electron Beam Therapy as a Debulking Agent for Cutaneous T-Cell Lymphoma: An open-label prospective phase II study. *British Journal of Dermatology*. 2012 jan;166(2):399-404.

Kjær L, Westman M, Hasselbalch Riley C, Høgdall E, Weis Bjerrum O, Hasselbalch H. A highly sensitive quantitative real-time PCR assay for determination of mutant JAK2 exon 12 allele burden. *P L o S One*. 2012;7(3):e33100.

Kluin-Nelemans HC, Hoster E, Hermine O, Walewski J, Trneny M, Geisler CH et al. Treatment of older patients with mantle-cell lymphoma. *New England Journal of Medicine*. 2012;367(6):520-31.

Kostareli E, Gounari M, Janus A, Murray F, Brochet X, Giudicelli V et al. Antigen receptor stereotypy across B-cell lymphoproliferations: the case of IGHV4-59/IGKV3-20 receptors with rheumatoid factor activity. *Leukemia*. 2012;26(5):1127-31.

Krejsgaard TF, Odum N, Geisler C, Wasik MA, Woetmann A. Regulatory T cells and immunodeficiency in mycosis fungoides and Sézary syndrome. *Leukemia*. 2011;26:424-432.

Krogh-Madsen M, Bender B, Jensen MK, Nielsen OJ, Friberg LE, Honoré PH. Population pharmacokinetics of cytarabine, etoposide, and daunorubicin in the treatment for acute myeloid leukemia. *Cancer Chemotherapy and Pharmacology*. 2012.

Larsen CC, Sørensen B, Nielsen JD, Astrup J. Reduced clot-stability during the first 6 hours after aneurysmal subarachnoid haemorrhage--a prospective case-control study. *Thrombosis Research*. 2012;129(5):e229-32.

Laurell L, Court-Payen M, Nielsen S, Zak M, Boesen M, Fasth A. Comparison of ultrasonography with Doppler and MRI for assessment of disease activity in juvenile idiopathic arthritis: a pilot study. *Pediatric Rheumatology Online Journal*. 2012;10(1):23.

Loeth N, Assing K, Madsen HO, Vindeløv L, Buus S, Stryhn A. Humoral and cellular CMV responses in healthy donors; identification of a frequent population of CMV-specific, CD4+ T cells in seronegative donors. *P L o S One*. 2012;7(2):e31420.

Madelung A, Bzorek M, Bondo H, Zetterberg E, Bjerrum OW, Hasselbalch HC et al. A novel immunohistochemical sequential multi-labelling and erasing technique enables epitope characterization of bone marrow pericytes in primary myelofibrosis. *Histopathology*. 2012;60: 554 – 660.

Magid T, Haase N, Andersen JS, Nielsen OJ, Bonde J. Intensive care of haematological patients. *Danish Medical Journal*. 2012;59(3):A4395.

Mansbach JM, Piedra PA, Borregaard N, Martineau AR, Neuman MI, Espinola JA et al. Serum cathelicidin level is associated with viral etiology and severity of bronchiolitis. *Journal of Allergy and Clinical Immunology*. 2012;130(4):1007-8.e1.

Mellstedt H, Gimsing P, Waage A. Behandling av myelom när högdoskemoterapi inte är möjlig. Nya läkemedel--alternativ för äldre patienter. *Laekartidningen*. 2012;108(42):2090-4.

Meris A, Amigoni M, Verma A, Thune JJ, Køber L, Velazquez E et al. Mechanisms and predictors of mitral regurgitation after high-risk myocardial infarction. *Echocardiography*. 2012;25(5):535-42.

Mortensen BK, Petersen S, Kornblit B, Andersen PV, Braendstrup P, Andersen NS et al. Single-institution long-term outcomes for patients receiving nonmyeloablative conditioning hematopoietic cell transplantation for chronic lymphocytic leukemia and follicular lymphoma. *European Journal of Haematology*. 2012;89(2):151-9.

Mortensen BK, Rasmussen AH, Larsen ME, Larsen MV, Lund O, Braendstrup P et al. Identification of a novel UTY-encoded minor histocompatibility antigen. *Scandinavian journal of haematology*. 2012;76(2):141-50.

Munthe-Fog L, Hummelshoj T, Honoré CLF, Moller ME, Skjoedt MO, Palsgaard I et al. Variation in FCN1 affects biosynthesis of ficolin-1 and is associated with outcome of systemic inflammation. *Genes and Immunity*. 2012;13(7):515-22.

Møller T, Adamsen L, Appel C, Welinder P, Stage M, Jarden M et al. Health related quality of life and impact of infectious comorbidity in outpatient management of patients with acute leukemia. *Clinical Lymphoma, Myeloma & Leukemia*. 2012;53(10):1896-904.

Mårtensson S, Frederiksen BL, De Nully Brown P, Dalton SO, Osler M. Differential case reporting in a national clinical quality database: an analysis of the impact on comparison of outcome between departments. *Quality Management in Health Care*. 2012;21(4):278-85.

Nagler A, Labopin M, Shimoni A, Mufti GJ, Cornelissen JJ, Blaise D et al. Mobilized peripheral blood stem cells compared with bone marrow from HLA-identical siblings for reduced-intensity conditioning transplantation in acute myeloid leukemia in complete remission: a retrospective analysis from the Acute Leukemia Working Party of EBMT. *European Journal of Haematology*. 2012;89(3):206-13.

Ranjan A, Penninga E, Jelsig A, Hasselbalch H, Bjerrum OW. Inheritance of the chronic myeloproliferative neoplasms. A systematic review. *The Application of Clinical Genetics*. 2012;20.

Raunsø J, Selmer C, Olesen JB, Charlot MG, Olsen A-MS, Bretler D-M et al. Increased short-term risk of thrombo-embolism or death after interruption of warfarin treatment in patients with atrial fibrillation. *European Heart Journal*. 2012;33(15):1886-1892.

Ross FM, Avet-Loiseau H, Ameye G, Gutiérrez NC, Liebisch P, O'Connor S et al. Report from the European Myeloma Network on interphase FISH in multiple myeloma and related disorders. *Haematologica*. 2012;97(8):1272-7.

Schmid C, Labopin M, Nagler A, Niederwieser D, Castagna L, Tabrizi R et al. Treatment, risk factors, and outcome of adults with relapsed AML after reduced intensity conditioning for allogeneic stem cell transplantation. *Blood*. 2012;119(6):1599-1606.

Schousboe K, El Fassi D, Secher EL, Elming H, Rasmussen K, Hornum M. Behandling af metforminassocieret laktatacidose med hæmodialyse. *Ugeskrift for Laeger*. 2012;174(23):1604-6.

Skov V, Larsen TS, Thomassen M, Riley CH, Jensen MK, Bjerrum OW et al. Increased gene expression of histone deacetylases in patients with Philadelphia-negative chronic myeloproliferative neoplasms. *Leukemia and Lymphoma*. 2012;53(1):123-9.

Skov V, Larsen TS, Thomassen M, Riley CH, Jensen MK, Bjerrum OW et al. Molecular profiling of peripheral blood cells from patients with polycythemia vera and related neoplasms: identification of deregulated genes of significance for inflammation and immune surveillance. *Acute Myeloid Leukemia Research Today*. 2012;36(11):1387-92.

Skov V, Thomassen M, Riley CH, Jensen MK, Bjerrum OW, Kruse TA et al. Gene expression profiling with principal component analysis depicts the biological continuum from essential thrombocythemia over polycythemia vera to myelofibrosis. *Experimental Hematology*. 2012;40(9):771-780.e19.

Smedby KE, Foo JN, Skibola CF, Darabi H, Conde L, Hjalgrim H et al. GWAS of follicular lymphoma reveals allelic heterogeneity at 6p21.32 and suggests shared genetic susceptibility with diffuse large B-cell lymphoma. *PLoS Genetics*. 2011;7(4):e1001378.

Specht L. Radiotherapy studies and extra-nodal non-Hodgkin lymphomas, progress and challenges. *Clinical Oncology*. 2012;24(5):313-8.

Srinivasan G, Aitken JD, Zhang B, Carvalho FA, Chassaing B, Shashidharamurthy R et al. Lipocalin 2 deficiency dysregulates iron homeostasis and exacerbates endotoxin-induced sepsis. *Journal of Immunology*. 2012;189(4):1911-9.

Sølbeck S, Windeløv NA, Bæk NH, Nielsen JD, Ostrowski SR, Johansson PI. In-vitro comparison of free oscillation rheometry (ReoRox) and rotational thromboelastometry (ROTEM) in trauma patients upon hospital admission. *Blood Coagulation and Fibrinolysis*. 2012;23(8):688-92.

Thygesen KH, Schiødt I, Jarden M. The impact of hematopoietic stem cell transplantation on sexuality: a systematic review of the literature. *Bone Marrow Transplantation*. 2011;47:716-724.

Treppendahl MB, Qiu X, Søgaard A, Yang X, Nandrup-Bus C, Hother C et al. Allelic methylation levels of the noncoding VTRNA2-1 located on chromosome 5q31.1 predict outcome in AML. *Blood*. 2012;119(1):206-16.

Volck B, Price PA, Johansen JS, Sørensen O, Benfield T, Nielsen HJ et al. YKL-40, a mammalian member of the chitinase family, is a matrix protein of specific granules in human neutrophils. *Association of American Physicians. Proceedings*. 2012;110(4):351-60.

Warlick E, Ahn KW, Pedersen TL, Artz A, de Lima M, Pulsipher M et al. Reduced intensity conditioning is superior to nonmyeloablative conditioning for older chronic myelogenous leukemia patients undergoing hematopoietic cell transplant during the tyrosine kinase inhibitor era. *Blood*. 2012;119(17):4083-90.

Yfanti C, Fischer CP, Nielsen S, Akerström T, Nielsen AR, Veskoukis AS et al. Role of Vitamin C and E Supplementation on IL-6 in response to Training. *Journal of Applied Physiology*. 2012;112(6):990-1000.

Klinik for infektionsmedicin og Reumatologi / Epidemiklinikken

Disputatser og ph.d.-afhandlinger forsøret i året 2012

Broholm C. Functional studies of leukaemia inhibitory factor in human skeletal muscle. 2012.

Engsig FN. Morbidity and mortality in Danish HIV patients after the introduction of highly active antiretroviral treatment. - PH.D. 2012. 93 s.

Nielsen CT. Circulating microparticles in systemic lupus erythematosus (PhD). Københavns Universitet: Eget Forlag, 2012.

Pedersen M. Type 2 Diabetes: The Relation to Ethnicity and Cognitive Function. 2012. 113 s.

Videnskabelige artikler

Opportunistic Infections Project Team of the Collaboration of Observational HIV Epidemiological Research in Europe (COHERE) in EuroCoord, Obel N. CD4 cell count and the risk of AIDS or death in HIV-Infected adults on combination antiretroviral therapy with a suppressed viral load: a longitudinal cohort study from COHERE. *P L o S Medicine* (Online). 2012;9(3):e1001194.

Andersen TM, Olsen DB, Søndergaard H, Daugaard JR, Bysted A, Christensen DL et al. Metabolic profile in two physically active Inuit groups consuming either a western or a traditional Inuit diet. *International Journal of Circumpolar Health*. 2012;71:17342.

Christiansen CB, Berg RMG, Plovsing RR, Møller K. Two cases of infectious purpura fulminans and septic shock caused by Capnocytophaga canimorsus transmitted from dogs. *Scandinavian Journal of Infectious Diseases*. 2012;44(8):635-9.

Adjei GO, Oduro-Boatey C, Rodrigues OP, Høgberg LCG, Alifrangis M, Kurtzhals JA et al. Electrocardiographic study in Ghanaian children with uncomplicated malaria, treated with artesunate-amodiaquine or artemether-lumefantrine. *Malaria Journal*. 2012;11:420.

Aftab H, Poulsen SD, Nielsen SL, Due E, Bygbjerg IC, Thybo S. A Case of Leprosy Mistaken for Cutaneous Sarcoidosis. *Acta Dermato Venereologica*. 2012 mar 21;92(2):189-90.

Andersen L, Clausen T, Mortensen OS, Burr H, Holtermann A. A prospective cohort study on musculoskeletal risk factors for long-term sickness absence among healthcare workers in eldercare. International Archives of Occupational and Environmental Health. 2012;85(6):615-22.

Armitage AE, Deforche K, Chang C-H, Wee E, Kramer B, Welch JJ et al. APOBEC3G-induced hypermutation of human immunodeficiency virus type-1 is typically a discrete "all or nothing" phenomenon. PLoS Genetics (Online). 2012;8(3):e1002550.

Bada AA, Svendsen JH, Secher NH, Saltin B, Mortensen SP. Peripheral vasodilatation determines cardiac output in exercising humans: insight from atrial pacing. Journal of Physiology. 2012;590(Pt 8):2051-60.

Baker JV, Neuhaus J, Duprez D, Freiberg M, Bernardino JI, Badley AD et al. HIV replication, inflammation, and the effect of starting antiretroviral therapy on plasma asymmetric dimethylarginine, a novel marker of endothelial dysfunction. Journal of Acquired Immune Deficiency Syndromes (1999). 2012;60(2):128-34.

Bang U, Kolte L, Hitz M, Nielsen SD, Schierbeck LL, Andersen O et al. Correlation of Increases in 1,25-Dihydroxyvitamin D During Vitamin D Therapy With Activation of CD4+ T Lymphocytes in HIV-1-Infected Males. HIV Clinical Trials. 2012;13(3):162-70.

Baslund B, Wiencke AK, Rasmussen N, Faurschou M, Toft PB. Treatment of orbital inflammation with rituximab in Wegener's granulomatosis. Clinical and Experimental Rheumatology. 2012;30(1 Suppl 70):S7-10.

Baslund B, Madsen OR, Søndergaard K, Juul L. Reumatologi--glimt af et fag i hastig udvikling. Ugeskrift for Laeger. 2012;174(12):804.

Beck-Nielsen H, Solomon TP, Lauridsen JT, Karstoft K, Pedersen BK, Johnsen SP et al. The Danish Centre for Strategic Research in Type 2 Diabetes (DD2) study: expected outcome from the DD2 project and two intervention studies. Clinical Epidemiology. 2012;4(Suppl 1):21-6.

Bentzen K. Anti-TNF- α biotherapies: perspectives for evidence-based personalized medicine. Immunotherapy. 2012;4(11):1167-79.

Berg RMG, Plovsing RR, Ronit A, Bailey DM, Holstein-Rathlou N-H, Moller K. Disassociation of Static and Dynamic Cerebral Autoregulatory Performance in Healthy Volunteers After Lipopolysaccharide Infusion and in Patients with Sepsis. American Journal of Physiology: Regulatory, Integrative and Comparative Physiology. 2012;120/9:R1127-35.

Berg RMG, Taudorf S, Bailey DM, Lundby C, Larsen FS, Pedersen BK et al. Effects of lipopolysaccharide infusion on arterial levels and transcerebral exchange kinetics of glutamate and glycine in healthy humans. APMIS 2012;120(9):761-6.

Berg RMG, Plovsing RR, Damgaard M. Teaching baroreflex physiology to medical students: a comparison of quiz-based and conventional teaching strategies in a laboratory exercise. *Advances in Physiology Education*. 2012;36(2):147-53.

Berg R, Møller K, Pedersen BK, Laye MJ, Mathur N, Pedersen M et al. Altered Subcutaneous Adipose Tissue Response to Systemic LPS Administration in Patients with Type 2 Diabetes. *Journal of Diabetes & Metabolism*. 2012;3(8):217.

Berg R. Starlings Hjertelov og behandling af shock under første verdenskrig. *DASINFO*. 2012;(1):23-27.

Biensø RS, Ringholm S, Kiilerich K, Aachmann-Andersen NJ, Krogh-Madsen R, Guerra B et al. GLUT4 and glycogen synthase are key players in bed rest-induced insulin resistance. *Diabetes*. 2012;61(5):1090-9.

Bjerrum S, Rose MV, Bygbjerg IC, Mfinanga SG, Tersboel BP, Ravn P. Primary health care staff's perceptions of childhood tuberculosis: a qualitative study from Tanzania. *B M C Health Services Research*. 2012;12:6.

Boeuf PS, Loizon S, Awandare GA, Tetteh JK, Addae MM, Adjei GO et al. Insights into deregulated TNF and IL-10 production in malaria: implications for understanding severe malarial anaemia. *Malaria Journal*. 2012;11:253.

Borchorst S, Møller K. The role of dexamethasone in the treatment of bacterial meningitis - a systematic review. *Acta Anaesthesiologica Scandinavica*. 2012;56(10):1210-21.

Boström S, Ibitokou S, Oesterholt M, Schmiegelow C, Persson J-O, Minja DT et al. Biomarkers of Plasmodium falciparum Infection during Pregnancy in Women Living in Northeastern Tanzania. *P L o S One*. 2012;7(11):e48763.

Boushel R, Fuentes T, Hellsten Y, Saltin B. Opposing effects of nitric oxide and prostaglandin inhibition on muscle mitochondrial Vo(2) during exercise. *American Journal of Physiology: Regulatory, Integrative and Comparative Physiology*. 2012;303(1):R94-100.

Branci S, Ewertsen C, Thybo S, Nielsen HV, Jensen F, Wettergren A et al. Cystic echinococcosis of the liver: experience from a danish tertiary reference center (2002-2010). *Journal of Travel Medicine*. 2012;19(1):28-34.

Brandt C, Nielsen AR, Fischer CP, Hansen J, Pedersen BK, Plomgaard P. Plasma and muscle myostatin in relation to type 2 diabetes. *P L o S One*. 2012;7(5):e37236.

Brandt C, Jakobsen AH, Adser H, Olesen J, Iversen N, Kristensen JM et al. IL-6 regulates exercise and training-induced adaptations in subcutaneous adipose tissue in mice. *Acta Physiologica (Online)*. 2012;205(2):224-35.

Breindahl M, Rieneck K, Nielsen CH, Justesen T, Bendtzen K, Müller KG. Cytokine responses in infants infected with respiratory syncytial virus. *Open Journal of Immunology*. 2012;2(1):40-48.

Broholm C, Brandt C, Schultz NS, Nielsen AR, Pedersen BK, Scheele C. Deficient leukemia inhibitory factor signaling in muscle precursor cells from patients with type 2 diabetes. *American Journal of Physiology: Endocrinology and Metabolism*. 2012;303(2):E283-92.

Bugge A, El-Naaman B, McMurray RG, Froberg K, Nielsen CH, Müller K et al. Inflammatory markers and clustered cardiovascular disease risk factors in danish adolescents. *Hormone Research in Paediatrics*. 2012;78(5-6):288-96.

Bugge A, El-Naaman B, G McMurray R, Froberg K, Nielsen CH, Müller K et al. Sex differences in the association between level of childhood interleukin-6 and insulin resistance in adolescence. *Experimental Diabetes Research*. 2012;2012:859186.

Castagliola D, Ledergerber B, Torti C, van Sighem A, Podzamczer D, Mocroft A et al. Trends in virological and clinical outcomes in individuals with HIV-1 infection and virological failure of drugs from three antiretroviral drug classes: a cohort study. *Lancet Infectious Diseases*. 2012;12(2):119-27.

Chiduo M, Persson Theilgaard Z, Bakari V, Mtatifikolo F, Bygbjerg I, Flanholt L et al. Prevalence of sexually transmitted infections among women attending antenatal clinics in Tanga, north eastern Tanzania. *International Journal of STD & AIDS*. 2012;23(5):325-9.

Christensen P, Nordsborg NB, Nybo L, Mortensen SP, Sander M, Secher NH et al. Thigh oxygen uptake at the onset of intense exercise is not affected by a reduction in oxygen delivery caused by hypoxia. *American Journal of Physiology: Regulatory, Integrative and Comparative Physiology*. 2012;303(8):843-9.

Christensen PB, Hay G, Jepsen P, Omland LH, Just SA, Krarup HB et al. Hepatitis C prevalence in Denmark -an estimate based on multiple national registers. *B M C Infectious Diseases*. 2012;12:178.

Christensen BM, Lundby C, Jessen N, Nielsen TS, Vestergaard PF, Møller N et al. Evaluation of functional erythropoietin receptor status in skeletal muscle in vivo: acute and prolonged studies in healthy human subjects. *P L o S One*. 2012;7(2):e31857.

Christensen A-SH, Roed-Petersen C, Omland LH, Andersen PH, Obel N, Andersen AB. Long-term mortality in patients with tuberculous meningitis: a danish nationwide cohort study. *P L o S One*. 2011;6(11):e27900.

Claessens A, Adams Y, Ghumra A, Lindergard G, Buchan CC, Andisi C et al. A subset of group A-like var genes encodes the malaria parasite ligands for binding to human brain endothelial cells. *National Academy of Sciences. Proceedings*. 2012;109(26):E1772-81.

Clausen TM, Christoffersen S, Dahlbäck M, Langkilde AE, Jensen KE, Resende M et al. Structural and functional insight into how the Plasmodium falciparum VAR2CSA protein mediates binding to chondroitin sulfate A in placental malaria. *Journal of Biological Chemistry*. 2012;287(28):23332-45.

Clemmensen C, Aznar S, Knudsen GM, Klein AB. The microtubule-associated protein 1A (MAP1A) is an early molecular target of soluble A β -peptide. *Cellular & Molecular Neurobiology*. 2012;32(4):561-6.

Cowan SA, Gerstoft J, Haff J, Christiansen AH, Nielsen J, Obel N. Stable incidence of HIV diagnoses among Danish MSM despite increased engagement in unsafe sex. *Journal of acquired immune deficiency syndromes* (1999). 2012;61(1):106-11.

Cozzi-Lepri A, Phillips AN, Clotet B, Kjaer J, Von Wyl V et al. The rate of accumulation of nonnucleoside reverse transcriptase inhibitor (NNRTI) resistance in patients kept on a virologically failing regimen containing an NNRTI*. *HIV medicine*. 2012;13(1):62-72.

DeJesus E, Rockstroh JK, Henry K, Molina J-M, Gathe J, Ramanathan S et al. Co-formulated elvitegravir, cobicistat, emtricitabine, and tenofovir disoproxil fumarate versus ritonavir-boosted atazanavir plus co-formulated emtricitabine and tenofovir disoproxil fumarate for initial treatment of HIV-1 infection: a randomised, double-blind, phase 3, non-inferiority trial. *Lancet*. 2012;379(9835):2429-38.

Ditlev SB, Nielsen MA, Resende M, Agerbæk MØ, Pinto VV, Andersen PH et al. Identification and characterization of B-cell epitopes in the DBL4 ϵ domain of VAR2CSA. *P L o S One*. 2012;7(9):e43663.

Draborg AH, Jørgensen JM, Müller H, Nielsen CT, Jacobsen S, Iversen LV et al. Epstein-Barr virus early antigen diffuse (EBV-EA/D)-directed immunoglobulin A antibodies in systemic lupus erythematosus patients. *Scandinavian Journal of Rheumatology*. 2012;41(4):280-9.

Duprez DA, Neuhaus J, Kuller LH, Tracy R, Beloso W, De Wit S et al. Inflammation, coagulation and cardiovascular disease in HIV-infected individuals. *P L o S One*. 2012;7(9):e44454.

Faurholt-Jepsen D, Range N, Praygod GA, Kidola J, Faurholt-Jepsen M, Aabye MG et al. The role of diabetes co-morbidity for tuberculosis treatment outcomes: a prospective cohort study from Mwanza, Tanzania. *B M C Infectious Diseases*. 2012;12:165.

Faurholt-Jepsen D, Range N, Praygod GA, Jeremiah K, Faurholt-Jepsen M, Aabye MG et al. The role of diabetes on the clinical manifestations of pulmonary tuberculosis. *Tropical Medicine & International Health*. 2012;17(7):877-83.

Faurschou M, Westman K, Rasmussen N, de Groot K, Flossmann O, Höglund P et al. Brief Report: long-term outcome of a randomized clinical trial comparing methotrexate to cyclophosphamide for remission induction in early systemic antineutrophil cytoplasmic antibody-associated vasculitis. *Arthritis & Rheumatism*. 2012;64(10):3472-7.

Frandsen SK, Gissel H, Hojman P, Tramm T, Eriksen J, Gehl J. Direct therapeutic applications of calcium electroporation to effectively induce tumor necrosis. *Cancer research*. 2012;72(6):1336-41.

Gerstoft J, Fomsgaard A. Nye tider for behandling af kronisk hepatitis C. Ugeskrift for Laeger. 2012;174(12):795.

Gómez Román VR, Jensen SS, Leo-Hansen C, Jensen KJ, Janitzek CM, Rodrigues CM et al. Assessment of HIV-1 patient recruitability in the Republic of Guinea-Bissau using African versus North American hematology and biochemistry reference intervals. Clinical and Vaccine Immunology (Online). 2012;19(8):1322-5.

Graudal NA, Hubeck-Graudal T, Jürgens G. Effects of low-sodium diet vs. high-sodium diet on blood pressure, renin, aldosterone, catecholamines, cholesterol, and triglyceride (Cochrane Review). American Journal of Hypertension . 2012;25(1):1-15.

Graudal N. Reduceret saltindtagelse og risiko for øget dødelighed. Ugeskrift for Laeger. 2012;174(12):817; author reply 817.

Graudal N, Jürgens G. Effect of golimumab combined with methotrexate on radiographic progression in rheumatoid arthritis: comment on the article by Emery et al. Arthritis & Rheumatism. 2012;64(4):1297-8; author reply 1298-9.

Green CJ, Henriksen TI, Pedersen BK, Solomon TPJ. Glucagon like peptide-1-induced glucose metabolism in differentiated human muscle satellite cells is attenuated by hyperglycemia. P L o S One. 2012;7(8):e44284.

Gullstrand B, Lefort MH, Tydén H, Jönsen A, Lood C, Johansson A et al. Combination of autoantibodies against different histone proteins influences complement-dependent phagocytosis of necrotic cell material by polymorphonuclear leukocytes in systemic lupus erythematosus. Journal of Rheumatology. 2012;39(8):1619-27.

Gyldenløve M, Andersen ÅB, Halkjær LB. Cutaneous necrotic ulceration due to BCG re-vaccination. Human vaccines & immunotherapeutics. 2012;8(4):423-4.

Gaardbo JC, Hartling HJ, Thorsteinsson K, Ullum H, Nielsen SD. CD3+CD8+CD161high Tc17 cells are depleted in HIV-infection. AIDS. 2012;15(6).

Gaardbo JC, Hartling HJ, Gerstoft J, Poulsen SD. Thirty Years with HIV Infection-Nonprogression Is Still Puzzling: Lessons to Be Learned from Controllers and Long-Term Nonprogressors. AIDS Research and Treatment. 2012;2012:161584.

Gaardbo JC, Hartling HJ, Gerstoft J, Poulsen SD. Incomplete immune recovery in HIV infection: mechanisms, relevance for clinical care, and possible solutions. Clinical & Developmental Immunology. 2012;2012:670957.

Gaardbo J, Ronit A, Hartling H, Thorsteinsson K, Ullum H, Andersen A et al. HIV-infected viremic long-term non-progressors and controllers display different immunological mechanisms for preserved CD4+cell counts. International AIDS Society. Journal. 2012;15(6):18138.

Gaardbo J, Hartling H, Ullum H, Nielsen S. CD3+CD8+CD161high Tc17 cells are depleted in HIV-Infection and related to the level of immune reconstitution. International AIDS Society. Journal. 2012;15(6):18140.

Hansen M, Nielsen AR, Vilsbøll T, Lund A, Krarup T, Knop FK et al. Increased Levels of YKL-40 and Interleukin 6 in Patients With Chronic Pancreatitis and Secondary Diabetes. Pancreas. 2012;41(8):1316-8.

Hansen A-BE, Gerstoft J, Kronborg G, Larsen CS, Pedersen C, Pedersen G et al. Incidence of low- and high-energy fractures in persons with and without HIV-infection: a Danish population-based cohort study. AIDS. 2012 jan 28;26(3):285-93.

Hartling HJ, Gaardbo JC, Ronit A, Knudsen LS, Ullum H, Vainer B et al. CD4 \square and CD8 \square regulatory T cells (Tregs) are elevated and display an active phenotype in patients with chronic HCV mono-infection and HIV/HCV co-infection. Scandinavian Journal of Immunology. 2012;76(3):294-305.

Helge JW, Tobin L, Drachmann T, Hellgren L, Dela F, Galbo H. Muscle ceramide content is similar after 3 weeks' consumption of fat or carbohydrate diet in a crossover design in patients with type 2 diabetes. European Journal of Applied Physiology. 2012;112(3):911-8.

Helleberg M, Engsig FN, Kronborg G, Laursen AL, Pedersen G, Larsen O et al. Late presenters, repeated testing, and missed opportunities in a Danish nationwide HIV cohort. Scandinavian Journal of Infectious Diseases. 2012 apr 1;44(4):282-8.

Helleberg M, Engsig FN, Kronborg G, Larsen C, Pedersen G, Pedersen C et al. Retention in a public health care system with free access to treatment: a Danish nationwide HIV cohort study. AIDS. 2012 mar;26(6):26.

Helleberg M, Kronborg G, Larsen, Pedersen G, Pedersen C, Gerstoft J et al. Causes of death among Danish HIV patients compared with population controls in the period 1995-2008. Infection. 2012;40(6):627-34

Hellsten Y, Nyberg MP, Jensen LG, Mortensen SP. Vasodilator interactions in skeletal muscle blood flow regulation. Journal of Physiology. 2012;590(Pt 24):6297-305.

Hellsten Y, Nyberg M, Mortensen SP. Contribution of intravascular versus interstitial purines and nitric oxide in the regulation of exercise hyperaemia in humans. Journal of Physiology. 2012;590(Pt 20):5015-23.

Helweg-Larsen J, Astradsson A, Richhall H, Erdal J, Laursen AL, Brennum J. Pyogenic brain abscess, a 15 year survey. B M C Infectious Diseases. 2012;12:332.

Hempel C, Hyttel P, Staalsø T, Nyengaard JR, Kurtzhals JA. Erythropoietin treatment alleviates ultrastructural myelin changes induced by murine cerebral malaria. Malaria Journal. 2012;11:216.

Hermansen M-LF, Hummelshøj L, Lundsgaard D, Hornum L, Keller P, Fleckner J et al. Increased serum β 2-microglobulin is associated with clinical and immunological markers of disease activity in systemic lupus erythematosus patients. *Lupus*. 2012;21(10):1098-104.

Hetland ML, Østergaard M, Ejbjerg B, Jacobsen S, Stengaard-Pedersen K, Junker P et al. Short- and long-term efficacy of intra-articular injections with betamethasone as part of a treat-to-target strategy in early rheumatoid arthritis: impact of joint area, repeated injections, MRI findings, anti-CCP, IgM-RF and CRP. *Annals of the Rheumatic Diseases*. 2012;71:851-6.

Hojman P, Brolin C, Gissel H. Calcium influx determines the muscular response to electrotransfer. *American Journal of Physiology: Regulatory, Integrative and Comparative Physiology*. 2012;302(4):R446-53.

Jakobsen MA, Katzenstein TL, Valerius NH, Roos D, Fisker N, Mogensen TH et al. Genetical analysis of all Danish patients diagnosed with chronic granulomatous disease. *Scandinavian Journal of Immunology*. 2012;76(5):505-11.

Jarrin I, Pantazis N, Gill MJ, Geskus R, Perez-Hoyos S, Meyer L et al. Uptake of combination antiretroviral therapy and HIV disease progression according to geographical origin in seroconverters in Europe, Canada, and Australia. *Clinical Infectious Diseases*. 2012;54(1):111-8.

Jensen KJ, Gómez Román VR, Skov Jensen S, Leo-Hansen C, Karlsson I, Katzenstein TL et al. Clade A HIV-1 Gag-specific T cell responses are frequent but do not correlate with viral loads in a cohort of treatment-naïve HIV-infected individuals living in Guinea-Bissau. *Clinical and Vaccine Immunology (Online)*. 2012;19(12):1999-2001.

Jensen J-US, Hein L, Lundgren B, Bestle MH, Mohr T, Andersen MH et al. Kidney failure related to broad-spectrum antibiotics in critically ill patients: secondary end point results from a 1200 patient randomised trial. *BMJ Open*. 2012;2(2):e000635.

Jensen JU, Bestle M, Lundgren J. Refinement of prompts for rapid response teams*. *The Open Critical Care Medicine Journal*. 2012;40(7):2241-2.

Jepsen MPG, Röser D, Christiansen M, Larsen SO, Cavanagh DR, Dhanasarnsombut K et al. Development and evaluation of a multiplex screening assay for Plasmodium falciparum exposure. *Journal of Immunological Methods*. 2012;384(1-2):62-70.

Jørgensen NB, Jacobsen SH, Dirksen C, Bojsen-Møller KN, Naver L, Hvolris L et al. Acute and long-term effects of Roux-en-Y gastric bypass on glucose metabolism in subjects with Type 2 diabetes and normal glucose tolerance. *American Journal of Physiology: Endocrinology and Metabolism*. 2012;303(1):E122-31.

Jørgensen KT, Pedersen BV, Nielsen NM, Jacobsen S, Frisch M. Childbirths and risk of female predominant and other autoimmune diseases in a population-based Danish cohort. *Journal of Autoimmunity*. 2012;38(2-3):J81-J87.

Jørgensen KT, Nielsen NM, Pedersen BV, Jacobsen S, Frisch M. Hyperemesis, gestational hypertensive disorders, pregnancy losses and risk of autoimmune diseases in a Danish population-based cohort. *Journal of Autoimmunity*. 2012;38(2-3):J120-8.

Knudsen SH, Hansen LS, Dejgaard T, Pedersen M, Hansen J, Hall GV et al. Changes in insulin sensitivity precede changes in body composition during 14 days of step reduction combined with overfeeding in healthy young men. *Journal of Applied Physiology*. 2012;113(1):7-15.

Kowalska JD, Smith C, Lundgren JD. System to classify cause of deaths in HIV-positive persons: time to harmonize. *AIDS*. 2012;26(14):1835-6.

Kowalska JD, Reekie J, Mocroft A, Reiss P, Ledergerber B, Gatell J et al. Long-term exposure to combination antiretroviral therapy and risk of death from specific causes: no evidence for any previously unidentified increased risk due to antiretroviral therapy. *AIDS*. 2012 Jan 28;26(3):315-23.

Kreiner FF, Galbo H. Activity of the neuroendocrine axes in patients with polymyalgia rheumatica before and after TNF- α blocking etanercept treatment. *Arthritis Research & Therapy*. 2012;14(4):R186.

Kristoffersen US, Lebech A-M, Mortensen J, Gerstoft J, Borgwardt HG, Kjaer A. Changes in lung function of HIV-infected patients: a 4.5-year follow-up study. *Clinical Physiology and Functional Imaging*. 2012;32(4):288-95.

Langkjær A, Kristensen B, Hansen BE, Schultz H, Hegedüs L, Nielsen CH. B-cell exposure to self-antigen induces IL-10 producing B cells as well as IL-6- and TNF- α -producing B-cell subsets in healthy humans. *Clinical Immunology*. 2012;145(1):1-10.

Larsen MH, Wegner LT, Zinyama R, Amstrup J, Kallestrup P, Gerstoft J et al. CCL3L gene copy number and survival in an HIV-1 infected Zimbabwean population. *Infection, Genetics and Evolution*. 2012;12(5):1087-93.

Larsen MV, Harboe ZB, Ladelund S, Skov R, Gerstoft J, Pedersen C et al. Major but differential decline in the incidence of *Staphylococcus aureus* bacteraemia in HIV-infected individuals from 1995 to 2007: a nationwide cohort study*. *HIV Medicine*. 2012;13(1):45-53.

Lassen IN, Dahlerup JF, Belard E, Gerstoft J, Kjeldsen JCW, Kragballe K et al. Guidelines for screening, prophylaxis and critical information prior to initiating anti-TNF-alpha treatment. *Danish Medical Journal*. 2012;59(7):C4480.

Lavstsen T, Turner L, Saguti F, Magistrado P, Rask TS, Jespersen JS et al. Plasmodium falciparum erythrocyte membrane protein 1 domain cassettes 8 and 13 are associated with severe malaria in children. *National Academy of Sciences. Proceedings*. 2012;109(26):E1791-800.

Laye MJ, Solomon TPJ, Karstoft K, Pedersen KK, Poulsen SD, Pedersen BK. Increased shelterin mRNA expression in peripheral blood mononuclear cells and skeletal muscle following an ultra-long-distance running event. *Journal of Applied Physiology*. 2012;112(5):773-81.

Lazarus JV, Lundgren JD. "E" is for everything else, not least for expanding HIV testing in Europe. *World Health Organization. Bulletin*. 2012;90(9):634-634A.

Lewden C, Bouteloup V, De Wit S, Sabin C, Mocroft A, Wasmuth JC et al. All-cause mortality in treated HIV-infected adults with CD4 $\geq 500/\text{mm}^3$ compared with the general population: evidence from a large European observational cohort collaboration. *International Journal of Epidemiology*. 2012;41(2):433-45.

Li X, Hansen J, Zhao X, Lu X, Weigert C, Häring H-U et al. Independent component analysis in non-hypothesis driven metabolomics: Improvement of pattern discovery and simplification of biological data interpretation demonstrated with plasma samples of exercising humans. *Journal of Chromatography. B, Analytical Technologies in the Biomedical and Life Sciences*. 2012;910:156-62.

Lundby C, Robach P, Saltin B. The evolving science of detection of 'blood doping'. *British Journal of Clinical Pharmacology*. 2012;165(5):1306-15.

Lundgren JD, Lazarus JV. Dampening the effect of drug resistance in HIV: a leap forward. *Lancet Infectious Diseases*. 2012;12(2):91-92.

Lyons PA, Rayner TF, Trivedi S, Holle JU, Watts RA, Jayne DRW et al. Genetically distinct subsets within ANCA-associated vasculitis. *New England Journal of Medicine*. 2012;367(3):214-23.

Marchant T, Willey B, Katz J, Clarke S, Kariuki S, ter Kuile F et al. Neonatal mortality risk associated with preterm birth in East Africa, adjusted by weight for gestational age: individual participant level meta-analysis. *P L o S Medicine (Online)*. 2012;9(8):e1001292.

Mathiesen IHM, Knudsen JD, Gerstoft J, Cowan S, Benfield T. Outcome of HIV-1-associated cryptococcal meningitis, Denmark 1988?2008. *Scandinavian Journal of Infectious Diseases*. 2012 mar;44(3):197-200.

May MT, Hogg RS, Justice AC, Shepherd BE, Costagliola D, Ledergerber B et al. Heterogeneity in outcomes of treated HIV-positive patients in Europe and North America: relation with patient and cohort characteristics. *International Journal of Epidemiology*. 2012;41(6):1807-20

Mellgren K, Hedegaard CJ, Schmiegelow K, Müller K. Plasma cytokine profiles at diagnosis in pediatric patients with non-hodgkin lymphoma. *Pediatric Hematology & Oncology*. 2012;34(4):271-5.

Minia DTR, Schmiegelow C, Oesterholt M, Magistrado PA, Boström S, John D et al. Reliability of rapid diagnostic tests in diagnosing pregnancy-associated malaria in north-eastern Tanzania. *Malaria Journal*. 2012;11:211.

Mocroft A, Bannister WP, Kirk O, Kowalska JD, Reiss P, D'Arminio-Monforte A et al. The clinical benefits of antiretroviral therapy in severely immunocompromised HIV-1-infected patients with and without complete viral suppression. *Antiviral Therapy*. 2012;17(7):1291-300

Mocroft A, Neuhaus J, Peters L, Ryom L, Bickel M, Grint D et al. Hepatitis B and C co-infection are independent predictors of progressive kidney disease in HIV-positive, antiretroviral-treated adults. *PLoS One*. 2012;7(7):e40245.

Mortensen SP, Askew CD, Walker M, Nyberg M, Hellsten Y. The hyperaemic response to passive leg movement is dependent on nitric oxide: a new tool to evaluate endothelial nitric oxide function. *Journal of Physiology*. 2012;590(Pt 17):4391-400.

Mortensen SP, Nyberg M, Winding K, Saltin B. Lifelong physical activity preserves functional sympatholysis and purinergic signalling in the ageing human leg. *Journal of Physiology*. 2012;590(Pt 23):6227-36.

Mortensen SP, Mørkeberg J, Thaning P, Hellsten Y, Saltin B. Two weeks of muscle immobilization impairs functional sympatholysis but increases exercise hyperemia and the vasodilatory responsiveness to infused ATP. *American Journal of Physiology: Heart and Circulatory Physiology*. 2012;302(10):H2074-82.

Møller K. Acute and chronic hypoxia: breathe, breathe in the air. *Clinical Respiratory Journal*. 2012;6(2):65-6.

Møller-Sørensen H, Hansen KL, Ostergaard M, Andersen LW, Møller K. Lack of agreement and trending ability of the endotracheal cardiac output monitor compared with thermodilution. *Acta Anaesthesiologica Scandinavica*. 2012;56(4):433-440.

Nakagawa F, Lodwick RK, Smith CJ, Smith R, Cambiano V, Lundgren J et al. Projected life expectancy of people with HIV according to timing of diagnosis. *AIDS*. 2012 Jan 28;26(3):335-43.

Nakagawa F, Lodwick R, Costagliola D, van Sighem A, Torti C, Podzamczer D et al. Calendar time trends in the incidence and prevalence of triple-class virologic failure in antiretroviral drug-experienced people with HIV in Europe. *Journal of acquired immune deficiency syndromes (1999)*. 2012;59(3):294-9.

Ndiaye M, Faye B, Tine R, Ndiaye JL, Lo A, Abiola A et al. Assessment of the Molecular Marker of *Plasmodium falciparum* Chloroquine Resistance (Pfcrt) in Senegal after Several Years of Chloroquine Withdrawal. *American Journal of Tropical Medicine and Hygiene*. 2012;87(4):640-5.

Negin J, Bärnighausen T, Lundgren JD, Mills EJ. Aging with HIV in Africa: the challenges of living longer. AIDS. 2012;26 Suppl 1:S1-5.

Nelson MJ, Amaya G, Clumeck N, Arns da Cunha C, Jayaweera D, Junod P et al. Efficacy and safety of rilpivirine in treatment-naïve, HIV-1-infected patients with hepatitis B virus/hepatitis C virus coinfection enrolled in the Phase III randomized, double-blind ECHO and THRIVE trials. Journal of Antimicrobial Chemotherapy. 2012;67(8):2020-8.

Nielsen CH, Helweg-Larsen J, Baslund B. Immunsystemet og den medicinske patient. Baslund B, Feldt-Rasmussen U, Kastrup J, Soelberg Sørensen P, red. I: Lærebog i Medicin. FADL's Forlag. 2012. s. 784-810.

Nielsen CH, Bendtzen K. Immunoregulation by naturally occurring and disease-associated autoantibodies: binding to cytokines and their role in regulation of T-cell responses. Advances in Experimental Medicine and Biology. 2012;750:116-32.

Nielsen CT, Østergaard O, Stener L, Iversen LV, Truedsson L, Gullstrand B et al. Increased IgG on cell-derived plasma microparticles in systemic lupus erythematosus is associated with autoantibodies and complement activation. Arthritis & Rheumatism. 2012;64(4):1227-36.

Nielsen AB, Nielsen HS, Nielsen L, Thybo S, Kronborg G. Immune response after one or two doses of pandemic influenza A (H1N1) monovalent, AS03-adjuvanted vaccine in HIV infected adults. The Vaccine Quarterly. 2012;30(49):7067-71

Nyberg MP, Jensen LG, Thaning P, Hellsten Y, Mortensen SP. Role of nitric oxide and prostanoids in the regulation of leg blood flow and blood pressure in humans with essential hypertension: effect of high-intensity aerobic training. Journal of Physiology. 2012;590(Pt 6):1481-94.

Nyberg M, Blackwell JR, Damsgaard R, Jones AM, Hellsten Y, Mortensen SP. Lifelong physical activity prevents an age-related reduction in arterial and skeletal muscle nitric oxide bioavailability in humans. Journal of Physiology. 2012;590(Pt 21):5361-70.

Olesen J, Larsson S, Iversen N, Yousafzai S, Hellsten Y, Pilegaard H. Skeletal muscle PGC-1 α is required for maintaining an acute LPS-induced TNF α response. PLoS One. 2012;7(2):e32222.

Omland LH, Jepsen P, Krarup HB, Christensen PB, Weis NM, Nielsen L et al. Liver cancer and non-hodgkin lymphoma in hepatitis C virus-infected patients: results from the danvir cohort study. International Journal of Cancer. 2012 maj;130(10):2310-2317.

Osada T, Saltin B, Mortensen SP, Rådegran G. Measurement of the exercising blood flow during rhythmical muscle contractions assessed by Doppler ultrasound: Methodological considerations. Journal of Biomedical Science and Engineering. 2012;5:779-788.

Pantazis N, Morrison C, Amornkul PN, Lewden C, Salata RA, Minga A et al. Differences in HIV natural history among African and non-African seroconverters in Europe and seroconverters in sub-Saharan Africa. *P L o S One*. 2012;7(3):e32369.

Parkner T, Sørensen LP, Nielsen AR, Fischer CP, Bibby BM, Nielsen S et al. Soluble CD163: a biomarker linking macrophages and insulin resistance. *Diabetologia*. 2012;55(6):1856-62.

Pedersen TT, Nielsen XC, Olsen KEP, Barfod TS. Cerebral absces med Vibrio cholerae non-01 efter badning i dansk havvand. *Ugeskrift for Laeger*. 2012;174(8):498-9.

Pedersen TI, Roed C, Knudsen LS, Loft A, Skinhøj P, Poulsen SD. Fever of unknown origin: A retrospective study of 52 cases with evaluation of the diagnostic utility of FDG-PET/CT. *Scandinavian Journal of Infectious Diseases*. 2012 jan;44(1):18-23.

Pedersen M, Pedersen KK, Bruunsgaard H, Krabbe KS, Thomsen C, Færch KV et al. Cognitive functions in middle aged individuals are related to metabolic disturbances and aerobic capacity: a cross-sectional study. *P L o S One*. 2012;7(12):e51132.

Pedersen L, Olsen CH, Pedersen BK, Hojman P. Muscle-derived expression of the chemokine CXCL1 attenuates diet-induced obesity and improves fatty acid oxidation in the muscle. *American Journal of Physiology: Endocrinology and Metabolism*. 2012;302(7):E831-40.

Pedersen L, Hojman P. Muscle-to-organ cross talk mediated by myokines. *Adipocytes*. 2012;1(3):164-167.

Pedersen BK. Muscular interleukin-6 and its role as an energy sensor. *Medicine and Science in Sports and Exercise*. 2012;44(3):392-6.

Pedersen BK. A muscular twist on the fate of fat. *New England Journal of Medicine*. 2012;366(16):1544-5.

Pedersen BK. Graviditet og motion. 2 udg. København: Nyt Nordisk Forlag Arnold Busck, 2012. 173 s.

Pedersen BK. Systemic inflammation and chronic diseases. Rippe JM, red. I: *Encyclopedia of Lifestyle Medicine and Health*. Sage Publications, Incorporated. 2012. s. 1076-1079.

Pedersen BK. Exercise Immunology, mechanisms of action. Rippe JM, red. I: *Encyclopedia of Lifestyle Medicine and Health*. Sage Publications, Incorporated. 2012. s. 426-433.

Pedersen BK, Febbraio MA. Muscles, exercise and obesity: skeletal muscle as a secretory organ. *Nature reviews. Endocrinology*. 2012;8(8):457-65.

Pelak K, Need AC, Fellay J, Shianna KV, Feng S, Urban T et al. Copy number variation of KIR genes influences HIV-1 control. *P L o S Biology (Online)*. 2011;9(11):e1001208.

Peters L, Grint D, Lundgren JD, Rockstroh JK, Soriano V, Reiss P et al. Hepatitis C virus viremia increases the incidence of chronic kidney disease in HIV-infected patients. *AIDS*. 2012;26(15):1917-26.

Petoumenos K, Worm SW, Fontas E, Weber R, De Wit S, Bruyand M et al. Predicting the short-term risk of diabetes in HIV-positive patients: the Data Collection on Adverse Events of Anti-HIV Drugs (D:A:D) study. *International AIDS Society. Journal*. 2012;15(2):17426.

Petri M, Orbai A-M, Alarcón GS, Gordon C, Merrill JT, Fortin PR et al. Derivation and validation of the Systemic Lupus International Collaborating Clinics classification criteria for systemic lupus erythematosus. *Arthritis & Rheumatism*. 2012;64(8):2677-86.

Pinto VV, Salanti A, Joergensen LM, Dahlbäck M, Resende M, Ditlev SB et al. The effect of adjuvants on the immune response induced by a DBL4ε-ID4 VAR2CSA based Plasmodium falciparum vaccine against placental malaria. *The Vaccine Quarterly*. 2012;30(3):572-9.

Plomgaard P, Halban PA, Bouzakri K. Bimodal impact of skeletal muscle on pancreatic β-cell function in health and disease. *Diabetes, Obesity and Metabolism*. 2012;14 Suppl 3:78-84.

Podlekareva DN, Reekie J, Mocroft A, Losso M, Rakhmanova AG, Bakowska E et al. Benchmarking HIV health care: from individual patient care to health care evaluation. An example from the EuroSIDA study. *B M C Infectious Diseases*. 2012;12(1):229.

Quadt KA, Barfod L, Andersen D, Bruun J, Gyan B, Hassenkam T et al. The density of knobs on Plasmodium falciparum-infected erythrocytes depends on developmental age and varies among isolates. *P L o S One*. 2012;7(9):e45658.

Rasch MG, Engsig FN, Feldt-Rasmussen B, Kirk O, Kronborg G, Pedersen C et al. Renal function and incidence of chronic kidney disease in HIV patients: a Danish cohort study. *Scandinavian Journal of Infectious Diseases*. 2012;44(9):689-96.

Rasmussen P, Nordsborg NB, Taudorf S, Sørensen NHB, Berg RMG, Jacobs RA et al. Brain and skin do not contribute to the systemic rise in erythropoietin during acute hypoxia in humans. *F A S E B Journal*. 2012;26(5):1831-4.

Rasmussen P, Kim Y-S, Krogh-Madsen R, Lundby C, Olsen NV, Secher NH et al. Both acute and prolonged administration of EPO reduce cerebral and systemic vascular conductance in humans. *F A S E B Journal*. 2012;26(3):1343-8.

Rasmussen L, Mathiesen ER, Kronborg G, Pedersen C, Gerstoft J, Obel N. Risk of Diabetes Mellitus in Persons with and without HIV: A Danish Nationwide Population-Based Cohort Study. *P L o S One*. 2012;7(9):e44575.

Reekie J, Kowalska JD, Karpov I, Rockstroh J, Karlsson AH, Rakhmanova A et al. Regional differences in AIDS and non-AIDS related mortality in HIV-positive individuals across Europe and Argentina: the EuroSIDA study. *P L o S One*. 2012;7(7):e41673.

Robach P, Siebenmann C, Jacobs RA, Rasmussen P, Nordsborg NB, Pesta D et al. The role of haemoglobin mass on VO₂max following normobaric 'live high-train low' in endurance-trained athletes. *British Journal of Sports Medicine*. 2012;46(11):822-7.

Rodger A, Bruun T, Weait M, Vernazza P, Collins S, Estrada V et al. Partners of people on ART - a New Evaluation of the Risks (The PARTNER study): design and methods. *B M C Public Health*. 2012;12:296.

Roed C, Engsig FN, Omland LH, Skinhøj P, Obel N. Long-term mortality in patients diagnosed with *Listeria monocytogenes* meningitis: A Danish nationwide cohort study. *Journal of Hospital Infection*. 2012 jan;64(1):34-40.

Ronander E, Bengtsson DC, Jørgensen L, Jensen ATR, Arnot DE. Analysis of Single-cell Gene Transcription by RNA Fluorescent In Situ Hybridization (FISH). *Journal of Visualized Experiments*. 2012;(68):pii4073

Ryom L, Mocroft A, Lundgren J. HIV therapies and the kidney: some good, some not so good?. *Current HIV/AIDS reports*. 2012;9(2):111-20.

Rönsholt FF, Ostrowski SR, Katzenstein TL, Ullum H, Gerstoft J. T Cell Subsets in HIV Infected Patients after Successful Combination Antiretroviral Therapy: Impact on Survival after 12 Years. *P L o S One*. 2012;7(7):e39356.

Rönsholt FF, Ullum H, Katzenstein TL, Gerstoft J, Ostrowski SR. T cell subset distribution in HIV-1 infected patients after 12 years of treatment induced viraemic suppression. *Journal of acquired immune deficiency syndromes* (1999). 2012;61(3):270-78.

Saltin B. In search of a vasodilator: is ATP the answer?. *Journal of Physiology*. 2012;590(Pt 21):5261-2.

Saltin B, Mortensen SP. Inefficient functional sympatholysis is an overlooked cause of malperfusion in contracting skeletal muscle. *Journal of Physiology*. 2012;590(Pt 24):6269-75.

Scheele C, Nielsen S, Broholm C, Nielsen AR, Taudorf S, Pedersen M et al. Satellite cells derived from obese humans with type 2 diabetes and differentiated into myocytes in vitro exhibit abnormal response to IL-6. *P L o S One*. 2012 jun;7(6):e39657.

Schmiegelow C, Minja D, Oesterholt M, Pehrson C, Suhrs HE, Boström S et al. Factors associated with and causes of perinatal mortality in northeastern Tanzania. *Acta Obstetricia et Gynecologica Scandinavica*. 2012;91(9):1061-8.

Schmiegelow C, Scheike TH, Oesterholt M, Minja D, Pehrson C, Magistrado P et al. Development of a fetal weight chart using serial trans-abdominal ultrasound in an East African population: a longitudinal observational study. *P L o S One.* 2012;7(9):e44773.

Skjoedt M-O, Roversi P, Hummelshøj T, Palarasah Y, Rosbjerg A, Johnson S et al. Crystal structure and functional characterization of the complement regulator MBL/ficolin-associated protein-1 (MAP-1). *Journal of Biological Chemistry.* 2012;287:32913-32921.

Solomon TPJ, Knudsen SH, Karstoft K, Winding K, Holst JJ, Pedersen BK. Examining the Effects of Hyperglycemia on Pancreatic Endocrine Function in Humans: Evidence for in Vivo Glucotoxicity. *Journal of Clinical Endocrinology and Metabolism.* 2012;97(12):4682-91

Spanggaard I, Corydon TJ, Hojman P, Gissel H, Dagnaes-Hansen F, Jensen T et al. Spatial distribution of transgenic protein after gene electrotransfer to porcine muscle. *Human Gene Therapy Methods.* 2012;23(6):387-92.

Stidsen J, Khorooshi RMH, Rahbek MKU, Kirketerp-Møller KL, Hansen DP, Bie P et al. Surfactant protein d deficiency in mice is associated with hyperphagia, altered fat deposition, insulin resistance, and increased basal endotoxemia. *P L o S One.* 2012;7(4):e35066.

Stone W, Bousema T, Jones S, Gesase S, Hashim R, Gosling R et al. IgG responses to *Anopheles gambiae* salivary antigen gSG6 detect variation in exposure to malaria vectors and disease risk. *P L o S One.* 2012;7(6):e40170.

Søgaard OS, Lohse N, Østergaard LS, Kronborg G, Røge BT, Gerstoft J et al. Morbidity and risk of subsequent diagnosis of HIV: a population based case control study identifying indicator diseases for HIV infection. *P L o S One.* 2012;7(3):e32538.

Saab L, Nielsen CH. Triterpene Acids from Rose Hip Powder Inhibit Self-antigen- and LPS-induced Cytokine Production and CD4(+) T-cell Proliferation in Human Mononuclear Cell Cultures. *Phytotherapy Research.* 2012;26(8):1142-1147.

Theilgaard ZP, Katzenstein TL, Chiduo MG, Pahl C, Bygbjerg IC, Gerstoft J et al. Addressing the fear and consequences of stigmatization - a necessary step towards making HAART accessible to women in Tanzania: a qualitative study. *AIDS Research and Therapy.* 2011 jan 1;8:28.

Thiyagarajan D, Fisman S, Seredkina N, Jacobsen S, Elung-Jensen T, Kamper A-L et al. Silencing of renal DNasel in murine lupus nephritis imposes exposure of large chromatin fragments and activation of Toll like receptors and the Clec4e. *P L o S One.* 2012;7(3):e34080.

Thomsen AF, Olsbjer M, Andersen PK, Kessing LV. Cohabitation patterns among patients with severe psychiatric disorders in the entire Danish population. *Indian Journal of Psychological Medicine.* 2012;1-9.

Thorsteinsson K, Ladelund S, Jensen-Fangel S, Larsen MV, Johansen IS, Katzenstein TL et al. Impact of gender on the risk of AIDS-defining illnesses and mortality in Danish HIV-1-infected patients: A nationwide cohort study. Scandinavian Journal of Infectious Diseases. 2012;44(10):766-75.

Thorsteinsson K, Ladelund S, Jensen-Fangel S, Johansen IS, Katzenstein TL, Pedersen G et al. Impact of gender on response to highly active antiretroviral therapy in HIV-1 infected patients: a nationwide population-based cohort study. B M C Infectious Diseases. 2012;12(1):293.

Troelsen LN, Jacobsen S, Abrahams JL, Royle L, Rudd PM, Narvestad E et al. IgG glycosylation changes and MBL2 polymorphisms: associations with markers of systemic inflammation and joint destruction in rheumatoid arthritis. Journal of Rheumatology. 2012;39(3):463-9.

Tsiara CG, Nikolopoulos GK, Bagos PG, Goujard C, Katzenstein TL, Minga AK et al. Impact of HIV Type 1 DNA Levels on Spontaneous Disease Progression: A Meta-Analysis. AIDS Research and Human Retroviruses. 2012 apr;28(4):366-73.

Tutterow YL, Salanti A, Avril M, Smith JD, Pagano IS, Ako S et al. High avidity antibodies to full-length VAR2CSA correlate with absence of placental malaria. P L o S One. 2012;7(6):e40049.

Tutterow YL, Avril M, Singh K, Long CA, Leke RJ, Sama G et al. High levels of antibodies to multiple domains and strains of VAR2CSA correlate with the absence of placental malaria in Cameroonian women living in an area of high Plasmodium falciparum transmission. Infection and Immunity. 2012;80(4):1479-90.

Vitfell-Pedersen J, Jørgensen MH, Müller K, Heilmann C. Autoimmune hepatitis in children in Eastern Denmark. The Electronic Journal of Pediatric Gastroenterology, Nutrition, and Liver Diseases. 2012;55(4):376-9.

von Wyl V, Cambiano V, Jordan MR, Bertagnolio S, Miners A, Pillay D et al. Cost-effectiveness of tenofovir instead of zidovudine for use in first-line antiretroviral therapy in settings without virological monitoring. P L o S One. 2012;7(8):e42834.

Wessman MJ, Theilgaard ZP, Katzenstein TL. Determination of HIV status of infants born to HIV-infected mothers: A review of the diagnostic methods with special focus on the applicability of p24 antigen testing in developing countries. Scandinavian Journal of Infectious Diseases. 2012 mar;44(3):209-15.

Wessman M, Westling K, Aho I, Quist-Paulsen E, Wæhre T, Rolffhamre L et al. Major differences in assisted reproductive treatments offered to HIV-1 infected patients in the Nordic countries. Scandinavian Journal of Infectious Diseases. 2012;44(5):402-4.

Wolsk E, Mygind H, Grøndahl TS, Pedersen BK, van Hall G. Human skeletal muscle releases leptin in vivo. Cytokine. 2012;60(3):667-73.

Worm SW, Kamara DA, Reiss P, Fontas E, De Wit S, El-Sadr W et al. Evaluation of HIV protease inhibitor use and the risk of sudden death or nonhemorrhagic stroke. The Internet Journal of Infectious Diseases. 2012;205(4):535-9.

Yfanti C, Fischer CP, Nielsen S, Akerström T, Nielsen AR, Veskoukis AS et al. Role of Vitamin C and E Supplementation on IL-6 in response to Training. Journal of Applied Physiology. 2012;112(6):990-1000.

Østergaard O, Nielsen CT, Iversen LV, Jacobsen S, Tanassi JT, Heegaard NHH. Quantitative proteome profiling of normal human circulating microparticles. Journal of Proteome Research. 2012;11(4):2154-63.

Klinik for Infektionsmedicin og Reumatologi/Reumatologisk Klinik

Disputatser og PhD-afhandlinger forsvarer i året 2012

Nielsen CT. 2012. Circulating microparticles in systemic lupus erythematosus. Københavns Universitet: Eget Forlag.

Videnskabelige artikler

Baslund B, Madsen OR, Søndergaard K, Juul L. 2012. Reumatologi--glimt af et fag i hastig udvikling. Ugeskrift for Laeger. 174(12):804.

Baslund B, Wiencke AK, Rasmussen N, Faurschou M, Toft PB. 2012. Treatment of orbital inflammation with rituximab in Wegener's granulomatosis. Clinical and Experimental Rheumatology. 30(1 Suppl 70):S7-10.

Belstrøm D, Damgaard C, Nielsen CH, Holmstrup P. 2012. Does a causal relation between cardiovascular disease and periodontitis exist?. Microbes and Infection. 14(5):411-8.

Bendtzen K. 2012. Anti-TNF- α biotherapies: perspectives for evidence-based personalized medicine. Immunotherapy. 4(11):1167-79.

Breindahl M, Rieneck K, Nielsen CH, Justesen T, Bendtzen K, Müller KG. 2012. Cytokine responses in infants infected with respiratory syncytial virus. Open Journal of immunology. 2(1):40-48.

Bugge A, El-Naaman B, McMurray RG, Froberg K, Nielsen CH, Müller K, Andersen LB. 2012. Inflammatory markers and clustered cardiovascular disease risk factors in danish adolescents. Hormone Research in Paediatrics. 78(5-6):288-96.

Bugge A, El-Naaman B, G McMurray R, Froberg K, Nielsen CH, Müller K, Andersen LB. 2012. Sex differences in the association between level of childhood interleukin-6 and insulin resistance in adolescence. Experimental Diabetes Research. 2012:859186.

Draborg AH, Jørgensen JM, Müller H, Nielsen CT, Jacobsen S, Iversen LV, Theander E, Nielsen LP, Houen G, Duus K. 2012. Epstein-Barr virus early antigen diffuse (EBV-EA/D)-directed immunoglobulin A antibodies in systemic lupus erythematosus patients. Scandinavian Journal of Rheumatology. 41(4):280-9.

El Fassi D, Hegedüs L, Nielsen CH. 2012. Anti-CD20 antibody therapy for B-cell lymphomas. New England Journal of Medicine. 367(9):877; author reply 878.

El Fassi D, Nielsen CH. 2012. Ulcerative colitis. New England Journal of Medicine. 366(9):862; author reply 862-3.

Graudal N, Jürgens G. 2012. Effect of golimumab combined with methotrexate on radiographic progression in rheumatoid arthritis: comment on the article by Emery et al. *Arthritis & Rheumatism*. 64(4):1297-8; author reply 1298-9.

Graudal NA, Hubeck-Graudal T, Jürgens G. 2012. Effects of low-sodium diet vs. high-sodium diet on blood pressure, renin, aldosterone, catecholamines, cholesterol, and triglyceride (Cochrane Review). *American Journal of Hypertension*. 25(1):1-15.

Graudal N. 2012. Reduceret saltindtagelse og risiko for øget dødelighed. *Ugeskrift for Laeger*. 174(12):817; author reply 817.

Gullstrand B, Lefort MH, Tydén H, Jönsen A, Lood C, Johansson A, Jacobsen S, Truedsson L, Bengtsson AA. 2012. Combination of autoantibodies against different histone proteins influences complement-dependent phagocytosis of necrotic cell material by polymorphonuclear leukocytes in systemic lupus erythematosus. *Journal of Rheumatology*. 39(8):1619-27.

Helge JW, Tobin L, Drachmann T, Hellgren L, Dela F, Galbo H. 2012. Muscle ceramide content is similar after 3 weeks' consumption of fat or carbohydrate diet in a crossover design in patients with type 2 diabetes. *European Journal of Applied Physiology*. 112(3):911-8.

Hermansen M-LF, Hummelshøj L, Lundsgaard D, Hornum L, Keller P, Fleckner J, Fox B, Poulsen LK, Jacobsen S. 2012. Increased serum β 2-microglobulin is associated with clinical and immunological markers of disease activity in systemic lupus erythematosus patients. *Lupus*. 21(10):1098-104.

Hetland ML, Østergaard M, Ejbjerg B, Jacobsen S, Stengaard-Pedersen K, Junker P, Lottenburger T, Hansen IT, Andersen LS, Tarp U, Svendsen A, Pedersen JK, Skjødt H, Ellingsen T, Lindegaard H, Pødenphant J, Hørslev-Petersen K, CIMESTRA study group. 2012. Short- and long-term efficacy of intra-articular injections with betamethasone as part of a treat-to-target strategy in early rheumatoid arthritis: impact of joint area, repeated injections, MRI findings, anti-CCP, IgM-RF and CRP. *Annals of the Rheumatic Diseases*. 71:851-6.

Jørgensen KT, Pedersen BV, Nielsen NM, Jacobsen S, Frisch M. 2012. Childbirths and risk of female predominant and other autoimmune diseases in a population-based Danish cohort. *Journal of Autoimmunity*. 38(2-3):J81-J87.

Jørgensen KT, Nielsen NM, Pedersen BV, Jacobsen S, Frisch M. 2012. Hyperemesis, gestational hypertensive disorders, pregnancy losses and risk of autoimmune diseases in a Danish population-based cohort. *Journal of Autoimmunity*. 38(2-3):J120-8.

Koch J, Hau J, Jensen HE, Nielsen CH, Rieneck K. 2012. The cellular cancer resistance of the SR/CR mouse. *APMIS*. 2012;120(12):974-87.

Kreiner FF, Galbo H. 2012. Activity of the neuroendocrine axes in patients with polymyalgia rheumatica before and after TNF- α blocking etanercept treatment. *Arthritis Research & Therapy.* 14(4):R186.

Langkjær A, Kristensen B, Hansen BE, Schultz H, Hegedüs L, Nielsen CH. 2012. B-cell exposure to self-antigen induces IL-10 producing B cells as well as IL-6- and TNF- α -producing B-cell subsets in healthy humans. *Clinical Immunology.* 145(1):1-10.

Lyons PA, Rayner TF, Trivedi S, Holle JU, Watts RA, Jayne DRW, Baslund B, Brenchley P, Bruchfeld A, Chaudhry AN, Cohen Tervaert JW, Deloukas P, Feighery C, Gross WL, Guillemin L, Gunnarsson I, Harper L, Hrušková Z, Little MA, Martorana D, Neumann T, Ohlsson S, Padmanabhan S, Pusey CD, Salama AD, Sanders J-SF, Savage CO, Segelmark M, Stegeman CA, Tesař V, Vaglio A, Wieczorek S, Wilde B, Zwerina J, Rees AJ, Clayton DG, Smith KGC. 2012. Genetically distinct subsets within ANCA-associated vasculitis. *New England Journal of Medicine.* 367(3):214-23.

Mellgren K, Hedegaard CJ, Schmiegelow K, Müller K. 2012. Plasma cytokine profiles at diagnosis in pediatric patients with non-hodgkin lymphoma. *Pediatric Hematology & Oncology.* 34(4):271-5.

Meyer MW, Zachariae C, Bendtzen K, Skov L. 2012. Lack of Anti-drug Antibodies in Patients with Psoriasis Well-controlled on Long-term Treatment with Tumour Necrosis Factor Inhibitors. *Acta Dermato Venereologica.* 92(4):362-364.

Milman N, Graudal N, Loft A, Mortensen J, Larsen J, Baslund B. 2012. Effect of the TNF- α inhibitor adalimumab in patients with recalcitrant sarcoidosis: a prospective observational study using FDG-PET. *Clinical Respiratory Journal.* 2012;6(4):238-47.

Nielsen CH, Bendtzen K. 2012. Immunoregulation by naturally occurring and disease-associated autoantibodies: binding to cytokines and their role in regulation of T-cell responses. *Advances in Experimental Medicine and Biology.* 750:116-32.

Nielsen CH, Helweg-Larsen J, Baslund B. 2012. Immunsystemet og den medicinske patient. Baslund B, Feldt-Rasmussen U, Kastrup J, Soelberg Sørensen P, red. I *Lærebog i Medicin.* FADL's Forlag. s. 784-810.

Nielsen CT, Østergaard O, Stener L, Iversen LV, Truedsson L, Gullstrand B, Jacobsen S, Heegaard NH. 2012. Increased IgG on cell-derived plasma microparticles in systemic lupus erythematosus is associated with autoantibodies and complement activation. *Arthritis & Rheumatism.* 64(4):1227-36.

Petri M, Orbai A-M, Alarcón GS, Gordon C, Merrill JT, Fortin PR, Bruce IN, Isenberg D, Wallace DJ, Nived O, Sturfelt G, Ramsey-Goldman R, Bae S-C, Hanly JG, Sánchez-Guerrero J, Clarke A, Aranow C, Manzi S, Urowitz M, Gladman D, Kalunian K, Costner M, Werth VP, Zoma A, Bernatsky S, Ruiz-Irastorza G, Khamashta MA, Jacobsen S, Buyon JP, Maddison P, Dooley MA, van Vollenhoven RF, Ginzler E, Stoll T, Peschken C, Jorizzo JL, Callen JP, Lim SS, Fessler BJ, Inanc M, Kamen DL, Rahman A, Steinsson K, Franks AG, Sigler L, Hameed S, Fang H, Pham N, Brey R, Weisman MH, McGwin G, Magder LS.

2012. Derivation and validation of the Systemic Lupus International Collaborating Clinics classification criteria for systemic lupus erythematosus. *Arthritis & Rheumatism*. 64(8):2677-86.

Steenholdt C, Svenson M, Bendtzen K, Thomsen ØØ, Brynskov J, Ainsworth MA. 2012. Acute and delayed hypersensitivity reactions to infliximab and adalimumab in a patient with Crohn's disease. *Journal of Crohn's and Colitis*. 6(1):108-11.

Steenholdt C, Al-Khalaf M, Brynskov J, Bendtzen K, Thomsen ØØ, Ainsworth MA. 2012. Clinical implications of variations in anti-infliximab antibody levels in patients with inflammatory bowel disease. *Inflammatory Bowel Diseases*. 2012;18(12):2209-17.

Steenholdt C, Enevold C, Ainsworth MA, Brynskov J, Thomsen ØØ, Bendtzen K. 2012. Genetic polymorphisms of tumour necrosis factor receptor superfamily 1b and fas ligand are associated with clinical efficacy and/or acute severe infusion reactions to infliximab in Crohn's disease. *Alimentary Pharmacology and Therapeutics*. 36(7):650-9.

Steenholdt C, Brynskov J, Bendtzen K. 2012. Letter: persistence of anti-infliximab antibodies after discontinuation of infliximab in patients with IBD. *Alimentary Pharmacology and Therapeutics*. 36(5):499-500; author reply 501.

Stidsen J, Khorooshi RMH, Rahbek MKU, Kirketerp-Møller KL, Hansen DP, Bie P, Kejling K, Mandrup S, Hawgood S, Nielsen O, Nielsen CH, Owens T, Holmskov UL, Sørensen GL. 2012. Surfactant protein d deficiency in mice is associated with hyperphagia, altered fat deposition, insulin resistance, and increased basal endotoxemia. *P L o S One*. 7(4):e35066.

Saaby L, Nielsen CH. 2012. Triterpene Acids from Rose Hip Powder Inhibit Self-antigen- and LPS-induced Cytokine Production and CD4(+) T-cell Proliferation in Human Mononuclear Cell Cultures. *Phytotherapy Research*. 26(8):1142-1147.

Thiyagarajan D, Fisman S, Seredkina N, Jacobsen S, Elung-Jensen T, Kamper A-L, Fenton CG, Rekvig OP, Mortensen ES. 2012. Silencing of renal DNase1 in murine lupus nephritis imposes exposure of large chromatin fragments and activation of Toll like receptors and the Clec4e. *P L o S One*. 7(3):e34080.

Troelsen LN, Jacobsen S, Abrahams JL, Royle L, Rudd PM, Narvestad E, Heegaard NHH, Garred P. 2012. IgG glycosylation changes and MBL2 polymorphisms: associations with markers of systemic inflammation and joint destruction in rheumatoid arthritis. *Journal of Rheumatology*. 39(3):463-9.

Uhlving HH, Buchwald F, Heilmann CJ, Nielsen KG, Gormsen M, Müller KG. 2012. Bronchiolitis obliterans after allo-SCT: clinical criteria and treatment options. *Bone Marrow Transplantation*. 47(8):1020-9.

Vitfell-Pedersen J, Jørgensen MH, Müller K, Heilmann C. 2012. Autoimmune hepatitis in children in Eastern Denmark. *The Electronic Journal of Pediatric Gastroenterology, Nutrition, and Liver Diseases*. 55(4):376-9.

Østergaard O, Nielsen CT, Iversen LV, Jacobsen S, Tanassi JT, Heegaard NHH. 2012. Quantitative proteome profiling of normal human circulating microparticles. *Journal of Proteome Research*. 11(4):2154-63.

Klinik for Infektionsmedicin og Reumatologi/Center for Inflammation og Metabolisme (CIM)

Disputatser og Ph.d.-afhandlinger forsvarer i året 2012

Broholm C. Functional studies of leukaemia inhibitory factor in human skeletal muscle. 2012.

Pedersen M. Type 2 Diabetes: The relation to Ethnicity and Cognitive function. 2012.

Videnskabelige artikler

Beck-Nielsen H, Solomon TP, Lauridsen JT, Karstoft K, Pedersen BK, Johnsen SP et al. The Danish Centre for Strategic Research in Type 2 Diabetes (DD2) study: expected outcome from the DD2 project and two intervention studies. *Clinical Epidemiology*. 2012;4(Suppl 1):21-6.

Berg RMG, Plovsing RR, Ronit A, Bailey DM, Holstein-Rathlou N-H, Moller K. Disassociation of Static and Dynamic Cerebral Autoregulatory Performance in Healthy Volunteers After Lipopolysaccharide Infusion and in Patients with Sepsis. *American Journal of Physiology: Regulatory, Integrative and Comparative Physiology*. 2012;120/9:R1127-35.

Berg RMG, Taudorf S, Bailey DM, Lundby C, Larsen FS, Pedersen BK et al. Effects of lipopolysaccharide infusion on arterial levels and transcerebral exchange kinetics of glutamate and glycine in healthy humans. *APMIS*. 2012;120(9):761-6.

Berg RMG, Plovsing RR, Damgaard M. Teaching baroreflex physiology to medical students: a comparison of quiz-based and conventional teaching strategies in a laboratory exercise. *Advances in Physiology Education*. 2012;36(2):147-53.

Berg R. Starlings Hjertelov og behandling af shock under første verdenskrig. *DASINFO*. 2012;(1):23-27.

Biensø RS, Ringholm S, Kiilerich K, Aachmann-Andersen NJ, Krogh-Madsen R, Guerra B et al. GLUT4 and glycogen synthase are key players in bed rest-induced insulin resistance. *Diabetes*. 2012;61(5):1090-9.

Borchorst S, Møller K. The role of dexamethasone in the treatment of bacterial meningitis - a systematic review. *Acta Anaesthesiologica Scandinavica*. 2012;56(10):1210-21.

Brandt C, Nielsen AR, Fischer CP, Hansen J, Pedersen BK, Plomgaard P. Plasma and muscle myostatin in relation to type 2 diabetes. *P L o S One*. 2012;7(5):e37236.

Brandt C, Jakobsen AH, Adser H, Olesen J, Iversen N, Kristensen JM et al. IL-6 regulates exercise and training-induced adaptations in subcutaneous adipose tissue in mice. *Acta Physiologica (Online)*. 2012;205(2):224-35.

Broholm C, Brandt C, Schultz NS, Nielsen AR, Pedersen BK, Scheele C. Deficient leukemia inhibitory factor signaling in muscle precursor cells from patients with type 2 diabetes. *American Journal of Physiology: Endocrinology and Metabolism*. 2012;303(2):E283-92.

Christiansen CB, Berg RMG, Plovsing RR, Møller K. Two cases of infectious purpura fulminans and septic shock caused by Capnocytophaga canimorsus transmitted from dogs. *Scandinavian Journal of Infectious Diseases*. 2012;44(8):635-9.

Christensen BM, Lundby C, Jessen N, Nielsen TS, Vestergaard PF, Møller N et al. Evaluation of functional erythropoietin receptor status in skeletal muscle in vivo: acute and prolonged studies in healthy human subjects. *P L o S One*. 2012;7(2):e31857.

Frandsen SK, Gissel H, Hojman P, Tramm T, Eriksen J, Gehl J. Direct therapeutic applications of calcium electroporation to effectively induce tumor necrosis. *Cancer research*. 2012;72(6):1336-41.

Green CJ, Henriksen TI, Pedersen BK, Solomon TPJ. Glucagon like peptide-1-induced glucose metabolism in differentiated human muscle satellite cells is attenuated by hyperglycemia. *P L o S One*. 2012;7(8):e44284.

Hansen M, Nielsen AR, Vilsbøll T, Lund A, Krarup T, Knop FK et al. Increased Levels of YKL-40 and Interleukin 6 in Patients With Chronic Pancreatitis and Secondary Diabetes. *Pancreas*. 2012;41(8):1316-8.

Hellsten Y, Nyberg MP, Jensen LG, Mortensen SP. Vasodilator interactions in skeletal muscle blood flow regulation. *Journal of Physiology*. 2012;590(Pt 24):6297-305.

Hellsten Y, Nyberg M, Mortensen SP. Contribution of intravascular versus interstitial purines and nitric oxide in the regulation of exercise hyperaemia in humans. *Journal of Physiology*. 2012;590(Pt 20):5015-23.

Hojman P, Brolin C, Gissel H. Calcium influx determines the muscular response to electrotransfer. *American Journal of Physiology: Regulatory, Integrative and Comparative Physiology*. 2012;302(4):R446-53.

Knudsen SH, Hansen LS, Dejgaard T, Pedersen M, Hansen J, Hall GV et al. Changes in insulin sensitivity precede changes in body composition during 14 days of step reduction combined with overfeeding in healthy young men. *Journal of Applied Physiology*. 2012;113(1):7-15.

Laye MJ, Solomon TPJ, Karstoft K, Pedersen KK, Poulsen SD, Pedersen BK. Increased shelterin mRNA expression in peripheral blood mononuclear cells and skeletal muscle following an ultra-long-distance running event. *Journal of Applied Physiology*. 2012;112(5):773-81.

Li X, Hansen J, Zhao X, Lu X, Weigert C, Häring H-U et al. Independent component analysis in non-hypothesis driven metabolomics: Improvement of pattern discovery and simplification of biological data interpretation demonstrated with plasma samples of exercising humans. *Journal of Chromatography. B, Analytical Technologies in the Biomedical and Life Sciences*. 2012;910:156-62.

Mathur N, Berg R, Møller K, Pedersen BK, Laye MJ, Pedersen M et al. Altered Subcutaneous Adipose Tissue Response to Systemic LPS Administration in Patients with Type 2 Diabetes. *Journal of Diabetes & Metabolism*. 2012;3(8):217.

Mortensen SP, Askew CD, Walker M, Nyberg M, Hellsten Y. The hyperaemic response to passive leg movement is dependent on nitric oxide: a new tool to evaluate endothelial nitric oxide function. *Journal of Physiology*. 2012;590(Pt 17):4391-400.

Mortensen SP, Nyberg M, Winding K, Saltin B. Lifelong physical activity preserves functional sympatholysis and purinergic signalling in the ageing human leg. *Journal of Physiology*. 2012;590(Pt 23):6227-36.

Møller K. Acute and chronic hypoxia: breathe, breathe in the air. *Clinical Respiratory Journal*. 2012;6(2):65-6.

Møller-Sørensen H, Hansen KL, Ostergaard M, Andersen LW, Møller K. Lack of agreement and trending ability of the endotracheal cardiac output monitor compared with thermodilution. *Acta Anaesthesiologica Scandinavica*. 2012;56(4):433-440.

Nyberg M, Blackwell JR, Damsgaard R, Jones AM, Hellsten Y, Mortensen SP. Lifelong physical activity prevents an age-related reduction in arterial and skeletal muscle nitric oxide bioavailability in humans. *Journal of Physiology*. 2012;590(Pt 21):5361-70.

Olesen J, Larsson S, Iversen N, Yousafzai S, Hellsten Y, Pilegaard H. Skeletal muscle PGC-1 α is required for maintaining an acute LPS-induced TNF α response. *P L o S One.* 2012;7(2):e32222.

Parkner T, Sørensen LP, Nielsen AR, Fischer CP, Bibby BM, Nielsen S et al. Soluble CD163: a biomarker linking macrophages and insulin resistance. *Diabetologia.* 2012;55(6):1856-62.

Pedersen BK. Muscular interleukin-6 and its role as an energy sensor. *Medicine and Science in Sports and Exercise.* 2012;44(3):392-6.

Pedersen BK. A muscular twist on the fate of fat. *New England Journal of Medicine.* 2012;366(16):1544-5.

Pedersen BK, Febbraio MA. Muscles, exercise and obesity: skeletal muscle as a secretory organ. *Nature reviews. Endocrinology.* 2012;8(8):457-65.

Pedersen BK. Graviditet og motion. 2 udg. København: Nyt Nordisk Forlag Arnold Busck, 2012. 173 s.

Pedersen L, Hojman P. Muscle-to-organ cross talk mediated by myokines. *Adipocytes.* 2012;1(3):164-167.

Pedersen L, Olsen CH, Pedersen BK, Hojman P. Muscle-derived expression of the chemokine CXCL1 attenuates diet-induced obesity and improves fatty acid oxidation in the muscle. *American Journal of Physiology: Endocrinology and Metabolism.* 2012;302(7):E831-40.

Pedersen M, Pedersen KK, Bruunsgaard H, Krabbe KS, Thomsen C, Færch KV et al. Cognitive functions in middle aged individuals are related to metabolic disturbances and aerobic capacity: a cross-sectional study. *P L o S One.* 2012;7(12):e51132.

Plomgaard P, Halban PA, Bouzakri K. Bimodal impact of skeletal muscle on pancreatic β -cell function in health and disease. *Diabetes, Obesity and Metabolism.* 2012;14 Suppl 3:78-84.

Rasmussen P, Kim Y-S, Krogh-Madsen R, Lundby C, Olsen NV, Secher NH et al. Both acute and prolonged administration of EPO reduce cerebral and systemic vascular conductance in humans. *F A S E B Journal.* 2012;26(3):1343-8.

Rasmussen P, Nordsborg NB, Taudorf S, Sørensen NHB, Berg RMG, Jacobs RA et al. Brain and skin do not contribute to the systemic rise in erythropoietin during acute hypoxia in humans. *F A S E B Journal.* 2012;26(5):1831-4.

Scheele C, Nielsen S, Broholm C, Nielsen AR, Taudorf S, Pedersen M et al. Satellite cells derived from obese humans with type 2 diabetes and differentiated into myocytes in vitro exhibit abnormal response to IL-6. *P L o S One*. 2012 jun;7(6):e39657.

Solomon TPJ, Knudsen SH, Karstoft K, Winding K, Holst JJ, Pedersen BK. Examining the Effects of Hyperglycemia on Pancreatic Endocrine Function in Humans: Evidence for in Vivo Glucotoxicity. *Journal of Clinical Endocrinology and Metabolism*. 2012;97(12):4682-91.

Wolsk E, Mygind H, Grøndahl TS, Pedersen BK, van Hall G. Human skeletal muscle releases leptin in vivo. *Cytokine*. 2012;60(3):667-73.

Yfanti C, Fischer CP, Nielsen S, Akerström T, Nielsen AR, Veskoukis AS et al. Role of Vitamin C and E Supplementation on IL-6 in response to Training. *Journal of Applied Physiology*. 2012;112(6):990-1000.

Onkologisk Klinik

Disputatser og ph.d.-afhandlinger forsvarer i året 2012

Due AK. Recurrence location after definitive (chemo)radiation therapy for head and neck squamous cell carcinoma in relation to clinical target volumes and (18F)-FDG uptake. 2012. 1 s.

Hollensen C. Planning and Evaluation of Radio-Therapeutic Treatment of Head-and-Neck Cancer Using PET/CT Scanning. 2012.

Møller AKH. Diagnostic tools and treatment of patients with carcinoma of unknown primary site. København: Eget forlag, 2012. 70 s.

Zimling ZG. Biomarkers in Malignant Pleural Mesotheliomas: An immunohistochemical profile of malignant pleural mesotheliomas, with special emphasis on diagnostic, prognostic and predictive markers. København: Faculty of Health Sciences, University of Copenhagen, 2012.

Videnskabelige artikler

Abildgaard J, Pappot H, Petersen PM, Rørth M, Pedersen JH, Santoni-Rugiu E et al. Usikkerhed om behandlingsstrategien ved tymomer. *Ugeskrift for Laeger*. 2012;174(50):3164-3169.

Adamsen L, Stage M, Laursen J, Rørt M, Quist M. Exercise and relaxation intervention for patients with advanced lung cancer: a qualitative feasibility study. Scandinavian Journal of Medicine & Science in Sports. 2012;22(6):804-815.

Andersen M, Grauslund M, Muhammad-Ali M, Ravn J, Sørensen JB, Andersen CB et al. Are differentially expressed microRNAs useful in the diagnostics of malignant pleural mesothelioma?. APMIS : acta pathologica, microbiologica, et immunologica Scandinavica. 2012;120(9):767-9.

Andersen KG, Jensen M-B, Kehlet H, Gärtner R, Eckhoff L, Kroman N. Persistent pain, sensory disturbances and functional impairment after adjuvant chemotherapy for breast cancer: Cyclophosphamide, epirubicin and fluorouracil compared with docetaxel + epirubicin and cyclophosphamide. Acta Oncologica. 2012;51(8):1036-1044.

Appel JM, Zerahn B, Møller S, Christensen HM, Søgaard P, Ejlertsen B et al. Long-term heart function after adjuvant epirubicin chemotherapy for breast cancer. Acta Oncologica. 2012;51(8):1054-61.

Appel JM, Sander K, Hansen PB, Møller JE, Krarup-Hansen A, Gustafsson F. Left ventricular assist device as bridge to recovery for anthracycline-induced terminal heart failure. Congestive Heart Failure. 2012;18(5):291-4.

Bachner M, Loriot Y, Gross-Goupil M, Zucali PA, Horwich A, Germa-Lluch J-R et al. 2-¹⁸F-fluoro-deoxy-D-glucose positron emission tomography (FDG-PET) for postchemotherapy seminoma residual lesions: a retrospective validation of the SEMPET trial. Annals of Oncology. 2012;23(1):59-64.

Bellmunt J, von der Maase H, Mead GM, Skoneczna I, De Santis M, Daugaard G et al. Randomized phase III study comparing paclitaxel/cisplatin/gemcitabine and gemcitabine/cisplatin in patients with locally advanced or metastatic urothelial cancer without prior systemic therapy: EORTC Intergroup Study 30987. Journal of Clinical Oncology. 2012;30(10):1107-13.

Bernsdorff M, Berthelsen AK, Timmermans-Wielenga V, Kroman N, Teilum D, Binderup T et al. Preoperative PET/CT in early-stage breast cancer. Annals of Oncology. 2012;23(9):2277-82.

Bjørndal K, Krogdahl A, Therkildsen MH, Overgaard J, Johansen JB, Kristensen CA et al. Salivary gland carcinoma in Denmark 1990-2005: Outcome and prognostic factors Results of the Danish Head and Neck Cancer Group (DAHANCA). Oral Oncology. 2012;48(2):179-185.

Blomstrand M, Brodin NP, Munck Af Rosenschöld P, Vogelius IR, Sánchez Merino G, Kiil-Berthlesen A et al. Estimated clinical benefit of protecting neurogenesis in the developing brain during radiation therapy for pediatric medulloblastoma. Neuro-Oncology. 2012;14(7):882-9.

Bondgaard A-LRØ, Poulsen TT, Poulsen HS, Skov BG. Different expression of EZH2, BMI1 and Ki67 in low and high grade neuroendocrine tumors of the lung. *Cancer Biomarkers*. 2012;11(2-3):123-8.

Brandberg Y, Aamdal S, Bastholt L, Hernberg M, Stierner U, von der Maase H et al. Health-related quality of life in patients with high-risk melanoma randomised in the Nordic phase 3 trial with adjuvant intermediate-dose interferon alfa-2b. *European Journal of Cancer*. 2012;48(13):2012-9.

Brodin NP, Vogelius IS, Maraldo MV, Munck Af Rosenschöld P, Aznar MC, Berthelsen AK et al. Life years lost-comparing potentially fatal late complications after radiotherapy for pediatric medulloblastoma on a common scale. *C A*. 2012;118:5432-5440.

Brokken LJS, Lundberg-Giwercman Y, Rajpert-De Meyts E, Eberhard J, Ståhl O, Cohn-Cedermark G et al. Association of polymorphisms in genes encoding hormone receptors ESR1, ESR2 and LHCGR with the risk and clinical features of testicular germ cell cancer. *Molecular and Cellular Endocrinology*. 2012;351:279-285.

Caraceni A, Hanks G, Kaasa S, Bennett MI, Brunelli C, Cherny N et al. Use of opioid analgesics in the treatment of cancer pain: evidence-based recommendations from the EAPC. *Lancet Oncology*. 2012;13(2):e58-68.

Chirgwin J, Sun Z, Smith I, Price KN, Thürlimann B, Ejlertsen B et al. The advantage of letrozole over tamoxifen in the BIG 1-98 trial is consistent in younger postmenopausal women and in those with chemotherapy-induced menopause. *Breast Cancer Research and Treatment*. 2012;131(1):295-306.

Dalgaard MD, Weinhold N, Edsgärd D, Silver JD, Pers TH, Nielsen JE et al. A genome-wide association study of men with symptoms of testicular dysgenesis syndrome and its network biology interpretation. *Journal of Medical Genetics*. 2012;49(1):58-65.

De Santis M, Bellmunt J, Mead G, Kerst JM, Leahy M, Maroto P et al. Randomized phase II/III trial assessing gemcitabine/carboplatin and methotrexate/carboplatin/vinblastine in patients with advanced urothelial cancer who are unfit for cisplatin-based chemotherapy: EORTC study 30986. *Journal of Clinical Oncology*. 2012;30(2):191-9.

de Wit R, Skoneczna I, Daugaard G, De Santis M, Garin A, Aass N et al. Randomized phase III study comparing paclitaxel-bleomycin, etoposide, and cisplatin (BEP) to standard BEP in intermediate-prognosis germ-cell cancer: intergroup study EORTC 30983. *Journal of Clinical Oncology*. 2012;30(8):792-9.

Ding YC, McGuffog L, Healey S, Friedman E, Laitman Y, Paluch-Shimon S et al. A nonsynonymous polymorphism in IRS1 modifies risk of developing breast and ovarian cancers in BRCA1 and ovarian cancer in BRCA2 mutation carriers. *Cancer Epidemiology, Biomarkers & Prevention*. 2012;21(8):1362-70.

Dizon DS, Damstrup L, Finkler NJ, Lassen U, Celano P, Glasspool R et al. Phase II activity of belinostat (PXD-101), carboplatin, and paclitaxel in women with previously treated ovarian cancer. International Journal of Gynecological Cancer. 2012;22(6):979-86.

Due AK, Vogelius IR, Aznar MC, Bentzen SM, Berthelsen AK, Korreman SS et al. Methods for estimating the site of origin of locoregional recurrence in head and neck squamous cell carcinoma. Strahlentherapie und Onkologie : Organ der Deutschen Röntgengesellschaft . . 2012;188(8):671-6.

Ebbeskov Lauritsen L, Meidahl Petersen P, Daugaard G. Neurological Adverse Effects after Radiation Therapy for Stage II Seminoma. Case Reports in Oncology. 2012;5(2):444-8.

Eefsen RL, Van den Eynden GG, Høyer-Hansen G, Brodt P, Laerum OD, Vermeulen PB et al. Histopathological growth pattern, proteolysis and angiogenesis in chemonaive patients resected for multiple colorectal liver metastases. Journal of Oncology. 2012;2012:907971.

Ejlertsen B, Aldridge J, Nielsen KV, Regan MM, Henriksen KL, Lykkesfeldt A et al. Prognostic and predictive role of ESR1 status for postmenopausal patients with endocrine-responsive early breast cancer in the Danish cohort of the BIG 1-98 trial. Annals of Oncology. 2012 okt 10;23(5):1138-1144.

El-Charnoubi WAG, Svendsen JB, Tange UB, Kroman N. Women with inoperable or locally advanced breast cancer -- what characterizes them?: A retrospective review of 157 cases. Acta Oncologica. 2012;51(8):1081-5.

El-Galaly TC, Mylam KJ, Brown P, Specht L, Christiansen I, Munksgaard L et al. PET/CT surveillance in patients with Hodgkin lymphoma in first remission is associated with low positive predictive value and high costs. Haematologica. 2012;2012;97(6):931-6.

El-Galaly TC, d'Amore F, Mylam KJ, de Nully Brown P, Bøgsted M, Bukh A et al. Routine Bone Marrow Biopsy Has Little or No Therapeutic Consequence for Positron Emission Tomography/Computed Tomography-Staged Treatment-Naive Patients With Hodgkin Lymphoma. Journal of Clinical Oncology. 2012;30(36):4508-14.

Friborg JT, Therkildsen MH, Homoe P, Kristensen C, Hui A, Liu F-F et al. A spectrum of basaloid morphology in a subset of EBV-associated "lymphoepithelial carcinomas" of major salivary glands. Head & Neck Pathology. 2012;6(4):445-50.

Grønberg BH, Ciuleanu T, Fløtten Ø, Knuutila A, Abel E, Langer SW et al. A placebo-controlled, randomized phase II study of maintenance enzastaurin following whole brain radiation therapy in the treatment of brain metastases from lung cancer. Lung Cancer. 2012;78(1):63-9.

Grønvold M, Hansen MB, Jensen AB, Neergaard MA, Rasmussen M, Sjøgren P. Dansk Palliativ Database. Ugeskrift for Laeger. 2012;174(42):2530.

Hertel PB, Tu D, Ejlertsen B, Jensen M-B, Balslev E, Jiang S et al. TIMP-1 in combination with HER2 and TOP2A for prediction of benefit from adjuvant anthracyclines in high-risk breast cancer patients. *Breast Cancer Research and Treatment*. 2012;132(1):225-34.

Holländer C, Jensen LB, Sorensen M, Albertsson P, Damstrup L, Lassen U. A phase I study of concurrent chemoradiotherapy and cetuximab for locally advanced esophageal cancer. *Anticancer Research*. 2012;32(9):4019-23.

Hutchings M. How does PET/CT help in selecting therapy for patients with Hodgkin lymphoma?. *Hematology*. 2012;2012:322-7.

Håkansson F, Høgdall EVS, Nedergaard L, Lundvall L, Engelholm SA, Pedersen AT et al. Risk of malignancy index used as a diagnostic tool in a tertiary centre for patients with a pelvic mass. *Acta Obstetricia et Gynecologica Scandinavica*. 2012;91(4):496-502.

Jacobsen R, Vadstrup E, Røder M, Frølich A. Predictors of effects of lifestyle intervention on diabetes mellitus type 2 patients. *Scientific World Journal*. 2012;2012:962951.

Jakobsen JN, Sørensen JB. Intratumor heterogeneity and chemotherapy-induced changes in EGFR status in non-small cell lung cancer. *Cancer Chemotherapy and Pharmacology*. Supplement. 2012;69(2):289-99.

Jensen SA, Sørensen JB. 5-fluorouracil-based therapy induces endovascular injury having potential significance to development of clinically overt cardiotoxicity. *Cancer Chemotherapy and Pharmacology* . 2012;69(1):57-64.

Jensen JD, Knoop A, Laenholm AV, Grauslund M, Jensen MB, Santoni-Rugiu E et al. PIK3CA mutations, PTEN, and pHER2 expression and impact on outcome in HER2-positive early-stage breast cancer patients treated with adjuvant chemotherapy and trastuzumab. *Annals of Oncology*. 2012;23(8):2034-42.

Johansen HK, Aanaes K, Pressler T, Nielsen KG, Fisker J, Skov M et al. Colonisation and infection of the paranasal sinuses in cystic fibrosis patients is accompanied by a reduced PMN response. *Journal of Cystic Fibrosis*. 2012;11(6):525-31.

Johnsen AT, Bahn Vejlgaard T, Higginson IJ, Petersen MA, Hansen JL, Sjøgren P et al. The Danish Palliative Care Trial (DanPaCT) Protocol: Preliminary Results and Subsequent Protocol Revisions" .. 2012. Poster session presented at 7th World Research Congress of the European Association for Palliativ Care, Trondheim, Norge.

Kamstrup MR, Lindahl LM, Gniadecki R, Iversen L, Skov L, Petersen PM et al. Low-Dose Total Skin Electron Beam Therapy as a Debulking Agent for Cutaneous T-Cell Lymphoma: An open-label prospective phase II study. *British Journal of Dermatology*. 2012 jan;166(2):399-404.

Kendall S, Holm NR, Højsted J, Nielsen PR, Jensen N-H, Sjøgren P. Pain and fatigue in chronic noncancer pain patients: How strong is the relationship?. 2012. Poster session presented at 14th World Congress on Pain , Milano, Italien.

Knudsen MG, Sorensen JB. Carcinoembryonic antigen (CEA) as tumor marker in lung cancer. *Lung Cancer*. 2012;76(2):138-43.

Kofoed SC, Muhic A, Jensen LB, Jendresen M, Gustafsen J, Holm J et al. Survival after adjuvant chemoradiotherapy or surgery alone in resectable adenocarcinoma at the gastro-esophageal junction. *Scandinavian Journal of Surgery*. 2012;101(1):26-31.

Kurita GP, Sjøgren P, Juel K, Højsted J, Ekholm KOM. The burden of chronic pain: a cross-sectional survey focussing on diseases, immigration, and opioid use. *Pain*. 2012;153(12):2332-8.

Kurita GP, de Mattos Pimenta CA, Braga PE, Frich L, Jørgensen MM, Nielsen PR et al. Cognitive function in patients with chronic pain treated with opioids: characteristics and associated factors. *Acta Anaesthesiologica Scandinavica*. 2012;56(10):1257-66.

Laenholm A-V, Knoop A, Ejlertsen B, Rudbeck T, Jensen M-B, Müller S et al. ESR1 gene status correlates with estrogen receptor protein levels measured by ligand binding assay and immunohistochemistry. *Molecular Oncology*. 2012;6(4):428-36.

Lajer CB, Garnæs E, Friis-Hansen L, Norrild B, Therkildsen MH, Glud M et al. The role of miRNAs in human papilloma virus (HPV)-associated cancers: bridging between HPV-related head and neck cancer and cervical cancer. *B J C*. 2012;106(9):1526-34.

Langer SW. Advances in Systematic Chemotherapy for the Treatment of Neuroendocrine Tumors. *CML - Gastroenterology*. 2012;31(4):89-94.

Langer SW, Larsen KR. Lungecancer. Baslund B, Feldt-Rasmussen U, Kastrup J, Sørensen PS, red. I: Medicin. 1. udg. København: FADL's Forlag. 2012.

Langer SW, Thougaard AV, Sehested M, Jensen PB. Treatment of experimental extravasation of amrubicin, liposomal doxorubicin, and mitoxantrone with dextrazoxane. *Cancer Chemotherapy and Pharmacology*. 2012;69(2):573-6.

Larsen MS, Bjerre K, Lykkesfeldt AE, Giobbie-Hurder A, Laenholm A-V, Henriksen KL et al. Activated HER-receptors in predicting outcome of ER-positive breast cancer patients treated with adjuvant endocrine therapy. *Breast*. 2012;21(5):662-8.

Larsen MS, Bjerre K, Giobbie-Hurder A, Lænholm A-V, Henriksen KL, Ejlertsen B et al. Prognostic value of Bcl-2 in two independent populations of estrogen receptor positive breast cancer patients treated with adjuvant endocrine therapy. *Acta Oncologica*. 2012;51(6):781-9.

Lassen U, Nielsen DL, Sørensen M, Winstedt L, Niskanen T, Stenberg Y et al. A phase I, dose-escalation study of TB-403, a monoclonal antibody directed against PIGF, in patients with advanced solid tumours. *B J C*. 2012;106(4):678-84.

Lerche CM, Philipsen PA, Poulsen T, Gniadecki R, Wulf HC. Topical nutlin-3a does not decrease photocarcinogenesis induced by simulated solar radiation in hairless mice. Photodermatology, Photoimmunology & Photomedicine Online. 2012;28(4):207-12.

Lerche CM, Poulsen T, Wulf HC. Neonatal mice do not have increased sensitivity to induction of squamous cell carcinomas. Photodermatology, Photoimmunology & Photomedicine. 2012;28(1):26-33.

Matthiessen LW, Johannessen HH, Hendel HW, Moss T, Kamby C, Gehl J. Electrochemotherapy for large cutaneous recurrence of breast cancer: a phase II clinical trial. Acta Oncologica. 2012;51(6):713-21.

Mellgren K, Hedegaard CJ, Schmiegelow K, Müller K. Plasma cytokine profiles at diagnosis in pediatric patients with non-hodgkin lymphoma. Pediatric Hematology & Oncology. 2012;34(4):271-5.

Michaelsen SR, Christensen CL, Sehested M, Cramer F, Poulsen TT, Patterson AV et al. Single agent- and combination treatment with two targeted suicide gene therapy systems is effective in chemoresistant small cell lung cancer cells. The journal of gene medicine. 2012;14(7):445-58.

Midtgård J, Røssell K, Christensen JF, Uth J, Adamsen L, Rørth M. Demonstration and manifestation of self-determination and illness resistance--a qualitative study of long-term maintenance of physical activity in posttreatment cancer survivors. Supportive Care in Cancer. 2012;20(9):1999-2008.

Møller AKH, Loft A, Berthelsen AK, Pedersen KD, Graff J, Christensen CB et al. A Prospective Comparison of 18F-FDG PET/CT and CT as Diagnostic Tools to Identify the Primary Tumor Site in Patients with Extracervical Carcinoma of Unknown Primary Site. Oncologist. 2012;17:1146-1154.

Mortensen HR, Overgaard J, Specht L, Overgaard M, Johansen JB, Evensen JF et al. Prevalence and peak incidence of acute and late normal tissue morbidity in the DAHANCA 6&7 randomised trial with accelerated radiotherapy for head and neck cancer. Radiotherapy & Oncology. 2012;103(1):69-75.

Morton LM, Gilbert ES, Hall P, Andersson M, Joensuu H, Vaalavirta L et al. Risk of treatment-related esophageal cancer among breast cancer survivors. Annals of Oncology. 2012;23(12):3081-91.

Møller S, Grunnet K, Hansen S, Schultz HP, Holmberg M, Mau-Sørensen M et al. A phase II trial with bevacizumab and irinotecan for patients with primary brain tumors and progression after standard therapy. Acta Oncologica. 2012;51(6):797-804.

Nielsen TK, Bjørndal K, Krogdahl A, Primdahl H, Kristensen CA, Andersen E et al. Salivary gland carcinomas of the larynx: a national study in Denmark. Auris Nasus Larynx. 2012;39(6):611-4.

Nielsen KV, Ejlertsen B, Møller S, Jensen M-B, Balslev E, Müller S et al. Lack of independent prognostic and predictive value of centromere 17 copy number changes in breast cancer patients with known HER2 and TOP2A status. *Molecular Oncology*. 2012;6(1):88-97.

Nørøxe DS, Sørensen JB. Ultra-late relapse with a single cerebellar metastasis 10 years after complete surgery for stage IIA non-small cell lung cancer (bronchioalveolar carcinoma). *Journal of Thoracic Oncology*. 2012;7(4):764-5.

Olsen IH, Langer SW, Jepsen I, Assens M, Federspiel B, Hasselby JP et al. First-line treatment of patients with disseminated poorly differentiated neuroendocrine carcinomas with carboplatin, etoposide, and vincristine: a single institution experience. *Acta Oncologica*. 2012;51(1):97-100.

Olsen IH, Sørensen JB, Federspiel B, Kjaer A, Hansen CP, Knigge U et al. Temozolomide as second or third line treatment of patients with neuroendocrine carcinomas. *Scientific World Journal*. 2012;2012:170496.

Pedersen MQ, Rørt M, Langer S, Jones LW, Laursen JH, Pappot H et al. Safety and feasibility of a combined exercise intervention for inoperable lung cancer patients undergoing chemotherapy: a pilot study. *Lung Cancer*. 2012;75(2):203-8.

Persson GF, Nygaard DE, Hollensen C, Munck af Rosenschöld P, Mouritsen LS, Due AK et al. Interobserver delineation variation in lung tumour stereotactic body radiotherapy. *British Journal of Radiology*. 2012;85(1017):e654-60.

Poulsen HS, von der Maase H. miRNA ved glioblastomer--potentiale og begrænsninger. *Ugeskrift for Laeger*. 2012;174(10):628.

Ramus SJ, Antoniou AC, Kuchenbaecker KB, Soucy P, Beesley J, Chen X et al. Ovarian cancer susceptibility alleles and risk of ovarian cancer in BRCA1 and BRCA2 mutation carriers. *Human Mutation*. 2012;33(4):690-702.

Rohrberg KS, Olesen RK, Pfeiffer P, Ladekarl M, Pappot H, Christensen IJ et al. Phase II trial of erlotinib and bevacizumab in patients with advanced upper gastrointestinal cancers. *Acta Oncologica*. 2012;51(2):234-42.

Roszen P, Pedersen AF, Zachariae R, von der Maase H. Sexuality and body image in long-term survivors of testicular cancer. *European Journal of Cancer*. 2012;48(4):571-8.

Sjøgren P, Helgås RG, Knudsen AK, Kaasa S. Trondheim behind the scenes. *European Journal of Palliative Care*. 2012;19(6):310-.

Sjøgren P, Jensen N-H, Meiniche-Schmidt V. Long-term outcome of multidisciplinary intervention of chronic non-cancer pain patients in a private setting. *Scandinavian Journal of Pain*. 2012;3(2):99-105.

Specht L. Onkologi. Schroeder TV, Schulze S, Hilsted J, Gøtzsche L, red. I: Basisbog i medicin og kirurgi. 5. udg. København: Munksgård Danmark. 2012. s. 735-50.

Sørensen JB, Langer SW, Urbanska E, Aamdal E. Second-line Oral Vinorelbine Following First-Line Platinum and Pemetrexed in Malignant Pleural Mesothelioma. European Journal of Clinical & Medical Oncology. 2012;4(4):1-7.

Teilum D, Bjerre KD, Tjønneland AM, Kroman N. Breast cancer survival and season of surgery: an ecological open cohort study. BMJ Open. 2012;2:e000358.

Thuesen B, Husemoen L, Fenger M, Jakobsen J, Schwarz P, Toft U et al. Determinants of vitamin D status in a general population of Danish adults. Bone. 2012;50(3):605-10.

Togsverd-Bo K, Lerche CM, Philipsen PA, Poulsen T, Wulf HC, Haedersdal M. Porphyrin biodistribution in UV-exposed murine skin after methyl- and hexyl-aminolevulinate incubation. Experimental Dermatology Online. 2012;21(4):260-264.

Togsverd-Bo K, Lerche CM, Philipsen PA, Poulsen T, Wulf HC, Haedersdal M. Porphyrin biodistribution in UV-exposed murine skin after methyl- and hexyl-aminolevulinate incubation. Experimental Dermatology Online. 2012;21(4):260-264.

Tvedskov TF, Jensen M-B, Lisse IM, Ejlertsen B, Balslev E, Kroman N. High risk of non-sentinel node metastases in a group of breast cancer patients with micrometastases in the sentinel node. International Journal of Cancer. 2012;131(10):2367-75.

Tvedskov TF, Jensen M-B, Kroman N, Balslev E. Iatrogenic displacement of tumor cells to the sentinel node after surgical excision in primary breast cancer. Breast Cancer Research and Treatment. 2012;131(1):223-9.

Udesen J, Ewertsen C, Gran F, Christensen AF, Kjær-Kristoffersen F, Engelholm SA et al. Ultrasonography Fused with PET-CT Hybrid Imaging. Current Medical Imaging Reviews. 2011;7:248-51.

Vilmar AC, Garcia-Foncillas J, Huarriz M, Santoni-Rugiu E, Sorensen JB. RT-PCR versus immunohistochemistry for correlation and quantification of ERCC1, BRCA1, TUBB3 and RRM1 in NSCLC. Lung Cancer. 2012;75(3):306-12.

Vogelius IS, Westerly DC, Aznar MC, Cannon GM, Korreman SS, Mackie TR et al. Estimated radiation pneumonitis risk after photon versus proton therapy alone or combined with chemotherapy for lung cancer. Acta Oncologica. 2011;50(6):772-6.

Vossen CY, Horwich A, Daugaard G, van Poppel H, Osanto S. Patterns of care in the management of seminoma stage I: results from a European survey. BJU International (Online). 2012;110(4):524-31.

Zimling ZG, Sørensen JB, Gerds TA, Bech C, Andersen CB, Santoni-Rugiu E. Low ERCC1 expression in malignant pleural mesotheliomas treated with cisplatin and

vinorelbine predicts prolonged progression-free survival. *Journal of Thoracic Oncology*. 2012;7(1):249-56.

Zimling ZG, Sørensen JB, Gerds TA, Bech C, Andersen CB, Santoni-Rugiu E. A biomarker profile for predicting efficacy of cisplatin-vinorelbine therapy in malignant pleural mesothelioma. *Cancer Chemotherapy and Pharmacology*. 2012;70(5):743-54.

Radioterapiklinikken

Disputatser og ph.d.-afhandlinger forsvarer i året 2012

Due AK. Recurrence location after definitive (chemo)radiation therapy for head and neck squamous cell carcinoma in relation to clinical target volumes and (18F)-FDG uptake. (Ph.d). Eget Forlag, 2012. 65 s.

Videnskabelige artikler

Appelt AL, Pløen J, Vogelius IR, Bentzen SM, Jakobsen LA. Radiation Dose-Response Model for Locally Advanced Rectal Cancer After Preoperative Chemoradiation Therapy. *International Journal of Radiation Oncology - Biology - Physics*. 2012;74-80.

Appelt AL, Vogelius IR, Bentzen SM. Modern Hypofractionation Schedules for Tangential Whole Breast Irradiation Decrease the Fraction Size-corrected Dose to the Heart. *Clinical oncology (Royal College of Radiologists (Great Britain))*. 2012;25:147-152.

Appelt AL, Vogelius IR. A method to adjust radiation dose-response relationships for clinical risk factors. *Radiotherapy & Oncology*. 2011;102(3):352-4.

Bernsdorff M, Berthelsen AK, Timmermans-Wielenga V, Kroman N, Teilum D, Binderup T et al. Preoperative PET/CT in early-stage breast cancer. *Annals of Oncology*. 2012;23(9):2277-82.

Bjerre T, Hansen MF, Aznar MC, Munck af Rosenschöld PM, Specht L, Larsen R. Spatially varying Riemannian elasticity regularization: Application to thoracic CT registration in image-guided radiotherapy. *International Symposium on Biomedical Imaging. Proceedings*. 2012;1224-27.

Blomstrand M, Brodin NP, Munck Af Rosenschöld P, Vogelius IR, Sánchez Merino G, Kiil-Berthlesen A et al. Estimated clinical benefit of protecting neurogenesis in the developing brain during radiation therapy for pediatric medulloblastoma. *Neuro-Oncology*. 2012;14(7):882-9.

Brodin NP, Vogelius IS, Maraldo MV, Munck Af Rosenschöld P, Aznar MC, Berthelsen AK et al. Life years lost-comparing potentially fatal late complications after radiotherapy for pediatric medulloblastoma on a common scale. *C A*. 2012;118:5432-5440.

Due AK, Vogelius IR, Aznar MC, Bentzen SM, Berthelsen AK, Korreman SS et al. Methods for estimating the site of origin of locoregional recurrence in head and neck

squamous cell carcinoma. Strahlentherapie und Onkologie : Organ der Deutschen Röntgengesellschaft ... [et al]. 2012;188(8):671-6.

El-Galaly TC, d'Amore F, Mylam KJ, de Nully Brown P, Bøgsted M, Bukh A et al. Routine Bone Marrow Biopsy Has Little or No Therapeutic Consequence for Positron Emission Tomography/Computed Tomography-Staged Treatment-Naive Patients With Hodgkin Lymphoma. *Journal of Clinical Oncology*. 2012;30(36):4508-14.

Eriksen JG, Beavis AW, Coffey MA, Leer JWH, Magrini SM, Benstead K et al. The updated ESTRO core curricula 2011 for clinicians, medical physicists and RTTs in radiotherapy/radiation oncology. *Radiotherapy & Oncology*. 2012;103(1):103-8.

Falk M, Larsson T, Keall P, Chul Cho B, Aznar M, Korreman S et al. The dosimetric impact of inversely optimized arc radiotherapy plan modulation for real-time dynamic MLC tracking delivery. *Medical Physics*. 2012;39(3):1588-94.

Hansen AE, Kristensen AT, Jørgensen JT, McEvoy F, Busk M, van der Kogel AJ et al. (64)Cu-ATSM and (18)FDG PET uptake and (64)Cu-ATSM autoradiography in spontaneous canine tumors: comparison with pimonidazole hypoxia immunohistochemistry. *Radiation Oncology*. 2012;7:89.

Hansen A, Kristensen AT, Law I, McEvoy F, Kjær A, Engelholm SA. Multimodality functional imaging of spontaneous canine tumors using (64)Cu-ATSM and (18)FDG PET/CT and dynamic contrast enhanced perfusion CT. *Radiotherapy & Oncology*. 2012;102(3):424-28.

Josipovic M, Persson GF, Logadottir A, Smulders B, Westmann G, Bangsgaard JP. Translational and rotational intra- and inter-fractional errors in patient and target position during a short course of frameless stereotactic body radiotherapy. *Acta Oncologica*. 2012;51(5):610-17.

Levin Klausen T, Høgild Keller S, Vinter Olesen O, Aznar M, Andersen FL. Innovations in PET/CT. *Quarterly Journal of Nuclear Medicine and Molecular Imaging*. 2012;56(3):268-79.

Maraldo MV, Brodin NP, Vogelius IS, Aznar MC, Munck Af Rosenschöld P, Petersen PM et al. Risk of Developing Cardiovascular Disease after Involved Node Radiotherapy versus Mantle Field for Hodgkin Lymphoma. *International Journal of Radiation: Oncology - Biology - Physics*. 2012;83(4):1232-37.

Maraldo MV, Aznar MC, Vogelius IR, Petersen PM, Specht L. Involved Node Radiation Therapy: An Effective Alternative in Early-Stage Hodgkin Lymphoma. *International Journal of Radiation: Oncology - Biology - Physics*. 2012;1-9.

Persson GF, Nygaard DE, Hollensen C, Munck af Rosenschöld P, Mouritsen LS, Due AK et al. Interobserver delineation variation in lung tumour stereotactic body radiotherapy. *British Journal of Radiology*. 2012;85(1017):e654-60.

Pfeifer A, Knigge U, Mortensen J, Oturai P, Berthelsen AK, Loft A et al. Clinical PET of neuroendocrine tumors using ⁶⁴Cu-DOTATATE: first-in-humans study. *Journal of Nuclear Medicine*. 2012;53(8):1207-15.

Poortmans P, Aznar M, Bartelink H. Quality indicators for breast cancer: revisiting historical evidence in the context of technology changes. *Seminars in Radiation Oncology*. 2012;22(1):29-39.

Rasmussen R, Claesson M, Stangerup S-E, Roed H, Christensen IJ, Thomasen PC et al. Fractionated stereotactic radiotherapy of vestibular schwannomas accelerates hearing loss. *International Journal of Radiation: Oncology - Biology - Physics*. 2012;83(5):e607-11.

Risum S, Loft A, Engelholm SA, Høgdall E, Berthelsen AK, Nedergaard L et al. Positron emission tomography/computed tomography predictors of overall survival in stage IIIC/IV ovarian cancer. *International Journal of Gynecological Cancer*. 2012;22(7):1163-9.

Specht L. Onkologi. Schroeder TV, Schulze S, Hilsted J, Gøtzsche L, red. I: Basisbog i medicin og kirurgi. 5. udg. København: Munksgård Danmark. 2012. s. 735-50.

Specht L. Radiotherapy studies and extra-nodal non-Hodgkin lymphomas, progress and challenges. *Clinical Oncology*. 2012;24(5):313-8.

Spindler K-LG, Pallisgaard N, Vogelius I, Jakobsen LA. Quantitative cell-free DNA, KRAS, and BRAF mutations in plasma from patients with metastatic colorectal cancer during treatment with cetuximab and irinotecan. *Clinical Cancer Research*. 2012;18(4):1177-85.

Sveistrup J, Loft A, Berthelsen AK, Henriksen BM, Nielsen MB, Engelholm SA. Positron Emission Tomography/Computed Tomography in the Staging and Treatment of Anal Cancer. *International Journal of Radiation: Oncology - Biology - Physics*. 2012;134-41.

Udesen J, Ewertsen C, Gran F, Christensen AF, Kjær-Kristoffersen F, Engelholm SA et al. Ultrasonography Fused with PET-CT Hybrid Imaging. *Current Medical Imaging Reviews*. 2011;7:248-51.

Vogelius IS, Westerly DC, Aznar MC, Cannon GM, Korreman SS, Mackie TR et al. Estimated radiation pneumonitis risk after photon versus proton therapy alone or combined with chemotherapy for lung cancer. *Acta Oncologica*. 2011;50(6):772-6.

Vogelius IS, Westerly DC, Cannon GM, Mackie TR, Mehta MP, Sugie C et al. Intensity-modulated radiotherapy might increase pneumonitis risk relative to three-dimensional conformal radiotherapy in patients receiving combined chemotherapy and radiotherapy: a modeling study of dose dumping. *International Journal of Radiation: Oncology - Biology - Physics*. 2011;80(3):893-9.

Vogelius IR, Bentzen SM. A literature-based meta-analysis of clinical risk factors for development of radiation induced pneumonitis. *Acta Oncologica*. 2012;51(8):975-83.

Vogelius IR, Bentzen SM. Meta-analysis of the Alpha/Beta Ratio for Prostate Cancer in the Presence of an Overall Time Factor: Bad News, Good News, or No News?. International Journal of Radiation: Oncology - Biology - Physics. 2012;1-6.

Hjertecentret

Hjertemedicinsk Klinik B

Disputatser og ph.d.-afhandlinger forsvarer i året

Iversen K. Pregnancy associated plasma protein-A in coronary heart disease.: The rise and fall of a biomarker. Disputats. 1 udg. København: Dansk Cardiologisk Selskab, 2012. 113 s.

Holst AG. Brugada Syndrome - epidemiology, genetics and electrocardiography (Ph.d.). 1. udg. København: København: Eget forlag, 2012. 60 s.

Jensen AS. Cyanotic congenital heart disease: Haemostatic abnormalities and clinical manifestations. PhD-afhandling. 1 udg. København: København: Eget forlag, 2012. 98 s.

Videnskabelige artikler

Meta-analysis Global Group in Chronic Heart Failure (MAGIC), Boesgaard S. The survival of patients with heart failure with preserved or reduced left ventricular ejection fraction: an individual patient data meta-analysis. European Heart Journal (Online). 2012;33(14):1750-7.

MITOCARE Study Group, Clemmensen P. Rationale and Design of the 'MITOCARE' Study: A Phase II, Multicenter, Randomized, Double-Blind, Placebo-Controlled Study to Assess the Safety and Efficacy of TRO40303 for the Reduction of Reperfusion Injury in Patients Undergoing Percutaneous Coronary Intervention for Acute Myocardial Infarction. The Cardiology. 2012;123(4):201-7.

Abdulla J, Pedersen K, Budoff M, Kofoed KF. Influence of coronary calcification on the diagnostic accuracy of 64-slice computed tomography coronary angiography: a systematic review and meta-analysis. International Journal of Cardiovascular Imaging. 2012;28(4):943-53.

Ahtarovski KA, Iversen KK, Lønborg JT, Madsen PL, Engstrøm T, Vejlstrup N. Left atrial and ventricular function during dobutamine and glycopyrrolate stress in healthy young and elderly as evaluated by cardiac magnetic resonance. American Journal of Physiology: Heart and Circulatory Physiology. 2012;303(12):H1469-73.

Alegria-Barrero E, Chan PH, Paulo M, Duncan A, Price S, Moat N et al. Edge-to-edge percutaneous repair of severe mitral regurgitation--state-of-the-art for Mitraclip® implantation. *Circulation journal : official journal of the Japanese Circulation Society*. 2012;76(4):801-8.

Alegría-Barrero E, Chan PH, Di Mario C, Franzen O. Tools and techniques: edge-to-edge percutaneous MitraClip® implantation. *EuroIntervention*. 2012;7(12):1476-8.

Ammenwerth E, Hackl WO, Binzer K, Christoffersen TEH, Jensen S, Lawton K et al. Simulation Studies for the evaluation of health information technologies:: Experiences and results. *The HIM journal*. 2012;41(2):14-21.

Andersen MJ, Ersbøll M, Bro-Jeppesen J, Gustafsson F, Hassager C, Køber L et al. Exercise hemodynamics in patients with and without diastolic dysfunction and preserved ejection fraction after myocardial infarction. *Circulation. Heart Failure*. 2012;5(4):444-51.

Andersen KH, Iversen M, Kjaergaard J, Mortensen J, Nielsen-Kudsk JE, Bendstrup E et al. Prevalence, predictors, and survival in pulmonary hypertension related to end-stage chronic obstructive pulmonary disease. *Journal of Heart and Lung Transplantation*. 2012;31(4):373-80.

Andersson H, Atharovski KA, Christensen TE, Bang LE, Holmvang L, Engstrøm T et al. How to distinguish takotsubo cardiomyopathy from acute myocardial infarction using multimodal cardiac imaging. *International Journal of Cardiology*. 2012;159(1):73-4.

Andersson C, Gislason GH, Møgelvang R, Hoffmann S, Mérie C, Køber L et al. Importance and inter-relationship of tissue Doppler variables for predicting adverse outcomes in high-risk patients: an analysis of 388 diabetic patients referred for coronary angiography. *European Heart Journal of Cardiovascular Imaging*. 2012;13(8):643-9.

Andersson C, Vaag A, Selmer C, Schmiegelow M, Sørensen R, Lindhardsen J et al. Risk of cancer in patients using glucose-lowering agents: a nationwide cohort study of 3.6 million people. *BMJ Open*. 2012;2(3).

Andersson C, Lyngbæk S, Nguyen CD, Nielsen M, Gislason GH, Køber L et al. Association of clopidogrel treatment with risk of mortality and cardiovascular events following myocardial infarction in patients with and without diabetes. *J A M A: The Journal of the American Medical Association*. 2012;308(9):882-9.

Andersson C, Gislason GH, Weeke P, Kjaergaard J, Hassager C, Akkan D et al. The prognostic importance of a history of hypertension in patients with symptomatic heart failure is substantially worsened by a short mitral inflow deceleration time. *B M C Cardiovascular Disorders*. 2012;12:30.

Anzouan-Kacou JB, Ncho-Mottoh MP, Konin C, N'Guetta AR, Ekou KA, Koffi BJ et al. Prevalence of cardiac dyssynchrony and correlation with atrio-ventricular block and QRS

width in dilated cardiomyopathy: an echocardiographic study. *Cardiovascular Journal of Africa*. 2012;23(7):385-8.

Appel JM, Sander K, Hansen PB, Møller JE, Krarup-Hansen A, Gustafsson F. Left ventricular assist device as bridge to recovery for anthracycline-induced terminal heart failure. *Congestive Heart Failure*. 2012;18(5):291-4.

Armstrong PW, Siha H, Fu Y, Westerhout CM, Steg PG, James SK et al. ST-elevation acute coronary syndromes in the Platelet Inhibition and Patient Outcomes (PLATO) trial: insights from the ECG substudy. *The Circulation Frontier*. 2012;125(3):514-21.

Arora SJ, Erikstad I, Ueland T, Sigurdardottir V, Ekmehag B, Jansson K et al. Virtual histology assessment of cardiac allograft vasculopathy following introduction of everolimus--results of a multicenter trial. *American Journal of Transplantation (Online)*. 2012;12(10):2700-9.

Arora S, Gude E, Sigurdardottir V, Mortensen SA, Eiskjær H, Riise G et al. Improvement in renal function after everolimus introduction and calcineurin inhibitor reduction in maintenance thoracic transplant recipients: the significance of baseline glomerular filtration rate. *Journal of Heart and Lung Transplantation*. 2012;31(3):259-65.

Axelsson AKI, Hvam F, Bonde M, Olsen ML, Kiørboe E, Hoff-Lund O et al. De første danske erfaringer med det mobile stofindtagelsesrum. *Ugeskrift for Laeger*. 2012;174(39):2286-9.

Bada AA, Svendsen JH, Secher NH, Saltin B, Mortensen SP. Peripheral vasodilatation determines cardiac output in exercising humans: insight from atrial pacing. *Journal of Physiology*. 2012;590(Pt 8):2051-60.

Baldus S, Schillinger W, Franzen O, Bekeredjian R, Sievert H, Schofer J et al. MitraClip therapy in daily clinical practice: initial results from the German transcatheter mitral valve interventions (TRAMI) registry. *European Journal of Heart Failure*. 2012;14(9):1050-5.

Balling L, Kistorp C, Schou M, Egstrup M, Gustafsson I, Gøtze JP et al. Plasma copeptin levels and prediction of outcome in heart failure outpatients: relation to hyponatremia and loop diuretic doses. *Journal of Cardiac Failure*. 2012;18(5):351-8.

Bang CN, Greve AM, Boman K, Egstrup K, Gohlke-Baerwolf C, Køber L et al. Effect of lipid lowering on new-onset atrial fibrillation in patients with asymptomatic aortic stenosis: the Simvastatin and Ezetimibe in Aortic Stenosis (SEAS) study. *American Heart Journal*. 2012;163(4):690-6.

Bang CN, Gislason GH, Greve AM, Torp-Pedersen C, Køber L, Wachtell K. Statins reduce new-onset atrial fibrillation in a first-time myocardial infarction population: a nationwide propensity score-matched study. *European journal of preventive cardiology*. 2012.

Bang CN, Greve AM, Wachtell K, Kober L. Global systolic load, left ventricular hypertrophy, and atrial fibrillation. *American Heart Journal*. 2012;164(4):e13.

Belmaati EO, Iversen M, Kofoed KF, Nielsen MB, Mortensen J. Scintigraphy at 3 months after single lung transplantation and observations of primary graft dysfunction and lung function. Interactive Cardiovascular and Thoracic Surgery. 2012;14(6):792-6.

Belmaati EO, Steffensen I, Jensen CV, Kofoed KF, Mortensen J, Nielsen MB et al. Radiological patterns of primary graft dysfunction after lung transplantation evaluated by 64-multi-slice computed tomography: a descriptive study. Interactive Cardiovascular and Thoracic Surgery. 2012;14(6):785-91.

Benn M, Tybjaerg-Hansen A, McCarthy MI, Jensen GB, Grande P, Nordestgaard BG. Nonfasting glucose, ischemic heart disease, and myocardial infarction: a Mendelian randomization study. American College of Cardiology. Journal. 2012;59(25):2356-65.

Berg SK, Pedersen BD, Svendsen JH, Zwisler A-D, Kristensen L, Pedersen PU. COPE-ICD: Patient experience of participation in an ICD specific rehabilitation programme. European journal of cardiovascular nursing : journal of the Working Group on Cardiovascular Nursing of the European Society of Cardiology. 2012;11(2):207-15.

Birch-Johansen F, Norrild B, Olesen AB, Jensen A, Kjær SK. HPV-infektion spiller måske en rolle for udvikling af nonmelanom hudkræft hos immunkompetente personer. Ugeskrift for Laeger. 2012;174(7):413-7.

Birch-Johansen F, Jensen A, Olesen AB, Christensen JH, Tjønneland A, Kjær SK. Does hormone replacement therapy and use of oral contraceptives increase the risk of non-melanoma skin cancer?. Cancer Causes & Control. 2012;23(2):379-88.

Bjerre Thygesen J, Loh PH, Franzen O, Søndergaard L. Transkatereter-aortaklapimplantation hos patienter med svær aortaklapstenose. Ugeskrift for Laeger. 2012;174(43):2620-4.

Brugaletta S, Radu MD, Garcia-Garcia HM, Heo JH, Farooq V, Girasis C et al. Circumferential evaluation of the neointima by optical coherence tomography after ABSORB bioresorbable vascular scaffold implantation: can the scaffold cap the plaque?. Atherosclerosis. 2012;221(1):106-12.

Brugaletta S, Gomez-Lara J, Bruining N, Radu MD, van Geuns R-J, Thuesen L et al. Head to head comparison of optical coherence tomography, intravascular ultrasound echogenicity and virtual histology for the detection of changes in polymeric struts over time: insights from the ABSORB trial. EuroIntervention. 2012;8(3):352-8.

Bussink BE, Holst AG, Jespersen L, Deckers JW, Jensen GB, Prescott E. Right bundle branch block: prevalence, risk factors, and outcome in the general population: results from the Copenhagen City Heart Study. European Heart Journal (Online). 2012.

Carlsen EA, Bang LE, Ahtarovski KA, Engstrøm T, Køber L, Kelbaek H et al. Comparison of Selvester QRS score with magnetic resonance imaging measured infarct size in

patients with ST elevation myocardial infarction. *Journal of Electrocardiology*. 2012;45(4):414-9.

Carlsen CM, Bay M, Kirk V, Gøtze JP, Køber L, Nielsen OW. Prevalence and prognosis of heart failure with preserved ejection fraction and elevated N-terminal pro brain natriuretic peptide: a 10-year analysis from the Copenhagen Hospital Heart Failure Study. *European Journal of Heart Failure*. 2012;14(3):240-7.

Chan PH, She HL, Alegria-Barrero E, Moat N, Di Mario C, Franzen O. Real-world experience of MitraClip for treatment of severe mitral regurgitation. *Circulation journal : official journal of the Japanese Circulation Society*. 2012;76(10):2488-93.

Chan PH, Di Mario C, Franzen O. Dissociation between anatomical and functional results after MitraClip implantation. *International Journal of Cardiology*. 2012;155(2):175-6.

Chan PH, Alegria-Barrero E, Patterson T, Davies S, Di Mario C, Franzen OW et al. Successful dual-valve transcatheter therapy for severe aortic stenosis and mitral regurgitation. *International Journal of Cardiology*. 2012;157(2):e35-7.

Charlot M, Nielsen LH, Lindhardsen J, Ahlehoff O, Olsen A-MS, Hansen ML et al. Clopidogrel discontinuation after myocardial infarction and risk of thrombosis: a nationwide cohort study. *European Heart Journal (English Edition)*. 2012;33(20):2527-34.

Christensen TE, Ahtarovski KA, Andersson H, Vejlstrup N, Ihlemann N, Kjaer A et al. Takotsubo-cardiomyopathy: a case of extremely fast recovery described by multimodality cardiac imaging. *Journal of Nuclear Cardiology*. 2012;19(6):1240-2.

Christensen SB, Dall CH, Prescott E, Pedersen SS, Gustafsson F. A high-intensity exercise program improves exercise capacity, self-perceived health, anxiety and depression in heart transplant recipients: a randomized, controlled trial. *Journal of Heart and Lung Transplantation*. 2012;31(1):106-7.

Christensen P, Nordsborg NB, Nybo L, Mortensen SP, Sander M, Secher NH et al. Thigh oxygen uptake at the onset of intense exercise is not affected by a reduction in oxygen delivery caused by hypoxia. *American Journal of Physiology: Regulatory, Integrative and Comparative Physiology*. 2012;303(8):843-9.

Christophersen IE, Olesen MS, Liang B, Andersen M, Larsen AP, Nielsen JB et al. Genetic variation in KCNA5: impact on the atrial-specific potassium current IKur in patients with lone atrial fibrillation. *European Heart Journal (Online)*. 2012.

Cioffi G, Cramariuc D, Dalsgaard M, Davidsen ES, Egstrup K, Rossebø AB et al. Left atrial systolic force and outcome in asymptomatic mild to moderate aortic stenosis. *Echocardiography*. 2012;29(9):1038-44.

Cosedis Nielsen J, Johannessen A, Raatikainen P, Hindricks G, Walfridsson H, Kongstad O et al. Radiofrequency ablation as initial therapy in paroxysmal atrial fibrillation. *New England Journal of Medicine*. 2012;367(17):1587-95.

Cox MA, Kastrup J, Hrubiško M. Historical perspectives and the future of adverse reactions associated with haemopoietic stem cells cryopreserved with dimethyl sulfoxide. *Cell and Tissue Banking*. 2012;13(2):203-215.

Damman P, Holmvang L, Tijssen JGP, Lagerqvist B, Clayton TC, Pocock SJ et al. Usefulness of the admission electrocardiogram to predict long-term outcomes after non-ST-elevation acute coronary syndrome (from the FRISC II, ICTUS, and RITA-3 [FIR] Trials). *American Journal of Cardiology*. 2012;109(1):6-12.

Egstrup M, Schou M, Tuxen CD, Kistorp CN, Hildebrandt PR, Gustafsson F et al. Prediction of outcome by highly sensitive troponin T in outpatients with chronic systolic left ventricular heart failure. *American Journal of Cardiology*. 2012;110(4):552-7.

Ersbøll M, Valeur N, Mogensen UM, Andersen MJ, Møller JE, Hassager C et al. Relationship between left ventricular longitudinal deformation and clinical heart failure during admission for acute myocardial infarction: a two-dimensional speckle-tracking study. *Echocardiography*. 2012;25(12):1280-9.

Ersbøll M, Valeur N, Mogensen UM, Andersen M, Greibe R, Møller JE et al. Global left ventricular longitudinal strain is closely associated with increased neurohormonal activation after acute myocardial infarction in patients with both reduced and preserved ejection fraction: a two-dimensional speckle tracking study. *European Journal of Heart Failure*. 2012;14(10):1121-9.

Fode MM, Hilberg O, Bendstrup E, Hager H, Iversen M. Squamous cell carcinoma of the lung in lung transplantation - a relation to human papilloma virus?. *Acta Oncologica*. 2012;51(6):812-3.

Fosbøl EL, Peterson ED, Holm EA, Gislason GH, Zhang Y, Curtis LH et al. Comparative cardiovascular safety of dementia medications: a cross-national study. *American Geriatrics Society. Journal*. 2012;60(12):2283-9.

Fosbøl EL, Peterson ED, Weeke P, Wang TY, Mathews R, Kober L et al. Spousal depression, anxiety, and suicide after myocardial infarction. *European Heart Journal (Online)*. 2012.

Franzen O, Bardeleben S, Price S. Special techniques for functional mitral regurgitation. Feldman T, Goar FS, red. I: *Percutaneous mitral leaflet repair: MitraClip therapy for mitral regurgitation.. 3 udg. Toulouse, Frankrig: European Society of Cardiology*. 2012. s. 41-69.

Franzen O, Feldmann T. Percutaneous mitral valve repair. Eeckhout E, Serruys PW, Wijns W, Vahanian A, Sambeek MV, De Palma R, red. I: *Percutaneous interventional cardiovascular medicine.. PCR Publishing*. 2012. S.

Galougahi KK, Liu C-C, Bundgaard H, Rasmussen HH. β -Adrenergic regulation of the cardiac Na⁺-K⁺ ATPase mediated by oxidative signaling. *Trends in Cardiovascular Medicine*. 2012;22(4):83-7.

Garne E, Olsen MS, Johnsen SP, Hjortdal VE, Andersen HØ, Nissen H et al. How do we define congenital heart defects for scientific studies?. *Congenital Heart Disease*. 2012;7(1):46-9.

Gogas BD, Serruys PW, Diletti R, Farooq V, Brugaletta S, Radu MD et al. Vascular response of the segments adjacent to the proximal and distal edges of the ABSORB everolimus-eluting bioresorbable vascular scaffold: 6-month and 1-year follow-up assessment: a virtual histology intravascular ultrasound study from the first-in-man ABSORB cohort B trial. *Circulation. Cardiovascular Interventions*. 2012;5(6):656-65.

Graff C, Struijk JJ, Kanders JK, Andersen MP, Toft E, Tyl B. Effects of Bilastine on T-wave Morphology and the QTc Interval: A Randomized, Double-Blind, Placebo-Controlled, Thorough QTc Study. *Clinical Drug Investigation*. 2012;32(5):339-51.

Greve AM, Boman K, Gohlke-Baerwolf C, Kesäniemi YA, Nienaber C, Ray S et al. Clinical Implications of Electrocardiographic Left Ventricular Strain and Hypertrophy in Asymptomatic Patients with Aortic Stenosis: The Simvastatin and Ezetimibe in Aortic Stenosis Study. *Circulation (Baltimore)*. 2012;125:346-353.

Greve AM, Olsen MH, Bella JN, Lønnebakken MT, Gerdts E, Okin PM et al. Contrasting hemodynamic mechanisms of losartan- vs. atenolol-based antihypertensive treatment: a LIFE study. *American Journal of Hypertension*. 2012;25(9):1017-23.

Greve AM, Gerdts E, Boman K, Gohlke-Baerwolf C, Rossebø AB, Devereux RB et al. Impact of QRS duration and morphology on the risk of sudden cardiac death in asymptomatic patients with aortic stenosis: the SEAS (Simvastatin and Ezetimibe in Aortic Stenosis) Study. *American College of Cardiology. Journal*. 2012;59(13):1142-9.

Gustafsson F. Natural history and diagnosis of cardiac allograft vasculopathy. Hunt S, red. I: UpToDate. Waltham, MA, USA: Wolters Kluwer. 2012. s.

Gustafsson F, Azizi M, Bauersachs J, Jaisser F, Rossignol P. Targeting the aldosterone pathway in cardiovascular disease. *Fundamental and Clinical Pharmacology*. 2012;26(1):135-45.

Gustafsson F. Natural history and diagnosis of cardiac allograft vasculopathy. Hunt S, red. I: UpToDate. UpToDate. 2012.

Gutiérrez-Chico JL, Radu MD, Diletti R, Sheehy A, Kossuth MB, Oberhauser JP et al. Spatial distribution and temporal evolution of scattering centers by optical coherence tomography in the poly(L-lactide) backbone of a bioresorbable vascular scaffold. *Circulation Journal*. 2012;76(2):342-50.

Hassager C. Cardiology in Denmark. *European Heart Journal (Online)*. 2012;33(5):550-1.

Holmegard HN, Benn M, Kaijer M, Haunsø S, Mehlsen J. Differences in autonomic balance in patients with cardioinhibitory and vasodepressor type of reflex syncope during

head-up tilt test and active standing. Scandinavian Journal of Clinical & Laboratory Investigation. 2012;72(4):265-73.

Holmvang L, Ostrowski SR, Dridi NP, Johansson P. A single center, open, randomized study investigating the clinical safety and the endothelial modulating effects of a prostacyclin analog in combination with eptifibatide in patients having undergone primary percutaneous coronary intervention (PCI) for ST-segment elevation myocardial infarction. Prostaglandins & Other Lipid Mediators. 2012;99(3-4):87.

Holmvang L, Ravnkilde J. Hjerte- og karsygdomme. Akut koronart syndrom. Baslund B, Feldt-Rasmussen U, Kastrup J, Sørensen PS, red. I: Medicin. Lærebog i Medicin.. 1 udg. København: FADL's Forlag. 2012. s. 375-383.

Holst AG, Jensen HK, Eschen O, Henriksen FL, Kanters J, Bundgaard H et al. Low disease prevalence and inappropriate implantable cardioverter defibrillator shock rate in Brugada syndrome: a nationwide study. Europace. 2012;14(7):1025-9.

Holst AG, Tangø M, Batchvarov V, Govindan M, Haunsø S, Svendsen JH et al. Specificity of elevated intercostal space ECG recording for the type 1 Brugada ECG pattern. Annals of noninvasive electrocardiology : the official journal of the International Society for Holter and Noninvasive Electrocardiology, Inc. 2012;17(2):108-12.

Holst AG, Saber S, Houshmand M, Zaklyazminskaya EV, Wang Y, Jensen HK et al. Sodium current and potassium transient outward current genes in Brugada syndrome: screening and bioinformatics. The Canadian journal of cardiology. 2012;28(2):196-200.

Hostrup A, Christensen GL, Bentzen BH, Liang B, Aplin M, Grunnet M et al. Functionally selective AT(1) receptor activation reduces ischemia reperfusion injury. Cellular Physiology and Biochemistry. 2012;30(3):642-52.

Hvelplund A, Galatius S, Madsen M, Sørensen R, Madsen JK, Iversen AZ et al. Significance of the invasive strategy after acute myocardial infarction on prognosis and secondary preventive medication: a nationwide study of 6364 women and 11,915 men. Journal of Invasive Cardiology. 2012;24(1):19-24.

Jacobsen PK, Modi S, McCarty D, Klein GJ, Leong-Sit P. Identification of atrio-ventricular relationship with echocardiography--a useful tool to diagnose ventricular tachycardia. Resuscitation. 2012;83(11):e212-3.

Jacobsen PK, Klein GJ, Gula LJ, Krahn AD, Yee R, Leong-Sit P et al. Voltage-guided ablation technique for cavotricuspid isthmus-dependent atrial flutter: refining the continuous line. Journal of Cardiovascular Electrophysiology. 2012;23(6):672-6.

Jensen MK, Bundgaard H. Cardiomyopathy in Friedreich ataxia: exemplifying the challenges faced by cardiologists in the management of rare diseases. The Circulation Frontier. 2012;125(13):1591-3.

Jespersen L, Hvelplund A, Abildstrøm SZ, Pedersen F, Galatius S, Madsen JK et al. Stable angina pectoris with no obstructive coronary artery disease is associated with increased risks of major adverse cardiovascular events. European Heart Journal (English Edition). 2012;33(6):734-744.

Joergensen C, Reinhard H, Schmedes A, Hansen PR, Wiinberg N, Petersen CL et al. Vitamin D levels and asymptomatic coronary artery disease in type 2 diabetic patients with elevated urinary albumin excretion rate. Diabetes Care. 2012;35(1):168-72.

Jørgensen AB, Frikke-Schmidt R, West AS, Grande P, Nordestgaard BG, Tybjærg-Hansen A. Genetically elevated non-fasting triglycerides and calculated remnant cholesterol as causal risk factors for myocardial infarction. European Heart Journal (Online). 2012.

Kastrup J. Can YKL-40 be a new inflammatory biomarker in cardiovascular disease?. Immunobiology. 2012;217(5):483-491.

Kastrup J. Hjerte- og karsygdomme. Kliniske og parakliniske undersøgelsesmetoder. Baslund B, Feldt-Rasmussen U, Kastrup J, sørensen PS, red. I: Medicin. Lærebog i Medicin.. 1 udg. København: FADL's Forlag. 2012. s. 328-343.

Kastrup J. Hjerte- og karsygdomme. Kronisk stabil angina pectoris. Baslund B, Feldt-Rasmussen U, Kastrup J, sørensen PS, red. I: Medicin. Lærebog i Medicin.. 1 udg. København: FADL's Forlag. 2012. s. 363-374.

Kjoller E, Hilden J, Winkel P, Frandsen NJ, Galatius S, Jensen G et al. Good interobserver agreement was attainable on outcome adjudication in patients with stable coronary heart disease. Journal of Clinical Epidemiology. 2012;65(4):444-53.

Kjærgaard J. Assessment of right ventricular systolic function by tissue Doppler echocardiography. Danish Medical Bulletin (Online). 2012;59(3):B4409.

Klausen SH, Mikkelsen UR, Hirth A, Wetterslev J, Kjærgaard H, Søndergaard L et al. Design and rationale for the PREVAIL study: effect of e-Health individually tailored encouragements to physical exercise on aerobic fitness among adolescents with congenital heart disease--a randomized clinical trial. American Heart Journal. 2012;163(4):549-56.

Kristensen SL, Fosbøl EL, Kamper A-L, Køber L, Hommel K, Lamberts M et al. Use of nonsteroidal anti-inflammatory drugs prior to chronic renal replacement therapy initiation: a nationwide study. Pharmacoepidemiology and Drug Safety. 2012;21(4):428-434.

Kristensen CB, Jensen JS, Sogaard P, Carstensen HG, Mogelvang R. Atrial fibrillation in aortic stenosis--echocardiographic assessment and prognostic importance. Cardiovascular Ultrasound. 2012;10:38.

Kromann C, Koefoed MJ, Jensen M, Ringsted C. Test af viden og færdigheder øger indlæring. Ugeskrift for Laeger. 2012;174(11):716-9.

Kruse CD, Helvind M, Jensen T, Gustafsson F, Mortensen SA, Andersen HO. Good long-term survival after paediatric heart transplantation. *Danish Medical Bulletin (Online)*. 2012;59(1):A4367.

Kulahin N, Sanni SJ, Slaaby R, Nøhr J, Gammeltoft S, Hansen JL et al. A BRET assay for monitoring insulin receptor interactions and ligand pharmacology. *Journal of Receptors and Signal Transduction*. 2012;32(2):57-64..

Kühl JT, Linde JJ, Fuchs A, Kristensen TS, Kelbæk H, George RT et al. Patterns of myocardial perfusion in humans evaluated with contrast-enhanced 320 multidetector computed tomography. *International Journal of Cardiovascular Imaging*. 2012;28(7):1739-47.

Kühl JT, Lønborg J, Fuchs A, Andersen MJ, Vejlstrup N, Kelbæk H et al. Assessment of left atrial volume and function: a comparative study between echocardiography, magnetic resonance imaging and multi slice computed tomography. *International Journal of Cardiovascular Imaging*. 2012;28(5):1061-71.

Lakdawala NK, Thune JJ, Colan SD, Cirino AL, Farrohi F, Rivero J et al. Subtle abnormalities in contractile function are an early manifestation of sarcomere mutations in dilated cardiomyopathy. *Circulation: Cardiovascular Genetics*. 2012;5(5):503-10.

Lamberts M, Olesen JB, Ruwald MH, Hansen CM, Karasoy D, Kristensen SL et al. Bleeding after initiation of multiple antithrombotic drugs, including triple therapy, in atrial fibrillation patients following myocardial infarction and coronary intervention: a nationwide cohort study. *Circulation (Baltimore)*. 2012;126(10):1185-93.

Landex NL. Specialevalget kan ikke overlades til karriereafklaringsværktøjer. *Ugeskrift for Laeger*. 2012;174(49):3084-9.

Lauridsen TK, Bruun LE, Rasmussen RV, Arpi M, Risum N, Moser C et al. Linezolid as rescue treatment for left-sided infective endocarditis: an observational, retrospective, multicenter study. *European Journal of Clinical Microbiology & Infectious Diseases*. 2012;31(10):2567-74.

Lehnert P, Møller CH, Carlsen J, Grande P, Steinbrüchel DA. Surgical treatment of acute pulmonary embolism--a 12-year retrospective analysis. *Scandinavian Cardiovascular Journal*. 2012;46(3):172-6.

Lindhardsen J, Ahlehoff O, Gislason GH, Madsen OR, Olesen JB, Svendsen JH et al. Risk of atrial fibrillation and stroke in rheumatoid arthritis: Danish nationwide cohort study. *B M J*. 2012;344:e1257.

Lu Y, Chen X, Beesley J, Johnatty SE, Defazio A, Lambrechts S et al. Genome-wide association study for ovarian cancer susceptibility using pooled DNA. *Twin Research and Human Genetics*. 2012;15(5):615-23.

Lyngbæk S, Marott JL, Møller DV, Christiansen M, Iversen KK, Clemmensen PM et al. Usefulness of Soluble Urokinase Plasminogen Activator Receptor to Predict Repeat Myocardial Infarction and Mortality in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Intervention. *American Journal of Cardiology*. 2012;110(12):1756-63.

Lønborg J, Kelbæk H, Vejlstrup N, Bøtker HE, Kim WY, Holmvang L et al. Influence of pre-infarction angina, collateral flow, and pre-procedural TIMI flow on myocardial salvage index by cardiac magnetic resonance in patients with ST-segment elevation myocardial infarction. *European Journal of Echocardiography*. 2012;13(5):433-443.

Lønborg J, Engstrøm T, Mathiasen AB, Vejlstrup N. Myocardial area at risk after ST-elevation myocardial infarction measured with the late gadolinium enhancement after scar remodeling and T2-weighted cardiac magnetic resonance imaging. *International Journal of Cardiovascular Imaging*. 2012;28(6):1455-1464.

Lønborg J, Schoos MM, Kelbæk H, Holmvang L, Steinmetz J, Vejlstrup N et al. Impact of system delay on infarct size, myocardial salvage index, and left ventricular function in patients with ST-segment elevation myocardial infarction. *American Heart Journal*. 2012;164(4):538-46.

Lønborg J, Kelbæk H, Vejlstrup N, Bøtker HE, Kim WY, Holmvang L et al. Exenatide reduces final infarct size in patients with ST-segment-elevation myocardial infarction and short-duration of ischemia. *Circulation. Cardiovascular Interventions*. 2012;5(2):288-95.

Maeng M, Tilsted H-H, Jensen LO, Kaltoft AK, Kelbæk H, Abildgaard U et al. 3-Year clinical outcomes in the randomized SORT OUT III superiority trial comparing zotarolimus- and sirolimus-eluting coronary stents. *Circulation. Cardiovascular Interventions*. 2012;5(8):812-8.

Martínez-Sellés M, Doughty RN, Poppe K, Whalley GA, Earle N, Tribouilloy C et al. Gender and survival in patients with heart failure: interactions with diabetes and aetiology. Results from the MAGGIC individual patient meta-analysis. *European Journal of Heart Failure*. 2012;14(5):473-9.

Mathiasen AB, Jørgensen E, Qayyum AA, Haack-Sørensen M, Ekblond A, Kastrup J. Rationale and design of the first randomized, double-blind, placebo-controlled trial of intramyocardial injection of autologous bone-marrow derived Mesenchymal Stromal Cells in chronic ischemic Heart Failure (MSC-HF Trial). *American Heart Journal*. 2012;164(3):285-91.

McAlister FA, Ezekowitz J, Tarantini L, Squire I, Komajda M, Bayes-Genis A et al. Renal dysfunction in patients with heart failure with preserved versus reduced ejection fraction: impact of the new Chronic Kidney Disease-Epidemiology Collaboration Group formula. *Circulation. Heart Failure*. 2012;5(3):309-14.

McMurray JJV, Adamopoulos S, Anker SD, Auricchio A, Böhm M, Dickstein K et al. ESC guidelines for the diagnosis and treatment of acute and chronic heart failure 2012: The

Task Force for the Diagnosis and Treatment of Acute and Chronic Heart Failure 2012 of the European Society of Cardiology. Developed in collaboration with the Heart Failure Association (HFA) of the ESC. European Journal of Heart Failure. 2012;14(8):803-69.

McMurray J JV, Adamopoulos S, Anker SD, Auricchio A, Böhm M, Dickstein K et al. ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure 2012: The Task Force for the Diagnosis and Treatment of Acute and Chronic Heart Failure 2012 of the European Society of Cardiology. Developed in collaboration with the Heart Failure Association (HFA) of the ESC. European Heart Journal (Online). 2012;33(14):1787-847.

McMurray J JV, Abraham WT, Dickstein K, Køber L, Massie BM, Krum H. Aliskiren, ALTITUDE, and the implications for ATMOSPHERE. European Journal of Heart Failure. 2012;14(4):341-3.

Mega JL, Braunwald E, Wiviott SD, Bassand J-P, Bhatt DL, Bode C et al. Rivaroxaban in patients with a recent acute coronary syndrome. New England Journal of Medicine. 2012;366(1):9-19.

Mérie C, Køber L, Olsen PS, Andersson C, Jensen JS, Torp-Pedersen C. Risk of stroke after coronary artery bypass grafting: effect of age and comorbidities. Stroke. 2012;43(1):38-43.

Mérie C, Køber L, Skov Olsen P, Andersson C, Gislason G, Skov Jensen J et al. Association of warfarin therapy duration after bioprosthetic aortic valve replacement with risk of mortality, thromboembolic complications, and bleeding. J A M A: The Journal of the American Medical Association. 2012;308(20):2118-25.

Meris A, Amigoni M, Verma A, Thune JJ, Køber L, Velazquez E et al. Mechanisms and predictors of mitral regurgitation after high-risk myocardial infarction. Echocardiography. 2012;25(5):535-42.

Mogensen UM, Jensen T, Køber L, Kelbæk H, Mathiesen AS, Dixen U et al. Cardiovascular autonomic neuropathy and subclinical cardiovascular disease in normoalbuminuric type 1 diabetic patients. Diabetes. 2012;61(7):1822-30.

Munkholm J, Christensen AH, Svendsen JH, Andersen CB. Usefulness of immunostaining for plakoglobin as a diagnostic marker of arrhythmogenic right ventricular cardiomyopathy. American Journal of Cardiology. 2012;109(2):272-5.

Munkholm-Larsen S, Cao C, Yan TD, Pehrson S, Dixen U. Percutaneous atrial appendage occlusion for stroke prevention in patients with atrial fibrillation: a systematic review. Heart. 2012;98(12):900-7.

Nielsen S, Reinhard H, Zdunek D, Hess G, Gutiérrez OM, Wolf M et al. Tubular markers are associated with decline in kidney function in proteinuric type 2 diabetic patients. Diabetes Research and Clinical Practice. 2012;97(1):71-6.

Nielsen N, Wetterslev J, al-Subaie N, Andersson B, Bro-Jeppesen J, Bishop G et al. Target Temperature Management after out-of-hospital cardiac arrest--a randomized, parallel-group, assessor-blinded clinical trial--rationale and design. American Heart Journal. 2012;163(4):541-8.

Nielsen JC, Thomsen PEB, Højberg S, Møller M, Riahi S, Dalsgaard D et al. Atrial fibrillation in patients with sick sinus syndrome: the association with PQ-interval and percentage of ventricular pacing. Europace. 2012;14:682-689.

Nobili E, Salvado MD, Folkersen LW, Castiglioni L, Kastrup J, Wetterholm A et al. Cysteinyl leukotriene signaling aggravates myocardial hypoxia in experimental atherosclerotic heart disease. PLoS One. 2012;7(7):e41786.

Olesen MS, Holst AG, Haunsø S, Tfelt-Hansen J. SCN1Bb R214Q found in 3 patients: 1 with Brugada syndrome and 2 with lone atrial fibrillation. Heart Rhythm. 2012;9(5):770-773.

Olesen MS, Holst AG, Jabbari J, Nielsen JB, Christoffersen IE, Sajadieh A et al. Genetic Loci on Chromosomes 4q25, 7p31, and 12p12 Are Associated With Onset of Lone Atrial Fibrillation Before the Age of 40 Years. Canadian Journal of Cardiology. 2012;28(2):191-5

Olesen MS, Yuan L, Liang B, Holst AG, Nielsen NB, Nielsen JB et al. High prevalence of long QT syndrome-associated SCN5A variants in patients with early-onset lone atrial fibrillation. Circulation: Cardiovascular Genetics. 2012;5(4):450-9.

Olesen MS, Bentzen BH, Nielsen JB, Steffensen AB, David J-P, Jabbari J et al. Mutations in the potassium channel subunit KCNE1 are associated with early-onset familial atrial fibrillation. B M C Medical Genetics. 2012;13:24.

Olesen MV, Christiansen SH, Gøtzsche CR, Nikitidou L, Kokkia M, Woldbye DPD. Neuropeptide Y Y1 receptor hippocampal overexpression via viral vectors is associated with modest anxiolytic-like and proconvulsant effects in mice. Journal of Neuroscience Research. 2012;90(2):498-507.

Olesen JB, Lip GYH, Kamper A-L, Hommel K, Køber L, Lane DA et al. Stroke and bleeding in atrial fibrillation with chronic kidney disease. New England Journal of Medicine. 2012;367(7):625-35.

Olesen JB, Lip GYH, Lane DA, Køber L, Hansen ML, Karasoy D et al. Vascular disease and stroke risk in atrial fibrillation: a nationwide cohort study. The American Journal of Medicine. 2012;125(8):826.e13-23.

Olsen A-MS, Fosbøl EL, Lindhardsen J, Folke F, Charlot M, Selmer C et al. Long-term cardiovascular risk of nonsteroidal anti-inflammatory drug use according to time passed after first-time myocardial infarction: a nationwide cohort study. Circulation (Baltimore). 2012;126(16):1955-63.

Otton JM, Lønborg JT, Boshell D, Feneley M, Hayen A, Sammel N et al. A method for coronary artery calcium scoring using contrast-enhanced computed tomography. *Journal of Cardiovascular Computed Tomography*. 2012;6(1):37-44.

Overgaard D, Schrader A-M, Lisby KH, King C, Christensen RF, Jensen HF et al. Patient-reported outcomes in adult survivors with single-ventricle physiology. *Cardiology*. 2012;120(1):36-42.

Overgaard D, Grufstedt Kjeldgaard H, Egerod I. Life in Transition: A Qualitative Study of the Illness Experience and Vocational Adjustment of Patients With Left Ventricular Assist Device. *Journal of Cardiovascular Nursing*. 2012;27(5):394-402.

Overgaard D, Schrader A-M, Lisby KH, King C, Christensen RF, Jensen HF et al. Explanatory value of the ability index as assessed by cardiologists and patients with congenital heart disease. *Congenital Heart Disease*. 2012;7(6):559-64.

Pearce CL, Templeman C, Rossing MA, Lee A, Near AM, Webb PM et al. Association between endometriosis and risk of histological subtypes of ovarian cancer: a pooled analysis of case-control studies. *The Lancet Oncology (Czech Edition)*. 2012;13(4):385-94.

Petersen M, Andersen JT, Jimenez-Solem E, Broedbaek K, Hjelvang BR, Henriksen T et al. The Effect of the Arg389Gly Beta-1 Adrenoceptor Polymorphism on Plasma Renin Activity and Heart Rate and the Genotype-Dependent Response to Metoprolol Treatment. *Clinical and Experimental Pharmacology & Physiology*. 2012;39(9):779-85.

Petersen M, Andersen JT, Jimenez-Solem E, Broedbaek K, Afzal S, Nyegaard M et al. Effect of specific ADRB1/ADRB2/AGT genotype combinations on the association between survival and carvedilol treatment in chronic heart failure: a substudy of the ECHOS trial. *Pharmacogenetics and Genomics*. 2012;22(10):709-15.

Petersen KM, Jimenez-Solem E, Andersen JT, Petersen M, Brødbæk K, Køber L et al. β -Blocker treatment during pregnancy and adverse pregnancy outcomes: a nationwide population-based cohort study. *BMJ Open*. 2012;2(4).

Petersen HH, Larsen MCJ, Nielsen OW, Kensing F, Svendsen JH. Patient satisfaction and suggestions for improvement of remote ICD monitoring. *Journal of Interventional Cardiac Electrophysiology*. 2012; 34(3):317-24.

Petri H, Vissing J, Witting N, Bundgaard H, Køber L. Cardiac manifestations of myotonic dystrophy type 1. *International Journal of Cardiology*. 2012;160(2):82-8.

Pitt B, Filippatos G, Gheorghiade M, Kober L, Krum H, Ponikowski P et al. Rationale and design of ARTS: a randomized, double-blind study of BAY 94-8862 in patients with chronic heart failure and mild or moderate chronic kidney disease. *European Journal of Heart Failure*. 2012;14(6):668-75.

Pocock SJ, Ariti CA, McMurray JJV, Maggioni A, Køber L, Squire IB et al. Predicting survival in heart failure: a risk score based on 39 372 patients from 30 studies. European Heart Journal (Online). 2012.

Prati F, Guagliumi G, Mintz GS, Costa M, Regar E, Akasaka T et al. Expert review document, part 2. Methodology, terminology and clinical applications of OCT for assessment of interventional procedures. Eur. Heart J. 2012 okt;33(20):2513-2520.

Qayyum AA, Vejlstrup NG, Ahtarovski KA, Kofoed KF, Kastrup J. Coronary artery stent mimicking intracardiac thrombus on cardiac magnetic resonance imaging due to signal loss: case report. Imaging Decisions M R I. 2012;30(6):889-92.

Qayyum AA, Haack-Sørensen M, Mathiasen AB, Jørgensen E, Ekblond A, Kastrup J. Adipose-derived mesenchymal stromal cells for chronic myocardial ischemia (MyStromalCell Trial): study design. Regenerative Medicine. 2012;7(3):421-8.

Radu MD. The Clinical Atlas of Intravascular Optical Coherence Tomography for iPad. European Heart Journal (Online). 2012;33(10):1174-5.

Radu MD, Onuma Y, Rapoza RJ, Diletti R, Serruys PW. In vivo visualisation by three-dimensional optical coherence tomography of stress crazing of a bioresorbable vascular scaffold implanted for treatment of human coronary stenosis. EuroIntervention. 2012;7(12):1461-3.

Radu MD, Falk E. In search of vulnerable features of coronary plaques with optical coherence tomography: is it time to rethink the current methodological concepts?. European Heart Journal (Online). 2012;33(1):9-12.

Radu M, Räber L, van Soest G, Garcia-Garcia HM, Serruys PW. Principles of intravascular optical coherence tomography. Radu MD, Räber L, Garcia-Garcia HM, Serruys PW, red. I: The Clinical Atlas of OCT. Toulouse, France: PCR Publishing. 2012.

Radu M, Räber L, Gomez-Lara J, Kelbæk H, Jørgensen E, Stefanini G et al. Optical coherence tomography for the assessment of intracoronary stents. Radu MD, Räber L, Garcia-Garcia HM, Serruys PW, red. I: The Clinical Atlas of OCT. 1 udg. Toulouse, France: PCR Publishing. 2012.

Radu M, Räber L, Garcia-Garcia HM, Serruys PW, Akasaka T, Banz Y et al. Atherosclerosis visualised with optical coherence tomography. Radu MD, Räber L, Garcia-Garcia HM, Serruys PW, red. I: The Clinical Atlas of OCT. 1 udg. Toulouse, France: PCR Publishing. 2012.

Radu M, Räber L, Serruys PW. Artefacts with intracoronary optical coherence tomography. Radu MD, Räber L, Garcia-Garcia HM, Serruys PW, red. I: The Clinical Atlas of OCT. 1 udg. Toulouse, France: PCR Publishing. 2012.

Rafiq S, Johansson PI, Zacho M, Stissing T, Kofoed KF, Lilleør TNB et al. Thrombelastographic haemostatic status and antiplatelet therapy after coronary artery

bypass surgery (TEG-CABG trial): assessing and monitoring the antithrombotic effect of clopidogrel and aspirin versus aspirin alone in hypercoagulable patients: study protocol for a randomized controlled trial. *Trials*. 2012;13(1):48.

Ranthe MF, Winkel BG, Andersen EW, Risgaard B, Wohlfahrt J, Bundgaard H et al. Risk of cardiovascular disease in family members of young sudden cardiac death victims. *European Heart Journal (Online)*. 2012.

Ranthe MF, Carstensen L, Oyen N, Tfelt-Hansen J, Christiansen M, McKenna WJ et al. Family history of premature death and risk of early onset cardiovascular disease. *American College of Cardiology. Journal*. 2012;60(9):814-21.

Rasmussen TB, Zwisler A-D, Sibillitz KL, Risom SS, Bundgaard H, Gluud C et al. A randomised clinical trial of comprehensive cardiac rehabilitation versus usual care for patients treated for infective endocarditis--the CopenHeartIE trial protocol. *BMJ Open*. 2012;2(6).

Rasmussen T, Kelbæk H, Madsen JK, Thayssen P, Rasmussen KR, Thuesen L et al. Smokers with ST-segment elevation myocardial infarction and short time to treatment have equal effects of PCI and fibrinolysis. *Journal of Invasive Cardiology*. 2012;24(8):401-6.

Rasmussen JG, Frøbert O, Holst-Hansen C, Kastrup J, Baandrup U, Zachar V et al. COMPARISON OF HUMAN ADIPOSE-DERIVED STEM CELLS AND BONE MARROW-DERIVED STEM CELLS IN A MYOCARDIAL INFARCTION MODEL. *Cell Transplantation*. 2012;125(8):826.e13-23.

Rasmussen JG, Riis SE, Frøbert O, Yang S, Kastrup J, Zachar V et al. Activation of protease-activated receptor 2 induces VEGF independently of HIF-1. *P L o S One*. 2012;7(9):e46087.

Raunsø J, Selmer C, Olesen JB, Charlton MG, Olsen A-MS, Bretler D-M et al. Increased short-term risk of thrombo-embolism or death after interruption of warfarin treatment in patients with atrial fibrillation. *European Heart Journal*. 2012;33(15):1886-1892.

Refsgaard L, Holst AG, Sadjadieh G, Haunsø S, Nielsen JB, Olesen MS. High prevalence of genetic variants previously associated with LQT syndrome in new exome data. *European Journal of Human Genetics*. 2012;20(8):905-8.

Reinhard H, Garde E, Skimminge A, Akeson P, Ramsøy T, Winther K et al. Plasma NT-proBNP and white matter hyperintensities in type 2 diabetic patients. *Cardiovascular Diabetology*. 2012 okt 3;11(1).

Reinhard H, Hansen PR, Wiinberg N, Kjær A, Petersen CL, Winther K et al. NT-proBNP, echocardiographic abnormalities and subclinical coronary artery disease in high risk type 2 diabetic patients. *Cardiovascular Diabetology*. 2012;11:19.

Riahi S, Nielsen JC, Hjortshøj S, Thomsen PEB, Højberg S, Møller M et al. Heart failure in patients with sick sinus syndrome treated with single lead atrial or dual-chamber pacing:

no association with pacing mode or right ventricular pacing site. *Europace*. 2012;14(10):1475-1482.

Ripa RS. Granulocyte-colony stimulating factor therapy to induce neovascularization in ischemic heart disease. *Danish Medical Bulletin (Online)*. 2012;59(3):B4411.

Ripa MS, Schoos M, Hvelplund A, Madsen M, Steinmetz J, Treschow PM et al. Reperfusion delay in patients treated with primary percutaneous coronary intervention: Insight from a real world Danish STEMI population in the era of telemedicine. *European Heart Journal: Acute Cardiovascular Care*. 2012;1(3):200-209.

Risgaard B, Olesen M, Tfelt-Hansen J. Insights into the genome-wide association studies of the electrocardiographic early repolarization pattern. *Heart Rhythm*. 2012;9(10):1635-6.

Risum S, Loft A, Engelholm SA, Høgdall E, Berthelsen AK, Nedergaard L et al. Positron emission tomography/computed tomography predictors of overall survival in stage IIIC/IV ovarian cancer. *International Journal of Gynecological Cancer*. 2012;22(7):1163-9.

Rod NH, Kristensen TS, Lange P, Prescott E, Diderichsen F. Perceived stress and risk of adult-onset asthma and other atopic disorders: a longitudinal cohort study. *Allergy Hotline*. 2012;67(11):1408-14.

Roe MT, Armstrong PW, Fox KAA, White HD, Prabhakaran D, Goodman SG et al. Prasugrel versus clopidogrel for acute coronary syndromes without revascularization. *New England Journal of Medicine*. 2012;367(14):1297-309.

Rossignol P, Cleland JGF, Bhandari S, Tala S, Gustafsson F, Fay R et al. Determinants and consequences of renal function variations with aldosterone blocker therapy in heart failure patients after myocardial infarction: insights from the Eplerenone Post-Acute Myocardial Infarction Heart Failure Efficacy and Survival Study. *The Circulation Frontier*. 2012;125(2):271-9.

Rusinaru D, Tribouilloy C, Berry C, Richards AM, Whalley GA, Earle N et al. Relationship of serum sodium concentration to mortality in a wide spectrum of heart failure patients with preserved and with reduced ejection fraction: an individual patient data meta-analysis(†): Meta-Analysis Global Group in Chronic heart failure (MAGGIC). *European Journal of Heart Failure*. 2012;14(10):1139-46.

Ruwald MH, Hansen ML, Lamberts M, Hansen CM, Højgaard MV, Køber L et al. The relation between age, sex, comorbidity, and pharmacotherapy and the risk of syncope: a Danish nationwide study. *Europace*. 2012;14(10):1506-14.

Ruwald MH, Hansen ML, Lamberts M, Hansen CM, Vinther M, Køber L et al. Prognosis Among Healthy Individuals Discharged With a Primary Diagnosis of Syncope. *American College of Cardiology. Journal*. 2012.

Räber L, Kelbæk H, Ostojic M, Ostojic M, Baumbach A, Heg D et al. Effect of biolimus-eluting stents with biodegradable polymer vs bare-metal stents on cardiovascular events among patients with acute myocardial infarction: the COMFORTABLE AMI randomized trial. *J A M A: The Journal of the American Medical Association*. 2012;308(8):777-87.

Räber L, Radu MD. Optimising cardiovascular outcomes using optical coherence tomography-guided percutaneous coronary interventions. *EuroIntervention*. 2012;8(7):765-71.

Räber L, Heo JH, Radu MD, Garcia-Garcia HM, Stefanini GG, Moschovitis A et al. Offline fusion of co-registered intravascular ultrasound and frequency domain optical coherence tomography images for the analysis of human atherosclerotic plaques. *EuroIntervention*. 2012;8(1):98-108.

Saghir Z, Dirksen A, Ashraf H, Bach KS, Brodersen J, Clementsen PF et al. CT screening for lung cancer brings forward early disease. The randomised Danish Lung Cancer Screening Trial: status after five annual screening rounds with low-dose CT. *Thorax*. 2012;67(4):296-301.

Schierbeck LL, Rejnmark L, Tofteng CL, Stilgren L, Eiken P, Mosekilde L et al. Effect of hormone replacement therapy on cardiovascular events in recently postmenopausal women: randomised trial. *B M J (Online)*. 2012;345:e6409.

Schierbeck LL, Rejnmark L, Tofteng CL, Stilgren L, Eiken P, Mosekilde L et al. Vitamin D deficiency in postmenopausal, healthy women predicts increased cardiovascular events: a 16-year follow-up study. *European Journal of Endocrinology*. 2012;167(4):553-60.

Schou J, Frikke-Schmidt R, Kardassis D, Thymiakou E, Nordestgaard BG, Jensen G et al. Genetic Variation in ABCG1 and Risk of Myocardial Infarction and Ischemic Heart Disease. *Arteriosclerosis, Thrombosis, and Vascular Biology*. 2012;32:506-15.

Seiffert M, Conradi L, Baldus S, Knap M, Schirmer J, Franzen O et al. Impact of patient-prosthesis mismatch after transcatheter aortic valve-in-valve implantation in degenerated bioprostheses. *The Internet Journal of Thoracic and Cardiovascular Surgery*. 2012;143(3):617-24.

Sigurdardottir V, Bjortuft O, Eiskjær H, Ekmehag B, Gude E, Gustafsson F et al. Long-term follow-up of lung and heart transplant recipients with pre-transplant malignancies. *Journal of Heart and Lung Transplantation*. 2012;31(12):1276-80.

Sillesen M, Sejersten M, Strange S, Nielsen SL, Lippert F, Clemmensen P. Referral of patients with ST-segment elevation acute myocardial infarction directly to the catheterization suite based on prehospital teletransmission of 12-lead electrocardiogram. *Journal of Electrocardiology*. 2012;41(1):49-53.

Smith J, Goetze JP, Søndergaard L, Kjaergaard J, Iversen KK, Vejlstrup NG et al. Myocardial hypertrophy after pulmonary regurgitation and valve implantation in pigs. *International Journal of Cardiology*. 2012;159(1):29-33.

Steg PG, James SK, Atar D, Badano LP, Blömstrom-Lundqvist C, Borger MA et al. ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation. European Heart Journal (Online). 2012;33(20):2569-619.

Stride NO, Larsen S, Treebak JT, Hansen CN, Hey-Mogensen M, Speerschneider T et al. 5'-AMP Activated Protein Kinase is Involved in the Regulation of Myocardial β-Oxidative Capacity in Mice. Frontiers in Physiology. 2012;3:33.

Stride NO, Larsen S, Hey-Mogensen M, Sander K, Lund JT, Gustafsson F et al. Decreased mitochondrial oxidative phosphorylation capacity in the human heart with left ventricular systolic dysfunction. European Journal of Heart Failure. 2012;15(2):150-7.

Subherwal S, Patel MR, Kober L, Peterson ED, Jones WS, Gislason GH et al. Missed opportunities: despite improvement in use of cardioprotective medications among patients with lower-extremity peripheral artery disease, underuse remains. Circulation (Baltimore). 2012;126(11):1345-54.

Sørensen G, Jensen M, Weikop P, Dencker D, Christiansen SH, Loland CJ et al. Neuropeptide Y Y5 receptor antagonism attenuates cocaine-induced effects in mice. Psychopharmacology. 2012;222(4):565-77.

Tearney GJ, Regar E, Akasaka T, Adriaenssens T, Barlis P, Bezerra HG et al. Consensus standards for acquisition, measurement, and reporting of intravascular optical coherence tomography studies: a report from the International Working Group for Intravascular Optical Coherence Tomography Standardization and Validation. American College of Cardiology. Journal. 2012;59(12):1058-72.

Tfelt-Hansen J, Brown EM. Plasma membrane calcium sensor. I: Encyclopedia of Biological Chemistry. Elsevier Science. 2012. s. 235-240.

Thim T, Maeng M, Lassen JF, Kaltoft AK, Jensen LO, Ravkilde J et al. Clinical outcomes after treatment of multiple lesions with zotarolimus-eluting versus sirolimus-eluting coronary stents (a SORT OUT III substudy). B M C Cardiovascular Disorders. 2012;12:18.

Thim T, Maeng M, Kaltoft AK, Jensen LO, Tilsted HH, Hansen PR et al. Zotarolimus-eluting vs. sirolimus-eluting coronary stents in patients with and without acute coronary syndromes: a SORT OUT III substudy. European Journal of Clinical Investigation. 2012;42(10):1047-54.

Thygesen K, Alpert JS, Jaffe AS, Simoons ML, Chaitman BR, White HD et al. Third universal definition of myocardial infarction. American College of Cardiology. Journal. 2012;60(16):1581-98.

Thygesen K, Alpert JS, Jaffe AS, Simoons ML, Chaitman BR, White HD et al. Third universal definition of myocardial infarction. Circulation. Cardiovascular Interventions. 2012;126(16):2020-35.

Thygesen K, Alpert JS, Jaffe AS, Simoons ML, Chaitman BR, White HD et al. Third universal definition of myocardial infarction. *Nature Reviews Cardiology*. 2012;9(11):620-33.

Thygesen K, Alpert JS, Jaffe AS, Simoons ML, Chaitman BR, White HD et al. Third universal definition of myocardial infarction. *European Heart Journal (Online)*. 2012;33(20):2551-67.

Tofte N, Jensen C, Tvede M, Andersen CB, Carlsen J, Iversen M. Use of prophylactic voriconazole for three months after lung transplantation does not reduce infection with Aspergillus: a retrospective study of 147 patients. *Scandinavian Journal of Infectious Diseases*. 2012;44(11):835-41.

Treede H, Schirmer J, Rudolph V, Franzen O, Knap M, Schluter M et al. A heart team's perspective on interventional mitral valve repair: percutaneous clip implantation as an important adjunct to a surgical mitral valve program for treatment of high-risk patients. *The Internet Journal of Thoracic and Cardiovascular Surgery*. 2012;143(1):78-84.

Tricoci P, Huang Z, Held C, Moliterno DJ, Armstrong PW, Van de Werf F et al. Thrombin-receptor antagonist vorapaxar in acute coronary syndromes. *New England Journal of Medicine*. 2012;366(1):20-33.

Wanscher M, Agersnap L, Ravn J, Yndgaard S, Nielsen JF, Danielsen ER et al. Outcome of accidental hypothermia with or without circulatory arrest: experience from the Danish Præstø Fjord boating accident. *Resuscitation*. 2012;83(9):1078-84.

Weeke P, Folke F, Gislason GH, Lippert FK, Olesen JB, Andersson C et al. Hospital admissions and pharmacotherapy before out-of-hospital cardiac arrest according to age. *Resuscitation*. 2012;83(5):584-590.

Weeke P, Jensen A, Folke F, Gislason GH, Olesen JB, Andersson C et al. Antidepressant Use and Risk of Out-of-Hospital Cardiac Arrest: A Nationwide Case-Time-Control Study. *Clinical Pharmacology and Therapeutics*. 2012;92(1):72-79.

Winkel BG, Holst AG, Theilade J, Kristensen IB, Thomsen JL, Hougen HP et al. Differences in investigations of sudden unexpected deaths in young people in a nationwide setting. *International Journal of Legal Medicine (Print)*. 2012;126(2):223-229.

Winkel BG, Larsen MK, Berge KE, Leren TP, Nissen PH, Olesen MS et al. The prevalence of mutations in KCNQ1, KCNH2, and SCN5A in an unselected national cohort of young sudden unexplained death cases. *Journal of Cardiovascular Electrophysiology*. 2012;23(10):1092-8.

Wöhrle J, Bertrand B, Søndergaard L, Turner M, Scholtz W, Ibrahim R et al. PFO closuRE and Cryptogenic StrokE (PRECISE) registry: a multi-center, international registry. *Clinical Research in Cardiology*. 2012;101(10):787-93.

Yang H-L, Chen Y-C, Wang J-K, Gau BI-S, Chen C-W, Moons P. Measuring knowledge of patients with congenital heart disease and their parents: validity of the Leuven knowledge questionnaire for congenital heart disease. European Journal of Cardiovascular Nursing. 2012;1-8.

Zacho M, Damgaard S, Lilleør TN, Kelbaek H, Steinbrüchel D, Nielsen MB et al. Long-term internal thoracic artery bypass graft patency and geometry assessed by multidetector computed tomography. International Journal of Cardiovascular Imaging. 2012;28:1577-83.

Thoraxkirurgisk Klinik RT

Videnskabelige artikler

Abildgaard J, Pappot H, Petersen PM, Rørth M, Pedersen JH, Santoni-Rugiu E et al. Usikkerhed om behandlingsstrategien ved tymomer. Ugeskrift for Laeger. 2012;174(50):3164-3169.

Aggestrup LM, Hestbech MS, Siersma VD, Pedersen JH, Brodersen J. Psychosocial consequences of allocation to lung cancer screening: a randomised controlled trial. BMJ Open. 2012;2(2):e000663.

Albrethsen J, Bøgebo R, Møller CH, Olsen JA, Raskov HH, Gammeltoft S. Candidate biomarker verification: Critical examination of a serum protein pattern for human colorectal cancer. Proteomics - Clinical Applications. 2012;6(3-4):182-9.

Andersen M, Grauslund M, Muhammad-Ali M, Ravn J, Sørensen JB, Andersen CB et al. Are differentially expressed microRNAs useful in the diagnostics of malignant pleural mesothelioma?. APMIS : acta pathologica, microbiologica, et immunologica Scandinavica. 2012;120(9):767-9.

Belmaati EO, Steffensen I, Jensen CV, Kofoed KF, Mortensen J, Nielsen MB et al. Radiological patterns of primary graft dysfunction after lung transplantation evaluated by 64-multi-slice computed tomography: a descriptive study. Interactive Cardiovascular and Thoracic Surgery. 2012;14(6):785-91.

Bjerrum M, Tewes M, Pedersen PK. Nurses' self-reported knowledge about and attitude to nutrition -- before and after a training programme. Scandinavian Journal of Caring Sciences. 2012;26(1):81-9.

Colmorn LB, Jensen T, Petersen BL, Helvind M, Jørgensen FS. Prenatal Ultrasound Diagnosis of a Multiple Atypical Right Atrial Cardiac Fibroma. Ultraschall in der Medizin. 2012;33(1):85-86.

Datta P, Bogh MK, Olsen P, Eriksen P, Schmedes AV, Grage MM-L et al. Increase in serum 25-hydroxyvitamin-D3 in humans after solar exposure under natural conditions compared to artificial UVB exposure of hands and face. Photochemical & photobiological sciences : Official journal of the European Photochemistry Association and the European Society for Photobiology. 2012;11(12):1817-1824.

Gade J, Greisen G, Larsen IK, Bibby BM, Olsen PS. Tissue hypoxaemia causes oedema, inflammation and fibrosis in porcine bronchial transsection. Scandinavian Cardiovascular Journal. 2012;46(5):286-94.

Garne E, Olsen MS, Johnsen SP, Hjortdal VE, Andersen HØ, Nissen H et al. How do we define congenital heart defects for scientific studies?. Congenital Heart Disease. 2012;7(1):46-9.

Hansen HJ, Petersen RH. Video-assisted thoracoscopic lobectomy using a standardized three-port anterior approach - The Copenhagen Experience. *Annals of Cardiothoracic Surgery*. 2012;1(1):70-76.

Hornbech K, Ravn J. Surgical treatment of synchronous and metachronous hepatic - and pulmonary colorectal cancer metastases - The Copenhagen Experience. *European Surgery*. 2012;44(6):400-7.

Jakobsen C, Paerregaard A, Munkholm P, Wewer AV. Environmental factors and risk of developing paediatric inflammatory bowel disease - A population based study 2007-2009. *Journal of Crohn's and Colitis*. 2012;7(1):79-88.

Jensen SA, Sørensen JB. 5-fluorouracil-based therapy induces endovascular injury having potential significance to development of clinically overt cardiotoxicity. *Cancer Chemotherapy and Pharmacology*. 2012;69(1):57-64.

Johansson PI, Sørensen AM, Perner A, Welling K-L, Wanscher M, Larsen CF et al. Elderly trauma patients have high circulating noradrenaline levels but attenuated release of adrenaline, platelets, and leukocytes in response to increasing injury severity. *Critical Care Medicine*. 2012;40(6):1844-50.

Kaerlev L, Iachina M, Pedersen JH, Green AC, Nørgård BM. CT-Screening for lung cancer does not increase the use of anxiolytic or antidepressant medication. *B M C Cancer*. 2012;12:188.

Kandler K, Konge L, Rafiq S, Larsen CF, Ravn J. Emergency thoracotomies in the largest trauma center in Denmark: 10 years' experience. *European Journal of Trauma and Emergency Surgery*. 2012;38(2):151-156.

Kofoed SC, Muhic A, Jensen LB, Jendresen M, Gustafsen J, Holm J et al. Survival after adjuvant chemoradiotherapy or surgery alone in resectable adenocarcinoma at the gastro-esophageal junction. *Scandinavian Journal of Surgery*. 2012;101(1):26-31.

Kohno M, Steinbrüchel DA. Median sternotomy for double lung transplantation with cardiopulmonary bypass in seven consecutive patients. *Surgery Today*. 2012;42(4):406-9.

Konge L, Clementsen P, Larsen KR, Arendrup H, Buchwald C, Ringsted C. Establishing Pass/Fail Criteria for Bronchoscopy Performance. *Respiration*. 2012;83(2):140-6.

Konge L, Petersen RH, Hansen HJ, Ringsted C. No extensive experience in open procedures is needed to learn lobectomy by video-assisted thoracic surgery. *Interactive Cardiovascular and Thoracic Surgery*. 2012;15(6):961-5.

Konge L, Larsen KR, Clementsen P, Arendrup H, von Buchwald C, Ringsted C. Reliable and Valid Assessment of Clinical Bronchoscopy Performance. *Respiration*. 2012;83(1):53-60.

Konge L, Lehnert P, Hansen HJ, Petersen RH, Ringsted C. Reliable and valid assessment of performance in thoracoscopy. *Surgical Endoscopy*. 2012;26(6):1624-8.

Kruse CD, Helvind M, Jensen T, Gustafsson F, Mortensen SA, Andersen HO. Good long-term survival after paediatric heart transplantation. *Danish Medical Bulletin (Online)*. 2012;59(1):A4367.

Lehnert P, Møller CH, Carlsen J, Grande P, Steinbrüchel DA. Surgical treatment of acute pulmonary embolism--a 12-year retrospective analysis. *Scandinavian Cardiovascular Journal*. 2012;46(3):172-6.

Mérie C, Køber L, Skov Olsen P, Andersson C, Gislason G, Skov Jensen J et al. Association of warfarin therapy duration after bioprosthetic aortic valve replacement with risk of mortality, thromboembolic complications, and bleeding. *J A M A: The Journal of the American Medical Association*. 2012;308(20):2118-25.

Mérie C, Køber L, Olsen PS, Andersson C, Jensen JS, Torp-Pedersen C. Risk of stroke after coronary artery bypass grafting: effect of age and comorbidities. *Stroke*. 2012;43(1):38-43.

Møller CH, Penninga L, Wetterslev J, Steinbrüchel DA, Gluud C. Off-pump versus on-pump coronary artery bypass grafting for ischaemic heart disease. *Cochrane Database of Systematic Reviews*. 2012;3:CD007224.

Neuenschwander AU, Christensen M, Schulze S, Rosenberg J, Schulze S, Trap R. Less tachycardia during transnasal versus conventional gastroscopy. *Danish Medical Journal*. 2012;59(6):A4432.

Nielsen DL, Nørgaard H, Vestermark LW, Pfeiffer P, Jensen BK, Nelausen KM et al. Intrahepatic and systemic therapy with oxaliplatin combined with capecitabine in patients with hepatic metastases from breast cancer. *Breast*. 2012;21(4):556-61.

Pallisgaard JL, Buch TN, Søndergaard EB, Tønder N, Langved Pallisgaard J. Kalcificeret amorf tumor i hjertet som årsag til nærsynkoper. *Ugeskrift for Laeger*. 2012;174(43):2639-40.

Pedersen PU, Tewes M, Bjerrum M. Implementing nutritional guidelines -- the effect of systematic training for nurse nutrition practitioners. *Scandinavian Journal of Caring Sciences*. 2012;26(1):178-85.

Pedersen LM, Nielsen J, Østergaard M, Nygård E, Nielsen H. Increased intrathoracic pressure affects cerebral oxygenation following cardiac surgery. *Clinical Physiology and Functional Imaging*. 2012;32(5):367-71.

Pedersen JH, Petersen RH, Hansen HJ. Lung cancer screening trials: Denmark and beyond. *The Internet Journal of Thoracic and Cardiovascular Surgery*. 2012;144(3):S7-8.

Penninga L, Wettergren A, Chan A-W, Steinbrüchel DA, Gluud C. Calcineurin inhibitor minimisation versus continuation of calcineurin inhibitor treatment for liver transplant recipients. Cochrane Database of Systematic Reviews. 2012;3:CD008852.

Petersen RH, Hansen HJ. Learning curve associated with VATS lobectomy. Annals of Thoracic Surgery. 2012;1(1):47-50.

Petersen RH, Hansen HJ, Dirksen A, Pedersen JH. Lung cancer screening and video-assisted thoracic surgery. Journal of Thoracic Oncology. 2012;7(6):1026-31.

Pfeiffer P, Bache SH, Isbye DL, Rudolph SS, Rovsing ML, Børglum J. Verification of endotracheal intubation in obese patients - temporal comparison of ultrasound vs. auscultation and capnography. Acta Anaesthesiologica Scandinavica. 2012;56(5):571-6.

Rafiq S, Johansson PI, Ostrowski SR, Stissing T, Steinbrüchel DA. Hypercoagulability in patients undergoing coronary artery bypass grafting: prevalence, patient characteristics and postoperative outcome. European Journal of Cardio-Thoracic Surgery. 2012;41(3):550-555.

Saghir Z, Dirksen A, Ashraf H, Bach KS, Brodersen J, Clementsen PF et al. CT screening for lung cancer brings forward early disease. The randomised Danish Lung Cancer Screening Trial: status after five annual screening rounds with low-dose CT. Thorax. 2012 ;67(4):296-301.

Sarac SB, Rasmussen CH, Afzal S, Thirstrup S, Jensen SA, Colding-Jørgensen M et al. Data-Driven Assessment of the Association of Polymorphisms in 5-Fluorouracil Metabolism Genes with Outcome in Adjuvant Treatment of Colorectal Cancer. Basic & Clinical Pharmacology & Toxicology Online. 2012 ;111(3):189-97.

Shaker SB, Dirksen A, Lo PCP, Skovgaard LT, de Bruijne M, Pedersen JH. Factors influencing the decline in lung density in a Danish lung cancer screening cohort. European Respiratory Journal. 2012;40(5):1142-8.

Steinbrüchel AS, Johansson PI, Rafiq S, Steensgaard J, Steinbrüchel DA. Equally increased hypercoagulability irrespective of using minimized or conventional ECC systems. Scandinavian Cardiovascular Journal. 2012;46(4):233-8.

Stride NO, Larsen S, Hey-Mogensen M, Sander K, Lund JT, Gustafsson F et al. Decreased mitochondrial oxidative phosphorylation capacity in the human heart with left ventricular systolic dysfunction. European Journal of Heart Failure. 2012;15(2):150-7.

Søndergaard EB, Pedersen JH, Kleive DB. Infected bronchogenic cyst causing dysphagia and retrosternal pain. Clinical Respiratory Journal. 2012.

Søndergaard EB, Kleive DB, Siemsen M. Inficerede bronkogene cyster kan forårsage recidiverende luftvejsinfektioner. Ugeskrift for Laeger. 2012;174(19):1312-3.

Søndergaard EB, Kalhauge A, Hansen HJ. Månedens billede. Ugeskrift for Laeger. 2012;174(26):1834.

Sørensen L, Nielsen MK, Lo PCP, Ashraf H, Pedersen JH, de Bruijne M. Texture-based analysis of COPD: a data-driven approach. IEEE transactions on medical imaging. 2012;31(1):70-8.

Tolsgaard MG, Arendrup H, Lindhardt BO, Hillingsø JG, Stoltenberg MB, Ringsted C. Construct Validity of the Reporter-Interpreter-Manager-Educator Structure for Assessing Students' Patient Encounter Skills. Academic Medicine. 2012;87(6):799-806.

Wanscher M, Agersnap L, Ravn J, Yndgaard S, Nielsen JF, Danielsen ER et al. Outcome of accidental hypothermia with or without circulatory arrest: experience from the Danish Præstø Fjord boating accident. Resuscitation. 2012;83(9):1078-84.

Wildgaard K, Petersen RH, Hansen HJ, Møller-Sørensen H, Ringsted TK, Kehlet H. Multimodal analgesic treatment in video-assisted thoracic surgery lobectomy using an intraoperative intercostal catheter. European Journal of Cardio-Thoracic Surgery. 2012;41(5):1072-1077.

Wildgaard K, Ringsted TK, Aasvang EK, Ravn J, Werner MU, Kehlet H. Neurophysiological characterization of persistent postthoracotomy pain. Clinical Journal of Pain. 2012;28(2):136-42.

Wildgaard K, Ringsted TK, Hansen HJ, Petersen RH, Werner MU, Kehlet H. Quantitative sensory testing of persistent pain after video-assisted thoracic surgery lobectomy. British Journal of Anaesthesia. 2012;108(1):126-33.

Zachø M, Damgaard S, Lilleør TN, Kelbaek H, Steinbrüchel D, Nielsen MB et al. Long-term internal thoracic artery bypass graft patency and geometry assessed by multidetector computed tomography. International Journal of Cardiovascular Imaging. 2012;28:1577-83.

Rafiq S, Johansson PI, Zachø M, Stissing T, Kofoed KF, Lilleør TNB et al. Thrombelastographic haemostatic status and antiplatelet therapy after coronary artery bypass surgery (TEG-CABG trial): assessing and monitoring the antithrombotic effect of clopidogrel and aspirin versus aspirin alone in hypercoagulable patients: study protocol for a randomized controlled trial. Trials. 2012;13(1):48.

Hansen HJ, Petersen RH. VATS lobectomy. Inderbitzi RGC, red. I: Minimally invasive thoracic and cardiac surgery.. Berlin, Heidelberg: Springer. 2012.

Hjortdal VE, Helvind M. Kirurgisk behandling af medfødt hjertesygdom. Borgwardt A, Borre M, Elberg JJ, Hjortdal VE, Jensen LP, Lauritsen K, Steinmetz J, Sørensen JCH, red. I: Kirurgi. 1. udg. København: FADL's Forlag. 2012. s. 616-52.

Kimose H-H, Steinbrüchel D. Kirurgisk behandling af iskæmisk hjertesygdom. Borgwardt A, Borre M, Elberg JJ, Hjortdal VE, Jensen LP, Lauritsen K, Steinmetz J, Sørensen JCH, red. I: Kirurgi. 1. udg. København: FADL's Forlag. 2012. s. 653-72.

Møller CH, Steinbrüchel D. Quality of life outcomes after off-pump coronary artery bypass grafting. Raja SG, Amrani M, red. I: Off-pump coronary artery bypass grafting: Outcomes and controversies.. Nova Science Publishers, Incorporated. 2012. s. 215-24.

Olsen PS, Kimose H-H. Aortaklapsydomme. Borgwardt A, Borre M, Elberg JJ, Hjortdal VE, Jensen LP, Lauritsen K, Steinmetz J, Sørensen JCH, red. I: Kirurgi. 1. udg. København: FADL's Forlag. 2012. s. 673-91.

Olsen PS, Ilkjær LB. Hjertetransplantation og lungetransplantation. Borgwardt A, Borre M, Elberg JJ, Hjortdal VE, Jensen LP, Lauritsen K, Steinmetz J, Sørensen JCH, red. I: Kirurgi. 1. udg. København: FADL's Forlag. 2012. s. 731-9.

Olsen PS. Thorakale aneurysmer og dissektioner. Borgwardt A, Borre M, Elberg JJ, Hjortdal VE, Jensen LP, Lauritsen K, Steinmetz J, Sørensen JCH, red. I: Kirurgi. 1. udg. København: FADL's Forlag. 2012. s. 714-24.

Winkler Wille MM, Thomsen LH, Dirksen A, Pedersen JH. Interobserver variability in visual evaluation of thoracic CT scans and comparison with automatic computer measurements of CT lung density. 2012.

Appel JM, Sander K, Hansen PB, Møller JE, Krarup-Hansen A, Gustafsson F. Left ventricular assist device as bridge to recovery for anthracycline-induced terminal heart failure. Congestive Heart Failure. 2012;18(5):291-4.

Ravn J. sygdomme i thorax inkl. thoraxtraumer. Schroeder TV, Schulze S, Hilsted J, Gøtzsche L, red. I: Basisbog i medicin og kirurgi.. København: Munksgård Danmark. 2012.

Thoraxanæstesiologisk Klinik ANT

Videnskabelige artikler

Appel JM, Sander K, Hansen PB, Møller JE, Krarup-Hansen A, Gustafsson F. Left ventricular assist device as bridge to recovery for anthracycline-induced terminal heart failure. *Congestive Heart Failure*. 2012;18(5):291-4.

Berg RMG, Taudorf S, Bailey DM, Lundby C, Larsen FS, Pedersen BK et al. Effects of lipopolysaccharide infusion on arterial levels and transcerebral exchange kinetics of glutamate and glycine in healthy humans. *APMIS : acta pathologica, microbiologica, et immunologica Scandinavica*. 2012;120(9):761-6.

Greve I, Vasilevskis EE, Egerod I, Mortensen CB, Møller AM, Svenssengen H et al. Interventions for preventing intensive care unit delirium (Protocol). *Cochrane Database of Systematic Reviews*. 2012;8:1-21.

Hornbech K, Ravn J. Surgical treatment of synchronous and metachronous hepatic - and pulmonary colorectal cancer metastases - The Copenhagen Experience. *European Surgery*. 2012;44(6):400-7.

Johansson PI, Sørensen AM, Perner A, Welling K-L, Wanscher M, Larsen CF et al. High sCD40L levels Early After Trauma are Associated with Enhanced Shock, Sympathoadrenal Activation, Tissue and Endothelial Damage, Coagulopathy and Mortality. *Journal of Thrombosis and Haemostasis*. 2012;10(2):207-216.

Møller-Sørensen H, Hansen KL, Ostergaard M, Andersen LW, Møller K. Lack of agreement and trending ability of the endotracheal cardiac output monitor compared with thermodilution. *Acta Anaesthesiologica Scandinavica*. 2012;56(4):433-440.

Ostrowski SR, Sørensen AM, Windeløv NA, Perner A, Welling K-L, Wanscher M et al. High levels of soluble VEGF receptor 1 early after trauma are associated with shock, sympathoadrenal activation, glycocalyx degradation and inflammation in severely injured patients: a prospective study. *Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine*. 2012;20:27.

Pinborg LH, Feng L, Haahr ME, Gillings N, Dyssegaard A, Madsen J et al. No change in [¹¹C]CUMI-101 binding to 5-HT(1A) receptors after intravenous citalopram in human. *Synapse (New York)*. 2012 okt;66(10):880-4.

Steinbrüchel AS, Johansson PI, Rafiq S, Steensgaard J, Steinbrüchel DA. Equally increased hypercoagulability irrespective of using minimized or conventional ECC systems. *Scandinavian Cardiovascular Journal*. 2012;46(4):233-8.

Wanscher M, Agersnap L, Ravn J, Yndgaard S, Nielsen JF, Danielsen ER et al. Outcome of accidental hypothermia with or without circulatory arrest: experience from the Danish Præstø Fjord boating accident. *Resuscitation*. 2012;83(9):1078-84.

Wildgaard K, Petersen RH, Hansen HJ, Møller-Sørensen H, Ringsted TK, Kehlet H. Multimodal analgesic treatment in video-assisted thoracic surgery lobectomy using an intraoperative intercostal catheter. European Journal of Cardio-Thoracic Surgery. 2012;41(5):1072-1077.

Hovedortocentret

Anæstesi- og operationsklinikken HOC

Disputatser og ph.d.-afhandlinger forsvarer i året

Larsen OH. Treatment of decompression sickness during breathing of oxygen and inert gases. 2012. 106 s. (DMSc)

Krenk L. Postoperative cognitive decline after fast-track hip and knee arthroplasty. Faculty of Health Sciences, University of Copenhagen, 2012. 46 s. (Ph.D.)

Nielsen AM. Engaging a whole community in resuscitation. 2012. 96 s. (Ph.D.)

Sørensen MK. Aspects of rapid sequence induction. 2012. 99 s. (Ph.D.)

Videnskabelige artikler

Andersen KG, Gärtner R, Kroman N, Flyger H, Kehlet H. Persistent pain after targeted intraoperative radiotherapy (TARGIT) or external breast radiotherapy for breast cancer: A randomized trial. *Breast*. 2012;21(1):46-49.

Bille AB, Holm-Knudsen R, Lefort M, Afshari A. Optisk og videoassisteret laryngoskopi ved vanskelige luftveje hos børn. *Ugeskrift for Laeger*. 2012;174(3):119-22.

Bischoff JM, Koscielniak-Nielsen ZJ, Kehlet H, Werner MU. Ultrasound-Guided Ilioinguinal/Iliohypogastric Nerve Blocks for Persistent Inguinal Postherniorrhaphy Pain: A Randomized, Double-Blind, Placebo-Controlled, Crossover Trial. *Anesthesia and Analgesia*. 2012;114(6):1323-1329.

Bjerregård A, Jansen E. Monitoring carbon dioxide in mechanically ventilated patients during hyperbaric treatment. *Diving and Hyperbaric Medicine*. 2012;42(3):134-6.

Borgwardt A, Elberg JJ, Steinmetz J, Hjortdal VE, Jensen LP, Borre M et al. *Kirurgi*. FADL's Forlag, 2012. 1294 s.

Borgwardt A, Borre M, Elberg JJ, Hjortdal VE, Jensen LP, Lauritsen K et al, red. *Kirurgi*. 2012 udg. FADL's Forlag, 2012. 1294 s.

Dahl JB, Rasmussen LS. Comparison of two active analgesic interventions: a suggestion for an 'approximated placebo control'. *Acta Anaesthesiologica Scandinavica*. 2012;56(6):669-71.

Do HQ, Steinmetz J, Rasmussen LS. In-hospital mortality pattern of severely injured children. *Injury*. 2012;43(12):2060-4.

Genét GF, Ostrowski SR, Sørensen AM, Johansson PI. Detection of tPA-Induced Hyperfibrinolysis in Whole Blood by RapidTEG, KaolinTEG, and Functional FibrinogenTEG in Healthy Individuals. *Clinical and applied thrombosis/hemostasis* : official journal of the International Academy of Clinical and Applied Thrombosis/Hemostasis. 2012;18(6):638.

Hansen MS, Mathiesen O, Trautner S, Dahl JB. Intranasal fentanyl in the treatment of acute pain--a systematic review. *Acta Anaesthesiologica Scandinavica*. 2012;56(4):407-19.

Hansen MV, Madsen MT, Hageman I, Rasmussen LS, Bokmand S, Rosenberg J et al. The effect of MElatOnin on Depression, anxiety, cognitive function and sleep disturbances in patients with breast cancer. The MELODY trial: protocol for a randomised, placebo-controlled, double-blinded trial. *BMJ Open*. 2012;2(1):e000647.

Hejselbaek J, Steinmetz J, Rasmussen LS. Prehospital guidelines for use of hypertonic saline are not followed systematically. *Danish Medical Journal*. 2012;59(4):A4417.

Holler CP, Wichmann S, Nielsen SL, Møller AM. Large discrepancy between prehospital visitation to mobile emergency care unit and discharge diagnosis. *Danish Medical Journal*. 2012;59(4):A4415.

Holm-Knudsen RJ, Rasmussen LS, Charabi B, Böttger M, Kristensen MS. Emergency airway access in children--transtracheal cannulas and tracheotomy assessed in a porcine model. *Paediatric Anaesthesia Online*. 2012;22(12):1159-65.

Jaeger P, Grevstad U, Henningsen M, Gottschau B, Mathiesen O, Dahl JB. Effect of adductor-canal-blockade on established, severe post-operative pain after total knee arthroplasty: a randomised study. *Acta Anaesthesiologica Scandinavica*. 2012;56(8):1013-9.

Jansen EC, Klokke M. Øget viden og anvendelse af trykkammerbehandling. *Ugeskrift for Laeger*. 2012;174(12):802.

Jensen KS, Sommer J, Toft JG, Steinmetz J. Letalt forløb efter overset fremmedlegeme i luftvejen. *Ugeskrift for Laeger*. 2012;174(40):2387-8.

Jenstrup MT, Jæger P, Lund J, Fomsgaard JS, Bache S, Mathiesen O et al. Effects of adductor-canal-blockade on pain and ambulation after total knee arthroplasty: a randomized study. *Acta Anaesthesiologica Scandinavica*. 2012;56(3):357-64.

Johansson PI, Sølbeck S, Genet G, Stensballe J, Ostrowski SR. Coagulopathy and hemostatic monitoring in cardiac surgery: an update. *Scandinavian Cardiovascular Journal*. 2012;46(4):194-202.

Johansson PI, Stensballe J, Ostrowski SR. Current management of massive hemorrhage in trauma. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine. 2012;20:47.

Johansson PI, Sørensen AM, Perner A, Welling K-L, Wanscher M, Larsen CF et al. Elderly trauma patients have high circulating noradrenaline levels but attenuated release of adrenaline, platelets, and leukocytes in response to increasing injury severity. Critical Care Medicine. 2012;40(6):1844-50.

Johansson PI, Stensballe J, Rasmussen LS, Ostrowski SR. High Circulating Adrenaline Levels at Admission Predict Increased Mortality After Trauma. Journal of Trauma. 2012 okt 13;72(2):428-436.

Johansson PI, Sørensen AM, Perner A, Welling K-L, Wanscher M, Larsen CF et al. High sCD40L levels Early After Trauma are Associated with Enhanced Shock, Sympathoadrenal Activation, Tissue and Endothelial Damage, Coagulopathy and Mortality. Journal of Thrombosis and Haemostasis. 2012;10(2):207-216.

Jørgensen H, Hylander Møller M, Rosenstock SJ, Thomsen RW. Akut Kirurgi Databasen. Ugeskrift for Laeger. 2012;174(42):2553.

Kjeld T, Hansen EG, Holler NG, Rottensten HHF, Larsen OH, Jansen EC. Resuscitation by hyperbaric exposure from a venous gas emboli following laparoscopic surgery. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine. 2012;20:51.

Koscielniak-Nielsen ZJ, Dahl JB. Ultrasound-guided peripheral nerve blockade of the upper extremity. Current Opinion in Anaesthesiology. 2012;25(2):253-9.

Krenk L, Rasmussen LS, Hansen TB, Bogø S, Søballe K, Kehlet H. Delirium after fast-track hip and knee arthroplasty. British Journal of Anaesthesia. 2012;108(4):607-611.

Krenk L, Rasmussen LS, Kehlet H. Delirium in the fast-track surgery setting. Best Practice & Research: Clinical Anaesthesiology. 2012;26(3):345-53.

Krenk L, Rasmussen LS, Siersma VD, Kehlet H. Short-term practice effects and variability in cognitive testing in a healthy elderly population. Experimental Gerontology. 2012;47 (6):432–436.

Kristensen MS. Anesthetic and airway management of microlaryngeal surgery and upper airway endoscopy. I: Benumof and Hagbergs Airway Management. Elsevier Science. 2012.

Kristensen MS. Ultrasonography in airway management. I: Benumof and Hagbergs Airway Management. Elsevier Science. 2012.

Kurita GP, de Mattos Pimenta CA, Braga PE, Frich L, Jørgensen MM, Nielsen PR et al. Cognitive function in patients with chronic pain treated with opioids: characteristics and associated factors. Acta Anaesthesiologica Scandinavica. 2012;56(10):1257-66.

Kurita GP, Ulrich A, Jensen TS, Werner MU, Sjøgren P. How is neuropathic cancer pain assessed in randomised controlled trials?. *Pain*. 2012;153(1):13-7.

Lønborg J, Schoos MM, Kelbæk H, Holmvang L, Steinmetz J, Vejlstrup N et al. Impact of system delay on infarct size, myocardial salvage index, and left ventricular function in patients with ST-segment elevation myocardial infarction. *American Heart Journal*. 2012;164(4):538-46.

Mathiesen O, Thomsen BA, Kitter B, Dahl JB, Kehlet H. Need for improved treatment of postoperative pain. *Danish Medical Journal*. 2012;59(4):A4401.

Meyhoff CS, Jorgensen LN, Wetterslev J, Christensen KB, Rasmussen LS, PROXI Trial Group. Increased long-term mortality after a high perioperative inspiratory oxygen fraction during abdominal surgery: follow-up of a randomized clinical trial. *Anesthesia and Analgesia*. 2012;115(4):849-54.

Meyhoff CS, Staehr AK, Rasmussen LS. Rational use of oxygen in medical disease and anesthesia. *Current Opinion in Anaesthesiology*. 2012;25(3):363-70.

Meyhoff CS, Wetterslev J, Jorgensen LN, Rasmussen LS. Sensitivity analyses of supplemental oxygen to prevent surgical site infection. *Anesthesia and Analgesia*. 2012;115(3):734.

Mitchell AU, Torup H, Hansen EG, Petersen PL, Mathiesen O, Dahl JB et al. Effective dermatomal blockade after subcostal transversus abdominis plane block. *Danish Medical Journal*. 2012;59(3):A4404.

Møller Nielsen A, Lou Isbye D, Lippert F, Rasmussen LS. Engaging a whole community in resuscitation. *Resuscitation*. 2012;83(9):1067-71.

Nielsen K, Hansen CM, Rasmussen LS. Airway management in unconscious non-trauma patients. *Emergency Medicine Journal*. 2012;29:887-9.

Nielsen AM, Isbye DL, Lippert FK, Rasmussen LS. Basic life support and automated external defibrillator skills among ambulance personnel: a manikin study performed in a rural low-volume ambulance setting. *Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine*. 2012;20:34.

Nielsen AM, Isbye DL, Lippert F, Rasmussen LS. Distributing personal resuscitation manikins in an untrained population: how well are basic life support skills acquired?. *Emergency Medicine Journal*. 2012;29:587-591.

Nielsen K, Dahl B, Johansson PI, Henneberg SW, Rasmussen LS. Intraoperative transfusion threshold and tissue oxygenation: a randomised trial. *Transfusion medicine (Oxford, England)*. 2012;22(6):418-25.

Nielsen PR, Christensen PA, Meyhoff CS, Werner MU. Post-operative pain treatment in Denmark from 2000 to 2009: a nationwide sequential survey on organizational aspects. *Acta Anaesthesiologica Scandinavica*. 2012;56(6):686-94.

Nielsen K, Meyhoff CS, Johansson PI, Jorgensen LN, Rasmussen LS, PROXI Trial Group. Transfusion practice and complications after laparotomy - an observational analysis of a randomized clinical trial. *Vox Sanguinis*. 2012;103(4):294-300.

Ostrowski SR, Sørensen AM, Windeløv NA, Perner A, Welling K-L, Wanscher M et al. High levels of soluble VEGF receptor 1 early after trauma are associated with shock, sympathoadrenal activation, glycocalyx degradation and inflammation in severely injured patients: a prospective study. *Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine*. 2012;20:27.

Petersen PL, Stjernholm P, Kristiansen VB, Torup H, Hansen EG, Mitchell AU et al. The beneficial effect of transversus abdominis plane block after laparoscopic cholecystectomy in day-case surgery: a randomized clinical trial. *Anesthesia and Analgesia*. 2012;115(3):527-33.

Pfeiffer P, Bache SH, Isbye DL, Rudolph SS, Rovsing ML, Børglum J. Verification of endotracheal intubation in obese patients - temporal comparison of ultrasound vs. auscultation and capnography. *Acta Anaesthesiologica Scandinavica*. 2012;56(5):571-6.

Randsøe T, Larsen OH. Effect of oxygen breathing on micro oxygen bubbles in nitrogen-depleted rat adipose tissue at sea level and 25 kPa altitude exposures. *Journal of Applied Physiology*. 2012;113(3):426-33.

Rasmussen LS. Tracheal intubation conditions - the importance of timing. *Acta Anaesthesiologica Scandinavica*. 2012;56(5):537-8.

Rawal N, Borgeat A, Scott N, Møiniche S, Dahl JB. Wound catheters for post-operative pain management: overture or finale?. *Acta Anaesthesiologica Scandinavica*. 2012;56(3):395-6; author reply 397-8.

Risom M, Vedtofte J, Sørensen MK, Nielsen K, Jørgensen S. Information kan reducere unødvendig tørstetid hos elektive kirurgiske patienter. *Ugeskrift for Laeger*. 2012;174(35):1993-5.

Schou L, Østergaard B, Rasmussen LS, Rydahl-Hansen S, Phanareth K. Cognitive dysfunction in patients with chronic obstructive pulmonary disease- A systematic review. *Respiratory Medicine*. 2012;106(8):1071-81.

Sigurdsson GH, Rasmussen LS. Indications for blood transfusion. Are we using the right transfusion trigger?. *Acta Anaesthesiologica Scandinavica*. 2012;56(3):267-9.

Sillesen M, Sejersten M, Strange S, Nielsen SL, Lippert F, Clemmensen P. Referral of patients with ST-segment elevation acute myocardial infarction directly to the

catheterization suite based on prehospital teletransmission of 12-lead electrocardiogram. Journal of Electrocardiology. 2012;41(1):49-53.

Staehr AK, Meyhoff CS, Henneberg SW, Christensen PL, Rasmussen LS. Influence of perioperative oxygen fraction on pulmonary function after abdominal surgery: a randomized controlled trial. B M C Research Notes. 2012;5:383.

Steinmetz J, Funder KS. Dementia. Singh-Radcliff N, Gupta A, red. I: 5 Minute Anesthesia Consult. Lippincott Williams & Wilkins. 2012.

Steinmetz J, Jespersgaard C, Dalhoff KP, Hedley P, Abildstrøm HH, Christiansen M et al. Cytochrome P450 polymorphism and postoperative cognitive dysfunction. Minerva Anesthesiologica. 2012;78(3):303-309.

Sølbeck S, Windeløv NA, Bæk NH, Nielsen JD, Ostrowski SR, Johansson PI. In-vitro comparison of free oscillation rheometry (ReoRox) and rotational thromboelastometry (ROTEM) in trauma patients upon hospital admission. Blood Coagulation and Fibrinolysis. 2012;23(8):688-92.

Sørensen MK, Holm-Knudsen R. Endotracheal intubation with airtraq® versus storz® videolaryngoscope in children younger than two years - a randomized pilot-study. B M C Anesthesiology. 2012;12(1):7.

Sørensen MK, Bretlau C, Gätke MR, Sørensen AM, Rasmussen LS. Rapid sequence induction and intubation with rocuronium-sugammadex compared with succinylcholine: a randomized trial. British Journal of Anaesthesia. 2012;108(4):682-9.

Tvede MF, Kristensen MS, Nyhus-Andreasen M. A cost analysis of reusable and disposable flexible optical scopes for intubation. Acta Anaesthesiologica Scandinavica. 2012;56(5):577-84.

Voigt Hansen M, Simon Rasmussen L, Jespersgaard C, Rosenberg J, Gogenur I. There Is No Association Between the Circadian Clock Gene HPER3 and Cognitive Dysfunction After Noncardiac Surgery. Anesthesia and Analgesia. 2012;115(2):379-85.

Wanscher M, Agersnap L, Ravn J, Yndgaard S, Nielsen JF, Danielsen ER et al. Outcome of accidental hypothermia with or without circulatory arrest: experience from the Danish Præstø Fjord boating accident. Resuscitation. 2012;83(9):1078-84.

Weeke P, Jensen A, Folke F, Gislason GH, Olesen JB, Andersson C et al. Antidepressant Use and Risk of Out-of-Hospital Cardiac Arrest: A Nationwide Case-Time-Control Study. Clinical Pharmacology and Therapeutics. 2012;92(1):72-9.

Weeke P, Folke F, Gislason GH, Lippert FK, Olesen JB, Andersson C et al. Hospital admissions and pharmacotherapy before out-of-hospital cardiac arrest according to age. Resuscitation. 2012;83(5):584-590.

Wikkelsøe AJ, Afshari A, Stensballe J, Langhoff-Roos J, Albrechtsen C, Ekelund K et al. The FIB-PPH trial: fibrinogen concentrate as initial treatment for postpartum haemorrhage: study protocol for a randomised controlled trial. *Trials*. 2012;13(1):110.

Wildgaard K, Ringsted TK, Aasvang EK, Ravn J, Werner MU, Kehlet H. Neurophysiological characterization of persistent postthoracotomy pain. *Clinical Journal of Pain*. 2012;28(2):136-42.

Aabenhus R, Hallas P. Sundhedsloven og sundhedsydeler hos udokumenterede migranter. *Ugeskrift for Laeger*. 2012;174(38):2216-9.

Cochrane Anaesthesia Review Group, HOC

Videnskabelige artikler

Afshari A, Schrenzel J, Ieven M, Harbarth S. Bench-to-bedside review: Rapid molecular diagnostics for bloodstream infection - a new frontier?. *Critical Care (Online Edition)*. 2012;16(3):222.

Afshari A, Pagani L, Harbarth S. Year in review 2011: Critical Care - infection. *Critical Care (Online Edition)*. 2012;16(6):242.

Bille AB, Holm-Knudsen R, Lefort M, Afshari A. Optisk og videoassisteret laryngoskopi ved vanskelige luftveje hos børn. *Ugeskrift for Laeger*. 2012;174(3):119-22.

Greve I, Vasilevskis EE, Egerod I, Mortensen CB, Møller AM, Svenningsen H et al. Interventions for preventing intensive care unit delirium (Protocol). *Cochrane Database of Systematic Reviews*. 2012;8:1-21.

Rosenstock CV, Thøgersen B, Afshari A, Christensen A-L, Eriksen C, Gätke MR. Awake fiberoptic or awake video laryngoscopic tracheal intubation in patients with anticipated difficult airway management: a randomized clinical trial. *Anesthesiology*. 2012;116(6):1210-6.

Winther-Olesen M, Afshari A. Udvikling og behandling af delirium hos kritisk syge børn. *Ugeskrift for Laeger*. 2012;174(5):270-5.

Klinik for Ergo- og Fysioterapi

Videnskabelige artikler

Sørensen LV. Neurorehabilitering og evidens. Møller TT, Petersen L, red. I: Neurorehbilitering i praksis. Gad. 2012. s. 35-46.

Sørensen LV, Lindahl M. Kognitive funktioner og deres betydning. Møller TT, Petersen L, red. I: Neurorehbilitering i praksis. Gad. 2012. s. 101-120.

Sørensen LV, Dyrbye L. Demens. Andresen M, Poulsen DV, red. I: Ergoterapi og fysioterapi til ældre. Munksgård Danmark. 2012. s. 174-190.

Waldorff FB, Buss DV, Eckermann A, Rasmussen MLH, Keiding N, Rishøj S et al. Efficacy of psychosocial intervention in patients with mild Alzheimer's disease: the multicentre, rater blinded, randomised Danish Alzheimer Intervention Study (DAISY). *B M J (Online)*. 2012;345:e4693.

Klinik for Plastikkirurgi, Brystkirurgi og Brandsårsbehandling

Disputatser og ph.d.-afhandlinger forsvarer i året

Glud M. Cutaneous Malignant Melanoma and MicroRNA. København: Eget forlag, 2012. 66 s. (Ph.D.)

Tvedskov TF. Staging of women with breast cancer after introduction of sentinel node guided axillary dissection. 2012. (Ph.D.)

Videnskabelige artikler

Andersen KG, Gärtner R, Kroman N, Flyger H, Kehlet H. Persistent pain after targeted intraoperative radiotherapy (TARGIT) or external breast radiotherapy for breast cancer: A randomized trial. *Breast*. 2012;21(1):46-49.

Andersen KG, Jensen M-B, Kehlet H, Gärtner R, Eckhoff L, Kroman N. Persistent pain, sensory disturbances and functional impairment after adjuvant chemotherapy for breast cancer: Cyclophosphamide, epirubicin and fluorouracil compared with docetaxel + epirubicin and cyclophosphamide. *Acta Oncologica*. 2012;51(8):1036-1044.

Bernsdorf M, Berthelsen AK, Timmermans-Wielenga V, Kroman N, Teilum D, Binderup T et al. Preoperative PET/CT in early-stage breast cancer. *Annals of Oncology*. 2012;23(9):2277-82.

Bidstrup PE, Mertz B, Dalton SO, Deltour I, Kroman N, Kehlet H et al. Accuracy of the Danish version of the 'distress thermometer'. *Psycho-Oncology*. 2012;21(4):436-443.

Biggaard J, Stahlberg C, Jensen M-B, Ewertz M, Kroman N. Breast cancer incidence by estrogen receptor status in Denmark from 1996 to 2007. *Breast Cancer Research and Treatment*. 2012;136(2):559-64.

Borgwardt A, Borre M, Elberg JJ, Hjortdal VE, Jensen LP, Lauritsen K et al, red. *Kirurgi*. 2012 udg. FADL's Forlag, 2012. 1294 s.

El-Charnoubi WAG, Svendsen JB, Tange UB, Kroman N. Women with inoperable or locally advanced breast cancer -- what characterizes them?: A retrospective review of 157 cases. *Acta Oncologica*. 2012;51(8):1081-5.

Gromova I, Gromov P, Kroman N, Timmermans-Wielenga V, Simon R, Sauter G et al. Immunoexpression analysis and prognostic value of BLCAP in breast cancer. *P L o S One*. 2012;7(9):e45967.

Hvilstom GB, Hölmich LR, Steding-Jessen M, Frederiksen K, Henriksen TF, Lipworth L et al. Delayed Breast Implant Reconstruction: Is Radiation Therapy Associated With Capsular Contracture or Reoperations?. *Annals of Plastic Surgery*. 2012 ;68(3):246–252.

Kaltoft B, Kruse A, Jensen LT, Elberg JJ. Reconstruction of the cervical spine with two osteocutaneous fibular flap after radiotherapy and resection of osteoclastoma: a case report. *Journal of Plastic, Reconstructive & Aesthetic Surgery (Print Edition)*. 2012;65(9):1262-4.

Kamper-Jørgensen M, Biggar RJ, Tjønneland A, Hjalgrim H, Kroman N, Rostgaard K et al. Opposite effects of microchimerism on breast and colon cancer. *European Journal of Cancer*. 2012;48(14):2227-35.

Krause M, Klit A, Jensen MB, Søeborg T, Frederiksen H, Schlumpf M et al. Sunscreens: are they beneficial for health? An overview of endocrine disrupting properties of UV-filters. *International Journal of Andrology*. 2012;35(3):424-36.

Kroman NT. *Mammasygdomme*. Schroeder T, Schulze S, Hilsted J, Gøtzsche L, red. I: Basisbog i Medicin og Kirurgi. 5 udg. København: Munksgård Danmark. 2012. s. 389-399.

Langhans L, Vejborg TS, Vejborg I, Kroman N. Markering af nonpalpable forandringer i brystvæv. *Ugeskrift for Laeger*. 2012;174(34):1891-4.

Meretoja TJ, Leidenius MHK, Heikkilä PS, Boross G, Sejben I, Regitnig P et al. International multicenter tool to predict the risk of nonsentinel node metastases in breast cancer. *National Cancer Institute. Journal (Online)*. 2012;104(24):1888-96.

Mertz B, Bistrup PE, Johansen C, Dalton SO, Deltour I, Kehlet H et al. Psychological distress among women with newly diagnosed breast cancer. *European Journal of Oncology Nursing*. 2012;16(4):439-443.

Sillesen NH, Hölmich LR, Siersen HE, Bonde C. Congenital symmastia revisited. *Journal of Plastic, Reconstructive & Aesthetic Surgery (Print Edition)*. 2012;65(12):1607-13.

Stemann Andersen P, Elberg JJ. Microsurgical replantation and postoperative leech treatment of a large severed nasal segment. *Journal of Plastic Surgery and Hand Surgery*. 2012;46(6):444-6.

Stovgaard ES, Tvedskov TF, Lænkholt AV, Balslev E. Cytokeratin on frozen sections of sentinel node may spare breast cancer patients secondary axillary surgery. *Pathology Research International*. 2012;2012:802184.

Teilum D, Bjerre KD, Tjønneland AM, Kroman N. Breast cancer survival and season of surgery: an ecological open cohort study. *BMJ Open*. 2012;2:e000358.

Trojahn Kølle S-F, Oliveri RS, Glovinski PV, Elberg JJ, Fischer-Nielsen A, Drzewiecki KT. Importance of mesenchymal stem cells in autologous fat grafting: a systematic review of existing studies. *Journal of Plastic Surgery and Hand Surgery*. 2012;46(2):59-68.

Tvedskov TF, Jensen M-B, Lisse IM, Ejlertsen B, Balslev E, Kroman N. High risk of non-sentinel node metastases in a group of breast cancer patients with micrometastases in the sentinel node. *International Journal of Cancer*. 2012;131(10):2367-75.

Tvedskov TF, Jensen M-B, Kroman N, Balslev E. Iatrogenic displacement of tumor cells to the sentinel node after surgical excision in primary breast cancer. *Breast Cancer Research and Treatment*. 2012;131(1):223-9.

Tvedskov TF. Staging of women with breast cancer after introduction of sentinel node guided axillary dissection. *Danish Medical Journal*. 2012;59(7):B4475.

Uldall W, Henriksen T, Vejborg I. Månedens billede. *Ugeskrift for Laeger*. 2012;174(18):1244.

Wadt K, Choi J, Chung J-Y, Kiilgaard JF, Heegaard S, Drzewiecki KT et al. A cryptic BAP1 splice mutation in a family with uveal and cutaneous melanoma, and paraganglioma. *Pigment Cell & Melanoma Research*. 2012;25(6):815-8.

Wadt KAW, Drzewiecki KT, Gerdes A-MA. Genetiske fund giver nye muligheder for udredning af arveligt malignt melanom. *Ugeskrift for Laeger*. 2012;174(8):493-7.

Weischer M, Heerfordt IM, Bojesen SE, Eigentler T, Garbe C, Röcken M et al. CHEK2*1100delC and Risk of Malignant Melanoma: Danish and German Studies and Meta-Analysis. *Journal of Investigative Dermatology*. 2012;132:299–303.

Winther Lietzen L, Cronin-Fenton D, Garne JP, Kroman N, Silliman R, Lash T. Predictors of re-operation due to post-surgical bleeding in breast cancer patients: a Danish population-based cohort study. *European Journal of Surgical Oncology*. 2012;38(5):407-12.

Ortopædkirurgisk Klinik

Videnskabelige artikler

Clemmensen D, Sørensen JCH, Dahl B, Hansen ES. Myelomeningocele, spinale tumorer og metastatisk medullært tværnsnitssyndrom. Borgwardt A, Borre M, Elberg JJ, Hjortdal VE, Jensen LP, Lauritsen K, Steinmetz J, Sørensen JCH, red. I: Kirurgi. 1 udg. FADL's Forlag. 2012. s. 1150-1157.

Dahl B. Rygfrakturer. Borgwardt A, Borre M, Elberg JJ, Hjortdal VE, Jensen LP, Lauritsen K, Steinmetz J, Sørensen JCH, red. I: Kirurgi. 1 udg. FADL's Forlag. 2012. s. 116-119.

Dahl B, Hansen ES. Ryggen. Borgwardt A, Borre M, Elberg JJ, Hjortdal VE, Jensen LP, Lauritsen K, Steinmetz J, Sørensen JCH, red. I: Kirurgi. 1 udg. FADL's Forlag. 2012. s. 954-959.

Fuglø HM, Jørgensen SM, Loft A, Hovgaard D, Petersen MM. The diagnostic and prognostic value of ^{18}F -FDG PET/CT in the initial assessment of high-grade bone and soft tissue sarcoma. A retrospective study of 89 patients. European Journal of Nuclear Medicine and Molecular Imaging. 2012;39(9):1416-24.

Hindsø K. Ortopædkirurgisk undersøgelsesteknik. Borgwardt A, Borre M, Elberg JJ, Hjortdal VE, Jensen LP, Lauritsen K, Steinmetz J, Sørensen JCH, red. I: Kirurgi. 1 udg. København: FADL's Forlag. 2012. s. 834-854.

Hindsø K. Børneortopædi. Borgwardt A, Borre M, Elberg JJ, Hjortdal VE, Jensen LP, Lauritsen K, Steinmetz J, Sørensen JCH, red. I: Kirurgi. 1 udg. FADL's Forlag. 2012. s. 871-898.

Jensen CL, Petersen MM, Schrøder HM, Flivik G, Lund B. Revision total knee arthroplasty with the use of trabecular metal cones: a randomized radiostereometric analysis with 2 years of follow-up. The Journal of arthroplasty. 2012;27(10):1820-1826.e2.

Jensen CL, Petersen MM, Schrøder HM, Lund B. Bone mineral density changes of the proximal tibia after revision total knee arthroplasty. A randomised study with the use of porous tantalum metaphyseal cones. Orthopaedics International. 2012;36(9):1857-63.

Johansson PI, Sørensen AM, Perner A, Welling K-L, Wanscher M, Larsen CF et al. Elderly trauma patients have high circulating noradrenaline levels but attenuated release of adrenaline, platelets, and leukocytes in response to increasing injury severity. Critical Care Medicine. 2012;40(6):1844-50.

Johansson PI, Sørensen AM, Perner A, Welling K-L, Wanscher M, Larsen CF et al. High sCD40L levels Early After Trauma are Associated with Enhanced Shock,

Sympathoadrenal Activation, Tissue and Endothelial Damage, Coagulopathy and Mortality. *Journal of Thrombosis and Haemostasis*. 2012;10(2):207-216.

Keller J, Petersen MM. Tumorer i bevægeapparatet. Borgwardt A, Borre M, Elberg JJ, Hjortdal VE, Jensen LP, Lauritsen K, Steinmetz J, Sørensen JCH, red. I: *Kirurgi*. 1 udg. FADL's Forlag. 2012. s. 935-953.

Leicht P. *Håndkirurgi*. Borgwardt A, Borre M, Elberg JJ, Hjortdal VE, Jensen LP, Lauritsen K, Steinmetz J, Sørensen JCH, red. I: *Kirurgi*. 1 udg. FADL's Forlag. 2012. s. 1018-1037.

Nielsen K, Dahl B, Johansson PI, Henneberg SW, Rasmussen LS. Intraoperative transfusion threshold and tissue oxygenation: a randomised trial. *Transfusion medicine* (Oxford, England). 2012;22(6):418-25.

Nielsen JL, Aagaard P, Bech RD, Nygaard T, Hvid LG, Wernbom M et al. Proliferation of myogenic stem cells in human skeletal muscle in response to low-load resistance training with blood flow restriction. *Journal of Physiology*. 2012;590(Pt 17):4351-61.

Ostrowski SR, Sørensen AM, Windeløv NA, Perner A, Welling K-L, Wanscher M et al. High levels of soluble VEGF receptor 1 early after trauma are associated with shock, sympathoadrenal activation, glycocalyx degradation and inflammation in severely injured patients: a prospective study. *Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine*. 2012;20:27.

Pedersen AB, Mehnert F, Odgaard AM, Schrøder HM. Existing data sources for clinical epidemiology: The Danish Knee Arthroplasty Register. *Clinical Epidemiology*. 2012;4:125-35.

Schrøder HM, Petersen MM. Intramedullary knee spacer in 2-stage revision knee surgery with segmental bone loss: a technical note involving 6 cases. *Acta Orthopaedica (Online)*. 2012;83(3):311-3.

Stürup J, Dahl L, Jensen KE, Larsen AB, Gebuhr P. Few adverse reactions to metal on metal articulation in total hip arthroplasty in a review study on 358 consecutive cases with 1 to 5 years follow-up. *The Open Orthopaedics Journal*. 2012;6:366-70.

Troelsen A, Schrøder H, Husted H. Opinions among Danish knee surgeons about indications to perform total knee replacement showed considerable variation. *Danish Medical Journal*. 2012;59(8):A4490.

Tand-mund-kæbekirurgisk Klinik

Disputatser og ph.d.-afhandlinger forsvarer i året

Hermund NU. Reimplantation of cultured bone cells in sinus floor augmentation. 2012. 91 s. (Ph.D.)

Lauridsen E. Dental Trauma - Combination injuries. Injury pattern and pulp prognosis for permanent incisors with luxation injuries and concomitant crown fractures. 2012. 54 s. (Ph.D.)

Videnskabelige artikler

Andersson L, Andreasen JO, Day P, Heithersay G, Trope M, Diangelis AJ et al. International Association of Dental Traumatology guidelines for the management of traumatic dental injuries: 2. Avulsion of permanent teeth. *Dental Traumatology*. 2012;28(2):88-96.

Andreasen JO, Lauridsen E, Gerds TA, Christensen SSA. Dental Trauma Guide: a source of evidence-based treatment guidelines for dental trauma. *Dental Traumatology*. 2012;28(5):345-50.

Andreasen JO, Christensen SSA. History of the Dental Trauma Guide. *Dental Traumatology*. 2012;28(5):336-44.

Andreasen JO, Christensen SSA, Tsilingaridis G. Root fractures: the influence of type of healing and location of fracture on tooth survival rates - an analysis of 492 cases. *Dental Traumatology*. 2012;28(5):404-9.

Andreasen JO, Lauridsen E, Gerds TA, Christensen SSA. Dental Trauma Guide: a source of evidence-based treatment guidelines for dental trauma. *Dental Traumatology*. 2012;28(2):142-7.

Andreasen JO, Christensen SSA, Tsilingaridis G. Tooth mobility changes subsequent to root fractures: a longitudinal clinical study of 44 permanent teeth. *Dental Traumatology*. 2012;28(5):410-4.

Andreasen JO. Pulp and periodontal tissue repair - regeneration or tissue metaplasia after dental trauma. A review. *Dental Traumatology*. 2012;28(1):19-24.

Andreasen JO, Bakland LK. Pulp regeneration after non-infected and infected necrosis, what type of tissue do we want?: A review. *Dental Traumatology*. 2012;28(1):13-8.

Bakland LK, Andreasen JO. Will mineral trioxide aggregate replace calcium hydroxide in treating pulpal and periodontal healing complications subsequent to dental trauma?: A review. *Dental Traumatology*. 2012;28(1):25-32.

Bilde A, Hillerup S. Diagnose og behandling af orale planocellulære karcinomer. Tandlaegebladet. 2012;116(6):430-434.

Diangelis AJ, Andreasen JO, Ebeleseder KA, Kenny DJ, Trope M, Sigurdsson A et al. International Association of Dental Traumatology guidelines for the management of traumatic dental injuries: 1. Fractures and luxations of permanent teeth. Dental Traumatology. 2012;28(1):2-12.

Fogh K, Hillerup S. Rekonstruktion efter mandibulært osteosarkom. Tandlaegebladet. 2012;116(5):348-352.

Gerds TA, Lauridsen E, Christensen SSA, Andreasen JO. The dental trauma internet calculator. Dental Traumatology. 2012;28(5):351-7.

Hermann NV, Zargham M, Darvann TA, Christensen IJ, Kreiborg S. Early postnatal development of the mandibular permanent first molar in infants with isolated cleft palate. International Journal of Paediatric Dentistry (Online). 2012;22(4):280-5.

Hermann NV, Lauridsen E, Christensen SSA, Gerds TA, Andreasen JO. Periodontal healing complications following extrusive and lateral luxation in the permanent dentition: a longitudinal cohort study. Dental Traumatology. 2012;28(5):394-402.

Hermann NV, Lauridsen E, Christensen SSA, Gerds TA, Andreasen JO. Periodontal healing complications following concussion and subluxation injuries in the permanent dentition: a longitudinal cohort study. Dental Traumatology Online. 2012;28(5):386-93.

Hermund NU, Stavropoulos A, Donatsky O, Nielsen H, Clausen JC, Reibel J et al. Reimplantation of cultivated human bone cells from the posterior maxilla for sinus floor augmentation. Histological results from a randomized controlled clinical trial. Clinical Oral Implants Research. 2012;23(9):1031-1037.

Jensen SS, Eriksen J, Schiodt M. Severe bleeding after sinus floor elevation using the transcrestal technique: a case report. European Journal of Oral Implantology. 2012;5(3):287-91.

Lauridsen E, Hermann NV, Gerds TA, Kreiborg S, Andreasen JO. Pattern of traumatic dental injuries in the permanent dentition among children, adolescents, and adults. Dental Traumatology. 2012;28(5):358-63.

Lauridsen E, Hermann NV, Gerds TA, Christensen SSA, Kreiborg S, Andreasen JO. Combination injuries 1. The risk of pulp necrosis in permanent teeth with concussion injuries and concomitant crown fractures. Dental Traumatology Online. 2012;28(5):364-70.

Lauridsen E, Hermann NV, Gerds TA, Christensen SSA, Kreiborg S, Andreasen JO. Combination injuries 2. The risk of pulp necrosis in permanent teeth with subluxation injuries and concomitant crown fractures. Dental Traumatology. 2012;28(5):371-8.

Lauridsen E, Hermann NV, Gerds TA, Christensen SSA, Kreiborg S, Andreasen JO. Combination injuries 3. The risk of pulp necrosis in permanent teeth with extrusion or lateral luxation and concomitant crown fractures without pulp exposure. *Dental Traumatology*. 2012;28(5):379-85.

Malladi AS, Sack KE, Shibuski SC, Shibuski CH, Baer AN, Banushree R et al. Primary Sjögren's syndrome as a systemic disease: a study of participants enrolled in an international Sjögren's syndrome registry. *Arthritis Care and Research*. 2012;64(6):911-8.

Malmgren B, Andreasen JO, Flores MT, Robertson A, DiAngelis AJ, Andersson L et al. International Association of Dental Traumatology guidelines for the management of traumatic dental injuries: 3. Injuries in the primary dentition. *Dental Traumatology*. 2012;28(3):174-82.

Markvart M, Bjørndal L, Darvann TA, Larsen P, Dalstra M, Kreiborg S. Three-dimensional analysis of the pulp cavity on surface models of molar teeth, using X-ray micro-computed tomography. *Acta Odontologica Scandinavica*. 2012;70(2):133-139.

Markvart M, Darvann TA, Larsen P, Dalstra M, Kreiborg S, Bjørndal L. Micro-CT analyses of apical enlargement and molar root canal complexity. *International Endodontic Journal*. 2012;45(3):273-281.

Nattestad A, Schiødt M, Reibel J. Symposium 2012: Oral medicin. *Tandlaegebladet*. 2012;116:30-41.

Pedersen N, Elkjaer M, Duricova D, Burisch J, Andersen NN, Jess T et al. eHealth: individualisation of infliximab treatment and disease course via a self-managed web-based solution in Crohn's disease. *Alimentary Pharmacology and Therapeutics*. 2012;36(9):840-849.

Schiødt M. Treatment of Bisphosphonate-induced osteonecrosis of the jaws. Two typical cases. *Forum Implantologicum*. 2012;104-108.

Shibuski SC, Shibuski CH, Criswell LA, Baer AN, Challacombe S, Lanfranchi H et al. American College of Rheumatology classification criteria for Sjögren's syndrome: a data-driven, expert consensus approach in the Sjögren's International Collaborative Clinical Alliance cohort. *Arthritis Care & Research*. 2012;64(4):475-87.

Tsilingaridis G, Malmgren B, Andreasen JO, Malmgren O. Intrusive luxation of 60 permanent incisors: a retrospective study of treatment and outcome. *Dental Traumatology*. 2012;28(6):416-22.

von Arx T, Jensen SS, Hänni S, Friedman S. Five-year longitudinal assessment of the prognosis of apical microsurgery. *Journal of Endodontics*. 2012;38(5):570-9.

Traumecenter og Akut Modtagelse

Videnskabelige artikler

Andersson H, Atharovsky KA, Christensen TE, Bang LE, Holmvang L, Engstrøm T et al. How to distinguish takotsubo cardiomyopathy from acute myocardial infarction using multimodal cardiac imaging. International Journal of Cardiology. 2012;159(1):73-4.

Borgwardt A, Elberg JJ, Steinmetz J, Hjortdal VE, Jensen LP, Borre M et al. Kirurgi. FADL's Forlag, 2012. 1294 s.

Borgwardt A, Borre M, Elberg JJ, Hjortdal VE, Jensen LP, Lauritsen K et al, red. Kirurgi. 2012 udg. FADL's Forlag, 2012. 1294 s.

Carlsen EA, Bang LE, Ahtarovsky KA, Engstrøm T, Køber L, Kelbaek H et al. Comparison of Selvester QRS score with magnetic resonance imaging measured infarct size in patients with ST elevation myocardial infarction. Journal of Electrocardiology. 2012;45(4):414-9.

Christensen TE, Ahtarovsky KA, Andersson H, Vejlstrup N, Ihlemann N, Kjaer A et al. Takotsubo-cardiomyopathy: a case of extremely fast recovery described by multimodality cardiac imaging. Journal of Nuclear Cardiology. 2012;19(6):1240-2.

Do HQ, Steinmetz J, Rasmussen LS. In-hospital mortality pattern of severely injured children. Injury. 2012;43(12):2060-4.

Genét GF, Ostrowski SR, Sørensen AM, Johansson PI. Detection of tPA-Induced Hyperfibrinolysis in Whole Blood by RapidTEG, KaolinTEG, and Functional FibrinogenTEG in Healthy Individuals. Clinical and applied thrombosis/hemostasis : official journal of the International Academy of Clinical and Applied Thrombosis/Hemostasis. 2012;18(6):638.

Hejselbaek J, Steinmetz J, Rasmussen LS. Prehospital guidelines for use of hypertonic saline are not followed systematically. Danish Medical Journal. 2012;59(4):A4417.

Jensen KS, Sommer J, Toft JG, Steinmetz J. Letalt forløb efter overset fremmedlegeme i luftvejen. Ugeskrift for Laeger. 2012;174(40):2387-8.

Johansson PI, Sørensen AM, Perner A, Welling K-L, Wanscher M, Larsen CF et al. Elderly trauma patients have high circulating noradrenaline levels but attenuated release of adrenaline, platelets, and leukocytes in response to increasing injury severity. Critical Care Medicine. 2012;40(6):1844-50.

Johansson PI, Sørensen AM, Perner A, Welling K-L, Wanscher M, Larsen CF et al. High sCD40L levels Early After Trauma are Associated with Enhanced Shock, Sympathoadrenal Activation, Tissue and Endothelial Damage, Coagulopathy and Mortality. Journal of Thrombosis and Haemostasis. 2012;10(2):207-216.

Kandler K, Konge L, Rafiq S, Larsen CF, Ravn J. Emergency thoracotomies in the largest trauma center in Denmark: 10 years' experience. European Journal of Trauma and Emergency Surgery. 2012;38(2):151-156.

Lønborg J, Schoos MM, Kelbæk H, Holmvang L, Steinmetz J, Vejlstrup N et al. Impact of system delay on infarct size, myocardial salvage index, and left ventricular function in patients with ST-segment elevation myocardial infarction. American Heart Journal. 2012;164(4):538-46.

Ostrowski SR, Sørensen AM, Windeløv NA, Perner A, Welling K-L, Wanscher M et al. High levels of soluble VEGF receptor 1 early after trauma are associated with shock, sympathoadrenal activation, glycocalyx degradation and inflammation in severely injured patients: a prospective study. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine. 2012;20:27.

Steinmetz J, Funder KS. Dementia. Singh-Radcliff N, Gupta A, red. I: 5 Minute Anesthesia Consult. Lippincott Williams & Wilkins. 2012.

Steinmetz J, Jespersgaard C, Dalhoff KP, Hedley P, Abildstrøm HH, Christiansen M et al. Cytochrome P450 polymorphism and postoperative cognitive dysfunction. Minerva Anestesiologica. 2012;78(3):303-309.

Sørensen MK, Bretlau C, Gätke MR, Sørensen AM, Rasmussen LS. Rapid sequence induction and intubation with rocuronium-sugammadex compared with succinylcholine: a randomized trial. British Journal of Anaesthesia. 2012;108(4):682-9.

Øre-Næse-Halskirurgisk og Audiologisk Klinik

Disputatser og ph.d.-afhandlinger forsvarer i året

Jensen RG. Otitis Media in Greenland - The long-term Outcome. 2012. 113 s. (Ph.D.)

Videnskabelige artikler

Anthonsen K, Trolle W. Behandling af peritonsillær absces. Ugeskrift for Laeger. 2012;174(6):340-3.

Baslund B, Wiencke AK, Rasmussen N, Faurschou M, Toft PB. Treatment of orbital inflammation with rituximab in Wegener's granulomatosis. Clinical and Experimental Rheumatology. 2012;30(1 Suppl 70):S7-10.

Bergman JEH, Janssen N, van der Sloot AM, de Walle HEK, Schoots J, Rendtorff ND et al. A novel classification system to predict the pathogenic effects of CHD7 missense variants in CHARGE syndrome. Human Mutation. 2012;33(8):1251-60.

Bilde A, Hillerup S. Diagnose og behandling af orale planocellulære karcinomer. Tandlaegebladet. 2012;116(6):430-434.

Bjørndal K, Krogdahl A, Therkildsen MH, Overgaard J, Johansen JB, Kristensen CA et al. Salivary gland carcinoma in Denmark 1990-2005: Outcome and prognostic factors Results of the Danish Head and Neck Cancer Group (DAHANCA). Oral Oncology. 2012;48(2):179-185.

Bloch SL, Sørensen MS. Otosclerosis: a perilabyrinthine threshold phenomenon. Acta Oto-Laryngologica. 2012;132(4):344-8.

Bloch SL, Kristensen SL, Sørensen MS. The viability of perilabyrinthine osteocytes: a quantitative study using bulk-stained undecalcified human temporal bones. Anatomical record (Hoboken, N.J. : 2007). 2012;295(7):1101-8.

Brännström KJ, Lantz J, Nielsen LH, Olsen SØ. Acceptable noise level with Danish, Swedish, and non-semantic speech materials. International Journal of Audiology. 2012;51(3):146-156.

Buchwald C, Ovesen T, red. Lærebog i Øre-næse-halssygdomme og hoved-hals kirurgi. 2 udg. København: Munksgård Danmark, 2012. 367 s.

Caye-Thomasen P, Dam MS, Omland SH, Mantoni M. Cochlear ossification in patients with profound hearing loss following bacterial meningitis. Acta Oto-Laryngologica. 2012;132(7):720-5.

Engl G, Florian S, Tranebjærg L, Rapaport D. Alterations in expression levels of deafness dystonia protein 1 affect mitochondrial morphology. Human Molecular Genetics. 2012;21(2):287-99.

Faurschou M, Westman K, Rasmussen N, de Groot K, Flossmann O, Höglund P et al. Brief Report: long-term outcome of a randomized clinical trial comparing methotrexate to cyclophosphamide for remission induction in early systemic antineutrophil cytoplasmic antibody-associated vasculitis. Arthritis & Rheumatism. 2012;64(10):3472-7.

Friborg JT, Therkildsen MH, Homoe P, Kristensen C, Hui A, Liu F-F et al. A spectrum of basaloid morphology in a subset of EBV-associated "lymphoepithelial carcinomas" of major salivary glands. Head & Neck Pathology. 2012;6(4):445-50.

Guldfred L-A, Daugaard S, von Buchwald C. Brown tumor mimicking maxillary sinus mucocele as the first manifestation of primary hyperparathyroidism. Auris Nasus Larynx. 2012;39(4):418-21.

Gurney BAS, Schilling C, Putcha V, Alkureishi LW, Alvarez AJ, Bakholdt VT et al. Implications of a positive sentinel node in oral squamous cell carcinoma. Head & Neck Oncology. 2012;34(11):1580-5.

Ha AD, Parratt KL, Rendtorff ND, Lodahl M, Ng K, Rowe DB et al. The phenotypic spectrum of dystonia in Mohr-Tranebjaerg syndrome. Movement Disorders. 2012;27(8):1034-40.

Hansen SK, Rau MH, Johansen HK, Ciofu O, Jelsbak L, Yang L et al. Evolution and diversification of *Pseudomonas aeruginosa* in the paranasal sinuses of cystic fibrosis children have implications for chronic lung infection. I S M E Journal. 2012;6(1):31-45.

Heslet L, Nielsen JD, Nepper-Christensen S. Local pulmonary administration of factor VIIa (rFVIIa) in diffuse alveolar hemorrhage (DAH) - a review of a new treatment paradigm. Biologics (Online). 2012;6:37-46.

Heslet L, Bay C, Nepper-Christensen S. The immunomodulatory effect of inhaled granulocyte-macrophage colony-stimulating factor in cystic fibrosis. A new treatment paradigm. Journal of Inflammation Research. 2012;5:19-27.

Holme Nielsen L. Høreforsorgen skal reformeres. Ugeskrift for Laeger. 2012;174(46):2847.

Holm-Knudsen RJ, Rasmussen LS, Charabi B, Böttger M, Kristensen MS. Emergency airway access in children--transtracheal cannulas and tracheotomy assessed in a porcine model. Paediatric Anaesthesia Online. 2012;22(12):1159-65.

Homøe P, Koch A, Rendtorff ND, Lodahl M, Andersen T, Andersen S et al. GJB2 (Connexin-26) mutations are not frequent among hearing impaired patients in East Greenland. International Journal of Audiology. 2012;51(6):433-6.

Håkansson K, Aanæs K, Buchwald C, Johansen HK. Inflammatoriske og infektiøse tilstande i næse-bihuler. Tandlaegebladet. 2012;(7):506-509.

Jansen EC, Klokke M. Øget viden og anvendelse af trykkammerbehandling. Ugeskrift for Laeger. 2012;174(12):802.

Janssen N, Bergman JEH, Swertz MA, Tranebjaerg L, Lodahl M, Schoots J et al. Mutation update on the CHD7 gene involved in CHARGE syndrome. Human Mutation. 2012;33(8):1149-60.

Jensen RG, Koch A, Homøe P. Long-term Tympanic Membrane Pathology Dynamics and Spontaneous Healing in Chronic Suppurative Otitis Media. Pediatric Infectious Disease Journal. 2012;31(2):139-144.

Johansen HK, Aanaes K, Pressler T, Nielsen KG, Fisker J, Skov M et al. Colonisation and infection of the paranasal sinuses in cystic fibrosis patients is accompanied by a reduced PMN response. Journal of Cystic Fibrosis. 2012;11(6):525-31.

Juul Ingvardsen C, Ballegaard VC, Homøe P. Fatal hæmofagocytisk lymfohistiocytose og mononukleose hos en patient med colitis ulcerosa. Ugeskrift for Laeger. 2012;174(21):1461-2.

Kaltoft M, Stangerup S-E, Cayé-Thomasen P. Facial nerve function after vestibular schwannoma surgery following failed conservative management. *Neurosurgery (Baltimore)*. 2012;70(2):278-282, discussion 282.

Klokke M. Otorhinolaryngology. I: Manual of Civil Aviation Medicine. International Civil Aviation Organization (ICAO). 2012.

Konge L, Clementsen P, Larsen KR, Arendrup H, Buchwald C, Ringsted C. Establishing Pass/Fail Criteria for Bronchoscopy Performance. *Respiration*. 2012;83(2):140-6.

Konge L, Larsen KR, Clementsen P, Arendrup H, von Buchwald C, Ringsted C. Reliable and Valid Assessment of Clinical Bronchoscopy Performance. *Respiration*. 2012;83(1):53-60.

Konradsen H, Kirkevold M, McCallin A, Cayé-Thomasen P, Zoffmann V. Breaking the silence: integration of facial disfigurement after surgical treatment for cancer. *Qualitative Health Research*. 2012;22(8):1037-46.

Kreiner-Møller E, Chawes BLK, Thomasen PC, Bønnelykke K, Bisgaard H. Allergic rhinitis is associated with otitis media with effusion: a birth cohort study. *Clinical and Experimental Allergy*. 2012;42(11):1615-20.

Kristensen K, Hjuler T, Ravn H, Simões EAF, Stensballe LG. Chronic diseases, chromosomal abnormalities, and congenital malformations as risk factors for respiratory syncytial virus hospitalization: a population-based cohort study. *Clinical Infectious Diseases*. 2012;54(6):810-7.

Lajer CB, Garnæs E, Buchwald C. Kræft i svælget - kan forårsages af virus og livsstil. *Tandlaegebladet*. 2012;116(6):436-41.

Lajer CB, Garnæs E, Friis-Hansen L, Norrild B, Therkildsen MH, Glud M et al. The role of miRNAs in human papilloma virus (HPV)-associated cancers: bridging between HPV-related head and neck cancer and cervical cancer. *B J C*. 2012;106(9):1526-34.

Lin J, Caye-Thomasen P, Tono T, Zhang Q-A, Nakamura Y, Feng L et al. Mucin production and mucous cell metaplasia in otitis media. *International Journal of Otolaryngology*. 2012;2012:745325.

Lin J, Kerschner JE, Cayé-Thomasen P, Tono T, Zhang Q-A. Otitis media and relevant clinical issues. *International Journal of Otolaryngology*. 2012;2012:720363.

Møller MN, Sørensen CH. Risk of marginal mandibular nerve injury in neck dissection. *European Archives of Oto-Rhino-Laryngology*. 2012;269(2):601-5.

Niebuhr MH, Yde JB, Hansen MA, Lönn L, Eiberg JP. Vertebral artery pseudoaneurysm by gunshot wound: endovascular treatment. *Chirurgia*. 2012;25(4):295-6.

Nikoghosyan-Bossen G, Hauberg A, Homøe P. Increased number of ear-nose-throat malpractice complaints in Denmark. *Danish Medical Journal*. 2012;59(5):A4321.

Norling R, Grau C, Nielsen MB, Homøe P, Sørensen J, Lambertsen K et al. Radiological imaging of the neck for initial decision-making in oral squamous cell carcinomas-A questionnaire survey in the Nordic countries. *Acta Oncologica*. 2012;51(3):355-361.

Olsen SØ, Nielsen LH, Lantz J, Bränström KJ. Acceptable noise level: repeatability with Danish and non-semantic speech materials for adults with normal hearing. *International Journal of Audiology*. 2012;51(7):557-63.

Olsen SØ, Lantz J, Nielsen LH, Bränström KJ. Acceptable noise level (ANL) with Danish and non-semantic speech materials in adult hearing-aid users. *International Journal of Audiology*. 2012;51(9):678-88.

Olsen SØ. Self-reported hearing performance among subjects with unilateral sensorineural hearing loss. *Audiological Medicine*. 2012;10:83-92.

Percy-Smith L, Busch GW, Sandahl M, Nissen L, Josvassen JL, Bille M et al. Significant regional differences in Denmark in outcome after cochlear implants in children. *Danish Medical Journal*. 2012;59(5):A4435.

Rasmussen J, Aanæs K, Norling R, Nielsen KG, Johansen HK, von Buchwald C. CT of the paranasal sinuses is not a valid indicator for sinus surgery in CF patients. *Journal of Cystic Fibrosis*. 2012;11(2):93-99.

Rasmussen J, Olsen SØ, Nielsen LH. Evaluation of long-term patient satisfaction and experience with the Baha® bone conduction implant. *International Journal of Audiology*. 2012;51(3):194-199.

Rasmussen R, Claesson M, Stangerup S-E, Roed H, Christensen IJ, Thomasen PC et al. Fractionated stereotactic radiotherapy of vestibular schwannomas accelerates hearing loss. *International Journal of Radiation Oncology - Biology - Physics*. 2012;83(5):e607-11.

Rasmussen JL, Diethelm Jacobsen OS. Øre-næse-halskirurgers rolle i ansigtstraumebehandling. *Tandlaegebladet*. 2012;(7):520.

Stangerup S-E, Caye-Thomasen P. Epidemiology and natural history of vestibular schwannomas. *Otolaryngologic Clinics of North America*. 2012;45(2):257-68, vii.

Stepanidis K, Tving A, Stangerup S-E. Vestibularisschwannom som årsag til pludseligt ensidigt høretab og tinnitus. *Ugeskrift for Laeger*. 2012;174(46):2850-1.

Toyserkani NM, Frisch T. Are too many septal deviations operated on?: A retrospective patient's satisfaction questionnaire with 11 years follow-up. *Rhinology*. 2012;50(2):185-90.

Tranebjærg L. "Mitochondrial diseases caused by mutations in inner membrane chaperone proteins" Book title: "Mitochondrial disorders Caused by Nuclear Genes". Wong L-J, red. I:

"Mitochondrial diseases causes by mutations in inner membrane chaperone proteins". Springer Publishing Company. 2012.

Tranebjærg L. Jervell and Lange-Nielsen Syndrome in: GeneReviews at GeneTests. Medical Genetics Information Resource. 2012.

Tving A. "Two cases of vestibular schwannoma and short literature review". Hellenic Otorhinolaryngology. 2012;33(1):40-42.

von Buchwald C. Implementering af ny teknik til tonsillektomi medfører cost-benefit-vurdering. Ugeskrift for Laeger. 2012;174(9):557.

Wennervaldt K, Melchior J. Risk of perforation using rigid oesophagoscopy in the distal part of oesophagus. Danish Medical Journal. 2012;59(11):A4528.

Yuca SA, Rendtorff ND, Boulahbel H, Lodahl M, Tranebjærg L, Cesur Y et al. Rapidly progressive renal disease as part of Wolfram syndrome in a large inbred Turkish family due to a novel WFS1 mutation (p.Leu511Pro). European Journal of Medical Genetics. 2012;55(1):37-42.

Aanaes K, Rasmussen N, Pressler T, Segelmark M, Johansen HK, Lindberg U et al. Extensive endoscopic image-guided sinus surgery decreases BPI-ANCA in patients with cystic fibrosis. Scandinavian Journal of Immunology. 2012;76(6):573-9.

Juliane Marie Centret

Anæstesi & Operationsafdelingen

Videnskabelige artikler

Aabenhus R, Hallas P. Sundhedsloven og sundhedsydeler hos udokumenterede migranter. Ugeskrift for Laeger. 2012;174(38):2216-9.

Winther-Olesen M, Afshari A. Udvikling og behandling af delirium hos kritisk syge børn. Ugeskrift for Laeger. 2012;174(5):270-5.

Wikkelsø AJ, Edwards HM, Afshari A, Stensballe J, Langhoff-Roos J, Møller A. Fibrinogen concentrate as initial treatment for postpartum haemorrhage - protocol for a randomised clinically controlled trial (The FIB-PPH study). 2012. Poster session presented at forskningensdag, Herlev, Danmark.

Wikkelsøe AJ, Afshari A, Stensballe J, Langhoff-Roos J, Albrechtsen C, Ekelund K et al. The FIB-PPH trial: fibrinogen concentrate as initial treatment for postpartum haemorrhage: study protocol for a randomised controlled trial. Trials. 2012;13(1):110.

Staehr AK, Meyhoff CS, Henneberg SW, Christensen PL, Rasmussen LS. Influence of perioperative oxygen fraction on pulmonary function after abdominal surgery: a randomized controlled trial. B M C Research Notes. 2012;5:383.

Rosenstock CV, Thøgersen B, Afshari A, Christensen A-L, Eriksen C, Gätke MR. Awake fiberoptic or awake video laryngoscopic tracheal intubation in patients with anticipated difficult airway management: a randomized clinical trial. Anesthesiology. 2012;116(6):1210-6.

Nielsen K, Dahl B, Johansson PI, Henneberg SW, Rasmussen LS. Intraoperative transfusion threshold and tissue oxygenation: a randomised trial. Transfusion medicine (Oxford, England). 2012;22(6):418-25.

Nielsen BN, Aagaard G, Henneberg SW, Schmiegelow K, Hansen PS, Rømsing J. Topical morphine for oral mucositis in children: dose finding and absorption. Journal of Pain and Symptom Management. 2012;44(1):117-23.

Mathiesen O, Thomsen BA, Kitter B, Dahl JB, Kehlet H. Need for improved treatment of postoperative pain. Danish Medical Journal. 2012;59(4):A4401.

Lafrenz T, Lindberg SØ, La Cour JL, Folkestad L, Hallas P, Brabrand M. Emergency teams in Danish emergency departments. Danish Medical Journal. 2012;59(6):A4451.

Hallas P, Brabrand M, Folkestad L. Reasons for not using intraosseous access in critical illness. *Emergency Medicine Journal*. 2012;29(6):506-7.

Bille AB, Holm-Knudsen R, Lefort M, Afshari A. Optisk og videoassisteret laryngoskopi ved vanskelige luftveje hos børn. *Ugeskrift for Laeger*. 2012;174(3):119-22.

Afshari A, Pagani L, Harbarth S. Year in review 2011: Critical Care - infection. *Critical Care (Online Edition)*. 2012;16(6):242.

Afshari A, Schrenzel J, Ieven M, Harbarth S. Bench-to-bedside review: Rapid molecular diagnostics for bloodstream infection - a new frontier?. *Critical Care (Online Edition)*. 2012;16(3):222.

BørneUngeKlinikken

Videnskabelige Artikler

Andersen LG, Holst C, Michaelsen KF, Baker JL, Sørensen TIA. Weight and weight gain during early infancy predict childhood obesity: a case-cohort study. *International Journal of Obesity*. 2012;36(10):1306-11.

Arendrup MC, Jensen R, Grif K, Skov M, Pressler T, Johansen HK et al. In vivo emergence of *Aspergillus terreus* with reduced azole susceptibility and a Cyp51a M217I alteration. *The Internet Journal of Infectious Diseases*. 2012;206(6):981-5.

Bendtsen L, Birk S, Kasch H, Aegidius K, Sørensen PS, Thomsen LL et al. Reference programme: Diagnosis and treatment of headache disorders and facial pain. Danish Headache Society, 2nd Edition, 2012. *The Journal of Headache and Pain Online*. 2012;13 Suppl 1:S1-29.

Borst L, Wesolowska A, Joshi T, Borup R, Nielsen FC, Andersen MK et al. Genome-wide analysis of cytogenetic aberrations in ETV6/RUNX1-positive childhood acute lymphoblastic leukaemia. *British Journal of Haematology*. 2012;157(4):476-82.

Borst L, Buchard A, Rosthøj S, Wesolowska A, Wehner PS, Wesenberg F et al. Gene dose effects of GSTM1, GSTT1 and GSTP1 polymorphisms on outcome in childhood acute lymphoblastic leukemia. *Pediatric Hematology & Oncology*. 2012;34(1):38-42.

Breindahl M, Rieneck K, Nielsen CH, Justesen T, Bendtzen K, Müller KG. Cytokine responses in infants infected with respiratory syncytial virus. *Open Journal of Immunology*. 2012;2(1):40-48.

Brok J, Huusom LD, Thorlund K. Conclusive meta-analyses on antenatal magnesium may be inconclusive! Are we underestimating the risk of random error?. *Acta Obstetricia et Gynecologica Scandinavica*. 2012;91(11):1247-51.

Brok J, Pryds O, Smith B. Profylaktiske probiotika til præmature børn reducerer dødelighed. *Ugeskrift for Laeger*. 2012;174(7):409-12.

Bugge A, El-Naaman B, McMurray RG, Froberg K, Nielsen CH, Müller K et al. Inflammatory markers and clustered cardiovascular disease risk factors in danish adolescents. *Hormone Research in Paediatrics*. 2012;78(5-6):288-96.

Bugge A, El-Naaman B, G McMurray R, Froberg K, Nielsen CH, Müller K et al. Sex differences in the association between level of childhood interleukin-6 and insulin resistance in adolescence. *Experimental Diabetes Research*. 2012;2012:859186.

Caniza MA, Hunger SP, Schrauder A, Valsecchi MG, Pui C-H, Masera G et al. The controversy of varicella vaccination in children with acute lymphoblastic leukemia. *Pediatric Blood & Cancer*. 2012;58(1):12-6.

Dahlseng MO, Andersen GL, DA Graca Andrada M, Arnaud C, Balu R, De la Cruz J et al. Gastrostomy tube feeding of children with cerebral palsy: variation across six European countries. *Developmental Medicine and Child Neurology*. 2012;54(10):938-44.

Grandjean P, Andersen EW, Budtz-Jørgensen E, Nielsen FR, Mølbak K, Weihe P et al. Serum vaccine antibody concentrations in children exposed to perfluorinated compounds. *J A M A: The Journal of the American Medical Association*. 2012;307(4):391-7.

Grant S, Carlsen K, Bidstrup PEH, Bastian GS, Lund LW, Dalton SO et al. Parental separation and pediatric cancer: a Danish cohort study. *Pediatrics (English Edition)*. 2012;129(5):e1187-91.

Green K, Buchvald FF, Marthin JK, Hanel B, Gustafsson PM, Nielsen KG. Ventilation inhomogeneity in children with primary ciliary dyskinesia. *Thorax*. 2012;67(1):49-53.

Groeschel S, í Dali C, Clas P, Böhringer J, Duno M, Krarup C et al. Cerebral gray and white matter changes and clinical course in metachromatic leukodystrophy. *Neurology*. 2012;79(16):1662-70.

Grunnet S, Søndergaard M, Born AP. Cerebrale hæmoragier, infarkter og sinus venosus-tromboser hos børn. *Ugeskrift for Laeger*. 2012;174(26):1817-1821.

Haerskjold A, Hegaard HK, Kjaergaard H. Emergency caesarean section in low risk nulliparous women. *Journal of Obstetrics and Gynecology*. 2012;32(6):543-7.

Hansen LK, Ousager LB, Møller RS, Uldall PV, Hjalgrim H. Genetisk udredning ved infantile spasmer. *Ugeskrift for Laeger*. 2012;174(17):1152-5.

Hansen CR. *Stenotrophomonas maltophilia*: to be or not to be a cystic fibrosis pathogen. Current Opinion in Pulmonary Medicine. 2012;18(6):628-31.

Hansson EH, Kjaergaard H, Schmiegelow K, Hallström I. Hospital-based home care for children with cancer: a qualitative exploration of family members' experiences in Denmark. European Journal of Cancer Care. 2012;21(1):59-66.

Hasle H, Abrahamsson J, Forestier E, Ha S-Y, Heldrup J, Jahnukainen K et al. Gemtuzumab ozogamicin as postconsolidation therapy does not prevent relapse in children with AML: results from NOPHO-AML 2004. Blood. 2012;120(5):978-84.

Heiligenhaus A, Foeldvari I, Edelsten C, Smith JR, Saurenmann RK, Bodaghi B et al. Proposed outcome measures for prospective clinical trials in juvenile idiopathic arthritis-associated uveitis: a consensus effort from the multinational interdisciplinary working group for uveitis in childhood. Arthritis Care and Research. 2012;64(9):1365-72.

Heinzen EL, Swoboda KJ, Hitomi Y, Gurrieri F, Nicole S, de Vries B et al. De novo mutations in ATP1A3 cause alternating hemiplegia of childhood. Nature Genetics. 2012;44(9):1030-4.

Hida K, Poulsen P, Teshigawara S, Nilsson E, Friedrichsen M, Ribel-Madsen R et al. Impact of circulating vaspin levels on metabolic variables in elderly twins. Diabetologia. 2012;55(2):530-2.

Hinge M, Ingels HAS, Slotved H-C, Mølle I. Serologic response to a 23-valent pneumococcal vaccine administered prior to autologous stem cell transplantation in patients with multiple myeloma. APMIS. 2012;120(11):935-40.

Hoffmann MH, Klausen TW, Boegsted M, Larsen SF, Schmitz A, Leinø EB et al. Clinical impact of leukemic blast heterogeneity at diagnosis in cytogenetic intermediate-risk acute myeloid leukemia. Cytometry. Part B: Clinical Cytometry. 2012;82(3):123-31.

Huusom LD, Brok J, Hegaard HK, Pryds O, Secher NJ. Does antenatal magnesium sulfate prevent cerebral palsy in preterm infants?: The final trial?. Acta Obstetricia et Gynecologica Scandinavica. 2012;91(11):1346-1347.

Jacobsen JH, Schmiegelow K, Nersting J. Liquid chromatography-tandem mass spectrometry quantification of 6-thioguanine in DNA using endogenous guanine as internal standard. Journal of Chromatography. B, Analytical Technologies in the Biomedical and Life Sciences. 2012;881-882:115-8.

Jakobsen MA, Katzenstein TL, Valerius NH, Roos D, Fisker N, Mogensen TH et al. Genetical analysis of all Danish patients diagnosed with chronic granulomatous disease. Scandinavian Journal of Immunology. 2012;76(5):505-11.

Johansen HK, Aanaes K, Pressler T, Nielsen KG, Fisker J, Skov M et al. Colonisation and infection of the paranasal sinuses in cystic fibrosis patients is accompanied by a reduced PMN response. Journal of Cystic Fibrosis. 2012;11(6):525-31.

Juhl-Christensen C, Ommen HB, Aggerholm A, Lausen B, Kjeldsen E, Hasle H et al. Genetic and epigenetic similarities and differences between childhood and adult AML. *Pediatric Blood & Cancer*. 2012;58(4):525-31.

Jørgensen MH, Ott P, Michaelsen KF, Porsgaard T, Jensen F, Lanng S. Long-chain PUFA in granulocytes, mononuclear cells, and RBC in patients with cystic fibrosis: relation to liver disease. *Journal of Pediatric Gastroenterology and Nutrition*. 2012;55(1):76-81.

Jørgensen A, Law I, Nielsen S, Jørgensen MB. Fluorodeoxyglucose positron emission tomography in juvenile systemic lupus erythematosus with psychiatric manifestations: relation to psychopathology and treatment response in two cases. *Rheumatology*. 2012;51(1):193-5.

Kongstad T, Buchvald F, Brenøe J, Petersen BL, Tabor A, Nielsen KG. Radiology, histology and short-term outcome of asymptomatic congenital thoracic malformations. *Acta paediatrica (Oslo, Norway : 1992)*. 2012;101(2):155-8.

Kristensen K, Hjuler T, Ravn H, Simões EAF, Stensballe LG. Chronic diseases, chromosomal abnormalities, and congenital malformations as risk factors for respiratory syncytial virus hospitalization: a population-based cohort study. *Clinical Infectious Diseases*. 2012;54(6):810-7.

Kruse CD, Helvind M, Jensen T, Gustafsson F, Mortensen SA, Andersen HO. Good long-term survival after paediatric heart transplantation. *Danish Medical Bulletin (Online)*. 2012;59(1):A4367.

Kruse AY, Ho BT, Phuong CN, Stensballe LG, Greisen G, Pedersen FK. Prematurity, asphyxia and congenital malformations underrepresented among neonates in a tertiary pediatric hospital in Vietnam. *B M C Pediatrics*. 2012;12(1):199.

Laurell L, Court-Payen M, Nielsen S, Zak M, Boesen M, Fasth A. Comparison of ultrasonography with Doppler and MRI for assessment of disease activity in juvenile idiopathic arthritis: a pilot study. *Pediatric Rheumatology Online Journal*. 2012;10(1):23.

Laurell L, Court-Payen M, Nielsen S, Zak M, Fasth A. Ultrasonography and color Doppler in juvenile idiopathic arthritis: diagnosis and follow-up of ultrasound-guided steroid injection in the wrist region. A descriptive interventional study. *Pediatric Rheumatology Online Journal*. 2012;10:11.

Levinsen M, Shabaneh D, Bohnstedt C, Harila-Saari A, Jonsson OG, Kanerva J et al. *Pneumocystis jiroveci* pneumonia prophylaxis during maintenance therapy influences methotrexate/6-mercaptopurine dosing but not event-free survival for childhood acute lymphoblastic leukemia. *European Journal of Haematology*. 2012;88(1):78-86.

Markvart M, Bjørndal L, Darvann TA, Larsen P, Dalstra M, Kreiborg S. Three-dimensional analysis of the pulp cavity on surface models of molar teeth, using X-ray micro-computed tomography. *Acta Odontologica Scandinavica*. 2012;70(2):133-139.

Mathiesen PM, Hegaard H, Herlin T, Zak M, Pedersen FK, Nielsen S. Long-term outcome in patients with juvenile dermatomyositis: a cross-sectional follow-up study. *Scandinavian Journal of Rheumatology*. 2012;41(1):50-8.

Mellgren K, Hedegaard CJ, Schmiegelow K, Müller K. Plasma cytokine profiles at diagnosis in pediatric patients with non-hodgkin lymphoma. *Pediatric Hematology & Oncology*. 2012;34(4):271-5.

Minia DTR, Schmiegelow C, Oesterholt M, Magistrado PA, Boström S, John D et al. Reliability of rapid diagnostic tests in diagnosing pregnancy-associated malaria in north-eastern Tanzania. *Malaria Journal*. 2012;11:211.

Nielsen SM, Høi-Hansen CE, Uldall P, Somnier F. To danske tilfælde af autoimmun synaptisk encefalitis. *Ugeskrift for Laeger*. 2012;174(21):1456-8.

Nielsen SM, Høi-Hansen CE, Uldall P, Somnier F. Autoimmun synaptisk encefalitis er en underdiagnosticeret sygdomsgruppe. *Ugeskrift for Laeger*. 2012;174(21):1452-6.

Nielsen BN, Aagaard G, Henneberg SW, Schmiegelow K, Hansen PS, Rømsing J. Topical morphine for oral mucositis in children: dose finding and absorption. *Journal of Pain and Symptom Management*. 2012;44(1):117-23.

Nordal EB, Zak M, Aalto K, Berntson LR, Fasth A, Herlin T et al. Validity and predictive ability of the juvenile arthritis disease activity score based on CRP versus ESR in a Nordic population-based setting. *Annals of the Rheumatic Diseases*. 2012;71(7):1122-7.

Obro NF, Ryder LP, Madsen HO, Andersen MK, Lausen B, Hasle H et al. Identification of residual leukemic cells by flow cytometry in childhood B-cell precursor acute lymphoblastic leukemia - Verification of leukemic state by flow-sorting and molecular/cytogenetic methods. *Haematologica*. 2012;97(1):137-141.

Olsen M, Hjalgrim H, Melbye M, Madsen HO, Schmiegelow K. RT-PCR Screening for ETV6-RUNX1-positive Clones in Cord Blood From Newborns in the Danish National Birth Cohort. *Journal of Pediatric Hematology / Oncology*. 2012;34(4):301-3.

Ostergaard E, Joensen F, Sundberg K, Duno M, Hansen FJ, Batbayli M et al. A novel RNASEH2B splice site mutation responsible for Aicardi-Goutieres syndrome in the Faroe Islands. *Acta paediatrica (Oslo, Norway : 1992)*. 2012;101(11):e509-13.

Overgaard D, Schrader A-M, Lisby KH, King C, Christensen RF, Jensen HF et al. Patient-reported outcomes in adult survivors with single-ventricle physiology. *Cardiology*. 2012;120(1):36-42.

Rackauskaite G, Thorsen P, Uldall PV, Ostergaard JR. Reliability of GMFCS family report questionnaire. *Disability and rehabilitation*. 2012;34(9):721-724.

Raja RA, Schmiegelow K, Frandsen TL. Asparaginase-associated pancreatitis in children. *British Journal of Haematology*. 2012;159(1):18-27.

Rasmussen J, Aanæs K, Norling R, Nielsen KG, Johansen HK, von Buchwald C. CT of the paranasal sinuses is not a valid indicator for sinus surgery in CF patients. *Journal of Cystic Fibrosis*. 2012;11(2):93-99.

Rosthøj S, Keiding N, Schmiegelow K. Estimation of dynamic treatment strategies for maintenance therapy of children with acute lymphoblastic leukaemia: an application of history-adjusted marginal structural models. *Statistics in Medicine*. 2012;31(5):470-88.

Savović J, Jones HE, Altman DG, Harris RJ, Jüni P, Pildal J et al. Influence of reported study design characteristics on intervention effect estimates from randomized, controlled trials. *Annals of Internal Medicine*. 2012;157(6):429-38.

Savović J, Jones H, Altman D, Harris R, Jüni P, Pildal J et al. Influence of reported study design characteristics on intervention effect estimates from randomised controlled trials: combined analysis of meta-epidemiological studies. *Health Technology Assessment*. 2012;16(35):1-82.

Schmiegelow K, Lausten Thomsen U, Baruchel A, Pacheco CE, Pieters R, Pombo-de-Oliveira MS et al. High concordance of subtypes of childhood acute lymphoblastic leukemia within families: lessons from sibships with multiple cases of leukemia. *Leukemia*. 2012;26(4):675-81.

Sellier E, Uldall P, Calado E, Sigurdardottir S, Torrioli MG, Platt MJ et al. Epilepsy and cerebral palsy: characteristics and trends in children born in 1976-1998. *European Journal of Paediatric Neurology*. 2012;16(1):48-55.

Sømhovd MJ, Hansen BM, Brok J, Esbjørn BH, Greisen G. Anxiety in adolescents born preterm or with very low birthweight: a meta-analysis of case-control studies. *Developmental Medicine and Child Neurology*. 2012;54(11):988-94.

Søndergaard M, Grunnet S, Born AP. Cerebral hæmoragi hos 12-årig pige. *Ugeskrift for Laeger*. 2012;174(26):1821-1822.

Sørensen KM, El-Segaier M, Fernlund E, Errami A, Bouvagnet P, Nehme N et al. Screening of congenital heart disease patients using multiplex ligation-dependent probe amplification: early diagnosis of syndromic patients. *American Journal of Medical Genetics. Part A*. 2012;158A(4):720-5.

Thierry-Carstensen B, Jordan K, Uhlving HH, Dalby T, Sørensen C, Jensen AM et al. A randomised, double-blind, non-inferiority clinical trial on the safety and immunogenicity of a tetanus, diphtheria and monocomponent acellular pertussis (TdaP) vaccine in comparison

to a tetanus and diphtheria (Td) vaccine when given as booster vaccinations to healthy adults. *The Vaccine Quarterly*. 2012;30(37):5464-71.

Toft N, Schmiegelow K, Klausen TW, Birgens H. Adult acute lymphoblastic leukaemia in Denmark. A national population-based retrospective study on acute lymphoblastic leukaemia in Denmark 1998-2008. *British Journal of Haematology*. 2012;157(1):97-104.

Uhlving HH, Buchvald F, Heilmann CJ, Nielsen KG, Gormsen M, Müller KG. Bronchiolitis obliterans after allo-SCT: clinical criteria and treatment options. *Bone Marrow Transplantation*. 2012;47(8):1020-9.

Veje CW, Andersen HR, Schmidt IM, Aksglaede L, Sørensen K, Juul A et al. Early breast development in girls after prenatal exposure to non-persistent pesticides. *International Journal of Andrology*. 2012;35(3):273-82.

Vitfell-Pedersen J, Jørgensen MH, Müller K, Heilmann C. Autoimmune hepatitis in children in Eastern Denmark. *The Electronic Journal of Pediatric Gastroenterology, Nutrition, and Liver Diseases*. 2012;55(4):376-9.

Witting N, Duno M, Born AP, Vissing J. LGMD2L with bone affection: overlapping phenotype of dominant and recessive ANO5-induced disease. *Muscle & Nerve*. 2012;46(5):829-30.

Wærsted S, Schou-Jensen K, Jensen T, Steensberg J. Vellykket konservativ behandling etter knivtraume mod hjertet. *Ugeskrift for Laeger*. 2012;174(21):1467-8.

Aanaes K, Rasmussen N, Pressler T, Segelmark M, Johansen HK, Lindberg U et al. Extensive endoscopic image-guided sinus surgery decreases BPI-ANCA in patients with cystic fibrosis. *Scandinavian Journal of Immunology*. 2012;76(6):573-9.

Enhed for Kirurgisk Patofysiologi

Disputatser og ph.d.-afhandlinger forsvarer i året

Husted H. Fast-track hip and knee arthroplasty: clinical and organizational aspects (disputats). Faculty of Health Sciences, University of Copenhagen, 2012. 39 s.

Krenk L. Postoperative cognitive decline after fast-track hip and knee arthroplasty (ph.d.-afhandling). Faculty of Health Sciences, University of Copenhagen, 2012. 46 s.

Videnskabelige artikler

Andersen KG, Gärtner R, Kroman N, Flyger H, Kehlet H. Persistent pain after targeted intraoperative radiotherapy (TARGIT) or external breast radiotherapy for breast cancer: A randomized trial. *Breast*. 2012;21(1):46-49.

Andersen KG, Jensen M-B, Kehlet H, Gärtner R, Eckhoff L, Kroman N. Persistent pain, sensory disturbances and functional impairment after adjuvant chemotherapy for breast cancer: Cyclophosphamide, epirubicin and fluorouracil compared with docetaxel + epirubicin and cyclophosphamide. *Acta Oncologica*. 2012;51(8):1036-1044.

Andersen J, Christensen H, Pachler JH, Hallin MN, Thaysen HV, Kehlet H. Effect of the laxative magnesium oxide on gastrointestinal functional recovery in fast-track colonic resection: a double-blind, placebo-controlled randomized study. *Colorectal Disease*. 2012;14(6):776–782.

Azawi NH, Christensen T, Petri AL, Kehlet H. Prolonged length of hospital stay in Denmark after nephrectomy. *Danish Medical Journal*. 2012;59(6):A4446.

Bandholm T, Kehlet H. Physiotherapy exercise after fast-track total hip and knee arthroplasty: Time for reconsideration? *Archives of Physical Medicine and Rehabilitation*. 2012;93(7):1292-1294.

Bidstrup PE, Mertz B, Dalton SO, Deltour I, Kroman N, Kehlet H et al. Accuracy of the Danish version of the 'distress thermometer'. *Psycho-Oncology*. 2012;21(4):436-443.

Bischoff JM, Linderoth G, Aasvang EK, Werner MU, Kehlet H. Dysejaculation after laparoscopic inguinal herniorrhaphy: a nationwide questionnaire study. *Surgical Endoscopy*. 2012;26(4):979-983.

Bischoff JM, Koscielniak-Nielsen ZJ, Kehlet H, Werner MU. Ultrasound-guided Ilioinguinal/Iliohypogastric nerve blocks for persistent inguinal postherniorrhaphy pain: A randomized, double-blind, placebo-controlled, crossover trial. *Anesthesia and Analgesia*. 2012;114(6):1323-1329.

Bischoff JM, Aasvang EK, Kehlet H, Werner MU. Does nerve identification during open inguinal herniorrhaphy reduce the risk of nerve damage and persistent pain? *Hernia*. 2012;16(5):573-577.

Fagö-Olsen CL, Ottesen B, Kehlet H, Markauskas A, Mosgaard BJ, Ottosen C et al. Neoadjuvant chemotherapy as ovarian cancer treatment: ever more used with major regional differences. *Danish Medical Journal*. 2012;59(8):A4477.

Hedegaard Klausen H, Petersen J, Lindhardt T, Bandholm T, Hendriksen C, Kehlet H et al. Outcomes in elderly Danish citizens admitted with community-acquired pneumonia. Regional differences, in a public healthcare system. *Respiratory Medicine*. 2012;106(12):1778-1787.

Helgstrand F, Rosenberg J, Kehlet H, Strandfelt P, Bisgaard T. Reoperation versus clinical recurrence rate after ventral hernia repair. *Annals of Surgery*. 2012;256(6):955-8.

Hjort Jakobsen D, Lytken V, Lange T, Juhl IR, Harstrup A, Stokkedal P et al. Kvalitetsudvikling af plejen til kvinder opereret for ovariecancer: Etablering af en tværfaglig klinisk database har vist, at både pleje og behandling af kvinder, som opereres for ovariecancer, kan styrkes. *Sygeplejersken*. 2012;112(14):82-86.

Holm B, Husted H, Kehlet H, Bandholm T. Effect of knee joint icing on knee extension strength and knee pain early after total knee arthroplasty: a randomized cross-over study. *Clinical Rehabilitation*. 2012;26(8):716-723.

Husted H, Jensen CM, Solgaard S, Kehlet H. Reduced length of stay following hip and knee arthroplasty in Denmark 2000-2009: from research to implementation. *Archives of Orthopaedic and Trauma Surgery*. 2012;132(1):101-4.

Jakobsen TL, Husted H, Kehlet H, Bandholm T. Progressive strength training (10 RM) commenced immediately after fast-track total knee arthroplasty: is it feasible? *Disability and Rehabilitation*. 2012;34(12):1034-40.

Jans O, Bundgaard-Nielsen M, Solgaard S, Johansson PI, Kehlet H. Orthostatic intolerance during early mobilization after fast-track hip arthroplasty. *British Journal of Anaesthesia*. 2012;108(3):436-443.

Jans O, Kehlet H, Johansson PI. Transfusion-related mortality after primary hip arthroplasty - an analysis of mechanisms and confounders. *Vox Sanguinis*. 2012;103(4):301–308.

Joshi GP, Rawal N, Kehlet H, PROSPECT collaboration. Evidence-based management of postoperative pain in adults undergoing open inguinal hernia surgery. *British Journal of Surgery*. 2012;99(2):168-185.

Jørgensen LN, Friis-Andersen H, Bay-Nielsen M, Kehlet H, Styregruppen for Dansk Herniedatabase. Dansk Herniedatabase. *Ugeskrift for Laeger*. 2012;174(42):2522.

Kehlet H. Improving surgical outcome: combine evidence from unimodal interventions. (Letter) *Anesthesia and Analgesia*. 2012;114(1):241.

Kehlet H, Harling H. Length of stay after laparoscopic colonic surgery - an 11 year nationwide Danish survey. *Colorectal Disease*. 2012;14(9):1118-1120.

Kehlet H. Perioperative Databases: From Data to Improvement of Outcome. *Anesthesiology*. 2012;117(4):691-692.

Kehlet H, Sørensen HT. Kliniske databaser - quo vadis? *Ugeskrift for Laeger*. 2012;174(42):2517.

Kehlet H. Supplerende glukokortikoid til operationspatienter i peroral steroidbehandling. *Ugeskrift for Laeger*. 2012;174(50):3153.

Kehlet H, Edwards RR, Buvanendran A. Persistent postoperative pain: Pathogenic mechanisms and preventive strategies. Tracey I, red. I: *Pain 2012 — Refresher Courses: 14th World Congress on Pain*. Seattle: International Association for the Study of Pain/IASP Press. 2012. s. 133-143.

Kehlet H, Slim K. The future of fast-track surgery. *British Journal of Surgery*. 2012;99(8):1025-1026.

Kehlet H, Bischoff JM, Aasvang EK, Werner MU. Intraoperative nerve identification and chronic postherniorrhaphy pain. (Letter) *Hernia*. 2012;16(5):583.

Kehlet H. Updated pain guidelines: what is new? (Letter) *Anesthesiology*. 2012;117(6):1397-1398.

Kjærsgaard-Andersen P, Kehlet H. Should deep venous thrombosis prophylaxis be used in fast-track hip and knee replacement? *Acta Orthopaedica*. 2012;83(2):105-106.

Krenk L, Rasmussen LS, Siersma VD, Kehlet H. Short-term practice effects and variability in cognitive testing in a healthy elderly population. *Experimental Gerontology*. 2012;47(6):432–436.

Krenk L, Rasmussen LS, Kehlet H. Delirium in the fast-track surgery setting. *Best Practice & Research: Clinical Anaesthesiology*. 2012;26(3):345-53.

Krenk L, Rasmussen LS, Hansen TB, Bogø S, Søballe K, Kehlet H. Delirium after fast-track hip and knee arthroplasty. *British Journal of Anaesthesia*. 2012;108(4):607-611.

Krenk L, Jennum P, Kehlet H. Sleep disturbances after fast-track hip and knee arthroplasty. *British Journal of Anaesthesia*. 2012;109(5):769–775.

Krenk L, Kehlet H. Postoperative obstructive sleep apnea and delirium? (Letter) *Anesthesiology*. 2012;117(6):1392.

Kristensen MT, Kehlet H. Most patients regain prefracture basic mobility after hip fracture surgery in a fast-track programme. *Danish Medical Journal*. 2012;59(6):A4447.

Larsen K, Hansen TB, Søballe K, Kehlet H. Patient-reported outcome after fast-track knee arthroplasty. *Knee Surgery, Sports Traumatology, Arthroscopy*. 2012;20(6):1128-1135.

Lunn TH, Kristensen BB, Gaarn-Larsen L, Husted H, Kehlet H. Post-anaesthesia care unit stay after total hip and knee arthroplasty under spinal anaesthesia. *Acta Anaesthesiologica Scandinavica*. 2012;56(9):1139-45.

Lunn TH, Kristensen BB, Gaarn-Larsen L, Kehlet H. Possible effects of mobilisation on acute post-operative pain and nociceptive function after total knee arthroplasty. *Acta Anaesthesiologica Scandinavica*. 2012;56(10):1234-1240.

Mathiesen O, Thomsen BA, Kitter B, Dahl JB, Kehlet H. Need for improved treatment of postoperative pain. *Danish Medical Journal*. 2012;59(4):A4401.

Mertz B, Bistrup PE, Johansen C, Dalton SO, Deltour I, Kehlet H et al. Psychological distress among women with newly diagnosed breast cancer. *European Journal of Oncology Nursing*. 2012;16(4):439-443.

Munk S, Dalsgaard J, Bjerggaard K, Andersen IM, Hansen TB, Kehlet H. Early recovery after fast-track Oxford unicompartmental knee arthroplasty. *Acta Orthopaedica*. 2012;83(1):41-5.

Palm H, Krasheninnikoff M, Holck K, Lemser T, Foss NB, Jacobsen S et al. A new algorithm for hip fracture surgery: Reoperation rate reduced from 18% to 12% in 2,000 consecutive patients followed for 1 year. *Acta Orthopaedica*. 2012;83(1):26-30.

Rud K, Jakobsen M, Hjort Jakobsen D, Egerod I. Metode til optimering af patientforløb. *Sygeplejersken*. 2012;112(14):78-81.

Slim K, Kehlet H. Commentary: Fast track surgery: the need for improved study design. *Colorectal Disease*. 2012;14(8):1013-4.

Stottmeier S, Harling H, Wille-Jørgensen PA, Balleby L, Kehlet H. Postoperative morbidity after fast-track laparoscopic resection of rectal cancer. *Colorectal Disease*. 2012;14(6):769-75.

Viscusi ER, Frenkl TL, Hartrick CT, Rawal N, Kehlet H, Papanicolaou D et al. Perioperative use of etoricoxib reduces pain and opioid side-effects after total abdominal hysterectomy: a double-blind, randomized, placebo-controlled phase III study. *Current Medical Research and Opinion*. 2012;28(8):1323-1335.

Werner MU, Bischoff JM, Rathmell JP, Kehlet H. Pulsed radiofrequency in the treatment of persistent pain after inguinal herniotomy: A systematic review. *Regional Anesthesia and Pain Medicine*. 2012;37(3):340-343.

White PF, Raeder J, Kehlet H. Ketorolac: Its role as part of a multimodal analgesic regimen. *Anesthesia and Analgesia*. 2012;114(2):250-4.

Wildgaard K, Ringsted TK, Aasvang EK, Ravn J, Werner MU, Kehlet H. Neurophysiological characterization of persistent postthoracotomy pain. Clinical Journal of Pain. 2012;28(2):136-42.

Wildgaard K, Petersen RH, Hansen HJ, Møller-Sørensen H, Ringsted TK, Kehlet H. Multimodal analgesic treatment in video-assisted thoracic surgery lobectomy using an intraoperative intercostal catheter. European Journal of Cardio-Thoracic Surgery. 2012;41(5):1072-1077.

Wildgaard K, Ringsted TK, Hansen HJ, Petersen RH, Werner MU, Kehlet H. Quantitative sensory testing of persistent pain after video-assisted thoracic surgery lobectomy. British Journal of Anaesthesia. 2012;108(1):126-33.

Fertilitetsklinikken & Reproduktions Biologisk Laboratorium

Disputatser og ph.d.-afhandlinger forsvarer i året

Bentzen JG. Ovarian reserve parameters: clinical, endocrine and sonographic changes during reproductive age (ph.d). København: Faculty of Health Sciences, University of Copenhagen, 2012.

Nielsen HS. Secondary recurrent miscarriage and H-Y immunity (disputats). Faculty of Health Sciences, University of Copenhagen, 2012.

Videnskabelige artikler

Andersen CY, Kristensen SG, Greve T, Schmidt KT. Cryopreservation of ovarian tissue for fertility preservation in young female oncological patients. Future oncology (London, England). 2012;8(5):595-608.

Andersen CY, Silber SJ, Berghold SH, Jorgensen JS, Ernst E. Long-term duration of function of ovarian tissue transplants: case reports. Reproductive BioMedicine Online. 2012;25(2):128-32.

Andersen CY. Thawed human ovarian tissue does have fertility potential. Fertility and Sterility. 2012;98(3):607-8.

Andersen A-MN, Nielsen HS. Fosterlivet: Farefuldt og fantastiske fremtidsudsigter. Pinborg A, Schmidt L, red. I: Fertilitet & Sundhed . 1. udg. Munksgaard. 2012. s. 59-81.

Andersen AN, Ingerslev HJ, Humaidan P. Fra skepsis til accept af assisteret befrugtning. Ugeskrift for Laeger. 2012;174(41):2438.

Bentzen JG, Forman JL, Pinborg A, Lidegaard O, Larsen EC, Friis-Hansen L et al. Ovarian reserve parameters: a comparison between users and non-users of hormonal contraception. Reproductive BioMedicine Online. 2012;25(6):612-9.

Blomberg Jensen M, Jørgensen A, Nielsen JE, Bjerrum PJ, Skalkam M, Petersen JH et al. Expression of the vitamin D metabolizing enzyme CYP24A1 at the annulus of human spermatozoa may serve as a novel marker of semen quality. International Journal of Andrology. 2012;35:499-510.

Brøchner CB, Johansen JS, Larsen L, Bak M, Mikkelsen H, Byskov AG et al. YKL-40 is differentially expressed in human embryonic stem cells and in cell progeny of the three germ layers. The journal of histochemistry and cytochemistry : official journal of the Histochemistry Society. 2012;60(3):188-204.

Christiansen OB, Kolte AM, Dahl M, Larsen EC, Steffensen RN, Nielsen HS et al. Maternal homozygosity for a 14 base pair insertion in exon 8 of the HLA-G gene and carriage of HLA class II alleles restricting HY immunity predispose to unexplained secondary recurrent miscarriage and low birth weight in children born to these patients. *Human Immunology*. 2012;73(7):699-705.

de Mouzon J, Goossens V, Bhattacharya S, Castilla JA, Ferraretti AP, Korsak V et al. Assisted reproductive technology in Europe, 2007: results generated from European registers by ESHRE. *Human Reproduction*. 2012;27(4):954-66.

Devroey P, Pellicer A, Nyboe Andersen A, Arce J-C, Menopur in GnRH Antagonist Cycles with Single Embryo Transfer (MEGASET) Trial Group. A randomized assessor-blind trial comparing highly purified hMG and recombinant FSH in a GnRH antagonist cycle with compulsory single-blastocyst transfer. *Fertility and Sterility*. 2012;97(3):561-71

Ferraretti AP, Goossens V, de Mouzon J, Bhattacharya S, Castilla JA, Korsak V et al. Assisted reproductive technology in Europe, 2008: results generated from European registers by ESHRE. *Human Reproduction*. 2012;27(9):2571-84.

Gjerris AC, Tabor A, Loft A, Christiansen M, Pinborg A. First trimester prenatal screening among women pregnant after IVF/ICSI. *Human Reproduction Update*. 2012;18(4):350-9.

Greve T, Clasen-Linde E, Andersen MT, Andersen MK, Sørensen SD, Rosendahl M et al. Cryopreserved ovarian cortex from patients with leukemia in complete remission contains no apparent viable malignant cells. *Blood*. 2012;120(22):4311-16.

Greve T, Schmidt KT, Kristensen SG, Ernst E, Andersen CY. Evaluation of the ovarian reserve in women transplanted with frozen and thawed ovarian cortical tissue. *Fertility and Sterility*. 2012;97(6):1394-8.e1.

Grynderup A, Lindhard A, Sørensen S. The role of anti-Müllerian hormone in female fertility and infertility-an overview. *Acta Obstetricia et Gynecologica Scandinavica*. 2012;91(11):1252-60

Grøndahl ML, Andersen CY, Bogstad J, Borgbo T, Boujida VH, Borup R. Specific genes are selectively expressed between cumulus and granulosa cells from individual human pre-ovulatory follicles. *Molecular Human Reproduction*. 2012;18(12):572-84.

Henningsen A-KA, Loft A, Malchau SS, Pinborg A. Prognosser for børn født efter assistert reproduktion. *Ugeskrift for Laeger*. 2012;174(41):2462-6.

Humaidan P, Kol S, Engmann L, Benadiva C, Papanikolaou EG, Andersen CY et al. Should Cochrane reviews be performed during the development of new concepts?. *Human Reproduction*. 2012;27(1):6-8.

Ingerslev HJ, Humaidan P, Andersen AN. Udvikling og udfordringer i fertilitetsbehandling i Danmark. *Ugeskrift for Laeger*. 2012;174(41):2439-43.

Jadoul P, Kim SS, ISFP Practice Committee, Andersen CY. Fertility considerations in young women with hematological malignancies. *Journal of Assisted Reproduction and Genetics*. 2012;29(6):479-87.

Jensen PL, Groendahl ML, Beck H, Petersen J, Stroebech L, Christensen ST et al. 309 proteomic analysis of the blastocoel fluid and remaining cells of bovine blastocysts. *Reproduction, Fertility and Development*. 2012;25(1):301-2.

Jeppesen JV, Kristensen SG, Nielsen ME, Humaidan P, Dal Canto M, Fadini R et al. LH-Receptor Gene Expression in Human Granulosa and Cumulus Cells from Antral and Preovulatory Follicles. *Journal of Clinical Endocrinology and Metabolism*. 2012;97(8):E1524-31.

Jeppesen JV, Nielsen ME, Kristensen SG, Andersen CY. Concentration of activin A and follistatin in follicular fluid from human small antral follicles associated to gene expression of the corresponding granulosa cells. *Molecular and Cellular Endocrinology*. 2012;356(1-2):48-54.

Joensen UN, Frederiksen H, Jensen MB, Lauritsen MP, Olesen IA, Lassen TH et al. Phthalate excretion pattern and testicular function: a study of 881 healthy Danish men. *Environmental Health Perspectives*. 2012;120(10):1397-403.

Kim SS, Donnez J, Barri P, Pellicer A, Patrizio P, Rosenwaks Z et al. Erratum to: Recommendations for fertility preservation in patients with lymphoma, leukemia, and breast cancer. *Journal of Assisted Reproduction and Genetics*. 2012;29:1155.

Kirkegaard KK, Hindkjaer JJ, Grøndahl ML, Kesmodel US, Ingerslev HJ. A randomized clinical trial comparing embryo culture in a conventional incubator with a time-lapse incubator. *Journal of Assisted Reproduction and Genetics*. 2012;29(6):565-72.

Kjartansdóttir KR, Gabrielsen A, Reda A, Söder O, Bergström-Tengzelius R, Andersen CY et al. Differentiation of stem cells upon deprivation of exogenous FGF2: a general approach to study spontaneous differentiation of hESCs in vitro. *Systems Biology in Reproductive Medicine*. 2012;58(6):330-338.

Klemp JR, Kim SS, ISFP Practice Committee, Andersen CY. Fertility preservation in young women with breast cancer. *Journal of Assisted Reproduction and Genetics*. 2012;29(6):469-72.

Kristensen SL, Ramlau-Hansen CH, Andersen CY, Ernst E, Olsen SF, Bonde JP et al. The association between circulating levels of antimüllerian hormone and follicle number, androgens, and menstrual cycle characteristics in young women. *Fertility and Sterility*. 2012;97(3):779-85.

Larsen EC, Christiansen OB. Årsager, udredning og behandling af abortus habitualis. *Ugeskrift for Laeger*. 2012;174(41):2448-52.

Loft A, Egeberg AN, Smitz J, Petersen JH, Andersen AN. A randomized controlled dose-response pilot study of addition of hCG to recombinant FSH during controlled ovarian stimulation for in vitro fertilization. *Human Reproduction*. 2012;27(10):3074-84.

Lund MF, Kamper-Jørgensen M, Nielsen HS, Lidegaard Ø, Andersen A-MN, Christiansen OB. Prognosis for live birth in women with recurrent miscarriage: what is the best measure of success?. *Obstetrics and Gynecology International*. 2012;119(1):37-43.

Markholt S, Grøndahl ML, Ernst E, Andersen CY, Ernst E, Lykke-Hartmann K. Global gene analysis of oocytes from early stages in human folliculogenesis shows high expression of novel genes in reproduction. *Molecular Human Reproduction*. 2012;18(2):96-110.

Mortensen LL, Hegaard HK, Andersen AN, Bentzen JG. Attitudes towards motherhood and fertility awareness among 20-40-year-old female healthcare professionals. *European Journal of Contraception and Reproductive Health Care*. 2012;17(6):468-81.

Nagirnaja L, Venclovas Č, Rull K, Jonas KC, Peltoketo H, Christiansen OB et al. Structural and functional analysis of rare missense mutations in human chorionic gonadotrophin β-subunit. *Molecular Human Reproduction*. 2012;18(8):379-90.

Nordkap L, Carlsen E, Fedder J, Jørgensen N. Mandlig infertilitet. *Ugeskrift for laeger*. 2012;174(41):2444-8.

Nørgaard LN, Pinborg A, Lidegaard O, Bergholt T. A danish national cohort study on neonatal outcome in singleton pregnancies with placenta previa. *Acta Obstetricia et Gynecologica Scandinavica*. 2012;91(5):546-551.

Pinborg AB, Henningsen A-KA, Loft A. Assisteret befrugtning. Pinborg A, Schmidt L, red. I: *Fertilitet & Sundhed* . 1. udg. Munksgaard. 2012. s. 123-148.

Pinborg AB, Schmidt L. Infertilitet - forebyggelse og behandling ssom makkerpar. Pinborg A, Schmidt L, red. I: *Fertilitet & Sundhed* . 1. udg. Danmark: Munksgård Danmark. 2012. s. 267-286.

Pinborg AB, Schmidt L. *Fertilitet & Sundhed*. 1. udg. Munksgaard, Danmark: Munksgård Danmark, 2012. 288 s.

Pinborg A. To transfer fresh or thawed embryos?. *Seminars in Reproductive Medicine*. 2012;30(3):230-5.

Pinborg A, Loft A, Henningsen A-KA, Ziebe S. Does assisted reproductive treatment increase the risk of birth defects in the offspring?. *Acta Obstetricia et Gynecologica Scandinavica*. 2012;91(11):1245-6.

Prados FJ, Debrock S, Lemmen JG, Agerholm IE. The cleavage stage embryo. *Human Reproduction*. 2012;27 Suppl 1:i50-71.

Schmidt L, Sobotka T, Bentzen JG, Andersen AN, ESHRE Reproduction and Society Task Force. Demographic and medical consequences of the postponement of parenthood. Human Reproduction Update. 2012;18(1):29-43.

Schmidt KT, Andersen AN, Loft A, Ernst E, Andersen CY. Kræft og infertilitet. Ugeskrift for Laeger. 2012;174(41):2455-2459.

Schmidt KT, Andersen CY, ISFP Practice Committee. Recommendations for fertility preservation in patients with lymphomas. Journal of Assisted Reproduction and Genetics. 2012;29(6):473-7.

Vassard D, Lund R, Pinborg A, Boivin J, Schmidt LM. The impact of social relations among men and women in fertility treatment on the decision to terminate treatment. Human Reproduction. 2012;27(12):3502-12.

Gynækologisk Klinik Y

Disputatser og ph.d.-afhandlinger forsvarer i året

Bentzen JG. Ovarian reserve parameters: clinical, endocrine and sonographic changes during reproductive age (PhD). Københavns Universitet, 2012. 47 s.

Virkus RA. Venous thromboembolism in pregnant and puerperal women in Denmark 1995-2009: A validated register based cohort study (PhD). 2012.

Videnskabelige artikler

Ammundsen HB, Faber MT, Jensen A, Høgdall E, Blaakaer J, Høgdall C et al. Use of analgesic drugs and risk of ovarian cancer: results from a Danish case-control study. Acta Obstetricia et Gynecologica Scandinavica. 2012;91(9):1094-102.

Andersen A-MN, Nielsen HS. Fosterlivet: Farefuldt og fantastiske fremtidsudsigter. Pinborg A, Schmidt L, red. I: Fertilitet & Sundhed . 1. udg. Munksgaard. 2012. s. 59-81.

Baldur-Felskov B, Hannibal CG, Munk C, Kjaer SK. Increased incidence of penile cancer and high-grade penile intraepithelial neoplasia in Denmark 1978-2008: a nationwide population-based study. Cancer Causes & Control. 2012;23(2):273-80.

Bentzen JG, Forman JL, Pinborg A, Lidegaard O, Larsen EC, Friis-Hansen L et al. Ovarian reserve parameters: a comparison between users and non-users of hormonal contraception. Reproductive BioMedicine Online. 2012;25(6):612-9.

Birch-Johansen F, Jensen A, Olesen AB, Christensen JH, Tjønneland A, Kjær SK. Does hormone replacement therapy and use of oral contraceptives increase the risk of non-melanoma skin cancer?. *Cancer Causes & Control*. 2012;23(2):379-88.

Birch-Johansen F, Norrild B, Olesen AB, Jensen A, Kjær SK. HPV-infektion spiller måske en rolle for udvikling af nonmelanom hudkræft hos immunkompetente personer. *Ugeskrift for Laeger*. 2012;174(7):413-7.

Blomberg M, Feldt-Rasmussen U, Andersen KK, Kjaer SK. Thyroid cancer in Denmark 1943-2008, before and after iodine supplementation. *International Journal of Cancer*. 2012;131(10):2360-6.

Bolton KL, Chenevix-Trench G, Goh C, Sadetzki S, Ramus SJ, Karlan BY et al. Association between BRCA1 and BRCA2 mutations and survival in women with invasive epithelial ovarian cancer. *J A M A: The Journal of the American Medical Association*. 2012;307(4):382-90.

Borst L, Buchard A, Rosthøj S, Wesolowska A, Wehner PS, Wesenberg F et al. Gene dose effects of GSTM1, GSTT1 and GSTP1 polymorphisms on outcome in childhood acute lymphoblastic leukemia. *Pediatric Hematology & Oncology*. 2012;34(1):38-42.

Dartell MA, Rasch V, Kahesa C, Mwaiselage J, Ngoma T, Junge J et al. Human papillomavirus prevalence and type distribution in 3603 HIV-positive and HIV-negative women in the general population of Tanzania: the PROTECT study. *Sexually Transmitted Diseases*. 2012;39(3):201-8.

Daugbjerg SB, Ottesen B, Diderichsen F, Frederiksen BL, Osler M. Socioeconomic factors may influence the surgical technique for benign hysterectomy. *Danish Medical Bulletin (Online)*. 2012;59(6):A4440.

Ekelund C, Wright D, Ball S, Kirkegaard I, Nørgaard P, Sørensen S et al. Prospective study evaluating performance of first-trimester combined screening for trisomy 21 using repeat sampling of maternal serum markers PAPP-A and free β -hCG. *Ultrasound in Obstetrics & Gynecology*. 2012;40(3):276-81.

Faber MT, Jensen A, Søgaard M, Høgdall E, Høgdall C, Blaakaer J et al. Use of dairy products, lactose, and calcium and risk of ovarian cancer - results from a Danish case-control study. *Acta Oncologica*. 2012;51(4):454-64.

Fagö-Olsen CL, Ottesen B, Kehlet H, Markauskas A, Mosgaard BJ, Ottosen C et al. Neoadjuvant chemotherapy as ovarian cancer treatment: ever more used with major regional differences. *Danish Medical Journal*. 2012;59(8):A4477.

Fagö-Olsen CL, Ottesen B, Kehlet H, A M, Mosgaard BJ, CH S et al. Store regionale forskelle i neoadjuvant kemoterapi for danske patienter med cancer ovarii. *Ugeskrift for Laeger*. 2012;174:2076.

Greve T, Clasen-Linde E, Andersen MT, Andersen MK, Sørensen SD, Rosendahl M et al. Cryopreserved ovarian cortex from patients with leukemia in complete remission contains no apparent viable malignant cells. *Blood*. 2012;120(22):4311-4316.

Hansson EH, Kjaergaard H, Schmiegelow K, Hallström I. Hospital-based home care for children with cancer: a qualitative exploration of family members' experiences in Denmark. *European Journal of Cancer Care*. 2012;21(1):59-66.

Heegaard NHH, West-Nørager M, Tanassi JT, Houen G, Nedergaard L, Høgdall C et al. Circulating antinuclear antibodies in patients with pelvic masses are associated with malignancy and decreased survival. *P L o S One*. 2012;7(2):e30997.

Heeran MC, Høgdall CK, Kjaer SK, Christensen LH, Blaakaer J, Christensen IJ et al. Limited prognostic value of tissue protein expression levels of cyclin E in Danish ovarian cancer patients: from the Danish 'MALOVA' ovarian cancer study. *A P M I S. Acta Pathologica, Microbiologica et Immunologica Scandinavica*. 2012;120(10):846-54.

Hjort Jakobsen D, Lytken V, Lange T, Juhl IR, Harrestrup A, Stokkedal P et al. Kvalitetsudvikling af plejen til kvinder opereret for ovariecancer: Etablering af en tværfaglig klinisk database har vist, at både pleje og behandling af kvinder, som opereres for ovariecancer, kan styrkes. *Sygeplejersken*. 2012;112(14):82-86.

Høgdall C, Nielsen ML, Johansen LT. Årsrapport 2009/ 2010. Dansk Gynækologisk Cancer Database. Landsdækkende klinisk database for kræft i æggestokke, livmoder og livmoderhals. I: Årsrapport 2009/ 2010. Dansk Gynækologisk Cancer Database. Landsdækkende klinisk database for kræft i æggestokke, livmoder og livmoderhals. . Lægeforeningens forlag, København. 2012.

Høgdall C, Johansen LT, Nielsen ML. Årsrapport 2011. Dansk Gynækologisk Cancer Database. Landsdækkende klinisk database for kræft i æggestokke, livmoder og livmoderhals. 2012. 97 s.

Håkansson F, Høgdall EVS, Nedergaard L, Lundvall L, Engelholm SA, Pedersen AT et al. Risk of malignancy index used as a diagnostic tool in a tertiary centre for patients with a pelvic mass. *Acta Obstetricia et Gynecologica Scandinavica*. 2012;91(4):496-502.

Ibfelt E, Kjær SK, Johansen C, Høgdall C, Steding-Jessen M, Frederiksen KS et al. Socioeconomic position and stage of cervical cancer in Danish women diagnosed 2005 to 2009. *Cancer Epidemiology, Biomarkers & Prevention*. 2012;21(5):835-42.

Jakobsen TR, Clausen FB, Rode L, Dziegiel MH, Tabor A. High levels of fetal DNA are associated with increased risk of spontaneous preterm delivery. *Prenatal Diagnosis*. 2012;32(9):840-5.

Jangö H, Langhoff-Roos J, Rosthøj S, Sakse A. Risk factors of recurrent anal sphincter ruptures: a population-based cohort study. *B J O G*. 2012;119(13):1640-1647.

Juul A, Hagen CP, Aksglaede L, Sørensen K, Mouritsen A, Frederiksen H et al. Endocrine evaluation of reproductive function in girls during infancy, childhood and adolescence. *Endocrine Development*. 2012;22:24-39.

Karlsen MA, Sandhu N, Høgdall C, Christensen IJ, Nedergaard L, Lundvall L et al. Evaluation of HE4, CA125, risk of ovarian malignancy algorithm (ROMA) and risk of malignancy index (RMI) as diagnostic tools of epithelial ovarian cancer in patients with a pelvic mass. *Journal of Gynecologic Oncology Nursing*. 2012;127(2):379-83.

Kirkegaard KK, Hindkjaer JJ, Grøndahl ML, Kesmodel US, Ingerslev HJ. A randomized clinical trial comparing embryo culture in a conventional incubator with a time-lapse incubator. *Journal of Assisted Reproduction and Genetics*. 2012;29(6):565-72.

Klausen SH, Mikkelsen UR, Hirth A, Wetterslev J, Kjærgaard H, Søndergaard L et al. Design and rationale for the PREVAIL study: effect of e-Health individually tailored encouragements to physical exercise on aerobic fitness among adolescents with congenital heart disease--a randomized clinical trial. *American Heart Journal*. 2012;163(4):549-56.

Lajer CB, Garnæs E, Friis-Hansen L, Norrild B, Therkildsen MH, Glud M et al. The role of miRNAs in human papilloma virus (HPV)-associated cancers: bridging between HPV-related head and neck cancer and cervical cancer. *B J C*. 2012;106(9):1526-34.

Larsen CR, Oestergaard J, Ottesen BS, Soerensen JL. The efficacy of virtual reality simulation training in laparoscopy: a systematic review of randomized trials. *Acta Obstetricia et Gynecologica Scandinavica*. 2012;91(9):1015-28.

Levinson M, Shabaneh D, Bohnstedt C, Harila-Saari A, Jonsson OG, Kanerva J et al. Pneumocystis jiroveci pneumonia prophylaxis during maintenance therapy influences methotrexate/6-mercaptopurine dosing but not event-free survival for childhood acute lymphoblastic leukemia. *European Journal of Haematology*. 2012;88(1):78-86.

Lidegaard Ø, Milsom I, Geirsson RT, Skjeldestad FE. Hormonal contraception and venous thromboembolism. *Acta Obstetricia et Gynecologica Scandinavica*. 2012;91(7):769-78.

Lidegaard Ø, Løkkegaard E, Jensen AS, Skovlund CW, Keiding N. Thrombotic stroke and myocardial infarction with hormonal contraception. *New England Journal of Medicine*. 2012;366(24):2257-66.

Lidegaard O. Tidlig graviditet og abort--klinisk kvalitetsdatabase. *Ugeskrift for Laeger*. 2012;174(42):2531.

Lidegaard O, Nielsen LH, Skovlund CW, Løkkegaard E. Venous thrombosis in users of non-oral hormonal contraception: follow-up study, Denmark 2001-10. *B M J (Online)*. 2012;344:e2990.

Lidegaard O. Tidlig graviditet og abort. Årsrapport for året 2011: Landsdækkende klinisk kvalitetsdatabase [Online] 2012 [Available from: [URL:http://tigrab.dk/12-08-30%20%C3%85rsrapport%2011.pdf](http://tigrab.dk/12-08-30%20%C3%85rsrapport%2011.pdf)

Lu Y, Chen X, Beesley J, Johnatty SE, Defazio A, Lambrechts S et al. Genome-wide association study for ovarian cancer susceptibility using pooled DNA. *Twin Research and Human Genetics*. 2012;15(5):615-23.

Lund MF, Kamper-Jørgensen M, Nielsen HS, Lidegaard Ø, Andersen A-MN, Christiansen OB. Prognosis for live birth in women with recurrent miscarriage: what is the best measure of success?. *Obstetrics and Gynecology International*. 2012;119(1):37-43.

Munk LS, Maegaard M. Inkontinens hos børn og unge: Del erfaringer med andre. *K-Nyt*. 2012;Årgang 24(1):8-9.

Munk LSDet sunde K - Kommunikationspolitik som udviklingsredskab – en case fra sundhedsvæsnet [Online] 2012 [!!cited 2012 okt 31] !!Available from:
[URL:http://www.kommunikationsforum.dk/artikler/kommunikationspolitik-som-udviklingsredskab-en-case-fra-sundhedsvaesnet](http://www.kommunikationsforum.dk/artikler/kommunikationspolitik-som-udviklingsredskab-en-case-fra-sundhedsvaesnet)

Munk-Olsen T, Laursen TM, Pedersen CB, Lidegaard O, Mortensen PB. First-time first-trimester induced abortion and risk of readmission to a psychiatric hospital in women with a history of treated mental disorder. *Archives of General Psychiatry*. 2012;69(2):159-65.

Mørch LS, Løkkegaard E, Andreasen AH, Kjær SK, Lidegaard O. Hormone therapy and different ovarian cancers: a national cohort study. *American Journal of Epidemiology*. 2012;175(12):1234-42.

Mørch LS, Løkkegaard E, Andreasen AH, Kjær SK, Lidegaard Ø. Hormone therapy and ovarian borderline tumors: a national cohort study. *Cancer causes & control : CCC*. 2012;23(1):113-20.

Nielsen MM, Johansen M, Lottrup P, Sørensen JL. Clinical skills training in obstetrics - a descriptive survey of current practice in Denmark. *Acta Obstetricia et Gynecologica Scandinavica*. 2012;91(1):143-6.

Nielsen ML, Lundvall L, Høgdall CK. Dansk Gynækologisk Cancer Database. *Ugeskrift for Laeger*. 2012;174(42):2550.

Nielsen A, Plum CEM, Kjaer SK. Trends in incidence of anal cancer and high-grade anal intraepithelial neoplasia in Denmark, 1978-2008. *International Journal of Cancer*. 2012;130(5):1168-1173.

Nilas L, Weber T, Pedersen AT. *Obstetrics and Gynaecology. I: Obstetrik og gynækologi*. 2. udgave udg. FADL's Forlag. 2012.

Nørgaard LN, Pinborg A, Lidegaard O, Bergholt T. A danish national cohort study on neonatal outcome in singleton pregnancies with placenta previa. *Acta Obstetricia et Gynecologica Scandinavica*. 2012;91(5):546-551.

Oestergaard J, Larsen CR, Maagaard M, Grantcharov T, Ottesen B, Sorensen JL. Can both residents and chief physicians assess surgical skills?. *Surgical Endoscopy*. 2012;26(7):2054-60.

Oestergaard J, Bjerrum F, Maagaard M, Winkel P, Larsen CR, Ringsted C et al. Instructor feedback versus no instructor feedback on performance in a laparoscopic virtual reality simulator: a randomized educational trial. *B M C Medical Education*. 2012;12:7

Olesen TB, Jensen KE, Nygård M, Tryggvadottir L, Sparén P, Hansen BT et al. Young age at first intercourse and risk-taking behaviours--a study of nearly 65 000 women in four Nordic countries. *European Journal of Public Health*. 2012;22(2):220-224.

Pearce CL, Templeman C, Rossing MA, Lee A, Near AM, Webb PM et al. Association between endometriosis and risk of histological subtypes of ovarian cancer: a pooled analysis of case-control studies. *The Lancet Oncology (Czech Edition)*. 2012;13(4):385-94.

Pinborg AB, Henningsen A-KA, Loft A. Assisteret befrugtning. Pinborg A, Schmidt L, red. I: *Fertilitet & Sundhed* . 1. udg. Munksgaard. 2012. s. 123-148.

Plummer M, Peto J, Franceschi S, ; on behalf of the International Collaboration of Epidemiological Studies of Cervical Cancer, Kjær S. Time since first sexual intercourse and the risk of cervical cancer. *International Journal of Cancer*. 2012;130(11):2638-2644.

Raja RA, Schmiegelow K, Frandsen TL. Asparaginase-associated pancreatitis in children. *British Journal of Haematology*. 2012;159(1):18-27.

Renault K, Gyrstrup HJ, Pedersen KD, Hedegaard M, Sørensen JL. Pregnant woman with fatal complication after laparoscopic Roux-en-Y gastric bypass. *Acta Obstetricia et Gynecologica Scandinavica*. 2012;91(7):873-875.

Risum S, Loft A, Engelholm SA, Høgdall E, Berthelsen AK, Nedergaard L et al. Positron emission tomography/computed tomography predictors of overall survival in stage IIIC/IV ovarian cancer. *International Journal of Gynecological Cancer*. 2012;22(7):1163-9.

Robinson KM, Christensen KB, Ottesen B, Krasnik A. Diagnostic delay, quality of life and patient satisfaction among women diagnosed with endometrial or ovarian cancer: a nationwide Danish study. *Quality of Life Research*. 2012;21(9):1519-25.

Wilson NM, Laursen M, Lidegaard Ø. Oral contraception in Denmark 1998-2010. *Acta Obstetricia et Gynecologica Scandinavica*. 2012 okt 18;91(7):810-5.

Klinisk Genetisk Afdeling

Videnskabelige artikler

Almind GJ, Ek J, Rosenberg T, Eiberg HRL, Larsen M, Lucamp L et al. Dominant optic atrophy in Denmark - report of 15 novel mutations in OPA1, using a strategy with a detection rate of 90%. *B M C Medical Genetics*. 2012;13:65.

Andersen MK. *Cancercytogenetik*. Nørby S, Jensen PKA, red. I: *Medicinsk genetik*. 2 udg. København: FADL's Forlag. 2012. s. 231-254.

Andresen BS, Lund AM, Hougaard DM, Christensen E, Gahrn B, Christensen M et al. MCAD deficiency in Denmark. *Molecular Genetics and Metabolism*. 2012;106(2):175-88.

Antoniou AC, Kuchenbaecker KB, Soucy P, Beesley J, Chen X, McGuffog L et al. Common variants at 12p11, 12q24, 9p21, 9q31.2 and in ZNF365 are associated with breast cancer risk for BRCA1 and/or BRCA2 mutation carriers. *Breast Cancer Research (Online Edition)*. 2012;14(1):R33.

Barbany G, Andersen MK, Autio K, Borgström G, Franco LC, Golovleva I et al. Additional aberrations of the ETV6 and RUNX1 genes have no prognostic impact in 229 t(12;21)(p13;q22)-positive B-cell precursor acute lymphoblastic leukaemias treated according to the NOPHO-ALL-2000 protocol. *Acute Myeloid Leukemia Research Today*. 2012;36(7):936-8.

Bechtold D, Hove HB, Prause JU, Heegaard S, Toft PB. Plexiform neurofibroma of the eye region occurring in patients without neurofibromatosis type 1. *Ophthalmic Plastic and Reconstructive Surgery*. 2012;28(6):413-5.

Borst L, Wesolowska A, Joshi T, Borup R, Nielsen FC, Andersen MK et al. Genome-wide analysis of cytogenetic aberrations in ETV6/RUNX1-positive childhood acute lymphoblastic leukaemia. *British Journal of Haematology*. 2012;157(4):476-82.

Broesby-Olsen S, Frandsen SK, Thomassen M, Brandrup F, Gerdes A-M. Multiple self-healing squamous epithelioma er en arvelig tilstand med selvhelende hudkræft. *Ugeskrift for Laeger*. 2012;174(17):1149-51.

Bross PG, Frederiksen JB, Bie AS, Hansen J, Palmfeldt J, Nielsen MN et al. Heterozygosity for an in-frame deletion causes glutaryl-CoA dehydrogenase deficiency in a patient detected by newborn screening: investigation of the effect of the mutant allele. *Journal of Inherited Metabolic Disease*. 2012;35(5):787-96.

Callum P, Messiaen LM, Bower PV, Skovby F, Iger J, Timshel S et al. Gonosomal mosaicism for an NF1 deletion in a sperm donor: evidence of the need for coordinated, long-term communication of health information among relevant parties. *Human Reproduction*. 2012;27(4):1223-6.

Couch FJ, Gaudet MM, Antoniou AC, Ramus SJ, Kuchenbaecker KB, Soucy P et al. Common variants at the 19p13.1 and ZNF365 loci are associated with ER subtypes of breast cancer and ovarian cancer risk in BRCA1 and BRCA2 mutation carriers. *Cancer Epidemiology, Biomarkers & Prevention*. 2012;21(4):645-57.

Coutinho F, da Silva Santos L, Lacerda L, Quental S, Wibrand F, Lund A et al. Alu-Alu Recombination Underlying the First Large Genomic Deletion in GlcNAc-Phosphotransferase Alpha/Beta (GNPTAB) Gene in a MLII Alpha/Beta Patient. *JIMD reports*. 2012;4:117-124.

Daniel PB, Morgan T, Alanay Y, Bijlsma E, Cho T-J, Cole T et al. Disease-associated mutations in the actin-binding domain of filamin B cause cytoplasmic focal accumulations correlating with disease severity. *Human Mutation*. 2012;33(4):665-673.

de Ruijter J, de Ru MH, Wagemans T, Ijlst L, Lund AM, Orchard PJ et al. Heparan sulfate and dermatan sulfate derived disaccharides are sensitive markers for newborn screening for mucopolysaccharidoses types I, II and III. *Molecular Genetics and Metabolism*. 2012;107(4):705-10.

Ding YC, McGuffog L, Healey S, Friedman E, Laitman Y, Paluch-Shimon S et al. A nonsynonymous polymorphism in IRS1 modifies risk of developing breast and ovarian cancers in BRCA1 and ovarian cancer in BRCA2 mutation carriers. *Cancer Epidemiology, Biomarkers & Prevention*. 2012;21(8):1362-70.

Duno M, Schwartz M, Larsen PL, Rosenberg T. Phenotypic and genetic spectrum of Danish patients with ABCA4-related retinopathy. *Ophthalmic Genetics*. 2012;33(4):225-31.

Dunø M, Corydon TJ. Molekylærgenetisk diagnostik - metoder og teknikker. Nørby S, Jensen PKA, red. I: Medicinsk genetik. 2 udg. København: FADL's Forlag. 2012. s. 327-358.

Gerdes A-MA. Clinical genetics in Denmark. *BSHG News*. 2012;46:61-62.

Gerdes A-MA. Cancergenetik - arvelig disposition for cancer. Nørby S, Jensen PKA, red. I: Medicinsk genetik. 2 udg. København: FADL's Forlag. 2012. s. 231-254.

Greve T, Clasen-Linde E, Andersen MT, Andersen MK, Sørensen SD, Rosendahl M et al. Cryopreserved ovarian cortex from patients with leukemia in complete remission contains no apparent viable malignant cells. *Blood*. 2012;120(22):4311-4316.

Groeschel S, í Dali C, Clas P, Böhringer J, Duno M, Krarup C et al. Cerebral gray and white matter changes and clinical course in metachromatic leukodystrophy. *Neurology*. 2012;79(16):1662-70.

Halgren C, Kjaergaard S, Bak M, Hansen C, El-Schich Z, Anderson CM et al. Corpus callosum abnormalities, intellectual disability, speech impairment, and autism in patients with haploinsufficiency of ARID1B. *The Application of Clinical Genetics*. 2012;82(3):248-55.

Hauerslev S, Sveen M-L, Duno M, Angelini C, Vissing J, Krag TO. Calpain 3 is important for muscle regeneration: evidence from patients with limb girdle muscular dystrophies. *B M C Musculoskeletal Disorders*. 2012;13:43-53.

Hellmann P, Christiansen P, Johannsen TH, Main KM, Duno M, Juul A. Male patients with partial androgen insensitivity syndrome: a longitudinal follow-up of growth, reproductive hormones and the development of gynaecomastia. *Archives of Disease in Childhood*. 2012;97(5):403-9.

Hermann NV, Zargham M, Darvann TA, Christensen IJ, Kreiborg S. Early postnatal development of the mandibular permanent first molar in infants with isolated cleft palate. *International Journal of Paediatric Dentistry (Online)*. 2012;22(4):280-5.

Holm C, Langhoff-Roos J, Petersen KB, Nørgaard A, Diness BR. Severe postpartum haemorrhage and mode of delivery: a retrospective cohort study. *B J O G*. 2012;119(5):596-604.

Ingerslev MD, Diness BR, Norup MS. Attitudes towards abortion among trainees in obstetrics/gynecology and clinical genetics. *Acta Obstetricia et Gynecologica Scandinavica*. 2012;91(2):256-9.

Jøergensen MT, Brusgaard K, Novovic S, Andersen AM, Hansen MB, Gerdes A-M et al. Is the SPINK1 variant p.N34S overrepresented in patients with acute pancreatitis?. *European Journal of Gastroenterology and Hepatology*. 2012;24(3):309-15.

Ketabi Z, Mosgaard BJ, Gerdes A-M, Ladelund S, Bernstein IT. Awareness of endometrial cancer risk and compliance with screening in hereditary nonpolyposis colorectal cancer. *Obstetrics and Gynecology*. 2012;120(5):1005-12.

Kim H-G, Kim H-T, Leach NT, Lan F, Ullmann R, Silahtaroglu A et al. Translocations disrupting PHF21A in the Potocki-Shaffer-syndrome region are associated with intellectual disability and craniofacial anomalies. *American Journal of Human Genetics*. 2012;91(1):56-72.

Kjær L, Westman M, Hasselbalch Riley C, Høgdall E, Weis Bjerrum O, Hasselbalch H. A highly sensitive quantitative real-time PCR assay for determination of mutant JAK2 exon 12 allele burden. *P L o S One*. 2012;7(3):e33100.

Kjærgaard S. Genetisk rådgivning. Nørby S, Jensen PKA, red. I: Medicinsk genetik. 2 udg. København: FADL's Forlag. 2012. s. 163-172.

Koene S, Rodenburg RJ, van der Knaap MS, Willemse MAAP, Sperl W, Laugel V et al. Natural disease course and genotype-phenotype correlations in Complex I deficiency caused by nuclear gene defects: what we learned from 130 cases. *Journal of Inherited Metabolic Disease*. 2012;35(5):737-47.

Kroeldrup L, Kjaergaard S, Kirchhoff EM, Kock KF, Brasch-Andersen C, Kibaek M et al. Duplication of 7q36.3 encompassing the Sonic Hedgehog (SHH) gene is associated with congenital muscular hypertrophy. European Journal of Medical Genetics. 2012;55(10):557-60.

Larsen S, Nielsen J, Hansen CN, Nielsen LB, Wibrand F, Stride NO et al. Biomarkers of mitochondrial content in skeletal muscle of healthy young human subjects. Journal of Physiology. 2012;590(Pt 14):3349-60.

Lindhardt Johansen M, Hagen CP, Rajpert-De Meyts E, Kjærgaard S, Petersen BL, Skakkebæk NE et al. 45,X/46,XY mosaicism: phenotypic characteristics, growth, and reproductive function--a retrospective longitudinal study. Journal of Clinical Endocrinology and Metabolism. 2012;97(8):E1540-9.

Lund AM, Hougaard DM, Simonsen H, Andresen BS, Christensen M, Dunø M et al. Biochemical screening of 504,049 newborns in Denmark, the Faroe Islands and Greenland - Experience and development of a routine program for expanded newborn screening. Molecular Genetics and Metabolism. 2012;107(3):281-93.

Lund A, Skovby F. Arvelige stofskiftesygdomme. Nørby S, Jensen PKA, red. I: Medicinsk genetik. 2 udg. København: FADL's Forlag. 2012. s. 201-218.

Lundin C, Hjorth L, Behrendtz M, Nordgren A, Palmqvist L, Andersen MK et al. High frequency of BTG1 deletions in acute lymphoblastic leukemia in children with down syndrome. Genes, Chromosomes & Cancer. 2012;51(2):196-206.

MacDonald A, van Rijn M, Feillet F, Lund AM, Bernstein L, Bosch AM et al. Adherence issues in inherited metabolic disorders treated by low natural protein diets. Annals of nutrition & metabolism. 2012;61(4):289-95.

Mathers JC, Movahedi M, Macrae F, Mecklin J-P, Moeslein G, Olschwang S et al. Long-term effect of resistant starch on cancer risk in carriers of hereditary colorectal cancer: an analysis from the CAPP2 randomised controlled trial. The Lancet Oncology. 2012;13(12):1242-9.

Mavaddat N, Barrowdale D, Andrulis IL, Domchek SM, Eccles D, Nevanlinna H et al. Pathology of Breast and Ovarian Cancers among BRCA1 and BRCA2 Mutation Carriers: Results from the Consortium of Investigators of Modifiers of BRCA1/2 (CIMBA). Cancer Epidemiology, Biomarkers & Prevention. 2012;21(1):134-147.

Molin A-M, Andrieux J, Koolen DA, Malan V, Carella M, Colleaux L et al. A novel microdeletion syndrome at 3q13.31 characterised by developmental delay, postnatal overgrowth, hypoplastic male genitals, and characteristic facial features. Journal of Medical Genetics. 2012;49(2):104-9.

Nørgaard P, Hagen C, Hove HB, Dunø M, Nissen K, Kreiborg S et al. Crouzon syndrome associated with acanthosis nigricans: prenatal 2D and 3D ultrasound findings and postnatal 3D CT findings. Acta Radiologica Short Reports. 2012;1(4):15-18.

Ostergaard E, Joensen F, Sundberg K, Duno M, Hansen FJ, Batbayli M et al. A novel RNASEH2B splice site mutation responsible for Aicardi-Goutieres syndrome in the Faroe Islands. *Acta paediatrica* (Oslo, Norway : 1992). 2012;101(11):e509-13.

Poulsen SD, Lund AM, Christensen E, Skovby F. Karnitintransporterdefekt er en arvelig sygdom med høj hyppighed på Færøerne. *Ugeskrift for Laeger*. 2012;174(18):1217-9.

Ramus SJ, Antoniou AC, Kuchenbaecker KB, Soucy P, Beesley J, Chen X et al. Ovarian cancer susceptibility alleles and risk of ovarian cancer in BRCA1 and BRCA2 mutation carriers. *Human Mutation*. 2012;33(4):690-702.

Rasmussen J, Lund A. CTD og Færinger. *Maanedsskrift for Praktisk Laegegerning*. 2012;4(April).

Shinar Y, Obici L, Aksentijevich I, Bennetts B, Astrup F, Ceccherini I et al. Guidelines for the genetic diagnosis of hereditary recurrent fevers. *Annals of the Rheumatic Diseases*. 2012;71(10):1599-605.

Skovby F, Gerdes A-MA, Hertz JM. *Klinisk genetik*. Thomsen HS, red. I: Basisbog i diagnostiske fag. 1 udg. København: Munksgård Danmark. 2012. s. 167-196.

Skovby F. *Dysmorfologi*. Nørby S, Jensen PKA, red. I: *Medicinsk genetik*. 2 udg. København: FADL's Forlag. 2012. s. 219-230.

Sørensen KM, El-Segaier M, Fernlund E, Errami A, Bouvagnet P, Nehme N et al. Screening of congenital heart disease patients using multiplex ligation-dependent probe amplification: early diagnosis of syndromic patients. *American Journal of Medical Genetics. Part A*. 2012;158A(4):720-5.

Terhal PA, van Dommelen P, Le Merrer M, Zankl A, Simon MEH, Smithson SF et al. Mutation-based growth charts for SEDC and other COL2A1 related dysplasias. *American Journal of Medical Genetics. Part C: Seminars in Medical Genetics*. 2012;160C(3):205-16.

Thomsen HS, Dziegiej MH, Hellebek A, Højgaard L, Nordestgaard BG, Poulsen HE et al, red. *Basisbog i Diagnostiske Fag*. København, 2012.

Treppendahl MB, Qiu X, Søgaard A, Yang X, Nandrup-Bus C, Hother C et al. Allelic methylation levels of the noncoding VTRNA2-1 located on chromosome 5q31.1 predict outcome in AML. *Blood*. 2012;119(1):206-16.

Wadt KAW, Drzewiecki KT, Gerdes A-MA. Genetiske fund giver nye muligheder for udredning af arveligt malignt melanom. *Ugeskrift for Laeger*. 2012;174(8):493-7.

Wadt K, Jensen LN, Bjerglund L, Lundstrøm MS, Kirchhoff EM, Kjaergaard S. Fetal ventriculomegaly due to familial submicroscopic terminal 6q deletions. *Prenatal Diagnosis*. 2012;32(12):1212-1217.

Wadt K, Andersen MK, Hansen TVO, Gerdes A-M. Ny genteknologisk diagnostik af familiær gastrointestinal stromal tumor. Ugeskrift for Laeger. 2012;174(21):1462-4.

Wadt K, Gerdes A-M, Hansen TVO, Toft BG, Friis-Hansen L, Andersen MK. Novel germline c-MET mutation in a family with hereditary papillary renal carcinoma. Familial Cancer. 2012;11(3):535-7.

Wadt K, Choi J, Chung J-Y, Kiilgaard JF, Heegaard S, Drzewiecki KT et al. A cryptic BAP1 splice mutation in a family with uveal and cutaneous melanoma, and paraganglioma. Pigment Cell & Melanoma Research. 2012;25(6):815-8.

Witting N, Duno M, Born AP, Vissing J. LGMD2L with bone affection: overlapping phenotype of dominant and recessive ANO5-induced disease. Muscle & Nerve. 2012;46(5):829-30.

Zeesman S, Kjaergaard S, Hove HB, Kirchhoff EM, Stevens JM, Nowaczyk MJM. Microdeletion in distal 17p13.1: a recognizable phenotype with microcephaly, distinctive facial features, and intellectual disability. American Journal of Medical Genetics. Part A. 2012;158A(8):1832-6.

Ørnsgreen MC, Arlien-Søborg P, Duno M, Hertz JM, Vissing J. Endocrine function in 97 patients with myotonic dystrophy type 1. Journal of Neurology. 2012;259(5):912-20.

Østergaard E, Nørby S. Genetisk variation. Nørby S, Jensen PKA, red. I: Medicinsk genetik. 2 udg. København: FADL's Forlag. 2012. s. 65-82.

Østergaard E, Nørby S. Arvegange, monogene sygdomme og mitokondriesygdomme. Nørby S, Jensen PKA, red. I: Medicinsk genetik. 2 udg. FADL's Forlag. 2012. s. 105-126.

Klinikken Kennedy Centret

Disputatser og ph.d.-afhandlinger forsvarer i året

Almind GJ. Genetic analysis in Danish families with Kjer's type dominant optic atrophy (Ph.d.). Grafisk – Københavns Universitet, 2012.

Nasser A. Involvement of the GCH1 gene and the cofactor tetrahydrobiopterin in pain - a comparative study in mice and man (Ph.d.). Grafisk – Københavns Universitet, 2012.

Videnskabelige artikler

Abbott D, Li Y-J, Guggenheim JA, Metlapally R, Malecaze F, Calvas P et al. An international collaborative family-based whole genome quantitative trait linkage scan for myopic refractive error. *Molecular Vision*. 2012;18:720-9.

Almind GJ, Ek J, Rosenberg T, Eiberg HRL, Larsen M, Lucamp L et al. Dominant optic atrophy in Denmark - report of 15 novel mutations in OPA1, using a strategy with a detection rate of 90%. *B M C Medical Genetics*. 2012;13:65.

Becker K, Di Donato N, Holder-Espinasse M, Andrieux J, Cuisset J-M, Vallée L et al. De novo microdeletions of chromosome 6q14.1-q14.3 and 6q12.1-q14.1 in two patients with intellectual disability - further delineation of the 6q14 microdeletion syndrome and review of the literature. *European Journal of Medical Genetics*. 2012;55(8-9):490-7.

Belanger-Quintana A, Dokoupil K, Gokmen-Ozel H, Lammardo AM, MacDonald AN, Motzfeldt K et al. Diet in phenylketonuria: a snapshot of special dietary costs and reimbursement systems in 10 international centers. *Molecular Genetics and Metabolism*. 2012;105(3):390-4.

Bertelsen M, Linneberg A, Rosenberg T, Christoffersen N, Vorum H, Gade EF et al. Comorbidity in patients with branch retinal vein occlusion: case-control study. *B M J*. 2012;345:e7885.

Bertelsen B, Melchior L, Debes NM, Skov L, Brøndum-Nielsen K, Tümer Z. Genetikken bag Gilles de laTourettes syndrom. *Ugeskrift for Laeger*. 2012;174(8):484-487.

Bitner H, Schatz P, Mizrahi-Meissonnier L, Sharon D, Rosenberg T. Frequency, genotype, and clinical spectrum of best vitelliform macular dystrophy: data from a national center in Denmark. *American Journal of Ophthalmology*. 2012;154(2):403-412.e4.

Bloch SB, Larsen M, Munch IC. Incidence of legal blindness from age-related macular degeneration in denmark: year 2000 to 2010. *American Journal of Ophthalmology*. 2012;153(2):209-213.e2.

Boonen SE, Hahnemann JMD, Mackay D, Tommerup N, Brøndum-Nielsen K, Tümer Z et al. No evidence for pathogenic variants or maternal effect of ZFP57 as the cause of

Beckwith-Wiedemann Syndrome. European Journal of Human Genetics. 2012;20(1):119-21.

Brøgger AL, Kwasny D, Bosco F, Silahtaroglu A, Tümer Z, Boisen A et al. Centrifugally driven microfluidic disc for detection of chromosomal translocations. Lab On a Chip. 2012;12(22):4628-34.

Corso-Díaz X, Borrie AE, Bonaguro R, Schuetz JM, Rosenberg T, Jensen H et al. Absence of NR2E1 mutations in patients with aniridia. Molecular Vision. 2012;18:2770-82.

Dokoupil K, Gokmen-Ozel H, Lammardo AM, Motzfeldt K, Robert M, Rocha JC et al. Optimising growth in phenylketonuria: current state of the clinical evidence base. Clinical Nutrition. 2012;31(1):16-21.

Duno M, Schwartz M, Larsen PL, Rosenberg T. Phenotypic and genetic spectrum of Danish patients with ABCA4-related retinopathy. Ophthalmic Genetics. 2012;33(4):225-31.

Galve J, Vicente A, González-Enseñat MA, Pérez-Dueñas B, Cusí V, Møller LB et al. Neonatal erythroderma as a first manifestation of Menkes disease. Pediatrics (English Edition). 2012;130(1):e239-42.

Gourdon P, Sitsel O, Lykkegaard Karlsen J, Birk Møller L, Nissen P. Structural models of the human copper P-type ATPases ATP7A and ATP7B. Journal of Applied Biological Chemistry. 2012;393(4):205-16.

Grillo E, Villard L, Clarke A, Ben Zeev B, Pineda M, Bahi-Buisson N et al. Rett networked database: an integrated clinical and genetic network of Rett syndrome databases. Human Mutation. 2012;33(7):1031-6.

Halgren C, Bache I, Bak M, Myatt MW, Anderson CM, Brøndum-Nielsen K et al. Haploinsufficiency of CELF4 at 18q12.2 is associated with developmental and behavioral disorders, seizures, eye manifestations, and obesity. European Journal of Human Genetics. 2012;20(12):1315-9.

Huppke P, Brendel C, Kalscheuer V, Korenke GC, Marquardt I, Freisinger P et al. Mutations in SLC33A1 cause a lethal autosomal-recessive disorder with congenital cataracts, hearing loss, and low serum copper and ceruloplasmin. American Journal of Human Genetics. 2012;90(1):61-8.

Huppke P, Brendel C, Korenke GC, Marquardt I, Donsante A, Yi L et al. Molecular and biochemical characterization of a unique mutation in CCS, the human copper chaperone to superoxide dismutase. Human Mutation. 2012;33(8):1207-15.

Jønch AE, Danielsen ER, Thomsen C, Meden P, Svenstrup K, Nielsen JE. Intravenous immunoglobulin treatment in a patient with adrenomyeloneuropathy. B M C Neurology. 2012;12(1):108.

Jønch AE, Larsen LG, Pouplier S, Nielsen K, Brøndum-Nielsen K, Tümer Z. Partial duplication of 13q31.3-q34 and deletion of 13q34 associated with diaphragmatic hernia as a sole malformation in a fetus. *American Journal of Medical Genetics. Part A.* 2012;158A(9):2302-8.

Kwasny D, Vedarethinam I, Shah PJ, Dimaki M, Silahtaroglu A, Tumer Z et al. Advanced microtechnologies for detection of chromosome abnormalities by fluorescent in situ hybridization. *Biomedical Microdevices.* 2012;14(3):453-60.

Lenartowicz M, Krzeptowski W, Koteja P, Chrząścik K, Møller LB. Prenatal treatment of mosaic mice (Atp7a mo-ms) mouse model for Menkes disease, with copper combined by dimethyldithiocarbamate (DMDTC). *P L o S One.* 2012;7(7):e40400.

Møller LB, Lenartowicz M, Zabot M-T, Josiane A, Burglen L, Bennett C et al. Clinical expression of Menkes disease in females with normal karyotype. *Orphanet Journal of Rare Diseases.* 2012;7:6.

Ravn K, Lindqvist SG, Brøndum-Nielsen K, Dahm TL, Tümer Z. Deletion of CUL4B leads to concordant phenotype in a monozygotic twin pair. *Clinical Genetics.* 2012;82(3):292-4.

Roos LS, Grønskov K, Jensen H, Tümer Z. Den genetiske baggrund for øjenmisdannelserne mikroftalmi og anoftalmi. *Ugeskrift for Laeger.* 2012;174(11):713-6.

Schatz P, Bregnhøj J, Arvidsson HS, Sharon D, Mizrahi-Meissonnier L, Sander B et al. A tapetal-like fundus reflex in a healthy male: evidence against a role in the pathophysiology of retinal degeneration?. *Molecular Vision.* 2012;18:1147-55.

Sitarz KS, Almind GJ, Horvath R, Czernin B, Grønskov K, Pyle A et al. OPA1 mutations induce mtDNA proliferation in leukocytes of patients with dominant optic atrophy. *Neurology.* 2012;79(14):1515-7.

Skjørringe T, Møller LB, Moos T. Impairment of interrelated iron- and copper homeostatic mechanisms in brain contributes to the pathogenesis of neurodegenerative disorders. *Frontiers in Pharmacology.* 2012;3:169.

Slidsborg C, Bangsgaard R, Fledelius HC, Jensen H, Greisen G, la Cour M. Cerebral Damage May Be the Primary Risk Factor for Visual Impairment in Preschool Children Born Extremely Premature. *Archives of Ophthalmology.* 2012;130(11):1410-1417.

Tümer Z, Bertelsen B, Gredal O, Magyari M, Nielsen KC et al. Novel heterozygous nonsense mutation of the OPTN gene segregating in a Danish family with ALS. *Neurobiology of aging.* 2012;33(1):208.e1-5.

Zschocke J, Haverkamp T, Møller LB. Clinical utility gene card for: Phenylketonuria. *European Journal of Human Genetics.* 2012;20(2).

Klinik for Psykologi, Pædagogik og Socialrådgivning

Videnskabelige artikler

Ammitzbøll J, Gullestrup L, Lindved K, Madsen SA, Videbech P, Vinter M. Fødselsdepression - der er hjælp at hente. København: Frydenlund, 2012.

Gath L. Om forældres reaktioner ved for tidlig fødsel. I: At føde for tidligt. Forlaget UIFA. 2012. s. 13-31.

Madsen SA. Lad mig være i fred. Psykiatriinformation. 2012 sep;19(3):22-23.

Madsen SA, red. European Men's Health Forum and Danish Men's Health Society presents: Main points and summaries from "The State of Men's Health in Europe Extended Report". With recommendations for actions!. 2012. 24 s.

Madsen SA. Mænd og sundhed: Vi skal lære at tale med mænd om sundhed. Tandplejeren. 2012 okt;37(10):21-23.

Klinik for Vækst og Reproduktion

Disputatser og ph.d.-afhandlinger forsvarer i året

Joensen UN. Environmental Endocrine Disrupters and Adult Testicular Function: Epidemiological studies of exposure and susceptibility to phthalates and perfluorinated chemicals, and the associations to reproductive hormones and semen quality in Danish men from the general population. København: Eget forlag, 2012. 119 s.

Veje CW. Prenatal exposure to modern pesticides and possible effects on childhood growth and reproductive development. København: Eget forlag, 2012. 83 s.

Videnskabelige artikler

Aksglaede L, Garn ID, Hollegaard MV, Hougaard DM, Rajpert-De Meyts E, Juul A. Detection of increased gene copy number in DNA from dried blood spot samples allows efficient screening for Klinefelter syndrome. *Acta Paediatrica*. 2012;101(12):e561-3.

Almstrup HK, Rajpert-De Meyts E, Skakkebæk NE. Perinatal origin of testicular germ cell cancer: Possible involvement of developmental reprogramming. Plagemann A, red. I: *Perinatal Programming: The State of the Art*. De Gruyter. 2012. s. 219-228.

Amaral A, Wahlgren A, Tüttelmann F, De Gendt K, Blomberg Jensen M, Nurmiö M et al. Minutes of the 5th meeting of the International Network for Young Researchers in Male Fertility. *Asian Journal of Andrology*. 2012;14(5):796.

Andersen HR, Veje CW, Dalgård C, Christiansen LT, Main KM, Nellemand CL et al. Paraoxonase 1 polymorphism and prenatal pesticide exposure associated with adverse cardiovascular risk profiles at school age. *P L o S One*. 2012;7(5):e36830.

Andersson A-M, Bay K, Grigor KM, Meyts ER-D, Skakkebaek NE. Special issue on the impact of endocrine disrupters on reproductive health. *International Journal of Andrology*. 2012;35(3):215.

Bentzen JG, Forman JL, Pinborg A, Lidegaard O, Larsen EC, Friis-Hansen L et al. Ovarian reserve parameters: a comparison between users and non-users of hormonal contraception. *Reproductive BioMedicine Online*. 2012;25(6):612-9.

Blomberg Jensen M, Jørgensen A, Nielsen JE, Bjerrum PJ, Skalkam M, Petersen JH et al. Expression of the vitamin D metabolizing enzyme CYP24A1 at the annulus of human spermatozoa may serve as a novel marker of semen quality. *International Journal of Andrology*. 2012;35:499-510.

Blomberg Jensen M, Dissing S. Non-genomic effects of vitamin D in human spermatozoa. *Research on Steroids*. 2012;77(10):903-9.

Blomberg Jensen M, Jørgensen A, Nielsen JE, Steinmeyer A, Leffers H, Juul A et al. Vitamin D metabolism and effects on pluripotency genes and cell differentiation in testicular germ cell tumors in vitro and in vivo. *Neoplasia*. 2012;14(10):952-63.

Blomberg Jensen M. Vitamin D metabolism, sex hormones, and male reproductive function. *Reproduction*. 2012;144(2):135-52.

Boas M, Feldt-Rasmussen U, Main KM. Thyroid effects of endocrine disrupting chemicals. *Molecular and Cellular Endocrinology*. 2012;355(2):240-8.

Bonefeld K, Hobolth L, Juul A, Møller S. The insulin like growth factor system in cirrhosis. Relation to changes in body composition following adrenoreceptor blockade. *Growth Hormone & IGF Research*. 2012;22(6):212-218.

Brokken LJS, Lundberg-Giwercman Y, Rajpert-De Meyts E, Eberhard J, Ståhl O, Cohn-Cedermark G et al. Association of polymorphisms in genes encoding hormone receptors ESR1, ESR2 and LHCGR with the risk and clinical features of testicular germ cell cancer. *Molecular and Cellular Endocrinology*. 2012;351:279-285.

Dalgaard MD, Weinhold N, Edsgård D, Silver JD, Pers TH, Nielsen JE et al. A genome-wide association study of men with symptoms of testicular dysgenesis syndrome and its network biology interpretation. *Journal of Medical Genetics*. 2012;49(1):58-65.

Eisenberg ML, Jensen TK, Walters RC, Skakkebaek NE, Lipshultz LI. The relationship between anogenital distance and reproductive hormone levels in adult men. *International Journal of Urology*. 2012;187(2):594-8.

Fernandez MF, Duran I, Olea N, Avivar C, Vierula M, Toppari J et al. Semen quality and reproductive hormone levels in men from Southern Spain. *International Journal of Andrology*. 2012;35:1-10.

Frederiksen H, Sørensen K, Mouritsen A, Aksglaede L, Hagen C, Petersen JH et al. High urinary phthalate concentration associated with delayed pubarche in girls. *International Journal of Andrology*. 2012;35:216-226.

Friedrich N, Thuesen B, Jørgensen T, Juul A, Spielhagen C, Wallaschofski H et al. The Association Between IGF-I and Insulin Resistance: A general population study in Danish adults. *Diabetes Care*. 2012;35(4):768-73.

Friedrich N, Jørgensen T, Juul A, Spielhagen C, Nauck M, Wallaschofski H et al. Insulin-like growth factor I and anthropometric parameters in a Danish population. *Experimental and Clinical Endocrinology and Diabetes*. 2012;120(3):171-4.

Færch L, Pedersen-Bjergaard U, Thorsteinsson B, Juul A. Association of insulin-like growth factor-1 with glycemic control and occurrence of severe hypoglycemia in patients with type 1 diabetes mellitus. *Endocrine Connections*. 2012;1(1):31-36.

Grandjean P, Grønlund C, Kjær IM, Jensen TK, Sørensen N, Andersson A-M et al. Reproductive hormone profile and pubertal development in 14-year-old boys prenatally exposed to polychlorinated biphenyls. *Reproductive Toxicology*. 2012;34(4):498-503.

Gueler B, Sonne SB, Zimmer J, Hilscher B, Hilscher W, Græm N et al. AZFa protein DDX3Y is differentially expressed in human male germ cells during development and in testicular tumours: new evidence for phenotypic plasticity of germ cells. *Human Reproduction*. 2012;27(6):1547-1555.

Hagen CP, Akselaede L, Sørensen K, Mouritsen A, Andersson A-M, Petersen JH et al. Individual serum levels of anti-Müllerian hormone in healthy girls persist through childhood and adolescence: a longitudinal cohort study. *Human Reproduction*. 2012;27(3):861-6.

Hagen CP, Vestergaard S, Juul A, Skakkebæk NE, Andersson A-M, Main KM et al. Low concentration of circulating antimüllerian hormone is not predictive of reduced fecundability in young healthy women: a prospective cohort study. *Fertility and Sterility*. 2012;98(6):1602-8.e2.

Hagen CP, Sørensen K, Anderson RA, Juul A. Serum levels of antimüllerian hormone in early maturing girls before, during, and after suppression with GnRH agonist. *Fertility and Sterility*. 2012;98(5):1326-30.

Heitmann BL, Westerterp KR, Loos RJF, Sørensen TIA, O'Dea K, McLean P et al. Obesity: lessons from evolution and the environment. *Obesity Reviews*. 2012;13(10):910-22.

Hellmann P, Christiansen P, Johannsen TH, Main KM, Duno M, Juul A. Male patients with partial androgen insensitivity syndrome: a longitudinal follow-up of growth, reproductive hormones and the development of gynaecomastia. *Archives of Disease in Childhood*. 2012;97(5):403-9.

Jensen MB. Progesterone and CatSper dependency. *International Journal of Andrology*. 2012;35(5):631-632.

Joensen UN, Frederiksen H, Jensen MB, Lauritsen MP, Olesen IA, Lassen TH et al. Phthalate excretion pattern and testicular function: a study of 881 healthy Danish men. *Environmental Health Perspectives*. 2012;120(10):1397-403.

Johannsen TH, Søeborg T, Frederiksen H, Andersson A-M, Juul A. Androgenstatus: metode og klinisk anvendelse. *DSKB-Nyt*. 2012;(1):8-12.

Johannsen TH, Søeborg T, Frederiksen H, Andersson A-M, Juul A. androgenstatus: metode og klinisk anvendelse. *Klinisk Kemi i Norden*. 2012;24(3):10-17.

Juul A, Hagen CP, Akselaede L, Sørensen K, Mouritsen A, Frederiksen H et al. Endocrine evaluation of reproductive function in girls during infancy, childhood and adolescence. *Endocrine Development*. 2012;22:24-39.

Jørgensen N, Joensen UN, Jensen TK, Jensen MB, Almstrup K, Olesen IA et al. Human semen quality in the new millennium: a prospective cross-sectional population-based study of 4867 men. *BMJ Open*. 2012;2(4):e000990.

Jørgensen A, Nielsen JE, Jensen MB, Græm N, Rajpert-De Meyts E. Analysis of meiosis regulators in human gonads: a sexually dimorphic spatio-temporal expression pattern suggests involvement of DMRT1 in meiotic entry. *Molecular Human Reproduction*. 2012;18(11):523-34.

Krause M, Klit A, Jensen MB, Søeborg T, Frederiksen H, Schlumpf M et al. Sunscreens: are they beneficial for health? An overview of endocrine disrupting properties of UV-filters. *International Journal of Andrology*. 2012;35(3):424-36.

Kristensen DG, Mlynarska O, Nielsen JE, Jacobsen GK, Rajpert-De Meyts E, Almstrup K. Heterogeneity of chromatin modifications in testicular spermatocytic seminoma point toward an epigenetically unstable phenotype. *Cancer Genetics and Cytogenetics*. 2012;205(9):425-31.

Krysiak-Baltn K, Toppari J, Skakkebaek NE, Jensen TS, Virtanen HE, Schramm K-W et al. Association between chemical pattern in breast milk and congenital cryptorchidism: modelling of complex human exposures. *International Journal of Andrology*. 2012;35(3):294-302.

Lassen TH, Sobotka T, Jensen TK, Jacobsen RS, Erb K, Skakkebæk NE. Trends in rates of natural conceptions among Danish women born during 1960-1984. *Human Reproduction*. 2012;27(9):2815-22.

Lim J, Maher GJ, Turner GDH, Dudka-Ruszkowska W, Taylor S, Meyts ER-D et al. Selfish spermatogonial selection: evidence from an immunohistochemical screen in testes of elderly men. *P L o S One*. 2012;7(8):e42382.

Lindhardt Johansen M, Hagen CP, Rajpert-De Meyts E, Kjærgaard S, Petersen BL, Skakkebæk NE et al. 45,X/46,XY mosaicism: phenotypic characteristics, growth, and reproductive function--a retrospective longitudinal study. *Journal of Clinical Endocrinology and Metabolism*. 2012;97(8):E1540-9.

Mendiola J, Meeker JD, Jørgensen N, Andersson A-M, Liu F, Calafat AM et al. Urinary concentrations of di(2-ethylhexyl) phthalate metabolites and serum reproductive hormones: pooled analysis of fertile and infertile men. *International Journal of Andrology*. 2012;33(3):488-98.

Mieritz MG, Frederiksen H, Sørensen K, Akslaede L, Mouritsen A, Hagen CP et al. Urinary phthalate excretion in 555 healthy Danish boys with and without pubertal gynaecomastia. *International Journal of Andrology*. 2012;35(3):227-35.

Min JL, Nicholson G, Halgrimsdottir I, Almstrup HK, Petri A, Barrett A et al. Coexpression network analysis in abdominal and gluteal adipose tissue reveals regulatory genetic loci for metabolic syndrome and related phenotypes. *P L o S Genetics*. 2012;8(2):e1002505.

Mogensen SS, Akslaede L, Mouritsen A, Sørensen K, Main KM, Gideon P et al. Pathological and incidental findings on brain MRI in a single-center study of 229 consecutive girls with early or precocious puberty. *P L o S One*. 2012;7(1):e29829.

Nielsen LB, Wang C, Sørensen K, Bang-Berthelsen CH, Hansen L, Andersen MLM et al. Circulating levels of microRNA from children with newly diagnosed type 1 diabetes and healthy controls: evidence that miR-25 associates to residual beta-cell function and glycaemic control during disease progression. *Experimental Diabetes Research*. 2012;2012:896362.

Nielsen JE, Kristensen DM, Almstrup K, Jørgensen A, Olesen IA, Jacobsen G et al. A novel double staining strategy for improved detection of testicular carcinoma *in situ* cells in human semen samples. *Andrologia*. 2012;78-85.

Nordkap L, Carlsen E, Fedder J, Jørgensen N. Mandlig infertilitet. *Ugeskrift for Laeger*. 2012;174(41):2444-8.

Nordkap L, Joensen UN, Blomberg Jensen M, Jørgensen N. Regional differences and temporal trends in male reproductive health disorders: semen quality may be a sensitive marker of environmental exposures. *Molecular and Cellular Endocrinology*. 2012;355(2):221-30.

Novotny GW, Belling KC, Bramsen JB, Nielsen JE, Bork-Jensen J, Almstrup HK et al. MicroRNA expression profiling of carcinoma *in situ* (CIS) cells of the testis. *Endocrine - Related Cancer*. 2012;19(3):365-79.

Priskorn L, Holmboe S, Jacobsen R, Jensen TK, Lassen TH, Skakkebaek NE. Increasing trends in childlessness in recent birth cohorts - a registry-based study of the total Danish male population born from 1945 to 1980. *International Journal of Andrology*. 2012;35(3):449-55.

Priskorn L, Holmboe S, Jørgensen N, Andersson A-M, Almstrup HK, Toppari J et al. Adverse trends in male reproductive health and decreasing fertility rates. *Animal Reproduction Science*. 2012;760-771.

Rajpert-De Meyts E, Almstrup HK, Skakkebæk NE. The testis in childhood between birth and puberty. I: *Atlas on the Human Testis: Normal Morphology and Pathology*. Springer Science+Business Media B.V.2012. s. 69-75.

Rajpert-De Meyts E, Almstrup HK, Skakkebæk NE. Testicular Dysgenesis Syndrom and Carcinoma *In Situ* Testis. Jezek D, red. I: *Atlas on the Human Testis*. Springer Science+Business Media B.V.2012. s. 159-178.

Rajpert-De Meyts E, Eliasson R, Comhaire FH, Skakkebæk NE, Sharpe RM, Toppari J. Goodbye *International Journal of Andrology*, welcome *Andrology!*. *International Journal of Andrology*. 2012;36(6):769-774.

Søeborg T, Frederiksen H, Andersson A-M. Cumulative risk assessment of phthalate exposure of Danish children and adolescents using the hazard index approach. *International Journal of Andrology*. 2012;35:245-252.

Sørensen K, Mouritsen A, Aksglaede L, Hagen CP, Mogensen SS, Juul A. Recent secular trends in pubertal timing: implications for evaluation and diagnosis of precocious puberty. *Hormone Research in Paediatrics*. 2012;77(3):137-45.

Sørensen K, Aksglaede L, Petersen JH, Andersson A-M, Juul A. Serum IGF1 and insulin levels in girls with normal and precocious puberty. *European Journal of Endocrinology*. 2012;166(5):903-10.

Tinggaard J, Mieritz MG, Sørensen K, Mouritsen A, Hagen CP, Aksglaede L et al. The physiology and timing of male puberty. *Current Opinion in Endocrinology, Diabetes and Obesity*. 2012;19(3):197-203.

Tüttelmann F, De Gendt K, Amaral A, Giachini C, Welsh M, Jensen MB et al. The future of testis research is turning 6! Six years of international network for young researchers in male fertility. *International Journal of Andrology*. 2012;35(2):211-3.

Veje CW, Andersen HR, Schmidt IM, Aksglaede L, Sørensen K, Juul A et al. Early breast development in girls after prenatal exposure to non-persistent pesticides. *International Journal of Andrology*. 2012;35(3):273-82.

Veje CW, Andersen HR, Jensen TK, Grandjean P, Skakkebaek NE, Main KM. Smaller genitals at school age in boys whose mothers were exposed to non-persistent pesticides in early pregnancy. *International Journal of Andrology*. 2012;35(3):265-72.

Vestergaard S, Nielsen FR, Andersson A-M, Hjøllund NH, Grandjean P, Andersen HR et al. Association between perfluorinated compounds and time to pregnancy in a prospective cohort of Danish couples attempting to conceive. *Human Reproduction*. 2012;27(3):873-80.

Virtanen HE, Koskenniemi JJ, Sundqvist E, Main KM, Kiviranta H, Tuomisto JT et al. Associations between congenital cryptorchidism in newborn boys and levels of dioxins and PCBs in placenta. *International Journal of Andrology*. 2012;35(3):283-93.

Zoeller RT, Brown TR, Doan LL, Gore AC, Skakkebaek NE, Soto AM et al. Endocrine-disrupting chemicals and public health protection: a statement of principles from The Endocrine Society. *Endocrinology*. 2012;153(9):4097-110.

Neonatalklinikken

Disputatser og ph.d.-afhandlinger forsvarer i året

Hahn GH. Testing Impact of Perinatal Inflammation on Cerebral Autoregulation in Preterm Neonates: Evaluation of a Noninvasive Method. Eget Forlag, 2012. 100 s.

Videnskabelige artikler

Østergaard KK, Lando AV, Hansen BM, Greisen G. A Danish reference chart for assessment of psychomotor development based on the Ages & Stages Questionnaire. *Danish Medical Journal*. 2012;59(6):A4429.

Sømhovd MJ, Hansen BM, Brok J, Esbjørn BH, Greisen G. Anxiety in adolescents born preterm or with very low birthweight: a meta-analysis of case-control studies. *Developmental Medicine and Child Neurology*. 2012;54(11):988-94.

Maastrup R, Bojesen SN, Kronborg H, Hallström I. Breastfeeding support in neonatal intensive care: a national survey. *Journal of human lactation : official journal of International Lactation Consultant Association*. 2012;28(3):370-9.

Hahn GH, Maroun LL, Larsen NB, Hougaard DM, Sorensen LC, Lou HC et al. Cerebral autoregulation in the first day after preterm birth: no evidence of association with systemic inflammation. *Current Pediatric Research*. 2012;71(3):253-60.

Slidsborg C, Bangsgaard R, Fledelius HC, Jensen H, Greisen G, la Cour M. Cerebral Damage May Be the Primary Risk Factor for Visual Impairment in Preschool Children Born Extremely Premature. *Archives of Ophthalmology* . 2012;1-8.

Holst Hahn G, Heiring C, Pryds O, Greisen G. Cerebral vascular effects of hypovolemia and dopamine infusions: a study in newborn piglets. *Acta Paediatrica*. 2012;101(7):736-42.

Breindahl M, Rieneck K, Nielsen CH, Justesen T, Bendtzen K, Müller KG. Cytokine responses in infants infected with respiratory syncytial virus. *Open Journal of Immunology*. 2012;2(1):40-48.

Vandborg PK, Hansen BM, Greisen G, Ebbesen FO. Dose-response relationship of phototherapy for hyperbilirubinemia. *Pediatrics (English Edition)*. 2012;130(2):e352-7.

Nyqvist KH, Häggkvist A-P, Hansen MN, Kylberg E, Frandsen AL, Maastrup R et al. Expansion of the ten steps to successful breastfeeding into neonatal intensive care: expert group recommendations for three guiding principles. *Journal of Human Lactation*. 2012;28(3):289-96.

Slidsborg C, Forman JL, Fielder AR, Crafoord S, Baggesen KL, Bangsgaard R et al. Experts do not agree when to treat retinopathy of prematurity based on plus disease. *British Journal of Ophthalmology*. 2012;96(4):549-53.

Vandborg PK, Hansen BM, Greisen G, Jepsen M, Ebbesen FO. Follow-up of neonates with total serum bilirubin levels ≥ 25 mg/dL: a Danish population-based study. *Pediatrics (English Edition)*. 2012;130(1):61-6.

Miltoft CB, Ekelund CK, Hansen BM, Lando A, Petersen O, Skovbo P et al. Increased nuchal translucency, normal karyotype and infant development. *Ultrasound in Obstetrics & Gynecology*. 2012;39(1):28-33.

Smith B, Bodé S, Skov TH, Mirsepasi H, Greisen G, Krogfelt K. Investigation of the early intestinal microflora in premature infants with/without necrotizing enterocolitis using two different methods. *Current Pediatric Research*. 2012;71(1):115-20.

Jensen L, Mathiasen R, Hansen BM, Greisen G. Low 5-min Apgar score in moderately preterm infants; association with subsequent death and cerebral palsy: a register based Danish national study. *Acta Paediatrica*. 2012;101(2):e80-2.

Pallás-Alonso CR, Losacco V, Maraschini A, Greisen G, Pierrat V, Warren I et al. Parental involvement and kangaroo care in European neonatal intensive care units: a policy survey in eight countries. *Pediatric Critical Care Medicine*. 2012;13(5):568-77.

Kruse AY, Ho BT, Phuong CN, Stensballe LG, Greisen G, Pedersen FK. Prematurity, asphyxia and congenital malformations underrepresented among neonates in a tertiary pediatric hospital in Vietnam. *B M C Pediatrics*. 2012;12(1):199.

Pedersen C, Breindahl M, Aggarwal N, Berglund J, Oroszlán G, Silfverdal SA et al. Randomized trial: immunogenicity and safety of coadministered human papillomavirus-16/18 AS04-adjuvanted vaccine and combined hepatitis A and B vaccine in girls. *Journal of Adolescent Health*. 2012;50(1):38-46.

Olsson E, Andersen LR, Axelin A, Jónsdóttir RB, Maastrup R, Eriksson M. Skin-to-skin care in neonatal intensive care units in the Nordic countries: a survey of attitudes and practices. *Acta paediatrica (Oslo, Norway : 1992)*. 2012;101(11):1140-6.

ETTNO Investigators, Reinholdt J, Veiergang G. The 'Effects of Transfusion Thresholds on Neurocognitive Outcome of Extremely Low Birth-Weight Infants (ETTNO)' Study: Background, Aims, and Study Protocol. *Neonatology Today*. 2012;101(4):301-305.

Gade J, Greisen G, Larsen IK, Bibby BM, Olsen PS. Tissue hypoxaemia causes oedema, inflammation and fibrosis in porcine bronchial transsection. *Scandinavian Cardiovascular Journal*. 2012;46(5):286-94.

Wolf H, Hegaard HK, Greisen G, Huusom L, Hedegaard M. Treatment with magnesium sulphate in pre-term birth: a systematic review and meta-analysis of observational studies. *Journal of Obstetrics and Gynecology*. 2012;32(2):135-40.

á Rogvi R, Forman JL, Damm P, Greisen G. Women born preterm or with inappropriate weight for gestational age are at risk of subsequent gestational diabetes and pre-eclampsia. *P L o S One*. 2012;7(3):e34001.

Obstetrisk Klinik

Videnskablige artikler

á Rogvi, Rasmus et al."Women born preterm or with inappropriate weight for gestational age are at risk of subsequent gestational diabetes and pre-eclampsia". P L o S One. 2012, 7(3). e34001.

Bangsgaard, Louise og AnnTabor. "Do pregnant women and their partners make an informed choice about first trimester risk assessment for Down syndrome, and are they satisfied with the choice?". Prenatal Diagnosis. 2012, 1-7.

Buckley, B S et al."Gestational diabetes mellitus in Europe: prevalence, current screening practice and barriers to screening". Diabetic Medicine Online. 2012, 29(7). 844-54.

Calleesen, Nicoline et al."Insulin requirements in type 1 diabetic pregnancy: do twin pregnant women require twice as much insulin as singleton pregnant women?". Diabetes Care. . 2012, 35(6). 1246-8.

Ekelund, Charlotte Kvist, Olav Bjørn Petersen, og AnnTabor. "Føtalmedicinsk Database". Ugeskrift for Laeger. 2012, 174(42). 2527.

Ekelund, C K et al."Screening performance for trisomy 21 comparing first trimester combined screening and a first trimester contingent screening protocol including ductus venosus and tricuspid flow". Prenatal Diagnosis. 2012, 32(8). 783-8.

Ekelund, C et al."Prospective study evaluating performance of first-trimester combined screening for trisomy 21 using repeat sampling of maternal serum markers PAPP-A and free β -hCG". Ultrasound in Obstetrics & Gynecology. 2012, 40(3). 276-81.

Ersboell, Anne Schjoedt et al."Kompliceret influenza A (H1N1) hos gravid i andet trimester". Ugeskrift for Laeger. 2012, 174(47). 2920-1.

Geirsson, Reynir Tómas og JensLanghoff-Roos. "A big smile for spring". Acta Obstetricia et Gynecologica Scandinavica. 2012, 91(5). 523-4.

Gjerris, Anne Cathrine et al."First trimester prenatal screening among women pregnant after IVF/ICSI". Human Reproduction Update. 2012, 18(4). 350-9.

Haerskjold, Ann, H KHegard, og HKjaergaard. "Emergency caesarean section in low risk nulliparous women". Journal of Obstetrics and Gynecology. 2012, 32(6). 543-7.

Hoffmann, Elise et al."Twin births: cesarean section or vaginal delivery?". Acta Obstetricia et Gynecologica Scandinavica. 2012, 91(4). 463-9.

Holm, C et al."Severe postpartum haemorrhage and mode of delivery: a retrospective cohort study". B J O G. 2012, 119(5). 596-604.

Huusom, Lene Drasbek et al."Does antenatal magnesium sulfate prevent cerebral palsy in preterm infants?: The final trial?". *Acta Obstetricia et Gynecologica Scandinavica*. 2012, 91(11). 1346-1347.

Jakobsen, Tanja R et al."High levels of fetal DNA are associated with increased risk of spontaneous preterm delivery". *Prenatal Diagnosis*. 2012, 32(9). 840-5.

Jangö, Hanna et al."Risk factors of recurrent anal sphincter ruptures: a population-based cohort study". *B J O G*. 2012, 119(13). 1640-1647.

Jiwani, Aliya et al."Gestational diabetes mellitus: results from a survey of country prevalence and practices". *The journal of maternal-fetal & neonatal medicine : the official journal of the European Association of Perinatal Medicine, the Federation of Asia and Oceania Perinatal Societies, the International Society of Perinatal Obstetricians*. 2012, 25(6). 600-10.

Kelstrup, Louise et al."Low-grade inflammation in young adults exposed to intrauterine hyperglycemia". *Diabetes Research and Clinical Practice*. 2012, 97(2). 322-30.

Klausen, Susanne Hwiid et al."Design and rationale for the PREVAIL study: effect of e-Health individually tailored encouragements to physical exercise on aerobic fitness among adolescents with congenital heart disease--a randomized clinical trial". *American Heart Journal*. 2012, 163(4). 549-56.

Kongstad, Thomas et al."Radiology, histology and short-term outcome of asymptomatic congenital thoracic malformations". *Acta paediatrica (Oslo, Norway : 1992)*. 2012, 101(2). 155-8.

Larsen, Christian Rifbjerg et al."The efficacy of virtual reality simulation training in laparoscopy: a systematic review of randomized trials". *Acta Obstetricia et Gynecologica Scandinavica*. 2012, 91(9). 1015-28.

Lykke, Jacob A og JensLanghoff-Roos. "First trimester bleeding and maternal cardiovascular morbidity". *European Journal of Obstetrics & Gynecology and Reproductive Biology*. 2012, 164(2). 138-41.

Lykke, Jacob A et al."Vascular associated gene variants in patients with preeclampsia: results from the Danish National Birth Cohort". *Acta Obstetricia et Gynecologica Scandinavica*. 2012, 91(9). 1053-60.

Lykke, Jacob A et al."Fetal growth and later maternal death, cardiovascular disease and diabetes". *Acta Obstetricia et Gynecologica Scandinavica*. 2012, 91(4). 503-10.

Lykke, J A et al."Thrombophilias and adverse pregnancy outcomes: results from the Danish National Birth Cohort". *Journal of Thrombosis and Haemostasis*. 2012, 10(7). 1320-5.

Madsen, Helen Nordahl et al."Impact of type 1 diabetes and glycemic control on fetal aneuploidy biochemical markers". *Acta Obstetricia et Gynecologica Scandinavica*. 2012, 91(1). 57-61.

Markova, Veronika et al."Evaluation of multi-professional obstetric skills training for postpartum hemorrhage". *Acta Obstetricia et Gynecologica Scandinavica*. 2012, 91(3). 346-352.

Mathiesen, Per Møller et al."Long-term outcome in patients with juvenile dermatomyositis: a cross-sectional follow-up study". *Scandinavian Journal of Rheumatology*. 2012, 41(1). 50-8.

Mathiesen, Elisabeth Reinhardt. "Associations of Body Mass Index (Maternal BMI) and Gestational Diabetes Mellitus with Neonatal and Maternal Pregnancy Outcomes in a Multicentre European Database (Diabetes and Pregnancy Vitamin D and Lifestyle Intervention for Gestational Diabetes Mellitus Prevention)". *ISRN Obesity*. 2012, 2012(2012). 424010.

Mathiesen, Elisabeth R et al."Obstetric Nephrology: Pregnancy in Women with Diabetic Nephropathy--The Role of Antihypertensive Treatment". *American Society of Nephrology. Clinical Journal*. 2012, 7(12). 2081-2088.

Mathiesen, Elisabeth R et al."Maternal Efficacy and Safety Outcomes in a Randomized, Controlled Trial Comparing Insulin Detemir With NPH Insulin in 310 Pregnant Women With Type 1 Diabetes". *Diabetes Care*. . 2012, 35(10). 2012-2017.

Metzger, Boyd E et al."The diagnosis of gestational diabetes mellitus: new paradigms or status quo?". *The journal of maternal-fetal & neonatal medicine : the official journal of the European Association of Perinatal Medicine, the Federation of Asia and Oceania Perinatal Societies, the International Society of Perinatal Obstetricians*. 2012, 25(12). 2564-9.

Miltoft, C B et al."Increased nuchal translucency, normal karyotype and infant development". *Ultrasound in Obstetrics & Gynecology*. 2012, 39(1). 28-33.

Mortensen, Luise Lermark et al."Attitudes towards motherhood and fertility awareness among 20-40-year-old female healthcare professionals". *European Journal of Contraception and Reproductive Health Care*. 2012, 17(6). 468-81.

Maagaard, Mathilde et al."Vacuum extraction: development and test of a procedure-specific rating scale". *Acta Obstetricia et Gynecologica Scandinavica*. 2012, 91(12). 1453-9.

Nielsen, Mathilde Maagaard et al."Clinical skills training in obstetrics - a descriptive survey of current practice in Denmark". *Acta Obstetricia et Gynecologica Scandinavica*. 2012, 91(1). 143-6.

Nielsen, Lene Ringholm et al."Hypoglycaemia during pregnancy in women with Type 1 diabetes". *Diabetic Medicine*. 2012, 29(5). 558-66.

Nielsen, Lene Ringholm et al."Managing type 1 diabetes mellitus in pregnancy-from planning to breastfeeding". Nature Reviews Endocrinology. 2012, 8(11). 659-67.

Nielsen, Birgitte Bruun og Marianne Johansen. "Etniske minoritetskvinder i Danmark. Med særligt fokus på reproduktive forhold.". Månedsskrift for Almen Praksis. 2012. Fra Rejsemedicin. Særtryk.

Oestergaard, Jeanett et al."Instructor feedback versus no instructor feedback on performance in a laparoscopic virtual reality simulator: a randomized educational trial". B M C Medical Education. 2012. 12.

Oestergaard, Jeanett et al."Can both residents and chief physicians assess surgical skills?". Surgical Endoscopy. 2012, 26(7). 2054-60.

Oldenburg , Anna Maria et al."Influence of chorionicity on perinatal outcome in a large cohort of Danish twin pregnancies". Ultrasound in Obstetrics & Gynecology. 2012, 39(1). 69-74.

Ostergaard, Elsebet et al."A novel RNASEH2B splice site mutation responsible for Aicardi-Goutieres syndrome in the Faroe Islands". Acta paediatrica (Oslo, Norway : 1992). 2012, 101(11). e509-13.

Renault, Kristina Martha et al."Graviditet efter bariatrisk kirurgi.". Ugeskrift for Læger. 2012, 174(16). 1076-79.

Renault, Kristina et al."Pregnant woman with fatal complication after laparoscopic Roux-en-Y gastric bypass". Acta Obstetricia et Gynecologica Scandinavica. 2012, 91(7). 873-875.

Rode, Line et al."Association Between Gestational Weight Gain According to Body Mass Index and Postpartum Weight in a Large Cohort of Danish Women". Maternal and Child Health Journal. 2012, 16(2). 406-13.

Rode, Line et al."Cytokines and the Risk of Preterm Delivery in Twin Pregnancies". Obstetrics and Gynecology International. 2012, 120(1). 60-68.

Romero, Roberto et al."Vaginal progesterone in women with an asymptomatic sonographic short cervix in the midtrimester decreases preterm delivery and neonatal morbidity: a systematic review and metaanalysis of individual patient data". American Journal of Obstetrics and Gynecology. 2012, 206(2). 124.e1-19.

Schuit, Ewoud et al."Progestogens to prevent preterm birth in twin pregnancies: an individual participant data meta-analysis of randomized trials". B M C Pregnancy and Childbirth. 2012, 12: 13.

Secher, A L et al."Patient satisfaction and barriers to initiating real-time continuous glucose monitoring in early pregnancy in women with diabetes". *Diabetic Medicine*. 2012, 29(2). 272-7.

Sundberg, Karin et al."Invasive treatment in complicated monochorionic twin pregnancies: indications and outcome of 120 consecutively treated pregnancies". *Acta Obstetricia et Gynecologica Scandinavica*. 2012, 91(10). 1201-5.

Vinter, Christina Anne et al."Obese pregnant women and complications in relation to pregnancy and birth.". *Ugeskrift for Laeger*. 2012, 174(16). 1079-1082.

Wadt, Karin et al."Fetal ventriculomegaly due to familial submicroscopic terminal 6q deletions". *Prenatal Diagnosis*. 2012, 32(12). 1212-1217.

Wikkelsøe, Anne J et al."The FIB-PPH trial: fibrinogen concentrate as initial treatment for postpartum haemorrhage: study protocol for a randomised controlled trial". *Trials*. 2012, 13(1). 110.

Wikkelsø, Anne Juul et al. Fibrinogen concentrate as initial treatment for postpartum haemorrhage - protocol for a randomised clinically controlled trial (The FIB-PPH study). 2012.

Wolf, Hans et al."Treatment with magnesium sulphate in pre-term birth: a systematic review and meta-analysis of observational studies". *Journal of Obstetrics and Gynecology*. 2012, 32(2). 135-40.

Neurocentret

Neuroanæstesiologisk Klinik

Ph.D.-afhandling forsvarer i året

Ravn P. Pain sensitivity and opioid responsiveness in acute experimentally induced inflammatory pain (Ph.D.). København: Eget forlag, 2012.

Videnskabelige artikler

Berg RMG, Plovsing RR, Ronit A, Bailey DM, Holstein-Rathlou N-H, Møller K. Disassociation of Static and Dynamic Cerebral Autoregulatory Performance in Healthy Volunteers After Lipopolysaccharide Infusion and in Patients with Sepsis. *American Journal of Physiology: Regulatory, Integrative and Comparative Physiology*. 2012;120(9):R1127-35.

Berg R, Møller K, Pedersen BK, Laye MJ, Mathur N, Pedersen M et al. Altered Subcutaneous Adipose Tissue Response to Systemic LPS Administration in Patients with Type 2 Diabetes. *Journal of Diabetes & Metabolism*. 2012;3(8):217.

Bischoff JM, Linderoth G, Aasvang EK, Werner MU, Kehlet H. Dysejaculation after laparoscopic inguinal herniorrhaphy: a nationwide questionnaire study. *Surgical Endoscopy*. 2012;26(4):979-983.

Bischoff JM, Koscielniak-Nielsen ZJ, Kehlet H, Werner MU. Ultrasound-Guided Ilioinguinal/Iliohypogastric Nerve Blocks for Persistent Inguinal Postherniorrhaphy Pain: A Randomized, Double-Blind, Placebo-Controlled, Crossover Trial. *Anesthesia and Analgesia*. 2012;114(6):1323-1329.

Bischoff JM, Aasvang EK, Kehlet H, Werner MU. Does nerve identification during open inguinal herniorrhaphy reduce the risk of nerve damage and persistent pain?. *Hernia*. 2012;16(5):573-577.

Christiansen CB, Berg RMG, Plovsing RR, Møller K. Two cases of infectious purpura fulminans and septic shock caused by Capnocytophaga canimorsus transmitted from dogs. *Scandinavian Journal of Infectious Diseases*. 2012;44(8):635-9.

Frich LM, Sorensen J, Jacobsen S, Fohlmann B, Højsted J. Outcomes of follow-up visits to chronic nonmalignant pain patients. *Pain Management Nursing*. 2012;13(4):223-35.

Højsted J, Kurita GP, Kendall S, Lundorff L, de Mattos Pimenta CA, Sjøgren P. Non-analgesic effects of opioids: the cognitive effects of opioids in chronic pain of malignant and non-malignant origin. An update. *Current Pharmaceutical Design*. 2012;18(37):6116-22.

Johansson PI, Sørensen AM, Perner A, Welling K-L, Wanscher M, Larsen CF et al. Elderly trauma patients have high circulating noradrenaline levels but attenuated release of adrenaline, platelets, and leukocytes in response to increasing injury severity. *Critical Care Medicine*. 2012;40(6):1844-50.

Johansson PI, Sørensen AM, Perner A, Welling K-L, Wanscher M, Larsen CF et al. High sCD40L levels Early After Trauma are Associated with Enhanced Shock, Sympathoadrenal Activation, Tissue and Endothelial Damage, Coagulopathy and Mortality. *Journal of Thrombosis and Haemostasis*. 2012;10(2):207-216.

Kehlet H, Bischoff JM, Aasvang EK, Werner MU. Intraoperative nerve identification and chronic postherniorrhaphy pain. *Hernia*. 2012;16(5):583.

Kendall S, Holm NR, Højsted J, Nielsen PR, Jensen N-H, Sjögren P. Pain and fatigue in chronic noncancer pain patients: How strong is the relationship?. 2012. Poster session presented at 14th World Congress on Pain , Milano, Italien.

Kurita GP, Ulrich A, Jensen TS, Werner MU, Sjögren P. How is neuropathic cancer pain assessed in randomised controlled trials?. *Pain*. 2012;153(1):13-7.

Kurita GP, Sjögren P, Juel K, Højsted J, Ekholm KOM. The burden of chronic pain: a cross-sectional survey focussing on diseases, immigration, and opioid use. *Pain*. 2012;153(12):2332-8.

Kurita GP, de Mattos Pimenta CA, Braga PE, Frich L, Jørgensen MM, Nielsen PR et al. Cognitive function in patients with chronic pain treated with opioids: characteristics and associated factors. *Acta Anaesthesiologica Scandinavica*. 2012;56(10):1257-66.

Møller K. Acute and chronic hypoxia: breathe, breathe in the air. *Clinical Respiratory Journal*. 2012;6(2):65-6.

Nielsen PR, Christensen PA, Meyhoff CS, Werner MU. Post-operative pain treatment in Denmark from 2000 to 2009: a nationwide sequential survey on organizational aspects. *Acta Anaesthesiologica Scandinavica*. 2012;56(6):686-94.

Norup A, Welling K-L, Qvist J, Siert L, Mortensen EL. Depression, anxiety and quality-of-life among relatives of patients with severe brain injury: the acute phase. *Brain injury : [BI]*. 2012;26(10):1192-200.

Olsen NV. Svær neurologisk skade efter central blokade. *Ugeskr.Laeger*. 2012;174:1445.

Ostrowski SR, Sørensen AM, Windeløv NA, Perner A, Welling K-L, Wanscher M et al. High levels of soluble VEGF receptor 1 early after trauma are associated with shock, sympathoadrenal activation, glycocalyx degradation and inflammation in severely injured patients: a prospective study. *Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine*. 2012;20:27.

Rasmussen R, Wetterslev J, Stavngaard T, Skjøth-Rasmussen J, Grände PO, Olsen NV et al. The effects of continuous prostacyclin infusion on regional blood flow and cerebral

vasospasm following subarachnoid haemorrhage: study protocol for a randomised controlled trial. *Trials*. 2012;13:102.

Rasmussen P, Nordsborg NB, Taudorf S, Sørensen NHB, Berg RMG, Jacobs RA et al. Brain and skin do not contribute to the systemic rise in erythropoietin during acute hypoxia in humans. *F A S E B Journal*. 2012;26(5):1831-4.

Rasmussen P, Kim Y-S, Krogh-Madsen R, Lundby C, Olsen NV, Secher NH et al. Both acute and prolonged administration of EPO reduce cerebral and systemic vascular conductance in humans. *F A S E B Journal*. 2012;26(3):1343-8.

Ravn P, Frederiksen RG, Skovsen AP, Christrup L, Werner MU. Prediction of pain sensitivity in healthy volunteers. *Journal of Pain Research*. 2012;5:313-26.

Siebenmann C, Robach P, Jacobs RA, Rasmussen P, Nordsborg NB, Diaz V et al. "Live high-train low" using normobaric hypoxia: a double-blinded, placebo-controlled study. *Journal of Applied Physiology*. 2012;112(1):106-17.

Volianitis S, Dawson EA, Dalsgaard M, Yoshiga C, Clemmesen J, Secher NH et al. Renal lactate elimination is maintained during moderate exercise in humans. *Serbian Journal of Sports Sciences*. 2012;30(2):149-53.

Werner MU, Bischoff JM, Rathmell JP, Kehlet H. Pulsed Radiofrequency in the Treatment of Persistent Pain After Inguinal Herniotomy: A Systematic Review. *Regional Anesthesia and Pain Medicine*. 2012;340-343.

Werner MU. Vanguard research in opioid-induced hyperalgesia - but guard the basics. *Pain*. 2012;153(5):943-4.

Wildgaard K, Ringsted TK, Aasvang EK, Ravn J, Werner MU, Kehlet H. Neurophysiological characterization of persistent postthoracotomy pain. *Clinical Journal of Pain*. 2012;28(2):136-42.

Wildgaard K, Ringsted TK, Hansen HJ, Petersen RH, Werner MU, Kehlet H. Quantitative sensory testing of persistent pain after video-assisted thoracic surgery lobectomy. *British Journal of Anaesthesia*. 2012;108(1):126-33.

Neurologisk Klinik

Nationalt Videnscenter for Demens

Disputatser og ph.d.-afhandlinger forsvarer i året

Nielsen TR. Evaluation of dementia in patients from ethnic minorities: A European perspective (PhD. afhandling). København: Eget forlag, 2012.

Videnskabelige artikler

Andersen K, Andersen BB, Pakkenberg B. Stereological quantification of the cerebellum in patients with Alzheimer's disease. *Neurobiology of Aging*. 2012 jan;33(1)(197):197.e11-197.e20.

Bech S, Hjermind LE, Salvesen L, Nielsen JE, Heegaard NHH, Jørgensen HL et al. Amyloid-related biomarkers and axonal damage proteins in parkinsonian syndromes. *Parkinsonism & Related Disorders*. 2012;18(1):69-72.

del Campo M, Mollenhauer B, Bertolotto A, Engelborghs S, Hampel H, Simonsen AH et al. Recommendations to standardize preanalytical confounding factors in Alzheimer's and Parkinson's disease cerebrospinal fluid biomarkers: an update. *Biomarkers in Medicine*. 2012;6(4):419-30.

Eiberg HRL, Hansen L, Korbo L, Nielsen I, Svenstrup K, Bech S et al. Novel mutation in ATP13A2 widens the spectrum of Kufor-Rakeb syndrome (PARK9). *Clinical Genetics*. 2012;82(3):256-263.

Danish persons with recently diagnosed Alzheimer's disease. *Gerodontology*. 2012;29(3):194-202.

Filippi M, Agosta F, Barkhof F, Dubois B, Fox NC, Frisoni GB et al. EFNS task force: the use of neuroimaging in the diagnosis of dementia. *European Journal of Neurology*. 2012;19(12):1487-501.

Firbank MJ, Teodorczuk A, van der Flier WM, Gouw AA, Wallin A, Erkinjuntti T et al. Relationship between progression of brain white matter changes and late-life depression: 3-year results from the LADIS study. *British Journal of Psychiatry*. 2012;201(1):40-5.

Frederiksen KS, Hasselbalch S, Hejl A-M, Law I, Højgaard L, Waldemar G. Added Diagnostic Value of ¹¹C-PiB-PET in Memory Clinic Patients with Uncertain Diagnosis. *Dementia and Geriatric Cognitive Disorders Extra*. 2012;2:610-621.

Frederiksen KS, Waldemar G. Corpus callosum in aging and neurodegenerative diseases. *Neurodegenerative Disease Management*. 2012;2(5):493-502.

Hasselbalch J, Knorr U, Hasselbalch SG, Gade A, Kessing LV. Cognitive deficits in the remitted state of unipolar depressive disorder. *Neuropsychology*. 2012;26(5):642-51.

Hasselbalch J, Knorr U, Bennike B, Hasselbalch SG, Søndergaard MHG, Vedel Kessing L. Decreased levels of brain-derived neurotrophic factor in the remitted state of unipolar depressive disorder. *Acta Psychiatrica Scandinavica*. 2012;126(3):157-64.

Henriksen T, Hjermind LE. Kinesogenic and non-kinesogenic dyskenisias, hyperplexia. Reuber M, Schachter S, red. I: *Borderlands of Epilepsy Revisited*. New York: Oxford University Press. 2012. s. 176-186.

Hermansen K, Krogholm KS, Bech BH, Dragsted LO, Hyldstrup L, Jørgensen K et al. Kaffe kan beskytte mod sygdom. *Ugeskrift for Laeger*. 2012;174(39):2293-7.

Jensen-Dahm C, Vogel A, Waldorff FB, Waldemar G. Discrepancy between self- and proxy-rated pain in Alzheimer's disease: results from the Danish Alzheimer Intervention Study. *American Geriatrics Society. Journal*. 2012;60(7):1274-8.

Jensen-Dahm C, Petersen K, Rowbotham M. *Herpes Zoster and Postherpetic Neuralgia*. Simpson D, McArthur J, Dworkin R, red. I: *Neuropathic Pain: Mechanisms, diagnosis and treatment*. Oxford University Press. 2012.

Jokinen H, Frederiksen KS, Garde E, Skimminge A, Siebner H, Waldemar G et al. Callosal tissue loss parallels subtle decline in psychomotor speed. A longitudinal quantitative MRI study. *The LADIS Study. Neuropsychologia*. 2012;50(7):1650-5.

Jønch AE, Danielsen ER, Thomsen C, Meden P, Svenstrup K, Nielsen JE. Intravenous immunoglobulin treatment in a patient with adrenomyeloneuropathy. *B M C Neurology*. 2012;12(1):108.

Jørgensen K. *Danske normer til neuropsykologiske tests*. 1 udg. Dansk Psykologisk Forlag, 2012.

Lee J-M, Ramos EM, Lee J-H, Gillis T, Mysore JS, Hayden MR et al. CAG repeat expansion in Huntington disease determines age at onset in a fully dominant fashion. *Neurology*. 2012;78(10):690-5.

Lunau LA, Mouridsen K, Rodell A, Ostergaard L, Nielsen JE, Isaacs A et al. Presymptomatic cerebral blood flow changes in CHMP2B mutation carriers of familial frontotemporal dementia (FTD-3), measured with MRI. *BMJ Open*. 2012;2(2):e000368.

Madsen K, Hasselbalch J, Frederiksen KS, Haahr ME, Gade A, Law I et al. Lack of association between prior depressive episodes and cerebral [(11)C]PiB binding. *Neurobiology of Aging*. 2012;33(12):2334-2342.

Mattila J, Soininen H, Koikkalainen J, Rueckert D, Wolz R, Waldemar G et al. Optimizing the diagnosis of early Alzheimer's disease in mild cognitive impairment subjects. *Journal of Alzheimer's Disease*. 2012;32(4):969-79.

Nielsen TT, Svenstrup K, Budtz-Jørgensen E, Eiberg HRL, Hasholt LF, Nielsen JE. ATXN2 with intermediate-length CAG/CAA repeats does not seem to be a risk factor in hereditary spastic paraplegia. *Journal of the Neurological Sciences*. 2012;321(1-2):100-2.

Nielsen JE, Østergaard K. Bevægeførstyrrelser, motor neuron sygdomme og hereditære sygdomme. Baslund B, Feldt-Rasmussen U, Kastrup J, Sørensen PS, red. I: Lærebog i Medicin. København: FADL's Forlag. 2012. s. 1079-1098.

Nielsen TR, Vogel A, Gade A, Waldemar G. Cognitive testing in non-demented Turkish immigrants - comparison of the RUDAS and the MMSE. *Scandinavian Journal of Psychology*. 2012;53(6):455-60.

Nielsen TR, Vogel A, Waldemar G. Comparison of performance on three neuropsychological tests in healthy Turkish immigrants and Danish elderly. *International Psychogeriatrics*. 2012;24(9):1515-21.

Nielsen TT, Mizielska S, Hasholt LF, Isaacs AM, Nielsen JE, FReJA Consortium. Reversal of pathology in CHMP2B-mediated frontotemporal dementia patient cells using RNA interference. *The journal of gene medicine*. 2012;14(8):521-9.

Nielsen TT, Mardosiene S, Løkkegaard A, Stokholm J, Stiegnitz von Ehrenfels SEM, Bech S et al. Severe and rapidly progressing cognitive phenotype in a SCA17-family with only marginally expanded CAG/CAA repeats in the TATA-box binding protein gene: A case report. *B M C Neurology*. 2012;12(1):73.

Oksnebjerg L, Waldemar G. Effekt af kognitiv stimulationsterapi hos patienter med demenssygdom - en gennemgang af et Cochranereview. *Ugeskrift for Laeger*. 2012;174(50):3161-3164.

Poulsen K, Bahl JMC, Tanassi JT, Simonsen AH, Heegaard N. Characterization and stability of transthyretin isoforms in cerebrospinal fluid examined by immunoprecipitation and high-resolution mass spectrometry of intact protein. *Methods (San Diego, Calif.)*. 2012;56(2):284-92.

Quarrell OW, Handley O, O'Donovan K, Dumoulin C, Ramos-Arroyo M, Biunno I et al. Discrepancies in reporting the CAG repeat lengths for Huntington's disease. *European Journal of Human Genetics*. 2012;20(1):20-6.

Rostrup E, Gouw AA, Vrenken H, van Straaten ECW, Ropele S, Pantoni L et al. The spatial distribution of age-related white matter changes as a function of vascular risk factors--results from the LADIS study. *NeuroImage*. 2012;60(3):1597-607.

Salem LC, Andersen BB, Nielsen TR, Stokholm J, Jørgensen MB, Rasmussen MH et al. Overdiagnosis of Dementia in Young Patients - A Nationwide Register-Based Study. *Dementia and Geriatric Cognitive Disorders*. 2012;34(5-6):292-299.

Salvesen L, Bech S, Lokkegaard A, Hjermind LE, Nielsen JE, Pakkenberg B et al. The DJ-1 concentration in cerebrospinal fluid does not differentiate among parkinsonian syndromes. *Parkinsonism & Related Disorders*. 2012;18(7):899-901.

Schmidt R, Berghold A, Jokinen H, Gouw AA, van der Flier WM, Barkhof F et al. White Matter Lesion Progression in LADIS: Frequency, Clinical Effects, and Sample Size Calculations. *Stroke*. 2012;43(10):2643-2647.

Sheykhzade M, Simonsen AH, Boonen HCM, Outzen EM, Nyborg NCB. Effect of ageing on the passive and active tension and pharmacodynamic characteristics of rat coronary arteries: age-dependent increase in sensitivity to 5-HT and K+. *Pharmacology Fast*. 2012;90(3-4):160-8.

Simonsen AH, Mattila J, Hejl A-M, Frederiksen KS, Herukka S-K, Hallikainen M et al. Application of the PredictAD Software Tool to Predict Progression in Patients with Mild Cognitive Impairment. *Dementia and Geriatric Cognitive Disorders*. 2012;34(5-6):344-350.

Simonsen AH. Protein profiling of cerebrospinal fluid. *Methods in Molecular Biology*. 2012;818:109-17.

Soininen H, Mattila J, Koikkalainen J, van Gils M, Simonsen AH, Waldemar G et al. Software tool for improved prediction of Alzheimer's disease. *Neuro-degenerative diseases*. 2012;10(1-4):149-52.

Thurfjell L, Lötvönen J, Lundqvist R, Koikkalainen J, Soininen H, Waldemar G et al. Combination of biomarkers: PET [18F]flutemetamol imaging and structural MRI in dementia and mild cognitive impairment. *Neurodegenerative Diseases*. 2012;10(1-4):246-9.

Vellas B, Hausner L, Frolich L, Cantet C, Gardette V, Reynish E et al. Progression of Alzheimer Disease in Europe: Data from the European ICTUS Study. *Current Alzheimer Research*. 2012;9(8):902-12.

Verdelho A, Madureira S, Ferro JM, Baezner H, Blahak C, Poggesi A et al. Physical Activity Prevents Progression for Cognitive Impairment and Vascular Dementia: Results From the LADIS (Leukoaraiosis and Disability) Study. *Stroke*. 2012;43(12):3331-3335.

Vogel A, Stokholm J, Jørgensen K. Performances on Rey Auditory Verbal Learning Test and Rey Complex Figure Test in a healthy, elderly Danish sample--reference data and validity issues. *Scandinavian Journal of Psychology*, 2012;53(1):26-31.

Vogel A, Bhattacharya S, Waldorff FB, Waldemar G. Proxy-rated quality of life in Alzheimer's disease: a three-year longitudinal study. *International Psychogeriatrics*. 2012;24(1):82-9.

Waldorff FB, Buss DV, Eckermann A, Rasmussen MLH, Keiding N, Rishøj S et al. Efficacy of psychosocial intervention in patients with mild Alzheimer's disease: the multicentre, rater blinded, randomised Danish Alzheimer Intervention Study (DAISY). *B M J (Online)*. 2012;345:e4693.

Waldorff FB, Siersma VD, Vogel A, Waldemar G. Subjective memory complaints in general practice predicts future dementia: a 4-year follow-up study. International Journal of Geriatric Psychiatry. 2012;27(11):1180-8.

Ziebell M, Andersen BB, Thomsen G, Pinborg LH, Karlsborg M, Hasselbalch SG et al. Predictive value of dopamine transporter SPECT imaging with [(123)I]PE2I in patients with subtle parkinsonian symptoms. European Journal of Nuclear Medicine and Molecular Imaging. 2012;39(2):242-50.

Øksnebjerg L, Forchhammer B. Pårørende. Andersen G, Forchhammer H, Damgaard D, Iversen H, red. I: Apopleksi - sygdom, behandling og organisation. Munksgård Danmark. 2012. s. 333-338.

Aanerud JFA, Borghammer P, Chakravarty MM, Vang K, Rodell A, Jónsdóttir KY et al. Brain energy metabolism and blood flow differences in healthy aging. Journal of Cerebral Blood Flow and Metabolism. 2012;32(7):1177-87.

Dansk Multipel Sclerose Center

Videnskabelige artikler

Ali S, Paracha N, Cook S, Giovannoni G, Comi G, Rammohan K et al. Reduction in Healthcare and Societal Resource Utilization Associated with Cladribine Tablets in Patients with Relapsing-Remitting Multiple Sclerosis: Analysis of Economic Data from the CLARITY Study. Clinical Drug Investigation. 2012;32(1):15-27.

Blinkenberg M, Mathiesen HK, Tscherning T, Jønsson A, Svarer C, Holm S et al. Cerebral metabolism, magnetic resonance spectroscopy and cognitive dysfunction in early multiple sclerosis: an exploratory study. Neurological Research. 2012 jan;34(1):52-8.

Blinkenberg M, Akesson P, Sillesen H, Lövgaard S, Sellebjerg F, Paulson OB et al. Chronic cerebrospinal venous insufficiency and venous stenoses in multiple sclerosis. Acta Neurologica Scandinavica. 2012 dec;126(6):421-7.

Braendstrup P, Langkilde A, Schreiber K, Ravnborg M, Sellebjerg F, Vindeløv L. Progression and CSF Inflammation after Eradication of Oligoclonal Bands in an MS Patient Treated with Allogeneic Hematopoietic Cell Transplantation for Follicular Lymphoma. Case Reports in Neurology. 2012;4(2):101-6.

Brambilla P, Esposito F, Lindstrom E, Sorosina M, Giacalone G, Clarelli F et al. Association between DPP6 polymorphism and the risk of progressive multiple sclerosis in Northern and Southern Europeans. Neuroscience Letters. 2012;530(2):155-60.

Börnsen L, Christensen JR, Ratzer R, Oturai AB, Sørensen PS, Søndergaard HB et al. Effect of Natalizumab on Circulating CD4(+) T-Cells in Multiple Sclerosis. PLoS One. 2012;7(11):e47578.

Cohen JA, Reingold SC, Polman CH, Wolinsky JS, International Advisory Committee on Clinical Trials in Multiple Sclerosis, Sørensen PS. Disability outcome measures in multiple sclerosis clinical trials: current status and future prospects. Lancet Neurology Network. 2012;11(5):467-76.

Coles AJ, Twyman CL, Arnold DL, Cohen JA, Confavreux C, Fox EJ et al. Alemtuzumab for patients with relapsing multiple sclerosis after disease-modifying therapy: a randomised controlled phase 3 trial. Lancet. 2012;380(9856):1829-39.

Jensen PEH, Koch-Henriksen N, Sellebjerg F, Sørensen PS. Prediction of antibody persistency from antibody titres to natalizumab. Multiple Sclerosis. 2012;18(10):1493-9.

Jensen PEH, Sellebjerg F, Søndergaard HB, Sørensen PS. Correlation between anti-interferon- β binding and neutralizing antibodies in interferon- β -treated multiple sclerosis patients. European Journal of Neurology. 2012;19(10):1311-7.

Kondziella D, Hansen K, Gonzalez T, Gideon P, Christiansen I, Sellebjerg F. Antithyroidal antibodies in patients with subacute demyelinating disease and myoklonus. Ugeskrift for Laeger. 2012;174(9):577-9.

Lund H, Jönsson A, Andresen JG, Rostrup E, Paulson OB, Sørensen PS. Cognitive deficits in multiple sclerosis: correlations with T2 changes in normal appearing brain tissue. Acta Neurologica Scandinavica. 2012;125(5):338-44.

Lyksborg M, Larsen R, Sørensen PS, Blinkenberg MB, Garde E, Siebner HR et al. Segmenting Multiple Sclerosis Lesions Using a Spatially Constrained K-Nearest Neighbour Approach. Campilho A, Kamel M, red. I: ICIAR'12 Proceedings of the 9th international conference on Image Analysis and Recognition - Volume Part II. Springer. 2012. s. 156-163.

Martinelli-Boneschi F, Esposito F, Brambilla P, Lindström E, Lavorgna G, Stankovich J et al. A genome-wide association study in progressive multiple sclerosis. Multiple Sclerosis. 2012;18(10):1384-94.

Romme Christensen J, Börnsen L, Hesse D, Krakauer M, Sørensen PS, Søndergaard HB et al. Cellular sources of dysregulated cytokines in relapsing-remitting multiple sclerosis. Journal of Neuroinflammation. 2012;9:215.

Sellebjerg F, Krakauer M, Limborg S, Hesse D, Lund H, Langkilde A et al. Endogenous and recombinant type I interferons and disease activity in multiple sclerosis. PLoS One. 2012;7(6):e35927.

Sellebjerg F, Hesse D, Limborg S, Lund H, Søndergaard HB, Krakauer M et al. Dendritic cell, monocyte and T cell activation and response to glatiramer acetate in multiple sclerosis. Multiple Sclerosis. 2012 feb;19(2):179-87.

Sellebjerg F, Krakauer M, Khademi M, Olsson T, Sørensen PS. FOXP3, CBLB and ITCH gene expression and cytotoxic T lymphocyte antigen 4 expression on CD4(+) CD25(high) T cells in multiple sclerosis. *Clinical and Experimental Immunology*. 2012;170(2):149-55.

Sørensen PS, Bertolotto A, Edan G, Giovannoni G, Gold R, Havrdova E et al. Risk stratification for progressive multifocal leukoencephalopathy in patients treated with natalizumab. *Multiple Sclerosis*. 2012;18(2):143-52.

Sørensen PS. Effects of neutralizing antibodies to interferon beta in multiple sclerosis: a logical paradox. *Multiple Sclerosis*. 2012;18(2):131-2.

Sørensen PS. Deaths and disability from natalizumab are no longer tolerable: No - (they can be avoided). *Multiple Sclerosis*. 2012;18(8):1070-2.

Sørensen PS. Dødsfald i forbindelse med tvangsfastholdelse af svært agiterede personer bør kunne undgås. *Ugeskrift for Læger*. 2012;174(40):2367.

Thirup P, Koch-Henriksen N, Sørensen PS. Sclerosebehandlingsregistret. *Ugeskrift for Læger*. 2012;174(42):2537.

Epilepsiklinikken

Videnskabelige artikler

Chen L, Sabers A. Women with Epilepsy. Peoples Medical Publishing House, 2012. 196 s.

Sabers A, Christensen J. Anfaldfænomener. Baslund B, Feldt-Rasmussen U, Kastrup J, Sørensen PS, red. I: Lærebog i medicin. FADL's Forlag. 2012. s. 990.

Sabers A. Pharmacokinetic interactions between antiepileptic drugs and oral contraceptives. In: Seizures and antiepileptic drugs. Hosten W, Burtsev A, red. I: Seizures and antiepileptic drugs. Nova Science Publishers, Incorporated. 2012. s. 165.

Sabers A. Algorithm for lamotrigine dose adjustment before, during, and after pregnancy. *Acta Neurologica Scandinavica*. 2012;126(1):1.

Neuromuskulær Klinik

Disputatser og ph.d.-afhandlinger forsvarer i året

Hauerslev SEA. Muscle regeneration in muscular dystrophies (Ph.d.). Eget Forlag, 2012. 132 s.

Sveen M-L. LGMD2 from diagnosis to management (Ph.d.). Eget Forlag, 2012. 55 s.

Videnskabelige artikler

Böhm J, Biancalana V, Dechene ET, Bitoun M, Pierson CR, Schaefer E et al. Mutation spectrum in the large GTPase dynamin 2, and genotype-phenotype correlation in autosomal dominant centronuclear myopathy. *Human Mutation*. 2012;33(6):949-59.

Hauerslev S, Sveen M-L, Duno M, Angelini C, Vissing J, Krag TO. Calpain 3 is important for muscle regeneration: evidence from patients with limb girdle muscular dystrophies. *B M C Musculoskeletal Disorders*. 2012;13:43-53.

Jakobsen JK, Vissing J. Neuromuskulære sygdomme. Baslund B, Feldt-Rasmussen U, Kastrup J, Sørensen PS, red. I: Medicin. FADL's Forlag. 2012. s. 1099.

Jeppesen TD, Vissing J, González-Alonso J. Influence of erythrocyte oxygenation and intravascular ATP on resting and exercising skeletal muscle blood flow in humans with mitochondrial myopathy. *Mitochondrion*. 2012;44(5):703-709.

Laforêt P, Ørnsgreen M, Preisler N, Andersen G, Vissing J. Blocked muscle fat oxidation during exercise in neutral lipid storage disease. *Archives of Neurology*. 2012;69(4):530-3.

Petri H, Vissing J, Witting N, Bundgaard H, Køber L. Cardiac manifestations of myotonic dystrophy type 1. *International Journal of Cardiology*. 2012;160(2):82-8.

Preisler N, Laforet P, Madsen KL, Hansen RS, Lukacs Z, Ørnsgreen MC et al. Fat and carbohydrate metabolism during exercise in late-onset Pompe disease. *Molecular Genetics and Metabolism*. 2012;107(3):462-8.

Preisler N, Orngreen MC, Echaniz-Laguna A, Laforet P, Lonsdorfer-Wolf E, Doutreleau S et al. Muscle phosphorylase kinase deficiency: a neutral metabolic variant or a disease?. *Neurology*. 2012;78(4):265-8.

Vissing J, Haller RG. Mechanisms of exertional fatigue in muscle glycogenoses. *Neuromuscular Disorders*. 2012;22 Suppl 3:S168-71.

Werlauff U, Vissing J, Steffensen BF. Change in muscle strength over time in spinal muscular atrophy types II and III. A long-term follow-up study. *Neuromuscular Disorders*. 2012;22(12):1069-74.

Witting N, Duno M, Born AP, Vissing J. LGMD2L with bone affection: overlapping phenotype of dominant and recessive ANO5-induced disease. *Muscle & Nerve*. 2012;46(5):829-30.

Ørnsgreen MC, Arlien-Søborg P, Duno M, Hertz JM, Vissing J. Endocrine function in 97 patients with myotonic dystrophy type 1. *Journal of Neurology*. 2012;259(5):912-20.

Neuroaskulær Klinik

Videnskabelige artikler

Kondziella D, Hansen K, Gonzalez T, Gideon P, Christiansen I, Sellebjerg F. Antithyroidal drugs in patients with subacute demyelinating disease, ataxia and myoklonus. *Ugeskrift for Laeger*. 2012;174(9):577-9.

Kondziella D, Hansen K. Cerebral hyperperfusion syndrome remains under-recognized. *Journal of Neurology*. 2012;259(2):384-5.

Paterson RW, Waldemar G, Chaudhuri KR, Varga ET, Sztriha LK, Sellner J et al. Career mentorship for young neurologists in Europe. *Neurology*. 2012;79(4):381-3.

Zeidman LA, Kondziella D. Neuroscience in Nazi Europe Part III: victims of the Third Reich. *Canadian Journal of Neurological Sciences*. 2012;39(6):729-46.

Neurobiologisk Forskningsenhed, Neurologisk Klinik

Videnskabelige artikler

Ancel C, Bentsen AH, Sébert M-E, Tena-Sempere M, Mikkelsen JD, Simonneaux V. Stimulatory effect of RFRP-3 on the gonadotrophic axis in the male Syrian hamster: the exception proves the rule. *Endocrinology*. 2012;153(3):1352-63.

Balslev D, Siebner HR, Paulson OB, Kassuba T. The cortical eye proprioceptive signal modulates neural activity in higher-order visual cortex as predicted by the variation in visual sensitivity. *NeuroImage*. 2012;61(4):950-6.

Blinkenberg M, Mathiesen HK, Tscherning T, Jønsson A, Svarer C, Holm S et al. Cerebral metabolism, magnetic resonance spectroscopy and cognitive dysfunction in early multiple sclerosis: an exploratory study. *Neurological Research*. 2012 jan;34(1):52-8.

Blinkenberg M, Akeson P, Sillesen H, Lövgaard S, Sellebjerg F, Paulson OB et al. Chronic cerebrospinal venous insufficiency and venous stenoses in multiple sclerosis. *Acta Neurologica Scandinavica*. 2012 dec;126(6):421-7.

Clemmensen C, Aznar S, Knudsen GM, Klein AB. The microtubule-associated protein 1A (MAP1A) is an early molecular target of soluble A β -peptide. *Cellular & Molecular Neurobiology*. 2012;32(4):561-6.

Dickson JC, Tossici-Bolt L, Sera T, de Nijs R, Booij J, Bagnara MC et al. Proposal for the standardisation of multi-centre trials in nuclear medicine imaging: prerequisites for a European 123I-FP-CIT SPECT database. *European Journal of Nuclear Medicine and Molecular Imaging*. 2012;39(1):188-97.

Eiberg HRL, Hansen L, Korbo L, Nielsen I, Svenstrup K, Bech S et al. Novel mutation in ATP13A2 widens the spectrum of Kufor-Rakeb syndrome (PARK9). *Clinical Genetics*. 2012;82(3):256-263.

Fisher PM, Hariri AR. Linking variability in brain chemistry and circuit function through multimodal human neuroimaging. *Genes, Brain and Behavior*. 2012;11(6):633-42.

Fisher PM, Holst K, Mahon BM, Haahr M, Madsen K, Gillings N et al. 5-HTTLPR status predictive of neocortical 5-HT4 binding assessed with [11C]SB207145 PET in humans. *NeuroImage*. 2012;62(2):130-136.

Hasselbalch S, Paulson OB. The Coupling of Cerebral Metabolic Rate of Glucose and Cerebral Blood Flow In Vivo. Choi I-Y, Gruetter R, red. I: Neural Metabolism In Vivo. Springer Publishing Company. 2012. s. 417-432. (Advances in Neurobiology).

Hasselbalch J, Knorr U, Hasselbalch SG, Gade A, Kessing LV. Cognitive deficits in the remitted state of unipolar depressive disorder. *Neuropsychology*. 2012;26(5):642-51.

Hasselbalch J, Knorr U, Bennike B, Hasselbalch SG, Søndergaard MHG, Vedel Kessing L. Decreased levels of brain-derived neurotrophic factor in the remitted state of unipolar depressive disorder. *Acta Psychiatrica Scandinavica*. 2012;126(3):157-64.

Herth MM, Kramer V, Gillings N, Rösch F, Knudsen GM. Direct radiofluorination of [18F]MH.MZ for 5-HT_{2A} receptor molecular imaging with PET. *Journal of Labelled Compounds and Radiopharmaceuticals*. 2012;55(9):354-358.

Herth MM, Hansen HD, Ettrup A, Dyssegaard A, Lehel S, Kristensen JL et al. Synthesis and evaluation of [¹¹C]Cimbi-806 as a potential PET ligand for 5-HT₂ receptor imaging. *Bioorganic & Medicinal Chemistry*. 2012;20(14):4574-81.

Herth MM, Volk B, Pallagi K, Kofoed Bech L, Antoni FA, Knudsen GM et al. Synthesis and in vitro evaluation of oxindole derivatives as potential radioligands for 5-HT(7) receptor imaging with PET. *A C S Chemical Neuroscience*. 2012;3(12):1002-7.

Haahr ME, Rasmussen PM, Madsen K, Marner L, Ratner C, Gillings N et al. Obesity is associated with high serotonin 4 receptor availability in the brain reward circuitry. *NeuroImage*. 2012 jul 16;61(4):884-8.

Jacobsen J, Hansen HH, Kiss A, Mikkelsen JD. The $\alpha 4\beta 2$ nicotine acetylcholine receptor agonist ispronicline induces c-Fos expression in selective regions of the rat forebrain. *Neuroscience Letters*. 2012;515(1):7-11.

Jensen CG, Parker A. Entangled in the womb?: A pilot study on the possible physiological connectedness between identical twins with different embryonic backgrounds. *Explore: The Journal of Science & Healing*. 2012;8(6):339-47.

Jensen CG, Vangkilde SA, Frokjaer V, Hasselbalch SG. Mindfulness training affects attention--or is it attentional effort?. *Journal of Experimental Psychology: General*. 2012;141(1):106-23.

Keller SH, Sibomana M, Olesen OV, Svarer C, Holm S, Andersen FL et al. Methods for motion correction evaluation using ¹⁸F-FDG human brain scans on a high-resolution PET scanner. *Journal of Nuclear Medicine*. 2012;53(3):495-504.

Licht CL, Christoffersen M, Okholm M, Damgaard L, Fink-Jensen A, Knudsen GM et al. Simultaneous polysubstance use among Danish 3,4-methylenedioxymethamphetamine and hallucinogen users: combination patterns and proposed biological bases. *Human Psychopharmacology: Clinical and Experimental*. 2012;27(4):352-63.

Lund H, Jönsson A, Andresen JG, Rostrup E, Paulson OB, Sørensen PS. Cognitive deficits in multiple sclerosis: correlations with T2 changes in normal appearing brain tissue. *Acta Neurologica Scandinavica*. 2012;125(5):338-44.

Madsen KS, Jernigan TL, Iversen P, Frokjaer VG, Knudsen GM, Siebner HR et al. Hypothalamic-pituitary-adrenal axis tonus is associated with hippocampal microstructural asymmetry. *NeuroImage*. 2012 okt 15;63(1):95-103.

Madsen KS, Jernigan TL, Iversen P, Frokjaer VG, Mortensen EL, Knudsen GM et al. Cortisol awakening response and negative emotionality linked to asymmetry in major limbic fibre bundle architecture. *Psychiatry Research*. 2012 jan 30;201(1):63-72.

Madsen K, Hasselbalch J, Frederiksen KS, Haahr ME, Gade A, Law I et al. Lack of association between prior depressive episodes and cerebral [(11)C]PiB binding. *Neurobiology of Aging*. 2012;33(12):2334-2342.

Marner L, Frøkjær V, Kalbitzer J, Lehel S, Madsen K, Baaré WFC et al. Loss of serotonin 2A receptors exceeds loss of serotonergic projections in early Alzheimer's disease: a combined [11C]DASB and [18F]altanserin-PET study. *Neurobiology of Aging*. 2012;33(3):479-87.

Mikkelsen JD, Rasmussen MA, Meyer M, Knudsen GM. Reprogrammering af modne celler til neuroner. *Ugeskrift for Laeger*. 2012;174(12):786.

Mikkelsen JD, Jacobsen J, Kiss AE. Differential sensitivity to nicotine among hypothalamic magnocellular neurons. *Endocrine Regulations*. 2012;46(1):13-20.
Paulson OB, Bolwig TG. Det værste halsonde – patientens oplevelse, når det går godt og kunne være gået gruelig galt. *Ugeskrift for Læger*. 2012;174:1628.

Paulson OB, Kanno I, Reivich M, Sokoloff L. History of International Society for Cerebral Blood Flow and Metabolism. *Journal of Cerebral Blood Flow and Metabolism*. 2012 jul;32(7):1099-1106.

Pinborg LH, Feng L, Haahr ME, Gillings N, Dyssegård A, Madsen J et al. No change in [¹¹C]CUMI-101 binding to 5-HT(1A) receptors after intravenous citalopram in human. *Synapse (New York)*. 2012 okt;66(10):880-4.

Ptito M, Matteau I, Zhi Wang A, Paulson OB, Siebner HR, Kupers R. Crossmodal recruitment of the ventral visual stream in congenital blindness. *Neural Plasticity*. 2012;2012.

Ramsøy T, Liptrot MG, Skimminge A, Lund TE, Sidaros K, Christensen MS et al. Healthy aging attenuates task-related specialization in the human medial temporal lobe. *Neurobiology of Aging*. 2012 sep;33(9):1874-89.

Ratner C, Ettrup A, Bueter M, Haahr ME, Compan V, le Roux CW et al. Cerebral markers of the serotonergic system in rat models of obesity and after Roux-en-Y gastric bypass. *Obesity*. 2012;20(10):2133-41.

Reverte I, Klein AB, Ratner C, Domingo JL, Colomina MT. Behavioral phenotype and BDNF differences related to apoE isoforms and sex in young transgenic mice. *Experimental Neurology*. 2012;237(1):116-25.

Thomsen MS, Mikkelsen JD. The α7 nicotinic acetylcholine receptor complex: one, two or multiple drug targets?. *Current Drug Targets*. 2012;13(5):707-20.

Thomsen MS, Mikkelsen JD. Type I and II positive allosteric modulators differentially modulate agonist-induced up-regulation of α 7 nicotinic acetylcholine receptors. *Journal of Neurochemistry*. 2012;123(1):73-83.

Thomsen MS, Mikkelsen JD. The α 7 nicotinic acetylcholine receptor ligands methyllycaconitine, NS6740 and GTS-21 reduce lipopolysaccharide-induced TNF- α release from microglia. *Journal of Neuroimmunology*. 2012;251(1-2):65-72.

Ziebell M, Khalid U, Klein AB, Aznar S, Thomsen G, Jensen PS et al. Striatal dopamine transporter binding correlates with serum BDNF levels in patients with striatal dopaminergic neurodegeneration. *Neurobiology of Aging*. 2012;33(2):428.e1-428.e5.

Ziebell M, Andersen BB, Thomsen G, Pinborg LH, Karlsborg M, Hasselbalch SG et al. Predictive value of dopamine transporter SPECT imaging with [(123)I]PE2I in patients with subtle parkinsonian symptoms. *European Journal of Nuclear Medicine and Molecular Imaging*. 2012;39(2):242-50.

Neurokirurgisk Klinik

Videnskabelige artikler

Andresen M, Juhler M, Munch TN. Quality and Safety of Home ICP Monitoring Compared with In-Hospital Monitoring. *Acta Neurochirurgica. Supplementum*. 2012;113:187-91.

Andresen M, Juhler M. Multiloculated hydrocephalus: a review of current problems in classification and treatment. *Child's Nervous System*. 2012;28(2):357-62.

Astrand R, Romner B, Reinstrup P, Friis-Hansen L, Undén J. Comparison between capillary, venous and arterial levels of protein S100B in patients with severe brain pathology. *Clinical Chemistry and Laboratory Medicine*. 2012;50(6):1055-61.

Bartek JJ, Kimberly N, Bartek J, Santosh K, Carter B, Chen CC. Key Principles in Glioblastoma Therapy, Advances in the Biology, Imaging and Therapies for Glioblastoma. I: Key Principles in Glioblastoma Therapy, Advances in the Biology, Imaging and Therapies for Glioblastoma. InTech. 2012.

Bertelsen M, Linneberg A, Rosenberg T, Christoffersen N, Vorum H, Gade EF et al. Comorbidity in patients with branch retinal vein occlusion: case-control study. *B M J (Online)*. 2012;345:e7885.

Bjerring PN, Hauerberg J, Frederiksen H-J, Nielsen HB, Clemmesen JO, Larsen FS. The effect of fractionated plasma separation and adsorption on cerebral amino acid metabolism and oxidative metabolism during acute liver failure. *Journal of Hepatology*. 2012;57(4):774-9.

Grände P-O, Romner B. Osmotherapy in brain edema: a questionable therapy. *Journal of Neurosurgical Anesthesiology*. 2012;24(4):407-12.

Helweg-Larsen J, Astradsson A, Richhall H, Erdal J, Laursen AL, Brennum J. Pyogenic brain abscess, a 15 year survey. *B M C Infectious Diseases*. 2012;12:332.

Heskestad B, Waterloo K, Ingebrigtsen T, Romner B, Harr ME, Helseth E. An observational study of compliance with the Scandinavian guidelines for management of minimal, mild and moderate head injury. *Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine*. 2012;20:32.

Holst AV, Danielsen PL, Juhler M. Treatment options for intracranial arachnoid cysts: a retrospective study of 69 patients. *Acta Neurochirurgica. Supplementum*. 2012;114:267-70.

Ingebrigtsen T, Romner B. Bør hjerneskademarkør erstatte CT-undersøkelse ved lett hodeskade?. *Tidsskrift for den Norske Lægeforening : tidsskrift for praktisk medicin, ny række*. 2012;132(17):1948-9.

Larsen CC, Sørensen B, Nielsen JD, Astrup J. Reduced clot-stability during the first 6 hours after aneurysmal subarachnoid haemorrhage—a prospective case-control study. *Thrombosis Research*. 2012;129(5):e229-32.

Linneberg A, Madsen F, Skaaby T. Allergen-specific immunotherapy and risk of autoimmune disease. *Current Opinion in Allergy and Clinical Immunology (Czech and Slovak Edition)*. 2012;12(6):635-9.

Mjörnstedt L, Sørensen SS, von Zur Mühlen B, Jespersen B, Hansen JM, Bistrup CH et al. Improved renal function after early conversion from a calcineurin inhibitor to everolimus: a randomized trial in kidney transplantation. *American Journal of Transplantation (Online)*. 2012;12(10):2744-53.

Munch TN, Rostgaard K, Rasmussen M-LH, Wohlfahrt J, Melbye M, Juhler M. Familial aggregation of congenital hydrocephalus in a nationwide cohort. *Brain*. 2012;135(Pt 8):2409-15.

Raboel PH, Bartek J, Andresen M, Bellander BM, Romner B. Intracranial Pressure Monitoring: Invasive versus Non-Invasive Methods-A Review. *Critical Care Research and Practice*. 2012;2012:950393.

Rasmussen R, Claesson M, Stangerup S-E, Roed H, Christensen IJ, Thomasen PC et al. Fractionated stereotactic radiotherapy of vestibular schwannomas accelerates hearing loss. *International Journal of Radiation Oncology - Biology - Physics*. 2012;83(5):e607-11.

Rasmussen R, Wetterslev J, Stavngaard T, Skjøth-Rasmussen J, Grände PO, Olsen NV et al. The effects of continuous prostacyclin infusion on regional blood flow and cerebral vasospasm following subarachnoid haemorrhage: study protocol for a randomised

controlled trial. *Trials*. 2012;13:102.

Skjøth-Rasmussen J, Obbekjær T, Birkeland P, Hauerberg J, Juhler M. Multimodality treatment approach in children with cerebral arteriovenous malformation-a survey in the Danish population. *Child's Nervous System*. 2012;587-92.

Springborg JB, Åstrand R, Eskesen V, Hansen K, Romner B. Kan CT undlades efter et let hovedtraume?. *Ugeskrift for Laeger*. 2012;174(14):972-3; author reply 973-4.

Wagner A, Cortsen M, Hauerberg J, Romner B, Wagner MP. Treatment of intracranial aneurysms. Reconstruction of the parent artery with flow-diverting (Silk) stent. *Neuroradiology*. 2011 sep 6;54:709-18.

Wanscher M, Agersnap L, Ravn J, Yndgaard S, Nielsen JF, Danielsen ER et al. Outcome of accidental hypothermia with or without circulatory arrest: experience from the Danish Præstø Fjord boating accident. *Resuscitation*. 2012;83(9):1078-84.

Watt S, Agerlin N, Romner B. Initial experience with the Codman Certas adjustable valve in the management of patients with hydrocephalus. *Fluids and barriers of the CNS*. 2012;9(1):21.

Ziebell M, Khalid U, Klein AB, Aznar S, Thomsen G, Jensen PS et al. Striatal dopamine transporter binding correlates with serum BDNF levels in patients with striatal dopaminergic neurodegeneration. *Neurobiology of Aging*. 2012;33(2):428.e1-428.e5.

Klinisk Neurofysiologisk Klinik

Videnskabelige artikler

Andersen B, Felding UA, Krarup C. Increased probability of repetitive spinal motoneuron activation by transcranial magnetic stimulation after muscle fatigue in healthy subjects. *Journal of Applied Physiology.* 2012;112(5):832-840.

da Cunha-Bang SA, Crone C, Christensen T. Non-Hodgkin lymphoma presenting with foot drop. *Clinical Neurology and Neurosurgery.* 2012;114(8):1201-3.

Duun-Henriksen J, Kjaer TW, Madsen RE, Remvig LS, Thomsen CE, Sorensen HBD. Channel selection for automatic seizure detection. *Clinical Neurophysiology.* 2012;123(1):84-92.

Duun-Henriksen J, Madsen R, Remvig LS, Thomsen CE, Sorensen HBD, Kjaer TW. Automatic detection of childhood absence epilepsy seizures: toward a monitoring device. *Journal of Pediatric Neurology.* 2012;46(5):287-92.

Duun-Henriksen J, Kjaer TW, Madsen R, Remvig LS, Thomsen CE, Sorensen HBD. Correlation between intra- and extracranial background EEG. I E E E Engineering in Medicine and Biology Society. Conference Proceedings. 2012;2012:5198-201.

Groeschel S, í Dali C, Clas P, Böhringer J, Duno M, Krarup C et al. Cerebral gray and white matter changes and clinical course in metachromatic leukodystrophy. *Neurology.* 2012;79(16):1662-70.

Gubbels S, Bacci S, Laursen H, Hogenhaven H, Cowan S, Molbak K et al. Description and analysis of 12 years of surveillance for Creutzfeldt-Jakob disease in Denmark, 1997 to 2008. *Eurosurveillance (Print Edition).* 2012;17(15):pii20142.

H. Lou A, Madsen KH, Olsen Julian H, Toft PB, Kjaer TW, Paulson OB et al. Postoperative increase in grey matter volume in visual cortex after unilateral cataract surgery. *Acta Ophthalmologica.* 2012;91(1):58-65.

Kjaer TW. Neurologiske sygdomme. CE, red. I: Sygdomslære for ikke-klinikere. 1 udg. København: munksgaard. 2012. s. 65-109.

Kjaer TW. Selvet i hjernen: Funktion og dysfunktion. Eliasson C, red. I: Den sociale hjerne. 1 udg. København. 2012. s. 52-57.

Kjaer TW Mental status examination [Online] 2012 [!!cited 2012 jan 01] !!Available from: URL:<http://www.medlink.com/cisp.asp?UID=mlt0008s&src=Search&ref>

Kjaer TW, Duun-Henriksen J, Madsen RE, Remvig LS, Thomsen CE, Sørensen HBD. Correlations between intra- and extracranial background EEG: Conference proceedings. IEEE Eng Med Biol Mag. 2012.

Krarup C, Moldovan M. Reappraising I(h:) do myelinated motor and sensory axons of human peripheral nerves operate at different resting membrane potentials?. *Journal of Physiology*. 2012;590(Pt 7):1515-6.

Lorentzen J, Willerslev-Olsen M, Crone C, Sinkjær T, Nielsen J. Ny viden om spasticitet og dens behandling. *Ugeskrift for Laeger*. 2012;174(9):569-73.

Moldovan M, Alvarez S, Pinchenko V, Marklund S, Graffmo KS, Krarup C. Nerve excitability changes related to axonal degeneration in amyotrophic lateral sclerosis: Insights from the transgenic SOD1(G127X) mouse model. *Experimental Neurology*. 2012;233(1):408-20.

Pinborg LH, Feng L, Haahr ME, Gillings N, Dyssegaard A, Madsen J et al. No change in [¹¹C]CUMI-101 binding to 5-HT(1A) receptors after intravenous citalopram in human. *Synapse (New York)*. 2012 okt;66(10):880-4.

Wanscher M, Agersnap L, Ravn J, Yndgaard S, Nielsen JF, Danielsen ER et al. Outcome of accidental hypothermia with or without circulatory arrest: experience from the Danish Præstø Fjord boating accident. *Resuscitation*. 2012;83(9):1078-84.

UCSF

Videnskabelige artikler

Adamsen L, Stage M, Laursen J, Rørth M, Quist M. Exercise and relaxation intervention for patients with advanced lung cancer: a qualitative feasibility study. Scandinavian Journal of Medicine & Science in Sports 2012;22(6):804-815.

Agård AS, Egerod I, Tønnesen EK, Lomborg K. Struggling for independence: a grounded theory study on convalescence of ICU survivors 12 months post ICU discharge. Intensive and Critical Care Nursing 2012;28(2):105-13.

Egerod I, Overgaard D. Taking a back seat: support and self-preservation in close relatives of patients with left ventricular assist device. European journal of cardiovascular nursing : journal of the Working Group on Cardiovascular Nursing of the European Society of Cardiology 2012;11(4):380-7.

Egerod I. ICU follow-up clinics: a new frontier in inter-professional collaborative practice. Respiratory Care 2012;57(9):1532.

Gintberg Jensen J, Overgaard D. Patienters oplevelser af sygepleje ved akromegali. Sygeplejersken 2012;112(1):102-6.

Greve I, Vasilevskis EE, Egerod I, Mortensen CB, Møller AM, Svenssingen H et al. Interventions for preventing intensive care unit delirium (Protocol). Cochrane Database of Systematic Reviews 2012;8:1-21.

Jarden M. A Systematic review of nonpharmacological exercise-based rehabilitative interventions in adults undergoing allogeneic hematopoietic stem cell transplantation. Demirer T, red. I: New advances in stem cell transplantation. Rijeka: InTech 2012. s. 558-82.

Jarden M. Quality of life and symptom assessment in patients undergoing bone marrow/hematopoietic stem cell transplantation. Novik A, Salek S, Ionova T, red. I: Guidelines: patient-reported outcomes in hematology. The Hague: The European Hematology Association; 2012. s. 133-51.

Jellesmark A, Herling SF, Egerod I, Beyer N. Fear of falling and changed functional ability following hip fracture among community-dwelling elderly people: an explanatory sequential mixed method study. Disability and Rehabilitation 2012;34(25):2124-31.

Jellesmark A, Herling SF, Egerod I, Beyer N. Fear of fallling and changed functional ability following hip fracture among community-dwelling elderly people. 2012. Poster session presented at International Congress of Behavioral Medicine, Budapest, Ungarn.

Kirkelund L, Mortensen OS, Holtermann A, Birk Jørgensen M, Søgaard K, Midtgård J. Cleaners' experiences with group-based workplace physical training. www.idrottsforum.org. 2012 jun 6;1-13.

Larsen C, Ladelund S, Schrader A-M, Suhr-Jessen C, Overgaard D. Kontaktsygeplejersker giver bedre kvalitet i sygeplejen. *Sygeplejersken* 2010;110(13):52-7.

Lund-Nielsen B. Kræftsår hos patienter med avanceret kræftsygdom: et randomiseret interventionsstudium: kvantitative og kvalitative fund. *BestPractice Onkologi* 2012;2(6):56-9.

Lund-Nielsen B. Kræftsår: pleje og behandling: sygeplejevejledning [Online] 2012 [cited 2012 jan 01].

Løppenthin K, Esbensen BA, Jenum PJ, Østergaard M, Thomsen T, Midtgård J. Quality of sleep, physical activity and fatigue in patients with rheumatoid arthritis: a cross-sectional study [konferenceabstract]. 2012.

Løppenthin K, Esbensen BA, Østergaard M, Jenum PJ, Thomsen T, Midtgård J. Maintenance of physical activity in patients with rheumatoid arthritis: a qualitative interview study [konferenceabstract]. 2012.

Midtgård J, Røssell K, Christensen JF, Uth J, Adamsen L, Rørth M. Demonstration and manifestation of self-determination and illness resistance--a qualitative study of long-term maintenance of physical activity in posttreatment cancer survivors. *Supportive Care in Cancer* 2012;20(9):1999-2008.

Møller T, Adamsen L, Appel C, Welinder P, Stage M, Jarden M et al. Health related quality of life and impact of infectious comorbidity in outpatient management of patients with acute leukemia. *Clinical Lymphoma, Myeloma & Leukemia* 2012;53(10):1896-904.

Møller T. Strategisk patientundervisning ved akut leukæmi. *BestPractice Hæmatologi* 2012;2(4):2-4.

Olesen AM, Lunau AS, Jarden M. Rygningens betydning for overlevelse af lungekræft: et systematisk litteratur-review. *Fokus på Kræft og Sygepleje* 2012;32(1):21-3.

Overgaard D, Schrader A-M, Lisby KH, King C, Christensen RF, Jensen HF et al. Patient-reported outcomes in adult survivors with single-ventricle physiology. *Cardiology* 2012;120(1):36-42.

Overgaard D, Grufstedt Kjeldgaard H, Egerod I. Life in Transition: A Qualitative Study of the Illness Experience and Vocational Adjustment of Patients With Left Ventricular Assist Device. *Journal of Cardiovascular Nursing* 2012;27(5):394-402.

Pedersen MQ, Rørth M, Langer S, Jones LW, Laursen JH, Pappot H et al. Safety and feasibility of a combined exercise intervention for inoperable lung cancer patients undergoing chemotherapy: a pilot study. *Lung Cancer* 2012;75(2):203-8.

Quist M, Jones LW. Benefits and rationale for exercise during cancer therapy. Ulrich CM, Steindorf K, Berger NA, red. I: Exercise, energy balance, and cancer. New York: Springer Publishing Company; 2012. s. 107-117.

Rud K, Jakobsen M, Hjort Jakobsen D, Egerod I. Metode til optimering af patientforløb. Sygeplejersken 2012;112(14):78-81.

Skov Andersen K, Jarden M. Coping with radiotherapy for head and neck squamous cell carcinoma: a qualitative exploration. Vård i Norden 2012;32(2):25-9.

Thygesen KH, Schiødt I, Jarden M. The impact of hematopoietic stem cell transplantation on sexuality: a systematic review of the literature. Bone Marrow Transplantation 2012;47(5):716-24.